A Chemometrical Analysis of Voltammetric Data for Simultaneous Determination of Phenobarbital Sodium and Paracetamol Obtained at a Gold Electrode

Milka Avramov Ivić^{1,*}, Jelena Antanasijević², Nemanja Trišović², Davor Antanasijević³, Jelena Lović¹, Dušan Mijin² and Slobodan Petrović²

¹ ICTM – Institute of Electrochemistry, University of Belgrade, Njegoševa 12, Belgrade, Serbia

² Faculty of Technology and Metallurgy, University of Belgrade, Karnegijeva 4, 11120 Belgrade, Serbia

³ Innovation Center of the Faculty of Technology and Metallurgy, Karnegijeva 4, 11120 Belgrade, Serbia

*E-mail: milka@tmf.bg.ac.rs

doi: 10.20964/2016.07.48

Received: 24 March 2016 / Accepted: 5 May 2016 / Published: 4 June 2016

The electrochemical behavior of phenobarbital sodium (PBS), paracetamol (PCM) and their binary mixtures was investigated using cyclic voltammetry (CV) and square wave voltammetry (SWV) at a bare gold electrode in a 0.05 M bicarbonate solution. A calibration curve of PBS obtained by SWV had two linear ranges, from 1.0 to 3.0 μM and from 5.0 to 35.0 μM with a limit of quantification (LOQ) of 0.62 μM and a limit of detection (LOD) of 0.19 μM , while a calibration curve of PCM was determined within the range from 10.0 to 50.0 μM with a LOQ of 8.53 μM and a LOD of 2.56 μM . Both drugs underwent oxidation by irreversible, diffusion controlled process. The SW voltammograms of the drug mixtures produced complex, overlapping profiles and a chemometric method was applied for their decomposition. Two different artificial neural network (ANN) architectures, namely back-propagation neural network (BPNN) and general regression neural network (GRNN) were employed for the simultaneous prediction of the concentrations of the drugs in a synthetic sample. The BPNN model had higher accuracy (mean absolute percentage error values were in the range of 3.6–8.4%) and thus it can be used for the simultaneous determination of PBS and PCM.

Keywords: phenobarbital, paracetamol, voltammetry, chemometrics

[FULL TEXT](#)

© 2016 The Authors. Published by ESG (www.electrochemsci.org). This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/4.0/>).