



STRUCTURAL
CHEMISTRY

Volume 73 (2017)

Supporting information for article:

A phase transition caught in mid-course: independent and concomitant analyses of the monoclinic and triclinic structures of (⁷Bu₄N)[Co(orbitate)2(bipy)]·3H₂O

Miguel Castro, Larry R. Falvello, Elena Forcén-Vázquez, Pablo Guerra, Nuha A. Al-Kenany, Gema Martínez and Milagros Tomás

A phase transition caught in mid-course: Independent and concomitant analyses of the monoclinic and triclinic structures of (⁷Bu₄N)[Co(orotate)₂(bipy)]·3H₂O

Authors

Miguel Castro^a, Larry R. Falvello^{b*}, Elena Forcén-Vázquez^b, Pablo Guerra^b, Nuha Mushale Aref^b, Gema Martínez^b and Milagros Tomás^{c*}

^aDepartamento de Ciencia y Tecnología de Materiales y Fluidos, Escuela de Ingeniería y Arquitectura – Instituto de Ciencia de Materiales de Aragón (ICMA), University of Zaragoza - CSIC, María de Luna 3, Zaragoza, E-50018, Spain

^bDepartment of Inorganic Chemistry and Aragón Materials Science Institute (ICMA), University of Zaragoza - C.S.I.C., Pedro Cerbuna 12, Zaragoza, E-50009, Spain

^cDepartment of Inorganic Chemistry and Instituto de Síntesis Química y Catalisis Homogenea (ISQCH), University of Zaragoza - C.S.I.C., Pedro Cerbuna 12, Zaragoza, E-50009, Spain

Correspondence email: falvello@unizar.es; milagros@unizar.es

Supporting information




Figure S1 IR spectrum of (⁷Bu₄N)₂[*cis*-Co(Or)₂(H₂O)₂]·2H₂O, **1**.




Figure S2 IR spectrum of (⁷Bu₄N)[Co(Or)₂(bipy)]·3H₂O, **2**.




Figure S3 From the crystal structure of **1**, self-complementary interactions form $R_2^2(12)$ and $R_2^2(8)$ aggregates within a chain of anions propagated along [101].




Figure S4 Packing in the twinned triclinic structure **2b**.