



STRUCTURAL
CHEMISTRY

Volume 74 (2018)

Supporting information for article:

Structural and spectroscopic characterization of a new luminescent Ni^{II} complex: bis{2,4-dichloro-6-[(2-hydroxypropyl)iminomethyl]phenolato- κ^3O,N,O' }nickel(II)

Duygu Akin Kara, Adem Donmez, Hulya Kara and M. Burak Coban

Structural and spectroscopic characterization of new luminescent Ni(II) complex: Bis{2,4-dichloro-6-[(2-hydroxypropyl) iminomethyl] phenolato- $\kappa^3\text{O,N,O}'$ }nickel(II)

Duygu Akin Kara^a, Adem Donmez^{ab}, Hulya Kara^{ac*} and M. Burak Coban^{cd*}

^aDepartment of Physics, Molecular Nano-Materials Laboratory, Mugla Sitki Kocman University, Mugla, Turkey

^bScientific Research Projects Coordination Unit, Mugla Sitki Kocman University, Mugla, Turkey

^cDepartment of Physics, Balikesir University, Balikesir, Turkey

^dCenter of Sci and Tech App and Research, Balikesir University, Balikesir, Turkey

Correspondence email: karahulya04@gmail.com; burakcoban@balikesir.edu.tr





Figure S1. ¹H NMR spectrum of the ligand H₂L.

Figure S2. ^{13}C NMR spectrum of the ligand H_2L .




Figure S3. Mass spectrum of H₂L ligand.




Figure S4. Mass spectrum of the complex 1.