



STRUCTURAL
BIOLOGY

Volume 77 (2021)









Supporting information for article:

Complex crystal structure determination and anti-non-small-cell lung cancer activity of the Hsp90^N inhibitor Debio0932

Wei Qin, Feng Yu, Huan Zhou, Ping Li, Fang Zhou, Hui-Jin Li, Chun-Xia He, Lu Xing, Xin Zhou, Dong Zhao, Peng-Quan Li, Xi Jin, Qi-Sheng Wang, Jian-Hua He and Hui-Ling Cao

Table S1 Molecular docking data of Debio0932 and its new derivatives.

Name	Total score	Cscore	Molecular structure	Total score increment
D	7.8	5		
D13	10.4	5		↑2.6
D15	9.5	5		↑1.7
D25	9.2	5		↑1.4
D12	8.7	4		↑0.9
D7	8.4	4		↑0.6
D1	8.1	5		↑0.3

D24	8.0	3		↑0.2
D9	7.9	4		↑0.1
D28	7.9	5		↑0.1
D2	7.8	4		0.0
D11	7.8	3		0.0
D6	7.7	4		↓0.1
D30	7.7	3		↓0.1
D23	7.7	5		↓0.1

D21	7.6	3		↓0.2
D14	7.6	5		↓0.2
D27	7.5	5		↓0.3
D18	7.5	3		↓0.3
D5	7.1	5		↓0.7
D19	7.0	4		↓0.8
D16	7.0	4		↓0.8
D4	6.9	2		↓0.9

Annotation: The red means new derivatives with increased Total score values compared with Debio0932 determined by molecular docking with software SYBYL-X 2.0 and the blue means ones with decreased Total score values.




Figure S1 Complex crystals of Hsp90^N-Debio0932. The complex crystals of Hsp90^N-Debio0932 (220 μm \times 130 μm \times 50 μm) were gained after 3 \sim 5 days at 4°C by the hanging drop method.