

S1 Table – List of investigated taxa with accession numbers

S1 Table. List of investigated taxa with accession numbers. Voucher information is given for new sequences not previously reported and their accession numbers are indicated in bold. Standard herbarium codes follow Thiers (2008).

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Acanthaceae		<i>Acanthus</i>	<i>Acanthus longifolius</i> Host	Bremer et al. (2002)			AJ429326	AJ429679	AH431037	AJ430912
			<i>Acanthus montanus</i> T.Anderson	Hedrén et al. (1995)	L12592					
		<i>Avicennia</i>	<i>Avicennia marina</i> Vierh.	Bremer et al. (2002)		AJ429115				
Actinidiaceae		<i>Actinidia</i>	<i>Actinidia nitida</i> Jacq.	Wagstaff & Olmstead (1997)	U28868		AJ429116	AJ429327	AJ429680	AJ431038
			<i>Actinidia arguta</i> Miq.	Albach et al. (2001a,b)		AJ236238				AJ430913
			<i>Actinidia chinensis</i> Planch.	Albert et al. (1992)	L01882					
Adoxaceae		<i>Viburnum</i>	<i>Actinidia kolomikta</i> Maxim.	Bremer et al. (2002)			AJ429279	AJ429640	AJ430992	AJ430869
			<i>Viburnum rhytidophyllum</i> Graebn.	Bremer et al. (2002)			AJ429391	AJ429736	AJ431103	AJ430979
				Gustafsson et al. (1996)	X87398					
Alseuosmiaceae		<i>Alseuosmia</i>	<i>Alseuosmia macrophylla</i> A.Cunn.	Bremer et al. (2002)			AJ429378	AJ429725	AJ431091	AJ430965
				Gustafsson et al. (1996)	X87377					
				Roels (unpublished)		AF060157				
Apiaceae		<i>Apium</i>	<i>Apium graveolens</i> L.	Bremer et al. (2002)			AJ429124	AJ429370	AJ429716	AJ431081
				Albert et al. (1992)	L01885					AJ430956
			<i>Alstonia scholaris</i> (L.) R.Br.	Bremer et al. (2002)			AJ011982	AJ429321	AJ429674	AJ431032
Apocynaceae		<i>Ilex</i>	<i>Alstonia</i>	Bremer et al. (2002)						AJ430907
			<i>Ilex crenata</i> Thunb.	Sennblad & Bremer (1996)	X91760					
			<i>Ilex mitis</i> (L.) Radlk.	Olmstead et al. (2000)		AF130206				
Aquifoliaceae		<i>Ilex</i>		Manen et al. (1998)	X98730					
			<i>Ilex sp.</i>	Bremer et al. (2002)			AJ429376	AJ429722	AJ431088	AJ430962
				Bremer et al. (2002)			AJ429125	AJ429371	AJ429717	AJ431082
Araliaceae		<i>Aralia</i>	<i>Aralia spinosa</i> L.	Bremer et al. (2002)						AJ430957
				Chase et al. (1993)	L11166					
				Bremer et al. (2002)						
Argophyllaceae		<i>Argophyllum</i>	<i>Argophyllum</i> sp.	Bremer et al. (2002)			AJ429379	AJ429726	AJ431092	AJ430966
				Gustafsson et al. (1996)	X87379					
				Kårehed et al. (1999)		AJ238335				
Asteraceae		<i>Helianthus</i>	<i>Helianthus annuus</i> L.	Bremer et al. (2002)			AJ429380	AJ429727	AJ431093	AJ430967
				Kanevski et al. (1999)	AF097517					

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Balsaminaceae		<i>Impatiens</i>	<i>Impatiens biflora</i> Walt.	Kim & Jansen (1995)	L39383					
			<i>Impatiens capensis</i> Meerb.	Olmstead et al. (2000)	AF130210					
			<i>Impatiens repens</i> Moon	Bremer et al. (2002)		AJ429280	AJ429641	AJ430993	AJ430870	
Bignoniaceae		<i>Jacaranda</i>	<i>Jacaranda mimosaeifolia</i> D.Don	Morton et al. (1997)	Z80197					
			<i>Jacaranda sparrei</i> A.H.Gentry	Bremer et al. (2002)		AJ429328	AJ429681	AJ431039	AJ430914	
Boraginaceae		<i>Borago</i>	<i>Borago officinalis</i> L.	Spangler & Olmstead (1999)	AF102647	AF102631				
				Bremer et al. (2002)		AJ429308	AJ429664	AJ431019	AJ430896	
				Olmstead et al. (1992)	L11680					
Bruniaceae		<i>Brunia</i>	<i>Brunia albiflora</i> Phillips	Olmstead & Reeves (1995)	L36393					
				Bremer et al. (2002)		AJ429361	AJ429707	AJ431072	AJ430948	
				Backlund & Bremer (1997)	Y10674					
Calyceraceae		<i>Acicarpha</i>	<i>Acicarpha tribuloides</i> Juss.	Roels (unpublished)		AF060159				
				Bremer et al. (2002)		AJ429129	AJ429381	AJ429728	AJ431094	AJ430968
		<i>Boopis</i>	<i>Boopis anthemoides</i> Juss.	Gustafsson et al. (1996)	X87376					
				Michaels et al. (1993)	L13860					
Caprifoliaceae		<i>Lonicera</i>	<i>Boopis graminea</i> Phil.	Kim & Jansen (1995)	L39384					
				Bremer et al. (2002)						AJ430969
			<i>Lonicera orientalis</i> Lam.	Bremer et al. (2002)		AJ429382	AJ429729	AJ431095		
				Bremer et al. (2002)		AJ430196	AJ429737	AJ431104	AJ430980	
				Gustafsson et al. (1996)	X87389					
Cardiopteridaceae		<i>Cardiopteris</i>	<i>Cardiopteris quinqueloba</i> Hassk.	Oxelman et al. (1999)		AF027274				
				Bremer et al. (2002)		AJ312963	AJ429310	AJ429665	AJ431021	AJ430898
				Savolainen et al. (2000a)	AJ402936					
Clethraceae		<i>Clethra</i>	<i>Clethra alnifolia</i> L.	Bremer et al. (2002)		AJ429281	AJ429526	AJ430994	AJ430871	
				Kron & Chase (1983)	L12609					
				Albach et al. (2001a,b)		AJ236242				
Columelliaceae		<i>Columellia</i>	<i>Columellia oblonga</i> Ruiz and Pav.	Bremer et al. (2002)		AJ429362	AJ429708	AJ431073	AJ430949	
				Backlund & Bremer (1997)	Y10675					
				Roels (unpublished)		AF060160				
		<i>Desfontainia</i>	<i>Desfontainia spinosa</i> Ruiz and Pav.	Bremer et al. (2002)		AJ429363	AJ429709	AJ431074	AJ430950	

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL	
Convolvulaceae	Ipomoea	<i>Ipomoea batatas</i> (L.) Lam.		Bremer et al. (1994)	Z29670	AJ011988	AJ429355	AJ429702	AJ431071	AJ430942	
				Oxelman et al. (1999)							
Cornaceae	Cornus	<i>Cornus mas</i> L.		Bremer et al. (2002)	L14400	U08918	AJ429275	AJ429636	AJ430988	AJ430866	
				Xiang et al. (1993)							
Cyrillaceae	Cyrilla	<i>Cyrilla racemiflora</i> L.		Roels (unpublished)	L11216	AF060161	AJ429282	AJ429527	AJ430995	AJ430872	
				Bremer et al. (2002)							
Diervillaceae	Diervilla	<i>Diervilla sessilifolia</i> Buckl.		Albert et al. (1992)	L01900	AF421051	AJ429392	AJ429738	AJ431105	AJ430981	
				Anderberg et al. (2002)							
Dipentodontaceae	Dipentodon	<i>Dipentodon sinicus</i> Dunn		Bremer et al. (1994)	Z29672	AF060164	AJ429102	AJ429273	AJ429634	AJ430986	AJ430865
				Roels (unpublished)	AJ428890						
Dipsacaceae	Dipsacus	<i>Dipsacus sativus</i> Garsault		<i>Diervilla rivularis</i> Gatt.	Bremer et al. (2002)	AF421051	AJ429393	AJ429739	AJ431106	AJ430982	
				<i>Dipsacus sativus</i> Garsault	Bremer et al. (2002)						
Ebenaceae	Diospyros	<i>Diospyros kaki</i> Thunb.		Michaels et al. (1993)	L13864	AF130190	AJ430197	AJ429642	AJ430996	AJ430874	
				Olmstead et al. (2000)	Z80185						
Eremosynaceae	Eremosyne	<i>Eremosyne pectinata</i> Endl.		<i>Diospyros texana</i> Scheele	Bremer et al. (2002)	AF130213	AJ429120	AJ429364	AJ429710	AJ431075	AJ430951
				<i>Eremosyne pectinata</i> Endl.	Hibach-Jetter et al. (unpubl.)						
Escalloniaceae	Escallonia	<i>Escallonia coquimbensis</i> Remy in Gay		<i>Morgan & Soltis</i> (1993)	L11183	AF060165	AJ429365	AJ429711	AJ431076	AJ430952	
				<i>Escallonia x langleyensis</i> Vilm. and Bois	Roels (unpublished)						
Fouquieriaceae	Fouquieria	<i>Fouquieria digueti</i> I.M.Johnst.		<i>Escallonia rubra</i> Pers.	Bremer et al. (2002)	L11675	AJ429285	AJ429643	AJ430998	AJ430876	
				<i>Fouquieria splendens</i> Engelm.	Olmstead et al. (1992)						
Garryaceae	Aucuba	<i>Aucuba japonica</i> Thunb.		Albach et al. (2001a,b)	Albach et al. (2001a,b)	AJ236249	AJ429318	AJ429672	AJ431029	AJ430906	
				Bremer et al. (2002)							

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL		
Gelsemiaceae		<i>Gelsemium</i>	<i>Gelsemium sempervirens</i> Ait.	Xiang et al. (1993)	L11210							
				Roels (unpublished)		AF060158						
				Bremer et al. (2002)			AJ429322	AJ429675	AJ431033	AJ430908		
				Olmstead et al. (1993)	L14397							
Gentianaceae		<i>Gentiana</i>	<i>Gentiana procera</i> Holm	Oxelman et al. (1999)		AJ011984						
				Olmstead et al. (1993)	L14398							
				Olmstead & Reeves (1995)		L36400						
Gesneriaceae		<i>Peltanthera</i>	<i>Peltanthera floribunda</i> Benth.	<i>Gentiana purpurea</i> L.	Bremer et al. (2002)		AJ429323	AJ429676	AJ431034	AJ430909		
				Bremer et al. (2002)			AJ429330	AJ429682	AJ431041	AJ430916		
				Oxelman et al. (1999)	AJ001762	AF027281						
Goodeniaceae		<i>Streptocarpus</i>	<i>Streptocarpus caulescens</i> Vatke	<i>Peltanthera floribunda</i> Benth.	Bremer et al. (2002)		AJ429331	AJ429684	AJ431043	AJ430918		
				<i>Streptocarpus holstii</i> Engl.	Olmstead et al. (1993)	L14409						
				Olmstead & Reeves (1995)		L36415						
Griseliniaeae		<i>Scaevola</i>	<i>Scaevola frutescens</i> K.Krause	<i>Streptocarpus caulescens</i> Vatke	Michaels et al. (1993)	L13932						
				<i>Scaevola</i> sp.	Kim & Jansen (1995)	L39385						
				<i>Griselinia littoralis</i> (Raoul) Raoul	Bremer et al. (2002)		AJ429385	AJ429730	AJ431097	AJ430973		
Grubbiaceae		<i>Griselinia</i>	<i>Griselinia lucida</i> (J.R.Forst. and G.Forst) G.Forst	<i>Griselinia littoralis</i> (Raoul) Raoul	Bremer et al. (2002)		AJ429372	AJ429719	AJ431084	AJ430958		
				<i>Griselinia lucida</i> (J.R.Forst. and G.Forst) G.Forst	Xiang et al. (1993)	L11225						
Helwingiaceae		<i>Grubbia</i>	<i>Grubbia rosmarinifolia</i> Berg.	<i>Griselinia lucida</i> (J.R.Forst. and G.Forst) G.Forst	Olmstead et al. (2000)		AF130205					
				<i>Grubbia tomentosa</i> (Thunb.) Harms	Bremer et al. (2002)		AJ429104	AJ429276	AJ429637	AJ430989	AJ430867	
				<i>Grubbia tomentosa</i> (Thunb.) Harms	Morton et al. (1996)	Z83141						
Icacinaceae		<i>Apodytes</i>	<i>Apodytes dimidiata</i> E.Mey. ex Bernh.	<i>Grubbia rosmarinifolia</i> Berg.	Bremer et al. (2002)							
				<i>Apodytes dimidiata</i> E.Mey. ex Bernh.	Olmstead et al. (2000)		AF130207					
				<i>Cassinopsis ilicifolia</i> (Hochst.) Sleumer	Bremer et al. (2002)		AJ428895	AJ429109	AJ429311	AJ429666	AJ431022	AJ430899
				<i>Icacina senegalensis</i> Juss.	Bremer et al. (2002)		AJ428896	AJ429110	AJ429312	AJ429667	AJ431023	AJ430900
Pyrenacanthaceae		<i>Icacina</i>	<i>Pyrenacantha grandifolia</i> Engl.	<i>Icacina senegalensis</i> Juss.	Bremer et al. (2002)		AJ428897	AJ429111	AJ429313	AJ429668	AJ431024	AJ430901
				<i>Pyrenacantha grandifolia</i> Engl.	Bremer et al. (2002)			AJ429314	AJ429669	AJ431025	AJ430902	

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL		
Lamiaceae		<i>Lamium</i>	<i>Pyrenacantha malvaefolia</i> Engl.	Savolainen et al. (2000a,b) Kårehed (2001)	AJ402995	AJ312952	AJ429332	AJ429685	AJ431044	AJ430919		
			<i>Lamium album</i> L.	Bremer et al. (2002)	Z37403							
			<i>Lamium purpureum</i> L.	Kaufmann & Wink (1996)	U78694							
Lecythidaceae		<i>Barringtonia</i>	<i>Barringtonia asiatica</i> (L.) Kurz	Wagstaff & Olmstead (1997)	Anderberg et al. (2002)	Z80174	AJ429286	AJ429644	AJ430999	AJ430877		
				Bremer et al. (2002)								
				Morton et al. (1997)								
Linnaeaceae		<i>Linnaea</i>	<i>Linnaea borealis</i> L.	Roels (unpublished)	AJ428899	AF060166	AJ429394	AJ429740	AJ431107	AJ430983		
				Hempel et al. (1995)								
				<i>Loasa loxensis</i> Humb. Bonpl. and Kunth								
Loasaceae		<i>Loasa</i>	<i>Loasa triphylla</i> Juss. <i>Loasa vulcanica</i> André	Bremer et al. (2002)	U17876	AF060167	AJ429278	AJ429639	AJ430991	AJ430868		
				Roels (unpublished)								
				<i>Logania</i> sp.			AJ235837	AJ429324	AJ429677	AJ431035	AJ430910	
Loganiaceae		<i>Logania</i>	<i>Logania vaginalis</i> F.Muell.	Backlund et al. (2000)	Z68826	AJ236263						
				Bremer et al. (2002)		AJ429289	AJ429646	AJ431001	AJ430879			
				Bremer (1996)								
Marcgraviaceae		<i>Marcgravia</i>	<i>Marcgravia rectiflora</i> Triana and Planch.	Morton et al. (1996)	Z83148	AJ429334	AJ429386	AJ429731	AJ431098	AJ430974		
				Albach et al. (2001a,b)	L01946							
				<i>Marcgravia</i> sp.	AJ429289		AJ429646	AJ431001	AJ430879			
Martyniaceae		<i>Proboscidea</i>	<i>Proboscidea fragrans</i> (Lindl.) Decne. <i>Proboscidea louisianica</i> (Mill.) Thell.	Bremer et al. (2002)								
				Albert et al. (1992)	AJ236267	AJ236263	AJ429386	AJ429731	AJ431098	AJ430974		
				Albach et al. (2001a,b)								
Menyanthaceae		<i>Menyanthes</i>	<i>Menyanthes trifoliata</i> L.	Bremer et al. (2002)	L14006	L39388	AJ429386	AJ429731	AJ431098	AJ430974		
				Olmstead et al. (1993)								
				Kim & Jansen (1995)								
Montiniaceae		<i>Grevea</i>	<i>Grevea</i> sp.	Bremer et al. (2002)	AJ428898	AJ430426	AJ429357	AJ429704	AJ431066	AJ430944		
				Bremer et al. (2002)	AJ402963	AJ431206	AJ429358	AJ429705	AJ431067	AJ430945		
				Savolainen et al. (2000a)		AJ429359	AJ429706	AJ431068	AJ430946			
		<i>Kaliphora</i>	<i>Kaliphora madagascariensis</i> Hook.f.	Bremer et al. (2002)								
		<i>Montinia</i>	<i>Montinia caryophyllacea</i> Thunb.	Bremer et al. (2002)								

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Morinaceae		<i>Morina</i>	<i>Morina coulteriana</i> Royle	Morgan & Soltis (1993)	L11194					
				Olmstead et al. (2000)		AF130178				
Myrsinaceae		<i>Myrsine</i>	<i>Myrsine africana</i> L.	Backlund & Bremer (1997)	Y10706		AJ429130	AJ429395	AJ429741	AJ431108 AJ430984
				Bremer et al. (2002)				AJ429290	AJ429647	AJ431002 AJ430880
Oleaceae		<i>Olea</i>	<i>Olea europaea</i> L.	Anderberg et al. (1998)	U96652					
				Källersjö et al. (2000)		AF213751				
Oncothecaceae		<i>Oncotheca</i>	<i>Oncotheca balansae</i> Baill.	Bremer et al. (2002)			AJ429335	AJ429687	AJ431047	AJ430922
				Oxelman et al. (1999)	AJ001766	AF027288				
Orobanchaceae		<i>Cyclocheilon</i>	<i>Cyclocheilon somaliense</i> Oliver	Bremer et al. (2002)			AJ429114	AJ429320	AJ429673	AJ431031 AJ430529 AJ430530
				Savolainen et al. (2000a,b)	AJ131950					
		<i>Lindenbergia</i>	<i>Lindenbergia</i> sp.	Bremer et al. (2002)		AJ429117	AJ429336	AJ429688	AJ431048	AJ430923
				Wagstaff & Olmstead (1997)	U28871					
Paeoniaceae		<i>Paeonia</i>	<i>Paeonia suffruticosa</i> Andr.	Bremer et al. (2002)			AJ429337	AJ429689	AJ431049	AJ430924
				Oxelman et al. (1999)	AJ001768	AF027286				
Paracryphiaceae		<i>Paracryphia</i>	<i>Paracryphia alticola</i> (Schltr.) v.Steenis	Savolainen et al. (2000a,b)	AJ402982					
				Olmstead et al. (2000)		AF130223				
		<i>Quintinia</i>	<i>Quintinia verdonii</i> F.Muell	Bremer et al. (2002)			AJ430198	AJ430199	AJ430201	AJ430200
				Gustafsson et al. (1996)	AJ429121	AJ429367	AJ429713	AJ431078	AJ430392	
Paulowniaceae		<i>Paulownia</i>	<i>Paulownia tomentosa</i> (Thunb.) Steud.	Bremer et al. (2002)			AJ429366	AJ429712	AJ431077	AJ430953
				Olmstead & Reeves (1995)	AJ402983					
Pedaliaceae		<i>Sesamum</i>	<i>Sesamum indicum</i> L.	Olmstead et al. (1993)	X87394					
				Olmstead & Reeves (1995)		AJ238344				
Pentaphragmataceae		<i>Pentaphragma</i>	<i>Sesamum orientale</i> L.	Bremer et al. (2002)			AJ429339	AJ429690	AJ431051	AJ430926
				Bremer et al. (2002)	L36447	L36406				
			<i>Pentaphragma ellipticum</i> Poulsen	Bremer et al. (2002)	L14408					
						L36413				
				Bremer et al. (2002)			AJ429340	AJ429691	AJ431052	AJ430927
							AJ429387	AJ429732	AJ431099	AJ430975

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL	
Phellinaceae	<i>Phelline</i>	<i>Phelline comosa</i> Labill.		Cosner et al. (1994)	L18794						
				Olmstead et al. (2000)		AF130183					
			<i>Phelline lucida</i> Vieill. ex Baill.	Kårehed et al. (1999)		AJ238342					
Phrymaceae	<i>Phryma</i>	<i>Phryma leptostachya</i> L.		Bremer et al. (2002)			AJ429388	AJ429733	AJ431100	AJ430976	
				Kårehed et al. (1999)	AJ238347						
Phyllonomaceae	<i>Phyllonoma</i>	<i>Phyllonoma laticuspis</i> Engl.		Bremer et al. (2002)		AJ429118	AJ429341	AJ429692	AJ431053	AJ430928	
				Wagstaff & Olmstead (1997)	U28881						
Pittosporaceae	<i>Pittosporum</i>	<i>Pittosporum tobira</i> Dryand. ex Ait.		Morgan & Soltis (1993)	L11201						
				Olmstead et al. (2000)		AF130208					
			<i>Pittosporum ruscifolia</i> Willd. ex Schult.	Bremer et al. (2002)			AJ429377	AJ429724	AJ431090	AJ430964	
Plantaginaceae	<i>Antirrhinum</i>	<i>Antirrhinum majus</i> L.		Plunkett et al. (1996)	U50261						
				Olmstead et al. (2000)		AF130201					
			<i>Pittosporum undulatum</i> Vent.	Bremer et al. (2002)			AJ429374	AJ429720	AJ431086	AJ430960	
Plocospermataceae	<i>Plocosperma</i>	<i>Plocosperma buxifolium</i> Benth.		Bremer et al. (2002)			AJ429342	AJ429693	AJ431054	AJ430929	
				Olmstead et al. (1992)	L11688						
				Olmstead & Reeves (1995)		L36392					
Polemoniaceae	<i>Polemonium</i>	<i>Polemonium reptans</i> L.		Bremer et al. (2002)			AJ429343	AJ429694	AJ431055	AJ430930	
				Oxelman et al. (1999)	AJ001764	AF027282					
			<i>Plantago lanceolata</i> L.	Olmstead & Reeves (1995)	L36454	L36408					
Polyosmaceae	<i>Polyosma</i>	<i>Polyosma cunninghamii</i> Benn.		Bremer et al. (2002)			AJ429344	AJ429695	AJ431056	AJ430931	
				Bremer et al. (2002)			AJ429315	AJ429670	AJ431026	AJ430903	
				Endress et al. (1996)	Z68829						
Primulaceae	<i>Primula</i>	<i>Primula sieboldi</i> E.Morr		Oxelman et al. (1999)		AJ011985					
				Olmstead et al. (1992)	L11687						
				Anderberg et al. (2002)		AF421070					
			<i>Polemonium pulcherrimum</i> Hook.	Bremer et al. (2002)			AJ429292	AJ429649	AJ431004	AJ430882	
				Bremer et al. (2002)			AJ429122	AJ429368	AJ429714	AJ431079	AJ430954
				Savolainen et al. (2000a,b)	AJ402992						
				Anderberg et al. (1998)	U96657						
				Källersjö et al. (2000)		AF213757					

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Roridulaceae	Roridulae	<i>Roridula</i>	<i>Primula veris</i> L. <i>Roridula gorgonias</i> Planch.	Bremer et al. (2002)			AJ429293	AJ429650	AJ431005	AJ430883
				Bremer et al. (2002)			AJ429294	AJ429651	AJ431006	AJ430884
				Albert et al. (1992)	L01950					
Rousseaceae	Rousseae	<i>Rousseaa</i>	<i>Rousseaa simplex</i> Sm.	Albach et al. (2001a,b)		AJ236270				
				Bremer et al. (2002)			AJ429389	AJ429734	AJ431101	AJ430977
				Koontz & Soltis (1999)	AF084477					
Rubiaceae	Airospermeae	<i>Boholia</i>	<i>Boholia nematostylis</i> Merr.	Lundberg (2001)		AJ277384				
				Bicknell 1561A (S)			LN680343	LN680278		
				Bremer & Eriksson (2009)	AM117210				AM117286	
				Kainulainen et al. (2009)		AM949848				
				Kainulainen et al. (2013)						HM164312
Alberteae	Albertae	<i>Albertaa</i>	<i>Albertaa magna</i> E.Mey.	Middleton s.n. 941013/Tonkin 200 (UPS)			LN680336	LN680272		
				Andreasen et al. (1999)	Y18708					
				Bremer et al. (1999)		AJ236282				
				Kainulainen et al. (2009)					FM204701	
				Lantz & Bremer (2004)						AJ620118
Aleisanthieae	Aleisanthiopsis	<i>Aleisanthiopsis</i>	<i>Aleisanthiopsis distantiflora</i> (Merr.) Tange	Tange 46977 (AAU)			LN680337	LN680273		
				Kainulainen et al. (2013)	HM164154	HM164350				HM164306
				Rova (unpublished)					AF242903	
Anthospermeae	Anthospermum	<i>Anthospermum</i>	<i>Anthospermum herbaceum</i> L.f.	Bremer 3093 (UPS)			LN680339	LN680318 LN680330		
				Bremer et al. (1995)	X83623					
				Bremer et al. (1999)		AJ236284				
				Rydin et al. (2008)					EU145496	EU145544
				Wanntorp BB 88-27			LN680340	LN680275		
Argostemmateae	Argostemma	<i>Argostemma</i>	<i>Argostemma hookeri</i> King	Bremer (1996)	Z68788					
				Rydin et al. (2009)		FJ695287			FJ695255	
				Rydin et al. (2008)						EU145545

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Augusteae	Augusta	<i>Augusta austrocaledonica</i> (Brongn.) J.H. Kirkbr.		Mouly & Innocente 237 (P)			LN680341	LN680276		
				Mouly et al. (2009)	EU817412					EU817454
				Kainulainen et al. (2013)		HM164352				HM164193
Bertiereae	<i>Bertiera</i>	<i>Bertiera longithyrsa</i> Baker		Kårehed et al. 256 (UPS)			LN680342	LN680277		
				Kainulainen et al. (2013)	HM164158	HM164356			HM164196	HM164311
Chioccoeae	<i>Cubanola</i>	<i>Cubanola domingensis</i> (Britton) Aiello		McDowell 001 (??)			LN680349	LN680311		
				Bremer et al. (1995)	X83632					
				Bremer & Eriksson (2009)		AM117345				
				Kainulainen et al. (2009)						FM204718
				Manns & Bremer (2010)						GQ852490
Cinchoneae	<i>Cinchona</i>	<i>Cinchona pubescens</i> Vahl		Bremer 2733 (S)			LN680344	LN680280		
				Bremer et al. (1995)	X83630					
				Backlund et al. (2000)		AJ235843				
				Kainulainen et al. (2009)						FM204714
				Andersson & Antonelli (2005)						AY538451
Coffeeae	<i>Coffea</i>	<i>Coffea arabica</i> L.		Nalapalli et al. (unpublished)	EF044213	EF044213	EF044213	EF044213	EF044213	EF044213
Colletoecemateae	<i>Colletoecema</i>	<i>Colletoecema dewevrei</i> (De Wild.) E.M.A. Petit		Lisowski 47195 (K)			LN680345	LN680319	LN680331	
				Rydin et al. (2008)	EU145457	EU145409				EU145532
				Piesschaert et al. (2000)						AF129272
				T.D. Pennington & Daza 17436 (MOL)						
				Kainulainen et al. (2013)	HM164161					
Condamineae	<i>Condaminea</i>	<i>Condaminea corymbosa</i> (Ruiz & Pav.) DC.		Kainulainen et al. (2010)			FJ871950	FJ905347	FJ884645	FJ948381
				Robbrecht s.n. (UPS)						
				Bremer et al. (1999)	Y18715	AJ236294				
				Kainulainen et al. (2009)						FM204719
				Massey s.n. 15F			LN680372	LN680304	FM207125	
Pinckneya		<i>Pinckneya bracteata</i> (Bartram) Raf.		Bremer et al. (1995)	X83661					
				Bremer et al. (1999)		AJ130839				

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
				Kainulainen et al. (2010)					FJ884668	FJ948408
Coptosapeltaceae	Coptosapeltinae	<i>Coptosapelta</i>	<i>Coptosapelta diffusa</i> (Champ. ex Benth.) Steenis	Bartholomew et al. 847 (AAU)			LN680346	LN680282		
				Rydin et al. (2008)	EU145453	EU145403			EU145482	EU145527
Cordieraceae		<i>Stachyarrhena</i>	<i>Stachyarrhena heterochroa</i> Standl.	Persson et al. 821 (GB)	LN680384	LN680392	LN680378	LN680309	LN680874	LN680877
Coussareeae		<i>Faramea</i>	<i>Faramea multiflora</i> A.Rich.	Bremer 3331 (UPS)			LN680354	LN680313		
				Bremer (1996)	Z68796					
				Rydin et al. (2008)		EU145424				
				Andersson & Rova (1999)					AF004048	
				Struwe et al. (1998)						AF102422
Craterispermeeae		<i>Craterispermum</i>	<i>Craterispermum longipedunculatum</i> Verdc.	Luke 9196 (UPS)	LN680381	LN680386	–	–	LN680871	LN680875
Crossopterygaceae		<i>Crossopteryx</i>	<i>Crossopteryx febrifuga</i> (Afzel. ex G.Don) Benth.	Bremer 3097 (UPS)			LN680348	LN680284		
				Bremer & Eriksson (2009)	AM117223					
				Kainulainen et al. (2009)		AM949851			FM204717	FM207123
Danaideae		<i>Danais</i>	<i>Danais xanthorrhea</i> (K. Schum.) Bremek.	Bremer 3079 (UPS)			LN680350	LN680285		
				Bremer (1996)	Z68794					
				Bremer et al. (1999)		AJ236293				
				Bremer & Eriksson (2009)					AM117297	
				Backlund et al. (2007)						DQ662138
Dunniaeae		<i>Dunnia</i>	<i>Dunnia sinensis</i> Tutch.	Zhuhai 12, Ge et al. 2002			LN680352	LN680287		
				Rydin et al. (2008)	EU145467	EU145444			EU145517	EU145587
Foonchewiaeae		<i>Foonchewia</i>	<i>Foonchewia guangdongensis</i> R.J.Wang & H.Z.Wen	Wen & Wang (2012)	JQ002642	JQ002646	–	–	JQ002638	–
Gaertnereae		<i>Gaertnera</i>	<i>Gaertnera phyllosepala</i> Baker	Kårehed et al. 274 (UPS)			LN680388	LN680355	LN680288	AM945311
			<i>Gaertnera</i> sp.	Razafimandimbison et al. (2008)	AM945288					DQ662139
Gardenieae		<i>Gardenia</i>	<i>Gardenia hansemannii</i> K.Schum.	Backlund et al. (2007)			LN680356	LN680289		
				Drozd & Molem 1998-11-13						AJ320077
				Novotny et al. (2002)	AJ318446					

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Ixoreae	Ixora	<i>Ixora coccinea</i> L.		Bremer & Thulin (1998)	Y11852					
				Manns & Bremer (2010)		GQ852226				GQ852519
				Bremer & Eriksson (2009)						AM117319
				Bremer 2719 (UPS)			LN680363	LN680296		
				Kainulainen et al. (2013)	HM164167	HM164376				
				Mouly et al. (2007)						EF205641
Jackieae	<i>Jackiopsis</i>	<i>Jackiopsis ornata</i> (Wall.) Ridsdale		Mouly et al. (2009)						EU817464
				K.S. Tan s.n.			LN680364	LN680297		
				Razafimandimbison et al. (2011)	HM536219	HM536213			HM536225	HM536231
Knoxiae	<i>Pentas</i>	<i>Pentas lanceolata</i> (Forssk.) Deflers		Bremer, 2702 (S)				LN680303		
				Bremer et al. (1995)	X83659					
				Bremer et al. (1999)		AJ236304				
				Nakamura et al. (2006)			AB247151			
				Kårehed & Bremer (2007)					AM266875	AM266963
Lasiantheae	<i>Lasianthus</i>	<i>Lasianthus kilimandscharicus</i> K.Schum.		Lantz 119 (UPS)			LN680365	LN680314		
				Bremer & Eriksson (2009)	AM117237					AM117327
				Rydin et al. (2008)		EU145426				
				Backlund et al. (2007)						DQ662147
Luculieae	<i>Luculia</i>	<i>Luculia grandifolia</i> Ghose		Bremer et al. (1995)	X83648		–			
				<i>Luculia gratissima</i> Sweet			–	AJ429678	AJ431036	AJ430911
				Oxelman et al. (1999)		AJ011987				
Mitchelleae	<i>Mitchella</i>	<i>Mitchella repens</i> L.		Bremer 2714 (S)			LN680366	LN680298		
				Bremer (1996)	Z68805					
				Razafimandimbison et al. (2008)		AM945258				
				Andersson & Rova (1999)						AF001441
				Razafimandimbison et al. (2009)						FJ906973
				Bremer 2705 (UPS)			LN680299			
Mitriostigmeae	<i>Mitriostigma</i>	<i>Mitriostigma axillare</i> Hochst.		Bremer et al. (1995)	X83650					
				Kainulainen et al. (2013)			HM164381	HM119550	HM164216	HM164329

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Morindeae		<i>Morinda</i>	<i>Morinda citrifolia</i> L.	Bremer 3302 (UPS)				LN680367	LN680300	AF152616
				Novotny et al. (2002)	AJ318448					
				Bremer et al. (1999)		AJ236300				
				Vicentini & Stevens (unpubl.)						EU872844
Mussaendeae		<i>Mussaenda</i>	<i>Mussaenda arcuata</i> Poir.	McPehrson 16213 (MO)				LN680301		
				Bremer & Thulin (1998)	Y11854					
				Bremer et al. (1999)		AJ236301				
				Kainulainen et al. (2013)			HM119551			
				Kainulainen et al. (2009)					FM204721	FM207128
Naucleeae		<i>Cephalanthus</i>	<i>Cephalanthus occidentalis</i> L.	Forbes s.n. (S)				LN680279		
				Bremer et al. (1995)	X83629					
				Bremer et al. (1999)		AJ236288				
				Andersson & Antonelli (2005)			AY538377			
				Andersson & Rova (1999)					AF004033	
				Rova et al. (2002)						AF152692
Octotropideae		<i>Paragenipa</i>	<i>Paragenipa lancifolia</i> (Bojer ex Baker) Tirveng. & Robbr.	Persson 156 (GB)				LN680370	LN680302	
				Andreassen & Bremer (2000)	AJ286707					
				Kainulainen et al. (2013)		HM164385				
				Andersson & Rova (1999)						AF004066
				Kainulainen et al. (2013)						HM164330
				Rova et al. (2002)						AF152672
				Bremer 3301 (UPS)				LN680368	LN680315	
Ophiorrhizeae		<i>Ophiorrhiza</i>	<i>Ophiorrhiza mungos</i> L.	Bremer et al. (1995)	X83656					
				Bremer et al. (1999)		AJ130838				
				Andersson & Rova (1999)					AF004064	
				Backlund et al. (2007)						DQ662151
				Wong & Keong s.n. (KLU)				LN680369	LN680323	
Paederieae		<i>Paederia</i>	<i>Paederia foetida</i> L.	Andersson (unpublished)	AF332373					
				Andersson & Rova (1999)						AF004065

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Palicoureae	Palicourea	<i>Paederia bojeriana</i> (A.Rich. ex DC.)	<i>Palicourea crocea</i> (Sw.) Schult.	Rova et al. (2002)						AF152619
				Rydin et al. (2009)		FJ695318				
				Bremer & Eriksson (2009)	AM117253		–	–		
				Razafimandimbison et al. (2008)		AM945280				
Pavetteae	Pavetta	<i>Palicourea guianensis</i> Aubl.	<i>Pavetta abyssinica</i> Fresen.	Andersson & Taylor (unpubl.)						AF147510
				Rova et al. (2002)			–	–		AF152615
				De Block 6 (BR)			LN680371	LN680324 LN680333		
				Andreassen & Bremer (1996)	Z68863					
Posoquerieae	Posoqueria	<i>Posoqueria latifolia</i> (Rudge) Roem. & Schult.		Kainulainen et al. (2009)		AM949854			FM204726	FM207133
				SU-C-88.10 Trädg.herb. KA				LN680325		
				Andreassen & Bremer (1996)	Z68850					
				Kainulainen et al. (2009)		AM949855			FM204728	FM207135
Prismatomerideae	Prismatomeris	<i>Prismatomeris albiflora</i> Thwaites		Kainulainen et al. (2010)			FJ905325			
				Martin Marie 89 (P)	LN680382	LN680390	–	–	LN680872	–
				Razafimandimbison 517 (UPS)		LN680387	LN680347	LN680283		
				Bremer & Eriksson (2009)	AM117222				AM117296	AM117356
Psychotriae	Cremocarpon	<i>Cremocarpon lantzii</i> Bremek.		Q. Luke 8342 (UPS)	LN680383	LN680391	–	–	LN680873	LN680876
	<i>Psychotria</i>	<i>Psychotria holtzii</i> (K.Schum.) E.M.A.Petit								
Putorieae	Plocama	<i>Plocama pendula</i> Aiton		Bremer (1996)	Z68816		–	–		
				Rydin et al. (2009)		FJ695329			FJ695276	
				Backlund et al. (2007)						DQ662162
Retiniphyllae	Retiniphyllum	<i>Retiniphyllum pilosum</i> (Spruce ex Benth.) Müll. Arg.		Andersson (unpublished)	AF331654		–	–		
						HM164392				
				Kainulainen et al. (2013)						
				Andersson & Rova (1999)					AF004076	
Rondeletieae	Rondeletia	<i>Rondeletia odorata</i> Jacq.		Kainulainen et al. (2009)						FM207137
				Bremer & Andreassen 3504 (UPS)			LN680374	LN680305		
				Bremer & Thulin (1998)	Y11857					

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL				
Rubieae	Rubia	<i>Rubia tinctorum</i> L.		Backlund et al. (2000)		AJ235845				EU145490				
				Rydin et al. (2008)										
				Rova et al. (2002)										
				Bremer 3300 (UPS)		LN680375	LN680326			AF152741				
				Bremer et al. (1995)		X83666								
Sabiceeae	Hekistocarpa	<i>Rubia fruticosa</i> Aiton		Manen (unpublished)		DQ359167				FJ695421				
				Rydin et al. (2009)										
				Andersson & Rova (1999)										
				Dessein s.n. (P)		AF332366	LN680292			AF004078				
				Dessein et al. (2001)										
Schizocoleeae	Schizocolea	<i>Hekistocarpa minutiflora</i> Hook.f.		Kainulainen et al. (2013)		HM164373	HM119541			HM164324				
				Bremer et al. 4018-B18 (UPS)										
				Rydin et al. (2008)		EU145459	EU145415			EU145494				
				Kainulainen et al. (2013)			HM119568							
				Alejandro et al. (2005)										
Schradereae	Schradera	<i>Schizocolea linderi</i> (Hutch. & Dalziel) Bremek.		Adam 789 (P)		LN680376								
				Adam 20116 (UPS)										
				Bremer & Eriksson (2009)		AM117272				LN680307				
				Rydin et al. (2009)										
				Rydin et al. (2008)										
Scyphiphoreae	Scyphiphora	<i>Schradera subandina</i> K.Krause		Clark & Watt 783 (QCNE)		LN680377	LN680308							
				Bremer & Thulin (1998)		Y11859								
				Razafimandimbison et al. (2008)		AM945264				AM945313				
				Rova et al. (2002)										
				K Bremer et al. 99 (S)										
		<i>Scyphiphora</i>	<i>Scyphiphora hydrophyllacea</i> C.F.Gaertn.	Bremer et al. (1999)		Y18717	AJ236311	LN680317		AF152613				
				Kainulainen et al. (2010)			FJ905327							

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
				Mouly et al. (2009)					EU817450	EU817475
Sipaneeae	<i>Dendrosipanea</i>	<i>Dendrosipanea spigeloides</i> Ducke		Prance et al. 16199 (S) Kainulainen et al. (2013)				LN680310		
				Kainulainen et al. (2010)	HM164162				FJ884627	FJ948360
Spermacoceae	<i>Hedyotis</i>	<i>Hedyotis fruticosa</i> L.		Larsson & Pyddoke 22 (S)		FJ871943	FJ905324			
				Bremer (1996)	Z68799					
				Groeninckx et al. (2009)						EU543098
			<i>Hedyotis macrostegia</i> Stapf	Andersson & Rova (1999)					AF002767	
	<i>Kohautia</i>	<i>Kohautia caespitosa</i> Schnizl.		Bremer (1996)	Z68800		–	–		
				Rydin et al. (2009)		FJ695303				
				Bremer & Eriksson (2009)					AM117324	
				Rydin et al. (2008)						EU145573
Steenisieae	<i>Steenisia</i>	<i>Steenisia pleurocarpa</i> (Airy Shaw) Bakh.f.		Puff BF 990619-1/4 (WU)				LN680327		
				Bremer & Eriksson (2009)	AM117279					
				Kainulainen et al. (2013)		HM164396				
				Kainulainen et al. (2010)			FJ905328			
				Kainulainen et al. (2009)					FM204735	FM207142
Theligoneae	<i>Theligonum</i>	<i>Theligonum cynocrambe</i> L.		Thor 654 (S)			LN680379	LN680328 LN680334		
				Bremer et al. (1995)	X83668					
				Rydin et al. (2009)		FJ695339				FJ695427
				Andersson & Rova (1999)						AF004087
Trailliaedoexae	<i>Trailliaedoxa</i>	<i>Trailliaedoxa gracilis</i> W.W.Sm. & Forrest		Boufford & al 35041 (MO)			LN680380	LN680329 LN680335		
				Kainulainen et al. (2013)	HM164183	HM164400			HM164227	HM164339
Urophylleae	<i>Amphidasya</i>	<i>Amphidasya ambigua</i> (Standl.) Standl.		Clark & Watt 736 (UPS)			LN680385	LN680338	LN680274	
				Bremer & Thulin (1998)	Y11844					
				Piesschaert et al. (2000)						AF129271
				Rydin et al. (2008)						EU145576

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Vangueriae	<i>Psydrax</i>	<i>Psydrax obovata</i> (Klotzsch ex Eckl. & Zeyh.) Bridson	Bremer & Bremer 3762 (UPS)	Kainulainen et al. (2013) Lantz & Bremer (2004)	HM164176	HM164388	LN680373	LN680316	HM164220	AJ620161
Sapotaceae	<i>Manilkara</i>	<i>Manilkara zapota</i> (L.) van Royen	Bremer et al. (2002) Albert et al. (1992)	Källersjö et al. (2000)	L01932	AF213732	AJ429295	AJ429652	AJ431007	AJ430885
Schlegeliaceae	<i>Schlegelia</i>	<i>Schlegelia parviflora</i> (Oerst.) Monach.	Bremer et al. (2002)	Olmstead & Reeves (1995)	L36448	L36410	AJ429345	AJ429696	AJ431057	AJ430932
Scrophulariaceae	<i>Androya</i>	<i>Androya decaryi</i> H. Perrier	Oxelman et al. (unpublished)	Bremer et al. (2002)	AJ001756	AF027276	AJ429329	AJ429530	AJ431040	AJ430915
	<i>Buddleja</i>	<i>Buddleja asiatica</i> Lour. <i>Buddleja davidi</i> Franch.	Bremer et al. (2002) Oxelman et al. (1999)	Olmstead & Reeves (1995)	AJ001757	L36394	AJ429346	AJ429697	AJ431058	AJ430933
	<i>Myoporum</i>	<i>Myoporum mauritianum</i> A.DC. <i>Myoporum montanum</i> R.Br.	Olmstead & Reeves (1995)	Bremer et al. (2002)	L36445	L36403	AJ429347	AJ429698	AJ431059	AJ430934
	<i>Selago</i>	<i>Selago thomsonii</i> Rolfe ex Oliver <i>Selago thunbergii</i> Choisy	Bremer et al. (2002)	Olmstead & Reeves (1995)	L36450	L36412	AJ429348	AJ429699	AJ431060	AJ430935
	<i>Scrophularia</i>	<i>Scrophularia arguta</i> Sol. ex Ait. <i>Scrophularia</i> sp.	Bremer et al. (2002)	Bremer et al. (2002)	L36449	L36411	AJ429349	AJ429531	AJ431061	AJ430936
Solanaceae	<i>Nicotiana</i>	<i>Nicotiana tabacum</i> L.	Shinozaki et al. (1986)	Z00044	Z00044	Z00044	Z00044	Z00044	Z00044	Z00044
Sphenocleaceae	<i>Sphenoclea</i>	<i>Sphenoclea zeylanica</i> Gaertn.	Bremer et al. (2002)	Olmstead et al. (1993)	L14953	AJ429119	AJ429360	AJ429534	AJ431069	AJ430947
			Cosner et al. (1994)	L18798	AF027287	AJ429350	AJ429532	AJ431062	AJ430937	
Stilbaceae	<i>Stilbe</i>	<i>Stilbe albiflora</i> E. Mey. <i>Stilbe ericoides</i> L.	Oxelman et al. (1999)	Bremer et al. (2002)	Z68827	AJ429390	AJ429735	AJ431102	AJ430978	
		<i>Stilbe vestita</i> Berg.	Bremer (1996)		AJ225053	AJ225079	AJ429298	AJ429655	AJ431010	AJ430082
Styliadiaceae	<i>Styliodium</i>	<i>Styliodium bulbiferum</i> Benth. <i>Styliodium calcaratum</i> R. Br.	Bremer et al. (2002)	Laurent et al. (1998)						
Styracaceae	<i>Halesia</i>	<i>Halesia carolina</i> L.	Bremer et al. (2002)							

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL			
Symplocaceae	Styrax	<i>Halesia</i>	<i>tetraptera</i> L.	Morton et al. (1997)	Z80190	AF130214	AJ429300	AJ429657	AJ431011	AJ430888			
			<i>Styrax americanum</i> Lam.	Olmstead et al. (2000)									
		<i>Styrax</i>	<i>officinale</i> L.	Kron & Chase (1983)	L12623	AF130215							
	<i>Symplocos</i>	<i>Symplocos bogotensis</i> Brand		Olmstead et al. (2000)									
				Bremer et al. (2002)	Anderberg et al. (2002)	AJ429301	AJ429658	AJ431012	AJ430889	AJ421074			
Ternstroemiaceae	<i>Ternstroemia</i>	<i>Symplocos costata</i> Choisy ex Zoll.		Bremer et al. (2002)									
				Morton et al. (1997)	Z80192	AJ429302	AJ429659	AJ431013	AJ430890	AF421076			
				Bremer et al. (2002)	Anderberg et al. (2002)								
(Pentaphyllaceae)	<i>Pentaphylax</i>	<i>Ternstroemia stahlii</i> Krug and Urb.		Morton et al. (1997)	Z80211	AJ428891	AJ429106	AJ429291	AJ429648	AJ431003	AJ430881		
				Pentaphylax euryoides Gardn. and Champ.	Bremer et al. (2002)								
(Sladeniaceae)	<i>Sladenia</i>	<i>Sladenia celastrifolia</i> Kurz			Savolainen et al. (2000a,b)	AJ403004	AJ429297	AJ429654	AJ431009	AJ430081	AF421081		
					Anderberg et al. (2002)								
				<i>Polypremum procumbens</i> L.	Bremer et al. (2002)	Oxelman et al. (1999)	AJ011989	AJ011986	AJ429351	AJ429700	AJ431063	AJ430938	
Tetrachondraceae	<i>Tetrachondra</i>	<i>Tetrachondra hamiltonii</i> Petrie											
				<i>Tetrachondra patagonica</i> Skottsb.	Wagstaff & Olmstead (1997)	U28885	AF027272	AJ429352	AJ430389	AJ431064	AJ430939		
	<i>Pelliciera</i>	<i>Pelliciera rhizophoreae</i> Planch. and Triana		Bremer et al. (2002)	Bremer et al. (2002)	AJ428893	AJ429303	AJ429660	AJ431014	AJ430891	AJ421069		
Tetrameristaceae	<i>Tetramerista</i>	<i>Tetramerista</i> sp.		Bremer et al. (2002)	Bremer et al. (2002)	AJ429108	AJ429304	AJ429528	AJ431015	AJ430892	Morton et al. (1997)		
						Z80199							
	<i>Camellia</i>	<i>Camellia japonica</i> L.		Kron & Chase (1983)	L12602	Olmstead et al. (2000)	AF130216	AJ429305	AJ429661	AJ431016	AJ430893		
Theaceae	<i>Camellia</i>	<i>Camellia sinensis</i> Kuntze		Bremer et al. (2002)									
				Morton et al. (1997)		Z80208							

S1 Table – List of investigated taxa with accession numbers

Family/Group	Tribe	Genus	Species	Citation/Voucher	rbcL	ndhF	matK	trnV	rps16	trnL
Theophrastaceae		<i>Theophrasta</i>	<i>Theophrasta americana</i> L.	Anderberg et al. (2002)		AF421073				
				Bremer et al. (2002)			AJ429306	AJ429662	AJ431017	AJ430894
				Anderberg et al. (1998)	U96649					
				Källersjö et al. (2000)		AF213762				
Torricellia group (Aralidiaceae)		<i>Aralidium</i>	<i>Aralidium pinnatifidum</i> Miq.	Bremer et al. (2002)			AJ429307	AJ429663	AJ431018	AJ430895
				Xiang & Soltis (unpublished)	AF299087					
				Plunkett et al. (1997)		U58627				
				Plunkett et al. (1996)	U50254					
(Melanophyllaceae)		<i>Melanophylla</i>	<i>Melanophylla alnifolia</i> Baker	Albach et al. (2001a,b)		AJ236244				
				<i>Melanophylla</i> sp.	Bremer et al. (2002)		AJ429373	AJ430390	AJ431085	AJ430959
				<i>Torricellia</i>	<i>Torricellia tiliaefolia</i> DC.	Xiang & Soltis (unpublished)	AF299089			
				Bremer et al. (2002)			AJ429127	AJ429375	AJ429721	AJ431087
Tribelaceae		<i>Tribeles</i>	<i>Tribeles australis</i> Phil.	Savolainen et al. (2000a,b)	AJ403010					
				Bremer et al. (2002)		AJ429123	AJ429369	AJ429715	AJ431080	AJ430955
Vahliaeae		<i>Vahlia</i>	<i>Vahlia capensis</i> Thunb.	Morgan & Soltis (1993)	L11208					
				Bremer et al. (2002)		AJ429112	AJ429316	AJ429671	AJ431027	AJ430904
Valerianaceae		<i>Valeriana</i>	<i>Valeriana fauriei</i> Briquet	Olmstead et al. (2000)		AF130192				
				<i>Valeriana hirtella</i> Kunth	Backlund & Bremer (1997)	Y10699				
				Bremer et al. (2002)			AJ429396	AJ429742	AJ431109	
				<i>Valeriana officinalis</i> L.	Bremer et al. (2002)					AJ431680
Verbenaceae		<i>Verbena</i>	<i>Verbena bracteata</i> Cav. ex Lag. and Rodr.	Olmstead & Reeves (1995)		L36418				
				<i>Verbena officinalis</i> L.	Kaufmann & Wink (1996)	Z37473				
				<i>Verbena rigida</i> Spreng.	Bremer et al. (2002)		AJ429353	AJ429701	AJ431065	AJ430940
Vitaceae		<i>Vitis</i>	<i>Vitis aestivalis</i> Michx.	Albert et al. (1992)	L01960					
				<i>Vitis vinifera</i> L.	Bremer et al. (2002)		AJ429103	AJ429274	AJ429635	AJ430987

S1 Table – List of investigated taxa with accession numbers

References

- Albach DC, Soltis DE, Chase MW, Soltis PS (2001a) Phylogenetic placement of the enigmatic angiosperm *Hydrostachys*. *Taxon* 50: 763–805.
- Albach DC, Soltis PS, Soltis DE (2001b) Phylogenetic analysis of asterids based on sequences of four genes. *Ann Mo Bot Gard* 88: 163–212.
- Albert VA, Williams SE, Chase MW (1992) Carnivorous plantsphylogeny and structural evolution *Science*. 257: 1491–1495.
- Alejandro GD, Razafimandimbison SG, Liede-Schumann S (2005) Polyphyly of *Mussaenda* inferred from ITS and *trnT-F* data and its implication for generic limits in Mussaendeae (Rubiaceae). *Am J Bot* 92: 544–557.
- Anderberg AA, Rydin C, Källersjö M (2002) Phylogenetic relationships in the order Ericales s.l.: analyses of molecular data from five genes from the plastid and mitochondrial genomes. *Am J Bot* 89: 677–687.
- Anderberg AA, Ståhl B, Källersjö M (1998) Phylogenetic relationships in the Primulales inferred from cpDNA *rbcL* sequence data. *Plant Syst Evol* 211: 93–102.
- Andersson L, Antonelli A (2005) Phylogeny of the tribe Cinchoneae (Rubiaceae), its position in Cinchonoideae, and description of a new genus, *Ciliosemina*. *Taxon* 54: 17–28.
- Andersson L, Rova JHE (1999) The *rps16* intron and the phylogeny of the Rubioideae (Rubiaceae). *Plant Syst Evol* 214: 161–186.
- Andreasen K, Baldwin B, Bremer B (1999) Phylogenetic utility of the nuclear rDNA ITS region in subfamily Ixoroideae (Rubiaceae): comparisons with cpDNA *rbcL* sequence data. *Plant Syst Evol* 217: 119–135.
- Andreasen K, Bremer B (1996) Phylogeny of the subfamily Ixoroideae (Rubiaceae). *Opera Bot Belg* 7: 119–138.
- Andreasen K, Bremer B (2000) Combined phylogenetic analysis in the Rubiaceae-Ixoroideae: morphology, nuclear and chloroplast DNA data. *Am J Bot* 87: 1731–1748.
- Backlund M, Bremer B (1997) Phylogeny of the Asteridae s. str. based on *rbcL* sequences, with particular reference to the Dipsacales. *Plant Syst Evol* 207: 225–254.
- Backlund M, Bremer B, Thulin M (2007) Paraphyly of Paederieae, recognition of Putoriaeae and expansion of *Plocama* (Rubiaceae–Rubioideae). *Taxon* 56: 315–328.
- Backlund, M., Oxelman, B., and Bremer, B. (2000). Phylogenetic relationships within the Gentianales based on *ndhF* and *rbcL* sequences, with particular reference to the Loganiaceae (Rubiaceae – Rubioideae). *Am. J. Bot.* 87: 1029–1043.
- Bremer, B (1996) Phylogenetic studies within Rubiaceae and relationships to other families based on molecular data. *Opera Bot Belg* 7: 33–50.
- Bremer B, Andreasen K, Olsson D (1995) Subfamilial and tribal relationships in the Rubiaceae based on *rbcL* sequence data. *Ann Mo Bot Gard* 82: 383–397.
- Bremer B, Bremer K, Heidari N, Erixon P, Olmstead RG, Anderberg AA, Källersjö M, Barkhordarian E (2002) Phylogenetics of asterids based on 3 coding and 3 non-coding chloroplast DNA markers and the utility of non-coding DNA at higher taxonomic levels *Mol. Phylogenetic Evol* 24: 274–301.
- Bremer B, Eriksson T (2009) Timetree of Rubiaceae – phylogeny and dating the family, subfamilies and tribes. *Int J Plant Sci* 170: 766–793.
- Bremer B, Jansen RK, Oxelman B, Backlund M, Lantz H, Kim KJ (1999) More characters or more taxa for a robust phylogeny – case study from the coffee family (Rubiaceae). *Syst Biol* 48: 413–435.
- Bremer B, Olmstead RG, Struwe L, Sweere JA (1994) *rbcL* sequences support exclusion of *Retzia*, *Desfontainia*, and *Nicodemia* from the Gentianales. *Plant Syst Evol* 190: 213–230.
- Bremer B, Thulin M (1998). Collapse of Insertiae, re-establishment of Mussaendeae, and a new genus of Sabiceae (Rubiaceae); phylogenetic relationships based on *rbcL* data. *Plant Syst Evol* 211: 71–92.

S1 Table – List of investigated taxa with accession numbers

- Chase MW, Soltis DE, Olmstead RG, Morgan D, Les DH, Mishler BD, Duvall MR, Price RA, Hills HG, Qiu YL, Kron KA, Rettig JH, Conti E, Palmer JD, Manhart JR, Sytsma KJ, Michaels HJ, Kress JW, Karol KG, Clark DW, Hedren M, Gaut BS, Jansen RK, Kim KJ, Wimpee CF, Smith JF, Furnier GR, Strauss SH, Xiang QY, Plunkett GM, Soltis PS, Swensen SM, Williams SE, Gadek PA, Quinn CJ, Equiarte LE, Golenberg E, Learn Jr GH, Graham SW, Barrett SCH, Dayanandan S, Albert VA (1993) Phylogenetics of seed plants: An analysis of nucleotide sequences from the plastid gene *rbcL*. *Ann Mo Bot Gard* 80: 528–580.
- Cosner ME, Jansen RK, Lammars TG (1994) Phylogenetic relationships in the Campanulales based on *rbcL* sequences. *Plant Syst Evol* 190: 79–95.
- Dessein S, Andersson L, Robbrecht E, Smets E (2001) *Hekistocarpa* (Rubiaceae): a member of an emended tribe Virectarieae. *Plant Syst Evol* 229: 59–78.
- Endress ME, Sennblad B, Nilsson S, Civeyrel L, Chase MW, Huysmans S, Grafström E, Bremer B (1996) A phylogenetic analysis of Apocynaceae s.str. and some related taxa in Gentianales: a multidisciplinary approach. *Opera Bot Belg* 7: 59–102.
- Groeninckx I, Dessein S, Ochoterena H, Persson C, Motley TJ, Kårehed J, Bremer B, Huysmans S, Smets E (2009) Phylogeny of the herbaceous tribe Spermacoceae (Rubiaceae) based on plastid DNA data. *Ann Mo Bot Gard* 96: 109–132.
- Gustafsson MHG, Backlund A, Bremer B (1996) Phylogeny of the Asterales sensu lato based on *rbcL* sequences with particular reference to the Goodeniaceae. *Plant Syst Evol* 199: 217–242.
- Hedrén M, Chase MW, Olmstead RG (1995) Relationships in the Acanthaceae and related families as suggested by cladistic analysis of *rbcL* nucleotide sequences. *Plant Syst Evol* 194: 93–109.
- Hempel AL, Reeves PA, Olmstead RG, Jansen RK (1995) Implications of *rbcL* sequence data for higher order relationships of the Loasaceae and the anomalous aquatic plant *Hydrostachys* (Hydrostachyaceae). *Plant Syst Evol* 194: 25–37.
- Kainulainen K, Mouly A, Khodabandeh A, Bremer B (2009) Molecular phylogenetic analysis of the tribe Albertiae (Rubiaceae), with description of a new genus, *Razafimandimbisonia*. *Taxon* 58: 757–768.
- Kainulainen K, Persson C, Eriksson T, Bremer B (2010) Molecular systematics and morphological character evolution of the Condamineae (Rubiaceae). *Am J Bot* 97: 1961–1981.
- Kainulainen K, Razafimandimbison SG, Bremer B (2013) Phylogenetic relationships and new tribal delimitations in subfamily Ixoroideae (Rubiaceae). *Bot J Linn Soc* 173: 387–406.
- Kainulainen K, Bremer B (2014) Phylogeny of *Euclinia* and allied genera of Gardenieae (Rubiaceae), and description of *Melanoxerus*, en endemic genus of Madagascar. *Taxon* 63: 819–830.
- Källersjö M, Bergqvist G, Anderberg AA (2000) Generic realignment in primuloid families of the Ericales s.l.: a phylogenetic analysis based on DNA sequences from three chloroplast genes and morphology. *Am J Bot* 87: 1325–1341.
- Kanevski I, Maliga P, Rhoades DF, Gutteridge S (1999) Plastome engineering of ribulose-1,5 bisphosphate carboxylase/oxygenase in tobacco to form a sunflower large subunit and tobacco small subunit hybrid. *Plant Physiol* 119: 133–141.
- Kårehed J (2001) Multiple origin of the tropical forest tree family Icacinaceae. *Am J Bot* 88: 2259–2274.
- Kårehed J, Bremer B (2007) The systematics of Knoxieae (Rubiaceae) – molecular data and their taxonomic consequences. *Taxon* 56: 1051–1076.
- Kårehed J, Lundberg J, Bremer B, Bremer K (1999) Evolution of the Australasian families Alseuosmiaceae, Argophyllaceae, and Phellinaceae. *Syst Bot* 24: 660–682.
- Kaufmann M, Wink M (1996) Phylogenetic relationships between some members of the subfamily Lamioideae family Labiate inferred from nucleotide sequences of the *rbcL* gene. *Bot Acta* 109: 139–148.
- Kim KJ, Jansen RK (1995) *ndhF* sequence evolution and the major clades in the sunflower family. *Proc Natl Acad Sci USA* 9: 10379–10383.

S1 Table – List of investigated taxa with accession numbers

- Koontz JA, Soltis DE (1999) DNA sequence data reveal polyphyly of Brexioideae Brexiaceae; Saxifragaceae sensu lato. *Plant Syst Evol* 219: 199–208.
- Kron KA, Chase MW (1983) Systematics of the Ericaceae, Empetraceae, Epacridaceae and related taxa based upon *rbcL* sequence data. *Ann Mo Bot Gard* 80: 735–741.
- Lantz H, Bremer B (2004) Phylogeny inferred from morphology and DNA data: characterizing well-supported groups in Vanguerieae (Rubiaceae). *Bot J Linn Soc* 146: 257–283.
- Laurent N, Bremer B, Bremer K (1998) Phylogeny and generic interrelationships of the Stylidiaceae (Asterales), with a possible extreme case of floral paedomorphosis. *Syst Bot* 23: 289–304.
- Lundberg J (2001) The Asteralean affinity of the Mauritian *Roussea* (Rousseaceae). *Bot J Linn Soc* 187: 267–276.
- Manen JF, Cuenoud P, Partinez MDP (1998) Intralineage variation in the pattern of *rbcL* nucleotide substitution. *Plant Syst Evol* 211: 103–112.
- Manns U, Bremer B (2010) Towards a better understanding of intertribal relationships and stable tribal delimitations within Cinchonoideae s.s. (Rubiaceae). *Mol Phylogenet Evol* 56: 21–39.
- Michaels HJ, Scott KM, Olmstead RG, Szaro T, K JR, Palmer JD (1993) Interfamilial relationships of the Asteraceae: insights from *rbcL* sequence variation. *Ann Mo Bot Gard* 80: 742–751.
- Morgan DR, Soltis DE (1993) Phylogenetic relationships among members of Saxifragaceae sensu lato based on *rbcL* sequence data. *Ann Mo Bot Gard* 80: 631–660.
- Morton CM, Chase MW, Kron KA, Swensen SM (1996) A molecular evaluation of the monophyly of the order Ebenales based upon *rbcL* sequence data. *Syst Bot* 21: 567–586.
- Morton CM, Mori SA, Prance GT, Karol KG, Chase MW (1997) Phylogenetic relationships of Lecythidaceae: A cladistic analysis using *rbcL* sequence and morphological data. *Am J Bot* 84: 530–540.
- Mouly A, Razafimandimbison SG, Achille F, Haevermans T, Bremer B (2007) Phylogenetic placement of *Rhopalobrachium fragrans* (Rubiaceae): Evidence from molecular (*rps16* and *trnTF*) and morphological data. *Syst Bot* 32: 872–882.
- Mouly A, Razafimandimbison SG, Florence J, Jeremie J, Bremer B (2009) Paraphyly of *Ixora* and new tribal delimitation of Ixoreae (Rubiaceae): Inference from combined chloroplast (*rps16*, *rbcL*, and *trnT-F*) sequence data. *Ann Mo Bot Gard* 96: 146–160.
- Nakamura K, Chung SW, Kokubugata G, Denda T, Yokota M (2006) Phylogenetic systematics of the monotypic genus *Hayataella* (Rubiaceae) endemic to Taiwan. *J Plant Res* 119: 657–661.
- Novotny V, Basset Y, Miller SE, Weiblen GD, Bremer B (2002) Low host specificity of herbivorous insects in a tropical forest. *Nature* 416: 841–844.
- Olmstead GR, Michaels JH, Scott MK, Palmer DJ (1992) Monophyly of the Asteridae and identification of their major lineages inferred from DNA sequences of *rbcL*. *Ann Mo Bot Gard* 79: 249–265.
- Olmstead RG, Bremer B, Scott KM, Palmer JD (1993) A parsimony analysis of the Asteridae sensu lato based on *rbcL* sequences. *Ann Mo Bot Gard* 80: 700–722.
- Olmstead RG, Kim KJ, Jansen RK, Wagstaff SJ (2000) The phylogeny of the Asteridae sensu lato based on chloroplast *ndhF* gene sequences. *Mol Phylogenet Evol* 16: 96–112.
- Olmstead RG, Reeves PA (1995) Evidence for the polyphyly of the Scrophulariaceae based on chloroplast *rbcL* and *ndhF* sequences. *Ann Mo Bot Gard* 82: 176–193.
- Oxelman B, Backlund M, Bremer B (1999) Relationships of Buddlejaceae s.l. investigated using parsimony jackknife and branch support analysis of chloroplast *ndhF* and *rbcL* sequence data. *Syst Bot* 24: 164–182.
- Piesschaert F, Andersson L, Jansen S, Dessein S, Robbrecht E, Smets E (2000) Searching for the taxonomic position of the African genus *Colletocemma* (Rubiaceae): morphology and anatomy compared to an *rps16*-intron analysis of the Rubioideae. *Can J Bot* 78: 288–304.
- Plunkett GM, Soltis DE, Soltis PS (1996) Higher level relationships of Apiales (Apiaceae and Araliaceae) based on phylogenetic analysis of *rbcL* sequences. *Am J Bot* 83: 499–515.
- Plunkett GM, Soltis DE, Soltis PS (1997) Clarification of the relationship between Apiaceae and Araliaceae based on *matK* and *rbcL* sequence data. *Am J Bot* 84: 565–580.
- Razafimandimbison SG, Bremer B (2002) Phylogeny and classification of Naucleeeae s.l. (Rubiaceae) inferred from molecular (ITS, *rbcL*, and *trnT-F*) and morphological data. *Am J Bot* 89: 1027–1041.
- Razafimandimbison SG, Kainulainen K, Wong KM, Beaver K, Bremer B (2011) Molecular support for a basal grade of morphologically distinct, monotypic genera in the species-rich Vanguerieae

S1 Table – List of investigated taxa with accession numbers

- alliance (Rubiaceae, Ixoroideae): its systematic and conservation implications. *Taxon* 60: 941–952.
- Razafimandimbison SG, McDowell TD, Halford DA, Bremer B (2009) Molecular phylogenetics and generic assessment in the tribe Morindeae (Rubiaceae-Rubioideae): how to circumscribe *Morinda* L. to be monophyletic? *Mol Phylogenet Evol* 52: 879–886.
- Razafimandimbison SG, Rydin C, Bremer B (2008) Evolution and trends in the Psychotrieae alliance (Rubiaceae) – a rarely reported evolutionary change of many-seeded carpels from one-seeded carpels. *Mol Phylogenet Evol* 48: 207–223.
- Rova JHE, Delprete PG, Andersson L, Albert VA (2002) A *trnL-F* cpDNA sequence study of the Condamineeae-Rondeletieae-Sipaneeae complex with implications on the phylogeny of the Rubiaceae. *Am J Bot* 89: 145–159.
- Rydin C, Kainulainen K, Razafimandimbison SG, Smedmark JEE, Bremer B (2008) Rare and enigmatic genera (*Dunnia*, *Schizocolea*, *Colletoecema*), sisters to species-rich clades: phylogeny and aspects of conservation biology in the coffee family. *Mol Phylogenet Evol* 48: 74–83.
- Rydin C, Razafimandimbison SG, Khodabandeh A, Bremer B (2009) Evolutionary relationships in the Spermacoceae alliance (Rubiaceae) using information from six molecular loci: insights into systematic affinities of *Neohymenopogon* and *Mouretia*. *Taxon* 58: 793–810.
- Savolainen V, Chase MW, Morton CM, Hoot SB, Soltis DE, Bayer C, Fay MF, de Brujin A, Sullivan S, Qiu YL (2000a) Phylogenetics of flowering plants based upon a combined analysis of plastid *atpB* and *rbcL* gene sequences. *Syst Biol* 49: 306–362.
- Savolainen V, Fay MF, Albach DC, Backlund A, van der Bank M, Cameron KM, Johnson SA, Lledó MD, Pintaud JC, Powell M, Sheahan MC, Soltis DE, Soltis PS, Weston P, Whitten WM, Wurdack KJ, Chase MW (2000b) Phylogeny of the eudicots: a nearly complete familial analysis based on *rbcL* gene sequences. *Kew Bull* 55: 257–309.
- Sennblad B, Bremer B (1996) The familial and subfamilial relationships of Apocynaceae and Asclepiadaceae evaluated with *rbcL* data. *Plant Syst Evol* 129: 187–190.
- Shinozaki K, Ohme M, Tanaka M, Wakasugi T, Hayashida N, Matsubayashi T, Zaita N, Chunwongse J, Obokata J, Yamaguchi-Shinozaki K, Ohto C, Torazawa K, Meng BY, Sugita M, Deno H, Kamogashira T, Yamada K, Kusuda J, Takaiwa F, Kato A, Tohdo N, Shimada H, Sugiura M (1986). The complete nucleotide sequence of the tobacco chloroplast genome: its gene organization and expression. *EMBO J* 5: 2043–2049.
- Spangler RE, Olmstead RG (1999) Phylogenetic analysis of Bignoniaceae based on the cpDNA gene sequences *rbcL* and *ndhF*. *Ann Mo Bot Gard* 86: 33–46.
- Struwe L, Thiv M, Kadereit JW, Pepper ASR, Motley TJ, White PJ, Rova JHE, Potgeiter K, Albert VA (1998) *Saccifolium* (Saccifoliaceae), an endemic of Sierra de la Neblina on the Brazilian-Venezuelan border, is related to a temperate-alpine lineage of Gentianaceae. *Harv Pap Bot* 3: 199–214.
- Thiers B (2008) [continuously updated]. Index Herbariorum: A global directory of public herbaria and associated staff. New York Botanical Garden's Virtual Herbarium. <http://sweetgum.nybg.org/ih/>.
- Wagstaff SJ, Olmstead RG (1997) Phylogeny of the Labiateae and Verbenaceae, inferred from *rbcL* sequences. *Syst Bot* 22: 165–179.
- Wen H-Z, Wang R-J (2012) *Foonchewia guangdongensis* gen. et sp. nov. (Rubioideae: Rubiaceae) and its systematic position inferred from chloroplast sequences and morphology. *J Syst Evol* 50: 467–476.
- Xiang Q, Soltis DE, Morgan DR, Soltis PS (1993) Phylogenetic relationships of *Cornus* L. sensu lato and putative relatives inferred from *rbcL* sequence data. *Ann Mo Bot Gard* 80: 723–734.