



- The figure is a horizontal bar chart illustrating the relative abundance of different bacterial groups across various samples. The x-axis represents the percentage of each sample, with major ticks at 0%, 25%, 50%, 75%, and 100%. The y-axis lists the bacterial groups, grouped into two main columns: 'Samples' on the left and 'Phyla' on the right.

Samples:

 - Acidimicrobiales
 - Actinobacteria(MB-A2-108;0319-7L14)
 - Armatimonadales
 - Bacteroidales
 - Caulobacterales
 - Chloroflexi(AKIW781)
 - Chloroflexi(TK10;AKYG885)
 - Chthoniobacterales
 - Cytophagales
 - Enterobacteriales
 - Flavobacteriales
 - Gemm-3(unknown order)
 - Gemmatimonadales
 - Myxococcales
 - Nitrospirales
 - Pseudomonadales
 - Rhodobacterales
 - Rubrobacterales
 - Solirubrobacterales
 - Sphingomonadales
 - Streptophyta
 - Thermomicrobia(JG30-KF-CM45)
 - Unassigned

Phyla:

 - Acidobacteria-6(iii1-15)
 - Actinomycetales
 - Bacillales
 - Burkholderiales
 - Chloracidobacteria(RB41)
 - Chloroflexi(Ellin6529;unknown order)
 - Chroococcales
 - Clostridiales
 - Deinococcales
 - Euzebyales
 - Gaiellales
 - Gemmatales
 - Lactobacillales
 - Nitrosomonadales
 - Pirellulales
 - Rhizobiales
 - Rhodospirillales
 - Saprosirales
 - Sphingobacteriales
 - Spirobacillales
 - Thermomicrobia(AKYG1722)
 - Thermomicrobia(Other)
 - Xanthomonadales