CASE REPORT

A CASE OF A MESENTERIC CYST IN THE SIGMOID COLON MESENTRY

Suresh R. Harbade¹, Dinesh Jagtap², A. S. Varudkar³

HOW TO CITE THIS ARTICLE:

Suresh R. Harbade, Dinesh Jagtap, A. S. Varudkar. "A Case of a Mesenteric CYST in the Sigmoid Colon Mesentry". Journal of Evolution of Medical and Dental Sciences 2015; Vol. 4, Issue 34, April 27; Page: 5942-5975, DOI: 10.14260/jemds/2015/869

ABSTRACT: Mesenteric cysts are not uncommon in pediatric age group but giant lymphatic cysts of mesentery are reported infrequently. This is a report of 18 months old child who had distension of abdominal and anemia since three months. Investigations revealed E/O lymphatic cyst? Mesenteric cyst? Large cystic mass in abdomen. On exploration large lymphatic cyst in the mesentery of sigmoid colon found. The cyst was multilocular and appeared to be the collection of lymph (chyle) between the mesentery of sigmoid colon. It is postulated malformation of lymphatic at the root of mesentery might have lead to this pathology.

KEYWORDS: Lymphatic cyst, Mesenteric cyst, Lymphatic malformation, Abdominal mass.

INTRODUCTION: Mesenteric cysts are not uncommon in pediatric age group but giant lymphatic cysts of mesentery are reported infrequently:

- Mesenteric cyst is a term applied to any cyst found in mesentery.¹
- Lymphatic cyst is a type of mesenteric cyst which is of lymphatic origin.
- It is usually a benign lesion. A closely related pathology is cystic hygroma which is also of lymphatic origin.²

Clinical Examination & Case History: 18 Month old child presented with history of abdominal distension. Patient was examined and investigated. All base line blood investigation are within normal limits. Ultrasonography and Contrast CT scan of Abdomen suggestive of Lymphatic cyst / Mesenteric Cyst.

Investigation: CT abdomen: 20 X 15 CM Cystic lesion s/o LYMPHATIC CYST / MESENTRIC CYST

Image: 1

Treatment: Excision of cyst along with segmental resection anastomosis of involved sigmoid colon done. Intra operatively the size of cyst was 20X15 cm. Apex of the lesion was extending in root of inferior mesenteric vessels.

Image: 2, 3, 4.

Histopathology Report: Cyst wall made up of flattened epithelium, fibrocollagenous tissue & smooth muscle bundles at places S/O cystic lymphangioma

Image: 5

DISCUSSION: Cyst of lymphatic origin can be found within peritoneum (Omentum, mesentery) as well as in the retroperitoneal area³. These cysts mostly remain asymptomatic and only come into attention when they cause abdominal fullness / distension or vague discomfort.

CASE REPORT

Abdominal ultrasonography usually provides working diagnosis in these patients and other investigations may be avoided though a more detailed picture can be provided by CT scan abdomen which may help in planning surgery.⁴

Surgery is usually a straight forward affair. At times lesion can be removed completely without sacrificing any adjacent organ though resection of involved segment of bowel, if limited area is involved, is more appropriate.

REFERENCES:

1. Iida S, Furukawa K, Terada Y, Sugisaki Y, Yoshimura K, Tajiri T. A case of a mesenteric cyst in the sigmoid colon of a 3 year old girl. J Nippon Med Sch. 2009; 76: 247– 52.
2. Rattan KN, Nair VJ, Pathak M, Kumar S. Pediatric chylolymphatic mesenteric cyst - a separate entity from cystic lymphangioma: a case series. J Med Case Rep. 2009; 3: 111.
3. Pantanowitz L, Botero M. Giant mesenteric cyst: A case report and review of the literature. Internet J Pathol. 2001; 1
4. Orobitch FJ, Vázquez L, De Franceschini AB, Ramos-Ruiz E. Mesenteric cyst of lymphatic origin: a radiopathological correlation and case report. P R Health Sci J. 1994; 13: 171– 4.

Image 1: CT abdomen

CASE REPORT

INTERAOPERATIVE PHOTOGRAPHS

Image 2: Origin of cyst at root of inferior mesenteric vessels

Image 3: Origin of cyst at root of inferior mesenteric vessels

Image 4: Post-operative specimen

CASE REPORT

Image 5: Histopathology Report

AUTHORS:

1. Suresh R. Harbade
2. Dinesh Jagtap
3. A. S. Varudkar

PARTICULARS OF CONTRIBUTORS:

1. Associate Professor, Department of Surgery, Government Medical College, Aurangabad.
2. 2nd Year Junior Resident, Department of Surgery, Government Medical College, Aurangabad.
3. Professor and Head, Department of Surgery, Government Medical College, Aurangabad.

FINANCIAL OR OTHER

COMPETING INTERESTS: None

NAME ADDRESS EMAIL ID OF THE CORRESPONDING AUTHOR:

Dr. Suresh R. Harbade,
House No. 1-9-75,
Near Maitree Computers BAMU Gate,
Jaisingpura, Aurangabad-431001.
E-mail: drsharbade@gmail.com

Date of Submission: 02/04/2015.
Date of Peer Review: 03/04/2015.
Date of Acceptance: 16/04/2015.
Date of Publishing: 27/04/2015.