ISSN 1313 - 8820
Volume 8, Number 3
September 2016

AGRICULTURAL SCIENCE AND TECHNOLOGY

2016

An International Journal Published by Faculty of Agriculture,
Trakia University, Stara Zagora, Bulgaria

Editor-in-Chief

Georgi Petkov
Faculty of Agriculture
Trakia University, Stara Zagora
Bulgaria

Co-Editor-in-Chief

Dimitar Panayotov
Faculty of Agriculture
Trakia University, Stara Zagora
Bulgaria

Editors and Sections

Genetics and Breeding

Tsanko Yablanski (Bulgaria)
Atanas Atanasov (Bulgaria)
Nikolay Tsenov (Bulgaria)
Max Rothschild (USA)
Ihsan Soysal (Turkey)
Horia Grosu (Romania)
Bojin Bojinov (Bulgaria)
Stoicho Metodiev (Bulgaria)
Svetlana Georgieva (Bulgaria)

Nutrition and Physiology

Nikolai Todorov (Bulgaria)
Peter Surai (UK)
Zervas Georgios (Greece)
Ivan Varlyakov (Bulgaria)

Production Systems

Radoslav Slavov (Bulgaria)
Dimitar Pavlov (Bulgaria)
Bogdan Szostak (Poland)
Banko Banev (Bulgaria)
Georgy Zhelyazkov (Bulgaria)

Agriculture and Environment

Ramesh Kanwar (USA)
Martin Banov (Bulgaria)
Peter Cornish (Australia)

Product Quality and Safety

Marin Kabakchiev (Bulgaria)
Stefan Denev (Bulgaria)
Vasil Atanasov (Bulgaria)
Roumiana Tsenkova (Japan)

English Editor

Yanka Ivanova (Bulgaria)

Scope and policy of the journal

Agricultural Science and Technology /AST/ – an International Scientific Journal of Agricultural and Technology Sciences is published in English in one volume of 4 issues per year, as a printed journal and in electronic form. The policy of the journal is to publish original papers, reviews and short communications covering the aspects of agriculture related with life sciences and modern technologies. It will offer opportunities to address the global needs relating to food and environment, health, exploit the technology to provide innovative products and sustainable development. Papers will be considered in aspects of both fundamental and applied science in the areas of Genetics and Breeding, Nutrition and Physiology, Production Systems, Agriculture and Environment and Product Quality and Safety. Other categories closely related to the above topics could be considered by the editors. The detailed information of the journal is available at the website. Proceedings of scientific meetings and conference reports will be considered for special issues.

Submission of Manuscripts

All manuscripts written in English should be submitted as MS-Word file attachments via e-mail to editoffice@agriscitech.eu. Manuscripts must be prepared strictly in accordance with the detailed instructions for authors at the website

www.agriscitech.eu and the instructions on the last page of the journal. For each manuscript the signatures of all authors are needed confirming their consent to publish it and to nominate an author for correspondence.

They have to be presented by a submission letter signed by all authors. The form of the submission letter is available upon request from the Technical Assistance or could be downloaded from the website of the journal. Manuscripts submitted to this journal are considered if they have submitted only to it, they have not been published already, nor are they under consideration for publication in press elsewhere. All manuscripts are subject to editorial review and the editors reserve the right to improve style and return the paper

for rewriting to the authors, if necessary. The editorial board reserves rights to reject manuscripts based on priorities and space availability in the journal.

The journal is committed to respect high standards of ethics in the editing and reviewing process and malpractice statement. Commitments of authors related to authorship are also very important for a high standard of ethics and publishing. We follow closely the Committee on Publication Ethics (COPE), <http://publicationethics.org/resources/guidelines>

The articles appearing in this journal are indexed and abstracted in: DOI, EBSCO Publishing Inc. and AGRIS (FAO).

The journal is accepted to be indexed with the support of a project № BG051PO001-3.3.05-0001 "Science and business" financed by Operational Programme "Human Resources Development" of EU. The title has been suggested to be included in SCOPUS (Elsevier) and Electronic Journals Submission Form (Thomson Reuters).

Address of Editorial office:

Agricultural Science and Technology
Faculty of Agriculture, Trakia University
Student's campus, 6000 Stara Zagora
Bulgaria

Telephone.: +359 42 699330
+359 42 699446

www.agriscitech.eu

Technical Assistance:

Nely Tsvetanova
Telephone.: +359 42 699446
E-mail: editoffice@agriscitech.eu

ISSN 1313 - 8820

Volume 8, Number 3
September 2016

AGRICULTURAL SCIENCE AND TECHNOLOGY

2016

An International Journal Published by Faculty of Agriculture,
Trakia University, Stara Zagora, Bulgaria

Production Systems

Study on energy flows of renewable sources for producing hot water on dairy farms

R. Georgiev¹, K. Peychev¹, D. Georgiev¹, R. Slavov^{2*}, S. Apostolov³, J. Ellingsen⁴, J. Tønnesen⁴

¹Department of Agricultural Engineering, Faculty of Agriculture, Trakia University, 6000 Stara Zagora, Bulgaria

²Department of Animal Science – Ruminants and Dairy Farming, Faculty of Agriculture, Trakia University, 6000 Stara Zagora, Bulgaria

³Bioselena Foundation for Organic Agriculture, Bulgaria

⁴Royal Norwegian Society for Development, Norges Vel, Norway

(Manuscript received 10 May 2016; accepted for publication 2 August 2016)

Abstract. A system for producing hot water in three dairy farms has been designed and built. It consists of three modules of renewable energy sources - solar thermal installation, heating boiler on wood pellets and recuperative unit for utilizing heat from the milked milk. For storage of the heated water two thermal batteries are used. One of the thermal batteries is a low temperature one (40 °C) and is designed to utilize energy from milk, the other one is high-temperature (80 °C) and is designed to accumulate solar energy and energy from the pellet boiler. The year-round operation of the system on three different farms has been examined. For every month results were obtained about the relative share of each of the renewable energies. Each system produces annually respectively 11273 kWh, 13668 kWh and 10244 kWh of energy to heat water. The share of solar energy is between 34.7 – 43.0% in annual terms, in summer it reaches 85–95%. The share of energy from pellets per year is 52 – 57%, in winter it reaches 65 – 96%, while the share of utilized energy from milked milk averaged 9.5% annually.

Keywords: renewable energy sources, hot water, dairy farms

Introduction

The ever increasing requirements for purity and quality of milk impose increased costs for hot water on dairy farms. According to Bulgarian legislation it is necessary to provide conditions for washing and disinfection of milking inventory (Decree No.44, 2006). To achieve high level of sanitation it is necessary all dairy pipelines and facilities /milking equipment, pumps, tanks and coolers for milk/ be washed, disinfected and rinsed with washing solutions and hot water. Hot water is needed in the technological process of dairy farms as well - to wash udders of cows, in the system for feeding calves, for washing dishes, strainers and filters, as well as for sanitation of the workers on the farm. According to Sanford (2003, 2012) and Pressman (2011), the energy required for hot water on dairy farms amounts to about 25 – 27% of the total energy consumption of the farm. Upton et al. (2010) reported that 31% of the electricity consumed on dairy farms is for hot water, this energy consumption ranking second, after the energy for cooling milk. Costs for hot water rank eighth in the total costs of dairy farms and continue to grow (Buffington, 2011). Trimble (2012) considers that 350 kWh energy is needed for a dairy cow, of which about 40% for hot water. According to the author, a well-designed solar installation for hot water should supply up to 50% of the average annual hot water needs. The investment for solar thermal installation is appropriate and is paid for about 12 years for the climate zone of Great Britain. In Victoria, USA flat solar collectors cover 43% of the hot water needs of farms and vacuum tube collectors 49% (Agriculture, 2012).

An effective mechanism and reliable source to reduce energy for production of hot water is the utilized energy of the milked milk

(Winfield, 1988; Sanford, 2012; DeLaval, 2015). Sanford (2003) states that through the utilized heat of milk up to 50% of the energy required for hot water can be covered. The author recommends dividing the heat batteries – one for preheating water from heat from milk and another battery to heat water to the desired process temperature. Specialized companies for milking equipment (DeLaval, 2015) also offer two similar thermal batteries. According to DeLaval (2015), the temperature to which the incoming cold water can be heated is 50 °C. This shows that the water heated in the utilization should then be further heated to the required process temperature. To realize the utilization process the use of a plate heat exchanger refrigerant-water type is recommended (DeLaval, 2015). The investment for utilizing the heat of milk is profitable and is repaid for about 5 years (Agriculture, 2012).

The objective of this scientific work is to develop, test and analyze a combined system for production of hot water from renewable energy sources on dairy farms and to examine the relative share of the separate energy flows.

Material and methods

For the purpose of study is the designed and built system for production of hot water on three dairy farms: Momino selo village, Plovdiv region, 80 dairy cows; Dobrodan village, Lovech region, 86 dairy cows; town of Tsar Kaloyan, Razgrad region, 50 dairy buffaloes (Figure 1). The system consists of three modules that generate heat from renewable energy sources (Figure 1). One module utilizes heat of the milked milk. The main facility in it is a plate heat

* e-mail: rslavov@uni-sz.bg

Figure 1. Schematic diagram of the system for production of hot water

Legend: 1 – compressor of the refrigeration unit, 2 – condenser, 3 – heat exchanger/recuperator, 4 – thermal battery 150 l, 5 – circulation pump, 6,13,21,23 – one-way valve, 7 – check valve, 8 – expansion tank for the recuperator module, 9 – thermal battery 300 l, 10 – solar collectors, 11 – circulation pump for the solar module, 12 – differential control thermostat, 14 – expansion tank for the solar module, 15 – automatic air vent, 16 – drainage, 17 – heating boiler, 18 – pellet burner, 19 – pellet screw, 20 – circulation pump for the heating boiler, 22 – circulation pump on the bypass connection of the heating boiler, 24 – expansion tank for the heating boiler, 25 – thermal and hydraulic protection, 26 – power breaker

exchanger/recuperator type GEA WP. The latter is built between the compressor and condenser of the cooling machine that cools milk. The recuperator transfers heat from the refrigerant to the coolant, which accumulates it in water volume of 150 l. The second module is a solar thermal installation with three flat-plate collectors, each with an area of 2.7 m². The produced solar energy is accumulated through internal heat exchanger (a coil) in a second heat accumulator with volume of 300 l. The heat exchanger is located at the bottom of the battery, which allows to heat the entire volume. The third module is a heating system with pellet boiler (25kW) and a consumer heat exchanger (a coil) situated at the top of the second battery. This allows quick heating of the water at the top of the second battery. The technology for heating water is as follows. Cold water enters the first heat accumulator where it is initially heated to about 35 – 40°C by the heat of the milked milk. So heated, the water enters the second larger battery, where it is heated by the solar energy. In the absence of sufficient solar energy, the water in the upper part of the battery is further heated by the heat of the pellet boiler, so as to reach the necessary technological temperature of 65°C. This favors the free energies of milk and the sun and when they are insufficient, then heat from pellets is added.

Due to the small milk yield on the buffalo farm in the town of Kaloyan and the remoteness of the milk cooling tank from the system for production of hot water, the system is reduced to two modules - solar installation and heating installation with a pellet boiler. In this case the battery is only one, that of 300 l.

The measurement of energies from the specified energy sources is based on the first law of thermodynamics:

$$Q = m_w c_w (t_1 - t_2) / 3600, \text{ kWh}$$

where Q is the amount of energy of the relevant source, kWh; m_w is the amount of flow passed (coolant) for a unit of time, kg; c_w is specific heat capacity of the coolant (in this case the coolant is also water), 4.19 kJ/kg°C; t_1 is temperature of coolant at the inlet to the relevant battery, °C; t_2 is temperature of coolant at the outlet of the battery, °C.

To measure fluid flows and temperatures flow meters and thermometers have been installed. Their values have been used to determine the obtained amounts of energies for the time of study.

Results and discussion

The constructed systems for production of hot water on the dairy farms in Momino selo village, Dobrodan village and the town of

Figure 2. Annual production of energy for hot water (kWh) in investigated dairy farms

Figure 3. Share of solar energy by farms and months, %

Figure 4. Share of energy from pellets by farms and months, %

Tsar Kaloyan during the tested year produce energy, respectively 11273 kWh, 13668 kWh и 10244 kWh (Figure 2). During the typically winter months - December, January and February, solar modules provide a small share of the total energy – from 2.4 to 10.6%. For the summer months (from May to September) they provide hot water 75 – 95%, the average annual production being 38.8% (Momino selo village) and 34.7% (Dobrodan village) (Figure 3). In the two-module system for production of hot water /with no recuperation module – (Tsar Kaloyan), the production of solar energy is 43% and is by about 7% on average higher than the three-module systems. That is due to the lower temperature potential of the water entering the only thermal battery. Therefore, the share of solar energy in the three-module systems can be higher is there is no preliminary heating of water by the recuperative module. This is especially visible in summer when solar energy production could reach 100 %, but the already utilized energy from the milk reduces that share. The results correspond to the data for production of solar energy published by other authors (Trimble, 2012; DeLaval, 2015).

The energy produced by pellets is needed especially in the months with less sunshine (Figure 4), i.e. in the typically winter

months /for the conditions of Bulgaria these are the months from November to March/ when its relative share varies from 78.9 to 96.3% of the total energy needed for hot water. Transitional months can be considered April and October. For these months the share of energy from pellets fluctuates within 63.5 – 71.5% and the average amounts to 67.3%. The noted higher levels of energy from pellets are with no module for utilizing the heat from milk. The average annual share of energy from pellets for the dairy farms in Momino selo village, Dobrodan village and the town Tsar Kaloyan during the studied year are 52.1%, 55.7% and 57.0%, respectively. There have days in which simultaneous production of heat from the sun and from the pellet boiler takes place, which indicates that the system is designed well and functions rationally and effectively.

The relative share of heat produced from milk (Figure 5) has relatively constant value. The average value of that share is around 9.5%. During the winter months this share decreased slightly and is within 7.9 – 8.5%. This is due to the larger heat losses along the milk route and the coolant route. The relatively low share of heat produced from milk is accounted for by two factors - the long tubing /installations are built on existing sites/ along which some of the

Figure 5. Share of utilized energy from milk by farms and months, %

produced energy from milk is lost and the competing effect of solar energy in the summer. That effect occurs during the warmest summer months when temperature of hot water in the big accumulator achieved by the solar energy becomes about 80°C and due to technological considerations has to be mixed with cold water.

Conclusions

Two- and three-module systems for production of hot water in the studied dairy farms perform their functions reliably. The share of solar energy is between 34.7 – 43.0% in annual terms, in summer reaching 85 – 95%. The share of energy from pellets per year is 52 – 57%, while in winter it reaches 65 – 96% and the share of energy utilized from the milked milk averaged 9.5% annually. In the absence of preheating of water (in the two-module system) the production of energy from the sun is higher by about 7%. The inclusion of a module for utilization of heat from the milk has to be done after the feasibility study. In production of hot water from solar energy and heat of the milked milk (sources with different temperature) there have to be two separate thermal batteries – one for the heat from the milked milk (low temperature) and another one for the solar energy (high temperature). This improves the operation of the milk cooling equipment and increases the overall energy yield of the constructed system.

It is appropriate the thermal battery for the solar energy and for the energy from the pellet boiler to be vertical because it has better opportunities for thermal stratification of hot water. This enables simultaneous production of both energies (in its top and bottom parts) subject to the technological regime of the farms.

Acknowledgements

This study was implemented with financial support of the Project No KNRIN-2013/104377 "Energy efficiency and better milk

quality for Bulgarian dairy farms" on the "Program for green innovation in the industry" and the courtesy of Innovation Norway and Norgesvel.

References

- Buffington D**, 2011. Heating Water on the Dairy Farm, <http://extension.psu.edu/animals/dairy/news/2011/economics-of-heating-water-on-the-dairy-farm>
- Decree №44** from 20/04/2006 to animal health requirements for holdings, the Ministry of Agriculture and Forestry (Bg).
- Pressman A**, 2011. Dairy farm energy efficiency, <http://www.milkproduction.com/Library/Scientific-articles/Management/Dairy-farm-energy-efficiency/>
- Upton J, Murphy M, French P and Dillon P**, 2010. Dairy Farm Energy Consumption, Teagasc National Dairy Conference, 2010.
- Sanford S**, 2003. Heating Water on Dairy Farms, University of Wisconsin - Extension, Madison, WI.
- Sanford S**, 2012. Farm Practices to Improve Energy Efficiency, Bioenergytraining, Module 2: Farm Practices to Improve Energy Efficiency, University of Wisconsin, <https://blogs.extension.org/encon1/files/2012/12/ENCON2.2.pdf>
- Seng M and Seng J**, 2012, Solar hot water reduces costs in the dairy, <http://frds.dairyaustralia.com.au/wp-content/uploads/2012/01/WP648-Seng.pdf>
- Trimble D**, 2012. Solar hot water for the farm, <https://www.dardni.gov.uk/articles/solar-hot-water-farm>
- Winfield G**, 1988. Heat Recovery From Milk Cooling Systems <http://www.omafr.gov.on.ca/english/livestock/dairy/facts/88-032.htm>
<http://agriculture.vic.gov.au/agriculture/dairy/energy-in-dairy/solar-hot-water-systems-for-dairy-shed,2012>
<http://www.delaval.com/en/-/Product-Information1/Milk-cooling--storage/Systems/Heat-recovery/,2015>

Review

- Honey bees and their products as indicators of environmental pollution: A review** 175
D. Salkova, M. Panayotova-Pencheva

Genetics and Breeding

- Characterization of the Bulgarian sunflower hybrid Valin** 183
G. Georgiev
- Evaluation of the combining ability of mutant maize lines** 189
V. Valkova, N. Petrovska
- Evaluation of small size fruit peppers *Capsicum annuum* spp. *microcarpum* with cluster and factor analysis** 193
V. Kuneva, M. Nikolova
- Sensitivity of promising cherry hybrids and new cultivars to economically important fungal diseases** 197
K. Vasileva, S. Malchev, A. Zhivondov

Nutrition and Physiology

- Lysozyme levels in haemolymph of worker bees (*Apis mellifera* L.) from bee colonies with different degree of expression of hygienic behaviour** 201
S. Lazarov, I. Zhelyazkova, D. Salkova, R. Shumkova, S. Takova

Production Systems

- Study on energy flows of renewable sources for producing hot water on dairy farms** 205
R. Georgiev, K. Peychev, D. Georgiev, R. Slavov, S. Apostolov, J. Ellingsen, J. Tønnesen
- Loose smut of barley grown in three types of farming** 209
T. Nedelcheva, V. Maneva
- Efficacy and timing of some new products against pear psylla (*Cacopsylla pyri* L.) (Hemiptera: Psyllidae): I. Spirotetramat** 213
V. Arnaudov
- Influence of year's characteristics and the different fertilization levels on the structural elements of wheat yield** 217
V. Kuneva, R. Bazitov, A. Stoyanova

Grain combines productivity according to various unloading methods – in the field and at the edge of the field **221**

N. Delchev, K. Trendafilov, G. Tihanov, Y. Stoyanov

Agriculture and Environment

Effect of some herbicides on weeds and vines in mother plantation of Cabernet sauvignon **227**

N. Prodanova – Marinova

Influence of foliar herbicides treatment on malting barley (*Hordeum vulgare* L.) productivity of Emon, Vanessa and Vicky varieties **232**

D. Atanasova, V. Maneva

Selectivity and stability of herbicides and herbicide combinations for the grain yield of maize (*Zea Mays* L.) **237**

G. Delchev, T. Barakova

Effect of some soil herbicides on vegetative habits of almond trees of 'Nonpareil' cultivar grown in a second-year nursery field **242**

Z. Rankova, M. Tityanov

Phytosanitary conditions of the organic field and boundary **245**

D. Atanasova, V. Maneva, N. Grozeva

Product Quality and Safety

Quality traits of eggs from autosexing Easter eggers **249**

H. Lukanov, A. Genchev, A. Pavlov, I. Penchev

Amino acid composition of lamb meat from the North East Bulgarian fine fleece breed and its crossbreds from internal breeding **256**

R. Slavov, G. Mihaylova, St. Ribarski, D. Panayotov, D. Pamukova, D. Dragnev

Some results of evaluation of new-introduced apricot cultivars under conditions of Plovdiv region **262**

V. Bozhkova, M. Nesheva

Instruction for authors

Preparation of papers

Papers shall be submitted at the editorial office typed on standard typing pages (A4, 30 lines per page, 62 characters per line). The editors recommend up to 15 pages for full research paper (including abstract, references, tables, figures and other appendices).

The manuscript should be structured as follows: Title, Names of authors and affiliation address, Abstract, List of keywords, Introduction, Material and methods, Results, Discussion, Conclusion, Acknowledgements (if any), References, Tables, Figures.

The title needs to be as concise and informative about the nature of research. It should be written with small letter /bold, 14/ without any abbreviations.

Names and affiliation of authors
The names of the authors should be presented from the initials of first names followed by the family names. The complete address and name of the institution should be stated next. The affiliation of authors are designated by different signs. For the author who is going to be corresponding by the editorial board and readers, an E-mail address and telephone number should be presented as footnote on the first page. Corresponding author is indicated with *.

Abstract should be not more than 350 words. It should be clearly stated what new findings have been made in the course of research. Abbreviations and references to authors are inadmissible in the summary. It should be understandable without having read the paper and should be in one paragraph.

Keywords: Up to maximum of 5 keywords should be selected not repeating the title but giving the essence of study.

The introduction must answer the following questions: What is known and what is new on the studied issue? What necessitated the research problem, described in the paper? What is your hypothesis and goal?

Material and methods: The objects of research, organization of experiments, chemical analyses, statistical and other methods and conditions applied for the experiments should be described in detail. A criterion of sufficient information is to be possible for others to repeat the experiment in order to verify results.

Results are presented in understandable

tables and figures, accompanied by the statistical parameters needed for the evaluation. Data from tables and figures should not be repeated in the text.

Tables should be as simple and as few as possible. Each table should have its own explanatory title and to be typed on a separate page. They should be outside the main body of the text and an indication should be given where it should be inserted.

Figures should be sharp with good contrast and rendition. Graphic materials should be preferred. Photographs to be appropriate for printing. Illustrations are supplied in colour as an exception after special agreement with the editorial board and possible payment of extra costs. The figures are to be each in a single file and their location should be given within the text.

Discussion: The objective of this section is to indicate the scientific significance of the study. By comparing the results and conclusions of other scientists the contribution of the study for expanding or modifying existing knowledge is pointed out clearly and convincingly to the reader.

Conclusion: The most important consequences for the science and practice resulting from the conducted research should be summarized in a few sentences. The conclusions shouldn't be numbered and no new paragraphs be used. Contributions are the core of conclusions.

References:

In the text, references should be cited as follows: single author: Sandberg (2002); two authors: Andersson and Georges (2004); more than two authors: Andersson et al. (2003). When several references are cited simultaneously, they should be ranked by chronological order e.g.: (Sandberg, 2002; Andersson et al., 2003; Andersson and Georges, 2004).

References are arranged alphabetically by the name of the first author. If an author is cited more than once, first his individual publications are given ranked by year, then come publications with one co-author, two co-authors, etc. The names of authors, article and journal titles in the Cyrillic or alphabet different from Latin, should be transliterated into Latin and article titles should be translated into English. The original language of articles and books translated into English is indicated in parenthesis after the bibliographic reference (Bulgarian = Bg, Russian = Ru, Serbian = Sr, if in the Cyrillic, Mongolian =

Mo, Greek = Gr, Georgian = Geor., Japanese = Ja, Chinese = Ch, Arabic = Ar, etc.)

The following order in the reference list is recommended:

Journal articles: Author(s) surname and initials, year. Title. Full title of the journal, volume, pages. Example:

Simm G, Lewis RM, Grundy B and Dingwall WS, 2002. Responses to selection for lean growth in sheep. *Animal Science*, 74, 39-50

Books: Author(s) surname and initials, year. Title. Edition, name of publisher, place of publication. Example:

Oldenbroek JK, 1999. Genebanks and the conservation of farm animal genetic resources, Second edition. DLO Institute for Animal Science and Health, Netherlands.

Book chapter or conference proceedings: Author(s) surname and initials, year. Title. In: Title of the book or of the proceedings followed by the editor(s), volume, pages. Name of publisher, place of publication. Example:

Mauff G, Pulverer G, Operkuch W, Hummel K and Hidden C, 1995. C3-variants and diverse phenotypes of unconverted and converted C3. In: *Provides of the Biological Fluids* (ed. H. Peters), vol. 22, 143-165, Pergamon Press. Oxford, UK.

Todorov N and Mitev J, 1995. Effect of level of feeding during dry period, and body condition score on reproductive performance in dairy cows. IXth International Conference on Production Diseases in Farm Animals, September 11-14, Berlin, Germany.

Thesis:

Hristova D, 2013. Investigation on genetic diversity in local sheep breeds using DNA markers. Thesis for PhD, Trakia University, Stara Zagora, Bulgaria, (Bg).

The Editorial Board of the Journal is not responsible for incorrect quotes of reference sources and the relevant violations of copyrights.

Animal welfare

Studies performed on experimental animals should be carried out according to internationally recognized guidelines for animal welfare. That should be clearly described in the respective section "Material and methods".

AGRICULTURAL SCIENCE AND TECHNOLOGY

Volume 8, Number 3
September 2016

Journal web site:
www.agriscitech.eu

Publisher:
www.alfamarket.biz