ISSN 1313 - 8820 (print)
ISSN 1314 - 412X (online)
Volume 8, Number 4
December 2016

AGRICULTURAL SCIENCE AND TECHNOLOGY

2016

An International Journal Published by Faculty of Agriculture,
Trakia University, Stara Zagora, Bulgaria

Editor-in-Chief

Georgi Petkov
Faculty of Agriculture
Trakia University, Stara Zagora
Bulgaria

Co-Editor-in-Chief

Dimitar Panayotov
Faculty of Agriculture
Trakia University, Stara Zagora
Bulgaria

Editors and Sections

Genetics and Breeding

Tsanko Yablanski (Bulgaria)
Atanas Atanasov (Bulgaria)
Nikolay Tsenov (Bulgaria)
Max Rothschild (USA)
Ihsan Soysal (Turkey)
Horia Grosu (Romania)
Bojin Bojinov (Bulgaria)
Stoicho Metodiev (Bulgaria)
Svetlana Georgieva (Bulgaria)

Nutrition and Physiology

Nikolai Todorov (Bulgaria)
Peter Surai (UK)
Zervas Georgios (Greece)
Ivan Varlyakov (Bulgaria)

Production Systems

Radoslav Slavov (Bulgaria)
Dimitar Pavlov (Bulgaria)
Bogdan Szostak (Poland)
Banko Banev (Bulgaria)
Georgy Zhelyazkov (Bulgaria)

Agriculture and Environment

Ramesh Kanwar (USA)
Martin Banov (Bulgaria)
Peter Cornish (Australia)

Product Quality and Safety

Marin Kabakchiev (Bulgaria)
Stefan Denev (Bulgaria)
Vasil Atanasov (Bulgaria)
Roumiana Tsenkova (Japan)

English Editor

Yanka Ivanova (Bulgaria)

Scope and policy of the journal

Agricultural Science and Technology /AST/ – an International Scientific Journal of Agricultural and Technology Sciences is published in English in one volume of 4 issues per year, as a printed journal and in electronic form. The policy of the journal is to publish original papers, reviews and short communications covering the aspects of agriculture related with life sciences and modern technologies. It will offer opportunities to address the global needs relating to food and environment, health, exploit the technology to provide innovative products and sustainable development. Papers will be considered in aspects of both fundamental and applied science in the areas of Genetics and Breeding, Nutrition and Physiology, Production Systems, Agriculture and Environment and Product Quality and Safety. Other categories closely related to the above topics could be considered by the editors. The detailed information of the journal is available at the website. Proceedings of scientific meetings and conference reports will be considered for special issues.

Submission of Manuscripts

All manuscripts written in English should be submitted as MS-Word file attachments via e-mail to editoffice@agriscitech.eu. Manuscripts must be prepared strictly in accordance with the detailed instructions for authors at the website

www.agriscitech.eu and the instructions on the last page of the journal. For each manuscript the signatures of all authors are needed confirming their consent to publish it and to nominate an author for correspondence.

They have to be presented by a submission letter signed by all authors. The form of the submission letter is available upon request from the Technical Assistance or could be downloaded from the website of the journal. Manuscripts submitted to this journal are considered if they have submitted only to it, they have not been published already, nor are they under consideration for publication in press elsewhere. All manuscripts are subject to editorial review and the editors reserve the right to improve style and return the paper

for rewriting to the authors, if necessary. The editorial board reserves rights to reject manuscripts based on priorities and space availability in the journal.

The journal is committed to respect high standards of ethics in the editing and reviewing process and malpractice statement. Commitments of authors related to authorship are also very important for a high standard of ethics and publishing. We follow closely the Committee on Publication Ethics (COPE), <http://publicationethics.org/resources/guidelines>

The articles appearing in this journal are indexed and abstracted in: DOI, EBSCO Publishing Inc. and AGRIS (FAO).

The journal is accepted to be indexed with the support of a project № BG051PO001-3.3.05-0001 "Science and business" financed by Operational Programme "Human Resources Development" of EU. The title has been suggested to be included in SCOPUS (Elsevier) and Electronic Journals Submission Form (Thomson Reuters).

Address of Editorial office:

Agricultural Science and Technology
Faculty of Agriculture, Trakia University
Student's campus, 6000 Stara Zagora
Bulgaria

Telephone.: +359 42 699330
+359 42 699446

www.agriscitech.eu

Technical Assistance:

Nely Tsvetanova
Telephone.: +359 42 699446
E-mail: editoffice@agriscitech.eu

ISSN 1313 - 8820 (print)
ISSN 1314 - 412X (online)

Volume 8, Number 4
December 2016

AGRICULTURAL SCIENCE AND TECHNOLOGY

2016

An International Journal Published by Faculty of Agriculture,
Trakia University, Stara Zagora, Bulgaria

Biochemical and chemical investigations of pikeperch fingerlings (*Sander Lucioperca* L.) after wintering

A. Ivanova*, R. Atanasova

Institute of Fisheries and Aquaculture, 248 Vasil Levski, 4003 Plovdiv, Bulgaria

(Manuscript received 14 September 2016; accepted for publication 13 October 2016)

Abstract. The purpose of the present study was to investigate some basic biochemical and chemical parameters of pikeperch (*Sander lucioperca* L.) yearlings reared in ponds after wintering. The investigation has been carried out in the Institute of Fisheries and Aquaculture, Plovdiv. The fish included in the study were randomly selected from one pond, with area of 0.40 ha. Blood samples were collected from 10 pikeperches with average weight from 80 to 100 g. Blood biochemical parameters were individually analysed. For hemoglobin determination, blood was anticoagulated with sodium citrate. Samples for body tissue analysis (without the head and viscera) were collected from 4 fish, autoclaved and used for analysis of water content, % (drying at 105 °C, 24 h; Bulgarian State Standard – SR ISO 5984), protein content, % (Kjeldahl method, Bulgarian State Standard – SR ISO 5983 semi-automated DK 6 digester unit and UDK 132 distillation system, Velp Scientifica), fats (%) by the method of Smidt-Boudzynski Ratzlaff and ash (%) by burning in a muffle furnace at 550 °C, BSS – SR ISO 6496. The average blood serum total protein was 66.1 ± 0.12 g.l⁻¹, blood glucose concentration was 92.8 ± 3.42 mg.100 ml⁻¹ (5.15 mmol.l⁻¹) and average hemoglobin content was 44.7 ± 0.33 g.l⁻¹. The average protein content in analysed fish samples was 16.65 ± 0.23 %. Protein content was the highest among studied dry matter components, followed by the ash (1.97 ± 0.06 %) and fat content (0.84 ± 0.03 %). The levels of blood serum total protein, blood glucose and hemoglobin content as well as body composition parameters - water, protein, fat and ash of pikeperch fingerlings (*Sander lucioperca* L.) after wintering reflect the specific equilibrium of plastic and energy substances after the winter period, with no deviations from the reference ranges.

Keywords: pikeperch (*Sander lucioperca* L.), total protein, blood glucose, hemoglobin, meat, chemical composition

Introduction

It is acknowledged that fish chemical composition (blood and body tissues) is influenced by a number of factors: species, age, season, health status, environmental conditions, farming and feeding technology (Guler et al., 2008; Hrubec et al., 2010; Ćirković et al., 2012; Ljubojević et al., 2013; Alemu et al., 2015). In previous studies of ours, we have investigated seasonal alterations in chemical composition of blood and body of common carps, bighead carps, grass carps (Atanassova et al., 2001), tenches (Hadjinikolova et al., 2000), northern pikes (Hadjinikolova and Zaikov, 2006) and Wels catfish (Hadjinikolova and Zaikov, 1997) in order to elucidate some biology and plastic substances metabolism patterns related to farming conditions. In the available literature, there are no data concerning blood and meat biochemistry of pikeperch fingerlings reared in ponds in Bulgaria.

The purpose of the present study was to investigate some basic biochemical and chemical parameters of pikeperch (*Sander lucioperca* L.) yearlings reared in ponds after wintering.

Material and methods

The investigation has been carried out in the Institute of Fisheries and Aquaculture, Plovdiv. For the purpose of the experiments, the fish included in the study were randomly selected from one pond № 10, with area of 0.40 ha. Blood samples were collected from 10 pikeperches with average weight from 80 to 100 g. Blood biochemical parameters were individually analysed. For

hemoglobin determination, blood was anticoagulated with sodium citrate.

The colorimetric analyses were performed on Camspec M108 UV/Vis spectrophotometer using commercial kits produced by Dia Sys Diagnostic Systems GmbH, Germany. The following parameters were assayed: total protein, g.l⁻¹; blood glucose, mg.100 ml⁻¹ ($x=0.0555=\text{mmol.l}^{-1}$) and hemoglobin, g.l⁻¹.

Samples for body tissue analysis (without the head and viscera) were collected from 4 fish, autoclaved and used for analysis of water content, % (drying at 105 °C, 24 h; BSS – SR ISO 5984), protein content, % (Kjeldahl method, BSS – SR ISO 5983 semi-automated DK 6 digester unit and UDK 132 distillation system, Velp Scientifica), fats (%) (by the method of Smidt-Boudzynski Ratzlaff) and ash, % (by burning in a muffle furnace at 550 °C, BSS – SR ISO 6496). The methods are standardised for analysis of fish.

During the winter period, some basic physico-chemical parameters of pond water were monitored. The analysis included: temperature (T, °C) and dissolved oxygen (O₂, mg.l⁻¹), assayed by means of microprocessor oximeter WTW 315/SET (BSS 17.1.4.01-77), and water pH – determined with pH-meter type WTW 315/SET (BSS 3424-81, ISO 10523, 1994).

Data were submitted to statistical analysis to determine the mean value ($\bar{x}$), standard error of the mean (S $\bar{x}$) and coefficients of variation (Cv, %) by MS Office 2010 environment.

Results and discussion

During the study the values of average seasonal water temperature (6.1 °C), pH (8.0) and dissolved oxygen content (6.7

* e-mail: astoeva@abv.bg

Table 1. Biochemical and chemical parameters in pikeperch fingerlings after wintering

Biochemical parameters of the blood serum				
n=10	Total protein, g.l ⁻¹	Blood glucose, mg.100 ml ⁻¹	Hemoglobin, g.l ⁻¹	
x	66.1	92.8	44.7	
Sx	0.12	3.42	0.33	
Cv, %	5.41	11.07	22.15	
Biochemical and chemical composition of body, % of wet weight				
n=4	Water	Protein	Ash	Fats
x	80.54	16.65	1.97	0.84
Sx	0.31	0.23	0.06	0.03
Cv, %	0.67	2.35	5.18	5.92

mg.l⁻¹) complied with the technological norms for the farmed fish species.

The results from blood and body biochemical and chemical analyses are presented in Table 1. Average blood serum total protein (66.1±0.12 g.l⁻¹) in pikeperch yearlings after wintering was similar to reported reference range (Hadjinikolova and Atanasova, 2008; Zakes et al., 2016). In the view of Afanasiev and Afanasiev (2001) serum proteins play an important role in systemic immune reactions and are a primary plastic substance ensuring normal growth and development, especially in juvenile organisms. The average blood glucose concentration was 92.8±3.42 mg.100 ml⁻¹ (5.15 mmol.l⁻¹) which corresponded to the norm (over 75 mg.100 ml⁻¹ or 5.15 mmol.l⁻¹) given by Amineva and Yarzhombek (1984). The average hemoglobin content was 44.7±0.33 g.l⁻¹ which is within the reference range for this fish species (Kristan et al. 2012).

Having in mind that total serum proteins, blood glucose and hemoglobin are sensitive and reliable indices of fish immune defense, the values indicate that studied fish are in good health.

The analysis of pikeperch body composition showed average water content of 80.54±0.31 %. The higher water content of the meat in the spring is a proof of preserved locomotor activity during the winter months, which is probably genetically determined.

Fat are among the essential parameters used for evaluation of fish meat quality (Caulton and Bursell, 1977; Love et al., 1984). In this study, meat fat content was low (0.84±0.03 %). This is probably related to the changes in plastic substance metabolism in fish during the winter period and the redistribution of mineral and energy substances (high water and lower fat content) in the body of fish associated with the endogenous feeding period.

The comparison of obtained data about water and fat content of pikeperch meat (Table 1) a negative relationship between both parameters could be identified. The higher water content in the fish body correlates to lower fat content, as also reported in other researches (Srikanth et al., 1989; Hadjinikolova, 2007). Regardless of the fact that one of the main functions of fat is to provide energy, the fat content is also a good indicator of the physiological state of fish as a reflection of their response to farming conditions (Hadjinikolova, 2007).

The average protein content in analysed fish samples was 16.65±0.23 %. Protein content was the highest among studied dry matter components, followed by the ash (1.97±0.06 %) and fat content (0.84±0.03 %). This tendency is also detected in other studies (Bud et al., 2008).

Conclusion

The levels of blood serum total protein, blood glucose and hemoglobin content as well as body composition parameters - water, protein, fat and ash of pikeperch fingerlings (*Sander lucioperca* L.) after wintering reflect the specific equilibrium of plastic and energy substances after the winter period, with no deviations from the reference ranges.

References

- Afanasiev VI and Afanasiev GV, 2001. Application of immunomodulators in industrial fish farming. *Fish Farming and Fishing*, 3, 34-36.
- Alemu LA, Melese AY and Gulelat DH, 2015. Effect of endogenous factors on proximate composition of Nile Tilapia (*Oreochromis niloticus* L.) fillet from Lake Zeway. *American Journal of Research Communication*, 1, 405-410.
- Amineva V and Yarzhombek A, 1984. *Fish Physiology*. Moscow, Light and Food Industry, p. 159.
- Atanasova R, Hadjinikolova L and Hristev H, 2001. Protein profile of cyprinid fingerlings (*Cyprinidae*) of economic significance prior to and after wintering. *Animal Science*, 5, 31-34.
- Basavaraja N, 1989. On the applicability of mixed feeding schedule of common carp *Cyprinus carpio* Ye. *Communis*. In: E. A. Huisman, Zoonneveld, and A. H. Boumans (Eds.). *Proceedings of the Asian Seminal on Aquaculture*, Malang, Indonesia, 14-18.
- Bud I, Ladosi D, Reka St and Negrea O, 2008. Study concerning chemical composition of fish meat depending on the considered fish species. *Lucrări stiințifice Zootehnie și Biotehnologii*, Timisoara, 41, 201-206.
- Caulton MS and Burselle E, 1977. The relationship between changes in condition and body composition in young *Tilapia rendalli*, *Boulenger*. *Journal of Fish Biology*, 11, 143-150.
- Čirković M, Ljubojević D, Đorđević V, Novakov N, Petronijević R, Matekalo-Sverak V and Trbović D, 2012. The Breed Effect on Productivity and Meat Nutrient Composition of Fish. *Kafkas Üniversitesi Veteriner Fakültesi Dergisi*, 18, 775-780.
- Guler GO, Kiztanir B, Aktumsek A, Citi OB and Ozparlak H, 2008. Determination of the seasonal changes on total fatty acid composition and w3/w6 ratios of carp (*Cyprinus carpio* L.) muscle

lipids in Beysehir Lake (Turkey). Food Chemistry, 108, 689-694.

Hadjinikolova L and Atanasova R, 2008. Biochemical norms for evaluation of cyprinid fingerlings (*Cyprinidae*) prior to and after wintering. Plovdiv University Publishing House, pp. 46. Copyright testimony of the Agricultural Academy (Protocol № 20/26.09.2008).

Hadjinikolova L and Zaikov A, 2006. Investigation on the chemical composition of pike (*Esox lusius* L.). Bulgarian Journal of Agricultural Science, 12, 337-342.

Hadjinikolova L and Zaykov A, 1997. Investigation on chemical composition of Wels catfish (*Silurus glanis* L.). Food Science and Technology, 4-6, 19-21.

Hadjinikolova L, 2007. Investigation on production and biochemical traits in freshwater fish aquaculture species. National Centre for Agrarian Sciences, Sofia. Thesis for DSc (Bg).

Hadjinikolova L, Atanasova R and Hubenova-Siderova T, 2000. Comparative Immuno-Biochemical Characteristic of Stocking Material of Common carp (*Cyprinus carpio* L.), Bighead Carp (*Aristichthys nobilis* Rich.), Grass Carp (*Ctenopharyngodon idella* Val.) and Tench (*Tinca tinca* L.) Raised in Polyculture. Bulgarian Journal of Agricultural Science, 6, 675-679.

Hrubec TC, Smith SA and Robertson JL, 2001. Age relation in hematology and chemistry values of hybrid striped bass chrysops *Morone saxatilis*. Veterinary Clinical Pathology, 30, 8-15.

Kristan J, Stara A, Turek J, Policar T and Velisek J, 2012. Comparison of the effects of four anaesthetics on haematological and blood biochemical profiles in pikeperch (*Sander lucioperca* L.). Neuroendocrinology, 33, 3.

Ljubojević D, Ćirković M, Đorđević V, Puvača N, Trbović D, Vukadinov J and Plavša N, 2013. Fat Quality of Marketable Fresh Water Fish Species in the Republic of Serbia. Czech Journal of Food Sciences, 31, 445-450.

Srikanth GN, Nadeesha MC, Keshavanth P, Varghese TJ, Shetty HPC and Basavaraja N, 1989. On the applicability of mixed feeding schedule of common carp *Cyprinus carpio* Ye. Communis. In: E. A. Huismain, Zoonneveld, and A. H. Boumans (Eds.). Proceedings of the Asian Seminar on Aquaculture, Malang, Indonesia, 14-18.

Zakes Z, Demska-Zakes K, Szczepkowski M, Rozyński M and Ziomek E, 2016. Impact of sex and diet on hematological and blood plasma biochemical profiles and liver histology of pikeperch (*Sander lucioperca* L.). Archives of Polish Fisheries, 24, 61-68.

Review

- Triticale – past and future** 271
St. Dobrev

Genetics and Breeding

- Productivity performance of bread winter wheat genotypes with local and foreign origin** 276
G. Raykov, P. Chamurliyski, S. Doneva, E. Penchev, N. Tsenov
- Production properties of flax (*Linum usitatissimum* L.) cultivated in Strumica region, Republic of Macedonia** 280
P. Vuckov, M. Ilievski, D. Spasova, L. Mihajlov, N. Markova-Ruzdić
- Quality of grain and flour of foreign bread wheat cultivars (*Triticum aestivum* L.) under the conditions of south Dobrudzha region** 283
P. Chamurliyski, N. Tsenov, I. Stoeva, S. Doneva, E. Penchev
- Breeding programme for developing new sweet cherry cultivars in the Fruit Growing Institute, Plovdiv, Bulgaria** 289
S. Malchev, A. Zhivondov
- Heterosis manifestations by survival and larval duration of F1 *Bombyx mori* L. hybrids** 292
R. Guncheva, M. Panayotov, P. Tsenov, Y. Dimitrova

Nutrition and Physiology

- Reproductive performance of breeding rabbits fed by graded levels of cassava (*Manihot esculenta*) leaf meal** 297
T. Ahemen, I.I. Bitto, O.I.A. Oluremi
- Clinical toxicological investigations on acute carbofuran intoxication in quails (*Coturnix coturnix*)** 302
R. Binev, I. Valchev, R. Mihaylov, Y. Nikolov

Production Systems

- Efficacy and timing of some new products against pear psylla (*Cacopsylla pyri* L.) (Hemiptera: Psyllidae): II. Spirodiclofen** 306
V. Arnaudov
- Biochemical and chemical investigations of pikeperch fingerlings (*Sander Lucioperca* L.) after wintering** 310
A. Ivanova, R. Atanasova

Effect of fluorescence on the technological characteristics of cocoons at different cooking temperatures	313

M. Panayotov

Comparative analysis of plane geometric parameters of various types of cow milking parlors	318

D. Georgiev

Agriculture and Environment

<i>Panthaleus major</i> /Duges/ of cereals in Bulgaria	323

V. Maneva, D. Atanasova

Selectivity and stability of herbicides and their tank mixtures for the seed yield of sunflower (<i>Helianthus Annuus</i> L.)	326

G. Delchev, T. Barakova

Effect of green manure cover crops on tomato greenhouse production	332

I. Tringovska, V. Yankova, D. Markova

Reclamation of lands disturbed by mining activities in Bulgaria	339

I. Kirilov, M. Banov

Product Quality and Safety

Fish production and meat quality traits in rainbow trout (<i>Oncorhynchus mykiss</i>) farmed in different production systems	346

St. Stoyanova, Y. Staykov, G. Zelqzkov, I. Sirakov, G. Nikolov

Instruction for authors

Preparation of papers

Papers shall be submitted at the editorial office typed on standard typing pages (A4, 30 lines per page, 62 characters per line). The editors recommend up to 15 pages for full research paper (including abstract, references, tables, figures and other appendices).

The manuscript should be structured as follows: Title, Names of authors and affiliation address, Abstract, List of keywords, Introduction, Material and methods, Results, Discussion, Conclusion, Acknowledgements (if any), References, Tables, Figures.

The title needs to be as concise and informative about the nature of research. It should be written with small letter /bold, 14/ without any abbreviations.

Names and affiliation of authors
The names of the authors should be presented from the initials of first names followed by the family names. The complete address and name of the institution should be stated next. The affiliation of authors are designated by different signs. For the author who is going to be corresponding by the editorial board and readers, an E-mail address and telephone number should be presented as footnote on the first page. Corresponding author is indicated with *.

Abstract should be not more than 350 words. It should be clearly stated what new findings have been made in the course of research. Abbreviations and references to authors are inadmissible in the summary. It should be understandable without having read the paper and should be in one paragraph.

Keywords: Up to maximum of 5 keywords should be selected not repeating the title but giving the essence of study.

The introduction must answer the following questions: What is known and what is new on the studied issue? What necessitated the research problem, described in the paper? What is your hypothesis and goal?

Material and methods: The objects of research, organization of experiments, chemical analyses, statistical and other methods and conditions applied for the experiments should be described in detail. A criterion of sufficient information is to be possible for others to repeat the experiment in order to verify results.

Results are presented in understandable

tables and figures, accompanied by the statistical parameters needed for the evaluation. Data from tables and figures should not be repeated in the text.

Tables should be as simple and as few as possible. Each table should have its own explanatory title and to be typed on a separate page. They should be outside the main body of the text and an indication should be given where it should be inserted.

Figures should be sharp with good contrast and rendition. Graphic materials should be preferred. Photographs to be appropriate for printing. Illustrations are supplied in colour as an exception after special agreement with the editorial board and possible payment of extra costs. The figures are to be each in a single file and their location should be given within the text.

Discussion: The objective of this section is to indicate the scientific significance of the study. By comparing the results and conclusions of other scientists the contribution of the study for expanding or modifying existing knowledge is pointed out clearly and convincingly to the reader.

Conclusion: The most important consequences for the science and practice resulting from the conducted research should be summarized in a few sentences. The conclusions shouldn't be numbered and no new paragraphs be used. Contributions are the core of conclusions.

References:

In the text, references should be cited as follows: single author: Sandberg (2002); two authors: Andersson and Georges (2004); more than two authors: Andersson et al. (2003). When several references are cited simultaneously, they should be ranked by chronological order e.g.: (Sandberg, 2002; Andersson et al., 2003; Andersson and Georges, 2004).

References are arranged alphabetically by the name of the first author. If an author is cited more than once, first his individual publications are given ranked by year, then come publications with one co-author, two co-authors, etc. The names of authors, article and journal titles in the Cyrillic or alphabet different from Latin, should be transliterated into Latin and article titles should be translated into English. The original language of articles and books translated into English is indicated in parenthesis after the bibliographic reference (Bulgarian = Bg, Russian = Ru, Serbian = Sr, if in the Cyrillic, Mongolian =

Mo, Greek = Gr, Georgian = Geor., Japanese = Ja, Chinese = Ch, Arabic = Ar, etc.)

The following order in the reference list is recommended:

Journal articles: Author(s) surname and initials, year. Title. Full title of the journal, volume, pages. Example:

Simm G, Lewis RM, Grundy B and Dingwall WS, 2002. Responses to selection for lean growth in sheep. *Animal Science*, 74, 39-50

Books: Author(s) surname and initials, year. Title. Edition, name of publisher, place of publication. Example:

Oldenbroek JK, 1999. Genebanks and the conservation of farm animal genetic resources, Second edition. DLO Institute for Animal Science and Health, Netherlands.

Book chapter or conference proceedings: Author(s) surname and initials, year. Title. In: Title of the book or of the proceedings followed by the editor(s), volume, pages. Name of publisher, place of publication. Example:

Mauff G, Pulverer G, Operkuch W, Hummel K and Hidden C, 1995. C3-variants and diverse phenotypes of unconverted and converted C3. In: *Provides of the Biological Fluids* (ed. H. Peters), vol. 22, 143-165, Pergamon Press. Oxford, UK.

Todorov N and Mitev J, 1995. Effect of level of feeding during dry period, and body condition score on reproductive performance in dairy cows. IXth International Conference on Production Diseases in Farm Animals, September 11-14, Berlin, Germany.

Thesis:

Hristova D, 2013. Investigation on genetic diversity in local sheep breeds using DNA markers. Thesis for PhD, Trakia University, Stara Zagora, Bulgaria, (Bg).

The Editorial Board of the Journal is not responsible for incorrect quotes of reference sources and the relevant violations of copyrights.

Animal welfare

Studies performed on experimental animals should be carried out according to internationally recognized guidelines for animal welfare. That should be clearly described in the respective section "Material and methods".

AGRICULTURAL SCIENCE AND TECHNOLOGY

Volume 8, Number 4
December 2016

Journal web site:
www.agriscitech.eu

Publisher:
www.alfamarket.biz