Implantacija trajnog elektrostimulatora u Općoj bolnici Pula Pacemaker implantation in Pula General Hospital

Martina Bunić,
Marina Jelinić*,
Suzana Žmak,
Nikolina Cvek

Opća bolnica Pula, Pula,
Hrvatska
Pula General Hospital, Pula,
Croatia

KLJUČNE RIJEČI: implantacija, elektrostimulator, atrioventrikularni blok, fibrilacija atrijsa s bradiaritmijom klijetki.

KEYWORDS: implantation, pacemaker, atrioventricular block, atrial fibrillation with ventricular bradyarrhythmia.

CITATION: Cardiol Croat. 2016;11(10-11):556. | **DOI:** <http://dx.doi.org/10.15836/ccar2016.556>

*ADDRESS FOR CORRESPONDENCE: Marina Jelinić, Opća bolnica Pula, Negrijeva 6, HR-52100 Pula, Croatia.
Phone: +385-52-376-216 / E-mail: marina.jelinic@obpula.hr

ORCID: Martina Bunić, <http://orcid.org/0000-0001-6867-4114> • Marina Jelinić, <http://orcid.org/0000-0001-7731-4348>
Suzana Žmak, <http://orcid.org/0000-0002-5563-5906> • Nikolina Cvek, <http://orcid.org/0000-0003-0711-5874>

Prvi elektrostimulator srca implantiran je 1958. godine u Karolinskom institutu u Švedskoj, pacijentu Arneu Larssonu kad je imao svega 44 godine. Elektrostimulator mu je zamijenjen 26 puta s novim modelom te je pacijent doživio duboku starost. U Hrvatskoj je prvi elektrostimulator implantiran 1964. godine, u Kliničkom bolničkom centru Zagreb, a implantirao ga je Dr. Miram Pasini. Indikacije za implantaciju trajnog elektrostimulatora srca u posljednjih su se 20 godina uvelike proširile, što je utjecalo na broj implantiranih elektrostimulatora i pridonijelo kvaliteti života bolesnika.¹

U Općoj bolnici Pula najčešće indikacije za implantaciju elektrostimulatora bile su atrioventrikularni blokovi te fibrilacija atrijsa s bradiaritmijom ventrikla. S implantacijom trajnih elektrostimulatora započeto je 2010. godine i do sada ih je implantirano 190. Do 2010. godine u Općoj bolnici Pula implantirani su samo privremeni elektrostimulatori. U ovom radu bit će prikazani naši rezultati u navedenom razdoblju.

The first pacemaker was implanted in 1958 at the Karolinska Institute in Sweden, the patient was Arne Larsson when he was only 44 years old. His pacemaker was replaced 26 times with a new model, and the patient experienced old age. In Croatia, the first pacemaker was implanted in 1964 at University Hospital Centre Zagreb, and it was implanted by Dr. Miram Pasini. Indications for implantation of a permanent pacemaker in the last 20 years have greatly expanded, which affected the number of implanted pacemaker and contributed to the quality of patient's life.¹

In the Pula General Hospital most common indications for pacemaker implantation were atrioventricular block and atrial fibrillation with ventricular bradyarrhythmia. The implantation of permanent pacemaker started in 2010, and so far 190 are implanted. By 2010, at the Pula General Hospital were implanted only temporary electostimulators. The article presents our results in the mentioned period.

RECEIVED:
September 27, 2016

ACCEPTED:
October 10, 2016

LITERATURE

1. Harun S, Yamin M. Acute results of permanent pacemaker implantation in Cipto Mangunkusumo General Hospital, Jakarta. Acta Med Indones. 2007;39(1):19-21. **PubMed:** <https://www.ncbi.nlm.nih.gov/pubmed/17297205>