History:

Received: July 10, 2017
Accepted: July 26, 2017
First Published: July 30, 2017
Collection year: 2017
Status: Published

Identifiers and Pagination:

Year: 2017
Volume: 4
First Page: 3
Last Page: 5
Publisher ID: 24122580.4.3

Corresponding author:

Julio Padron PhD, Studio Eutropi,
Patologia Clinica e Nutrizione Via
Pompei, 24/3 Ardea 00040 (RM),
Italy. E-mail: jl.padron.v@gmail.com

Citation:

Julio Padron, No chance to face
nsaids threatening? J App Mol Cell
Bio. Vol. 4: 2017. 3-5

Mini-review

NO CHANCE TO FACE NSAIDs THREATENING?

Julio Padron

Studio Eutropi, Patologia Clinica e Nutrizione, Via Pompei 46, Ardea 00040, RM, Italy.

Non Steroidal Anti-Inflammatory Drugs (NSAIDs), are widely used as first line of defense against most of acute and chronic inflammatory diseases. However, in spite of their apparent safer profile, as compared to steroids, they can also drive into moderate and severe reactions. Since the very beginning foremost concerns have been focused on the Gastric Damage coming from the inhibition of COX-1 derived prostaglandins, which were found to play a fundamental protective action on the overall stomach homeostasis [1]. Thereafter indeed, most efforts to improve NSAIDs therapeutic proficiency were aimed at counteracting upper Gastrointestinal (GI) adverse reactions.

In this regard, the concomitant administration of Proton Pump Inhibitors (PPI) in a way of reducing hyperacidity and consequently counterbalancing the associated incidence of heartburn, ulcers and bleeding, was one of the first and till nowadays most used approaches. Nonetheless, in spite of the actual clinical benefit in terms of gastric disturbances, on the other hand it has been noticed that long term treatment with PPI might lead to an impairment on minerals and vitamins absorption [2] as well as on enteric microbiota equilibrium [3], driving therefore into many other systemic disturbances.

In order to bypass such adverse events, a parallel approach, triggering alternative compensatory mechanisms while avoiding to negatively impact on Calcium and microbiota homeostasis, was pursued by developing novel NSAID molecules harboring a Nitric Oxide (NO) releasing moiety. Upon endogenous enzymatic cleavage, the NO releasing moiety would provide a series of favorable compensatory actions to preserve gastric safety [4]. These dual action hybrid molecules, belonging to a new class of drugs called CINODs (COX Inhibitors Nitric Oxide Donors), were encouraging in fact large expectations.

However, a third approach in parallel faced the problem from a different and apparently much clever and radical point of view. Rather than triggering compensatory mechanisms to counteract NSAIDs derived Gastric Damage the novel strategy developed a new class of NSAIDs with a very specific Cyclooxygenase inhibitory activity: active on COX2 but not on COX1. In such a way the novel chemical entities would retain anti-inflammatory actions by inhibiting COX2 while on the other side they would be deprived of GI concerns as unable to inhibit the beneficial COX1 derived Prostaglandins in the stomach. As a matter of fact, given the early successful results from this third approach, at that time CINODs became much less attractive and their development was almost discontinued.

Unexpectedly however, short after that it was noticed that following chronic treatment with COXIBs it was registered a relevant increase on severe and fatal cardiovascular events. Indeed, as later emerged from several studies it was realized that whereas COX2 specific inhibitors might indeed provide a better upper GI safety profile, on the other hand, within the vascular environment it might be deleterious mainly in patients suffering from endothelial dysfunction [5].

At this point, reconsidering the ubiquitous regulatory potential of NO, it resulted opportune to "rescue" CINODs. Actually favorable NO compensatory mechanisms are not limited to the upper GI Tract but also on the Vascular Bed. A balanced COX inhibition while providing exogenous NO donation may grant a much safer Cardio-Vascular profile [6]. Moreover an adequate NO releasing pattern could provide an extra benefit by synergizing with the anti-inflammatory actions from the NSAID parent drug [7,8]. Unfortunately however, spitefully of the very strong rational and the large and robust preclinical evidence, the favorable results obtained on the main clinical trial carried out by a relative small biotech (NicOx Spa) [9] were not convincing enough to the FDA and were soliciting for further

Editor in Chief:

Bruno Perillo
PhD
Istituto di Scienze dell,
Alimentazione, Consiglio Nazionale
delle Ricerche, via Roma, 52,
83100 Avellino, Italy.

Funding:

The authors received no direct
funding for this research.

Competing Interests:

The authors declare no competing
interests

Additional information is available at
the end of the article.

investment. An adequately extended population size, a more appropriate identification of patients subpopulation target as well as much more accurate definition of clinical end points and biomarkers, would be strongly recommended in order to unequivocally convince regulatory authorities. Moreover, last but not least, further attention should be also invested on the incidence and relevance of NSAIDs adverse effect on the Lower Intestinal Tract. Contrary to PPI co-administration and COXIBs approaches, CINODs might exhibit a much safer profile in terms of NSAIDs derived Lower Intestinal Damage [10], avoiding therefore many other associated systemic disturbances.

It is obvious that facing such kind of extended and complex clinical trials is an endeavor that might require great investments, but on the other side continuing to face huge NSAIDs adverse effects is certainly much more expensive in all sense to the whole society.

Therefore, considering altogether the strong scientific rational, the robust preclinical data and the favorable clinical results so far collected, it might worth wondering whether to further pursue the NO approach in order to globally face the insidious and large spectrum of NSAIDs threatening.

References

Wallace JL. How do NSAIDs cause ulcer disease? Baillieres Best Pract Res Clin Gastroenterol 2000; 14(1): 147-59.

Heidelbaugh JJ. Proton pump inhibitors and risk of vitamin and mineral deficiency: evidence and clinical implications. Ther Adv Drug Saf 2013; 4(3): 125-133.

Lee C, Hong SN. Does Long-Term Proton Pump Inhibitor Therapy Affect the Health of Gut Microbiota?. Gut and Liver 2016; 10(6): 865-866.

Lanas A. Role of nitric oxide in the gastrointestinal tract. Arthritis Research & Therapy 2008; 10(2): S4.

Inger LM, Van de Laar MAF, Vonkeman HE. Non-Steroidal Anti-Inflammatory Drugs: An Overview of Cardiovascular Risks. Pharmaceuticals 2010; 3: 2146-2162.

Muscará MN, Wallace JL. COX-Inhibiting Nitric Oxide Donors (CINODs): Potential Benefits on Cardiovascular and Renal Function. Cardiovascular & Hematological Agents in Medicinal Chemistry 2006; 4: 155-164.

Wallace JL. Nitric oxide as a regulator of inflammatory processes. Mem. Inst. Oswaldo Cruz. 2005; 100:1:5-9.

Ibiza S, Serrador JM. The role of nitric oxide in the regulation of adaptive immune responses. Immunología 2008; 27(3): 103-117.

Schnitzer TJ, Kivit A, Frayssinet H, Duquesroix B. Efficacy and safety of naproxen in the treatment of patients with osteoarthritis of the knee: a 13-week prospective, randomized, multicenter study. Osteoarthritis and Cartilage 2010; 18: 629-639.

Lanas A. A review of the gastrointestinal safety data - a gastroenterologist's perspective. Rheumatology 2010; 49: 3-10.

© 2016 The Author(s). This open access article is distributed under a Creative Commons Attribution (CC-BY) 4.0 license.

You are free to:

Share — copy and redistribute the material in any medium or format

Adapt — remix, transform, and build upon the material for any purpose, even commercially.

The licensor cannot revoke these freedoms as long as you follow the license terms.

Under the following terms:

Attribution — You must give appropriate credit, provide a link to the license, and indicate if changes were made.

You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

No additional restrictions

You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits