iJRASET

International Journal For Research in
Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 7 Issue: III Month of publication: March 2019

DOI: <http://doi.org/10.22214/ijraset.2019.3156>

www.ijraset.com

Call: ☎ 08813907089

E-mail ID: ijraset@gmail.com

On The Negative Pell Equation $y^2 = 15x^2 - 14$

S. Vidhyalakshmi¹, T. Mahalakshmi²

¹Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620002, TamilNadu, India

²Assistant Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620002, TamilNadu, India

Abstract: The binary quadratic equation represented by the negative pellian $y^2 = 15x^2 - 14$ is analyzed for its distinct integer solutions. A few interesting relations among the solutions are also given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas.

Keywords: Binary quadratic, hyperbola, parabola, pell equation, integral solutions.

I. INTRODUCTION

Diophantine equation of the form $y^2 = Dx^2 - 1$, where $D > 0$ and square free, is known as negative pell equation. In general, the general form of negative pell equation is represented by $y^2 = Dx^2 - N$, $N > 0$, $D > 0$ and square free. It is known that negative pell equations $y^2 = 3x^2 - 1$, $y^2 = 7x^2 - 4$ have no integer solutions whereas $y^2 = 65x^2 - 1$, $y^2 = 202x^2 - 1$ have integer solutions. It is observed that the negative pell equation do not always have integer solutions. For negative pell equations with integer solutions, one may refer [1-12].

In this communication, yet another negative pell equation given by $y^2 = 7x^2 - 14$ is considered for its non-zero distinct integer solutions. A few interesting relations among the solutions are also given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas.

II. METHOD OF ANALYSIS

The negative Pell equation representing hyperbola under consideration is

$$y^2 = 15x^2 - 14 \quad (1)$$

whose smallest positive integer solution is

$$x_0 = 3, y_0 = 11$$

To obtain the other solutions of (1), consider the Pell equation

$$y^2 = 15x^2 + 1$$

whose general solution is given by

$$\tilde{x}_n = \frac{1}{2\sqrt{15}} g_n, \tilde{y}_n = \frac{1}{2} f_n$$

where

$$f_n = (4 + \sqrt{15})^{n+1} + (4 - \sqrt{15})^{n+1}$$

$$g_n = (4 + \sqrt{15})^{n+1} - (4 - \sqrt{15})^{n+1}, n = -1, 0, 1, 2, \dots$$

Applying Brahmagupta lemma between (x_0, y_0) and $(\tilde{x}_n, \tilde{y}_n)$, the other integer solutions of (1) are given by

$$x_{n+1} = \frac{3}{2} f_n + \frac{11}{2\sqrt{15}} g_n$$

$$y_{n+1} = \frac{11}{2} f_n + \frac{3}{2} \sqrt{15} g_n$$

The recurrence relations satisfied by x and y are given by

$$x_{n+3} - 8x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 8y_{n+2} + y_{n+1} = 0$$

Some numerical examples of x and y satisfying (1) are given in the Table: 1 below:

Table: 1 Numerical examples

n	x_{n+1}	y_{n+1}
-1	3	11
0	23	89
1	181	701
2	1425	5519
3	11219	43451
4	88327	342089

From the above table, we observe some interesting relations among the solutions which are presented below:

1) x_{n+1} and y_{n+1} are always odd

2) Relations among the solutions

a) $4x_{n+1} - x_{n+2} + y_{n+1} = 0$

b) $x_{n+1} - 4x_{n+2} + y_{n+2} = 0$

c) $4x_{n+1} - 31x_{n+2} + y_{n+3} = 0$

d) $31x_{n+1} - x_{n+3} + 8y_{n+1} = 0$

e) $x_{n+1} - 31x_{n+3} + 8y_{n+3} = 0$

f) $15x_{n+1} + 4y_{n+1} - y_{n+2} = 0$

g) $120x_{n+1} + 31y_{n+1} - y_{n+3} = 0$

h) $15x_{n+1} + 31y_{n+2} - 4y_{n+3} = 0$

i) $31x_{n+2} - 4x_{n+3} + y_{n+1} = 0$

j) $4x_{n+2} - x_{n+3} + y_{n+2} = 0$

k) $x_{n+2} - 4x_{n+3} + y_{n+3} = 0$

l) $15x_{n+2} + y_{n+1} - 4y_{n+2} = 0$

m) $30x_{n+2} - y_{n+3} + y_{n+1} = 0$

n) $15x_{n+2} + 4y_{n+2} - y_{n+3} = 0$

o) $15x_{n+1} + 4y_{n+2} - y_{n+3} = 0$

p) $15x_{n+3} + 4y_{n+1} - 31y_{n+2} = 0$

q) $120x_{n+3} + y_{n+1} - 31y_{n+3} = 0$

r) $15x_{n+3} + y_{n+2} - 4y_{n+3} = 0$

s) $x_{n+1} - x_{n+3} + 2y_{n+2} = 0$

3) Each of the following expressions represents a nasty number

a) $\frac{6}{7}(89x_{2n+2} - 11x_{2n+3} + 14)$

b) $\frac{3}{28}(701x_{2n+2} - 11x_{2n+4} + 112)$

c) $\frac{6}{7}(45x_{2n+2} - 11y_{2n+2} + 14)$

d) $\frac{6}{28}(345x_{2n+2} - 11y_{2n+3} + 56)$

e) $\frac{6}{217}(2715x_{2n+2} - 11y_{2n+4} + 434)$

$$f) \frac{6}{7}(701x_{2n+3} - 89x_{2n+4} + 14)$$

$$g) \frac{3}{14}(45x_{2n+3} - 89y_{2n+2} + 56)$$

$$h) \frac{6}{7}(345x_{2n+3} - 89y_{2n+3} + 14)$$

$$i) \frac{3}{14}(2715x_{2n+3} - 89y_{2n+4} + 56)$$

$$j) \frac{6}{217}(45x_{2n+4} - 701y_{2n+2} + 434)$$

$$k) \frac{3}{14}(345x_{2n+4} - 701y_{2n+3} + 56)$$

$$l) \frac{6}{7}(2715x_{2n+4} - 701y_{2n+4} + 14)$$

$$m) \frac{6}{7}(3y_{2n+3} - 23y_{2n+2} + 14)$$

$$n) \frac{3}{28}(3y_{2n+4} - 181y_{2n+2} + 112)$$

$$o) \frac{6}{7}(23y_{2n+4} - 181y_{2n+3} + 14)$$

4) Each of the following expressions represents a cubical integer

$$a) \frac{1}{7}[267x_{n+1} - 33x_{n+2} + 89x_{3n+3} - 11x_{3n+4}]$$

$$b) \frac{1}{56}[2103x_{n+1} - 33x_{n+3} + 701x_{3n+3} - 11x_{3n+5}]$$

$$c) \frac{1}{7}[135x_{n+1} - 33y_{n+1} + 45x_{3n+3} - 11y_{3n+3}]$$

$$d) \frac{1}{28}[1035x_{n+1} - 33y_{n+2} + 345x_{3n+3} - 11y_{3n+4}]$$

$$e) \frac{1}{217}[8145x_{n+1} - 33y_{n+3} + 2715x_{3n+3} - 11y_{3n+5}]$$

$$f) \frac{1}{7}[2103x_{n+2} - 267x_{n+3} + 701x_{3n+4} - 89x_{3n+5}]$$

$$g) \frac{1}{28}[135x_{n+2} - 267y_{n+1} + 45x_{3n+4} - 89y_{3n+3}]$$

$$h) \frac{1}{7}[1035x_{n+2} - 267y_{n+2} + 345x_{3n+4} - 89y_{3n+4}]$$

$$i) \frac{1}{28}[8145x_{n+2} - 267y_{n+3} + 2715x_{3n+4} - 89y_{3n+5}]$$

$$j) \frac{1}{217}[135x_{n+3} - 2103y_{n+1} + 45x_{3n+5} - 701y_{3n+3}]$$

$$k) \frac{1}{28}[1035x_{n+3} - 2103y_{n+2} + 345x_{3n+5} - 701y_{3n+4}]$$

$$l) \frac{1}{7}[8145x_{n+3} - 2103y_{n+3} + 2715x_{3n+5} - 701y_{3n+5}]$$

$$m) \frac{1}{7}[9y_{n+2} - 69y_{n+1} + 3y_{3n+4} - 23y_{3n+3}]$$

$$n) \frac{1}{56} [9y_{n+3} - 543y_{n+1} + 3y_{3n+5} - 181y_{3n+3}]$$

$$o) \frac{1}{7} [69y_{n+3} - 543y_{n+2} + 23y_{3n+5} - 181y_{3n+4}]$$

5) Each of the following expressions represents a bi-quadratic integer

$$a) \frac{1}{7} [89x_{4n+4} - 11x_{4n+5} + 356x_{2n+2} - 44x_{2n+3} + 42]$$

$$b) \frac{1}{56} [701x_{4n+4} - 11x_{4n+6} + 2804x_{2n+2} - 44x_{2n+4} + 336]$$

$$c) \frac{1}{7} [45x_{4n+4} - 11y_{4n+4} + 180x_{2n+2} - 44y_{2n+2} + 42]$$

$$d) \frac{1}{28} [345x_{4n+4} - 11y_{4n+5} + 1380x_{2n+2} - 44y_{2n+3} + 168]$$

$$e) \frac{1}{217} [2715x_{4n+4} - 11y_{4n+6} + 10860x_{2n+2} - 44y_{2n+4} + 1302]$$

$$f) \frac{1}{7} [701x_{4n+5} - 89x_{4n+6} + 2804x_{2n+3} - 356x_{2n+4} + 42]$$

$$g) \frac{1}{28} [45x_{4n+5} - 89y_{4n+4} + 180x_{2n+3} - 356y_{2n+2} + 168]$$

$$h) \frac{1}{7} [345x_{4n+5} - 89y_{4n+5} + 1380x_{2n+3} - 356y_{2n+3} + 42]$$

$$i) \frac{1}{28} [2715x_{4n+5} - 89y_{4n+6} + 10860x_{2n+3} - 356y_{2n+4} + 168]$$

$$j) \frac{1}{217} [45x_{4n+6} - 701y_{4n+4} + 180x_{2n+4} - 2804y_{2n+2} + 1302]$$

$$k) \frac{1}{28} [345x_{4n+6} - 701y_{4n+5} + 1380x_{2n+4} - 2804y_{2n+3} + 168]$$

$$l) \frac{1}{7} [2715x_{4n+6} - 701y_{4n+6} + 10860x_{n+3} - 2804y_{n+3} + 42]$$

$$m) \frac{1}{7} [3y_{4n+5} - 23y_{4n+4} + 12y_{2n+3} - 92y_{2n+2} + 42]$$

$$n) \frac{1}{56} [3y_{4n+6} - 181y_{4n+4} + 12y_{2n+4} - 724y_{2n+2} + 336]$$

$$o) \frac{1}{7} [23y_{4n+6} - 181y_{4n+5} + 92y_{2n+4} - 724y_{2n+3} + 42]$$

6) Each of the following expressions represents a quintic integer

$$a) \frac{1}{7} [890x_{n+1} - 110x_{n+2} + 445x_{3n+3} - 55x_{3n+4} + 89x_{5n+5} - 11x_{5n+6}]$$

$$b) \frac{1}{56} [7010x_{n+1} - 110x_{n+3} + 3505x_{3n+3} - 55x_{3n+5} + 701x_{5n+5} - 11x_{5n+7}]$$

$$c) \frac{1}{7} [450x_{n+1} - 110y_{n+1} + 225x_{3n+3} - 55y_{3n+3} + 45x_{5n+5} - 11y_{5n+5}]$$

$$d) \frac{1}{28} [3450x_{n+1} - 110y_{n+2} + 1725x_{3n+3} - 55y_{3n+4} + 345x_{5n+5} - 11y_{5n+6}]$$

$$e) \frac{1}{217} [27150x_{n+1} - 110y_{n+3} + 13575x_{3n+3} - 55y_{3n+5} + 2715x_{5n+5} - 11y_{5n+7}]$$

$$\begin{aligned}
 f) & \frac{1}{7} [7010x_{n+2} - 890x_{n+3} + 3505x_{3n+4} - 445x_{3n+5} + 701x_{5n+6} - 89x_{5n+7}] \\
 g) & \frac{1}{28} [450x_{n+2} - 890y_{n+1} + 225x_{3n+4} - 445y_{3n+3} + 45x_{5n+6} - 89y_{5n+5}] \\
 h) & \frac{1}{7} [3450x_{n+2} - 890y_{n+2} + 1725x_{3n+4} - 445y_{3n+4} + 345x_{5n+6} - 89y_{5n+6}] \\
 i) & \frac{1}{28} [27150x_{n+2} - 890y_{n+3} + 13575x_{3n+4} - 445y_{3n+5} + 2715x_{5n+6} - 89y_{5n+7}] \\
 j) & \frac{1}{217} [450x_{n+3} - 7010y_{n+1} + 225x_{3n+5} - 3505y_{3n+3} + 45x_{5n+7} - 701y_{5n+5}] \\
 k) & \frac{1}{28} [3450x_{n+3} - 7010y_{n+2} + 1725x_{3n+5} - 3505y_{3n+4} + 345x_{5n+7} - 701y_{5n+6}] \\
 l) & \frac{1}{7} [27150x_{n+3} - 7010y_{n+3} + 13575x_{3n+5} - 3505y_{3n+5} + 2715x_{5n+7} - 701y_{5n+7}] \\
 m) & \frac{1}{7} [30y_{n+2} - 230y_{n+1} + 15y_{3n+4} - 115y_{3n+3} + 3y_{5n+6} - 23y_{5n+5}] \\
 n) & \frac{1}{56} [30y_{n+3} - 1810y_{n+1} + 15y_{3n+5} - 905y_{3n+3} + 3y_{5n+7} - 181y_{5n+5}] \\
 o) & \frac{1}{7} [230y_{n+3} - 1810y_{n+2} + 115y_{3n+5} - 905y_{3n+4} + 23y_{5n+7} - 181y_{5n+6}]
 \end{aligned}$$

III.REMARKABLE OBSERVATIONS

- 1) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbola which are presented in the Table: 2 below:

Table: 2 Hyperbolas

S. No	Hyperbola	(X, Y)
1	$X^2 - 15Y^2 = 196$	$(89x_{n+1} - 11x_{n+2}, 3x_{n+2} - 23x_{n+1})$
2	$X^2 - 15Y^2 = 12544$	$(701x_{n+1} - 11x_{n+3}, 3x_{n+3} - 181x_{n+1})$
3	$X^2 - 15Y^2 = 196$	$(45x_{n+1} - 11y_{n+1}, 3y_{n+1} - 11x_{n+1})$
4	$X^2 - 15Y^2 = 3136$	$(345x_{n+1} - 11y_{n+2}, 3y_{n+2} - 89x_{n+1})$
5	$X^2 - 15Y^2 = 188356$	$(2715x_{n+1} - 11y_{n+3}, 3y_{n+3} - 701x_{n+1})$
6	$X^2 - 15Y^2 = 196$	$(701x_{n+2} - 89x_{n+3}, 23x_{n+3} - 181x_{n+2})$
7	$X^2 - 15Y^2 = 3136$	$(45x_{n+2} - 89y_{n+1}, 23y_{n+1} - 11x_{n+2})$
8	$X^2 - 15Y^2 = 196$	$(345x_{n+2} - 89y_{n+2}, 23y_{n+2} - 89x_{n+2})$
9	$X^2 - 15Y^2 = 3136$	$(2715x_{n+2} - 89y_{n+3}, 23y_{n+3} - 701x_{n+2})$
10	$X^2 - 15Y^2 = 188356$	$(45x_{n+3} - 701y_{n+1}, 181y_{n+1} - 11x_{n+3})$

11	$X^2 - 15Y^2 = 3136$	$(345x_{n+3} - 701y_{n+2}, 181y_{n+2} - 89x_{n+3})$
12	$X^2 - 15Y^2 = 196$	$(2715x_{n+3} - 701y_{n+3}, 181y_{n+3} - 701x_{n+3})$
13	$735X^2 - 49Y^2 = 144060$	$(3y_{n+2} - 23y_{n+1}, 89y_{n+1} - 11y_{n+2})$
14	$47040X^2 - 3136Y^2 = 5990069760$	$(3y_{n+3} - 181y_{n+1}, 701y_{n+1} - 11y_{n+3})$
15	$735X^2 - 49Y^2 = 144060$	$(23y_{n+3} - 181y_{n+2}, 701y_{n+2} - 89y_{n+3})$

- 2) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabola which are presented in the Table: 3 below:

Table: 3 Parabolas

S. No	Parabola	(X, Y)
1	$7X - 15Y^2 = 98$	$(89x_{2n+2} - 11x_{2n+3}, 3x_{n+2} - 23x_{n+1})$
2	$56X - 15Y^2 = 6272$	$(701x_{2n+2} - 11x_{2n+4}, 3x_{n+3} - 181x_{n+1})$
3	$7X - 15Y^2 = 98$	$(45x_{2n+2} - 11y_{2n+2}, 3y_{n+1} - 11x_{n+1})$
4	$28X - 15Y^2 = 1568$	$(345x_{2n+2} - 11y_{2n+3}, 3y_{n+2} - 89x_{n+1})$
5	$217X - 15Y^2 = 94178$	$(2715x_{2n+2} - 11y_{2n+4}, 3y_{n+3} - 701x_{n+1})$
6	$7X - 15Y^2 = 98$	$(701x_{2n+3} - 89x_{2n+4}, 23x_{n+3} - 181x_{n+2})$
7	$28X - 15Y^2 = 1568$	$(45x_{2n+3} - 89y_{2n+2}, 23y_{n+1} - 11x_{n+2})$
8	$7X - 15Y^2 = 98$	$(345x_{2n+3} - 89y_{2n+3}, 23y_{n+2} - 89x_{n+2})$
9	$28X - 15Y^2 = 1568$	$(2715x_{2n+3} - 89y_{2n+4}, 23y_{n+3} - 701x_{n+2})$
10	$217X - 15Y^2 = 94178$	$(45x_{2n+4} - 701y_{2n+2}, 181y_{n+1} - 11x_{n+3})$
11	$28X - 15Y^2 = 1568$	$(345x_{2n+4} - 701y_{2n+3}, 181y_{n+2} - 89x_{n+3})$
12	$7X - 15Y^2 = 98$	$(2715x_{2n+4} - 701y_{2n+4}, 181y_{n+3} - 701x_{n+3})$
13	$735X - 7Y^2 = 10290$	$(3y_{2n+3} - 23y_{2n+2}, 89y_{n+1} - 11y_{n+2})$
14	$47040X - 56Y^2 = 5268480$	$(3y_{2n+4} - 181y_{2n+2}, 701y_{n+1} - 11y_{n+3})$
15	$735X - 7Y^2 = 10290$	$(23y_{2n+4} - 181y_{2n+3}, 701y_{n+2} - 89y_{n+3})$

IV.CONCLUSION

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the negative pell equation $y^2 = 15x^2 - 14$. As the binary quadratic Diophantine equation are rich in variety, one may search for the other choices of negative pell equations and determine their integer solutions along with suitable properties. Employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas.

REFERENCES

- [1] M.A. Gopalan, V. Geetha, S. Sumithra, "Observations on the Hyperbola $y^2 = 55x^2 - 6$ ", International Research Journal of Engineering and Technology (IRJET) volume: 02, Issue: 04, 1962-1964, July-2015.
- [2] M.A. Gopalan, S. Vidhyalakshmi, T.R. Usharani, M. Arulmozhi, "On the negative pell equation $y^2 = 35x^2 - 19$ ", International Journal of Research and Review, vol.2, Issue:4, pages 183-188, April 2015
- [3] M.A. Gopalan, S. Vidhyalakshmi, J. Shanthi, D. Kanaka, "On the Negative Pell Equation $y^2 = 15x^2 - 6$ ", Scholars Journal of Physics, Mathematics and Statistics, Sch.J.Phys.Math.Stat.; 2(2A), 123-128, 2015.
- [4] K. Meena, S. Vidhyalakshmi, A. Rukmani, "On the Negative pell Equation $y^2 = 31x^2 - 6$ ", Universe of Emerging Technologies and Science, 2(12), 1-4, 2015.
- [5] M.A. Gopalan, S. Vidhyalakshmi, V. Pandichelvi, P. Sivakamasundari, C.Priyadharsini, "On The Negative pell Equation $y^2 = 45x^2 - 11$ ", International Journal of Pure Mathematical Science, volume-16, 30-36, 2016.
- [6] S. Vidhyalakshmi, M.A. Gopalan, E. Premalatha, S. Sofiachristinal, "On The Negative pell Equation $y^2 = 72x^2 - 8$ ", International Journal of Emerging Technologies in Engineering Research (IJETER), volume 4, Issue 2, 25-28, February 2016.
- [7] M. Devi, T.R. Usharani, "On the Binary Quadratic Diophantine Equation $y^2 = 80x^2 - 16$ ", Journal of Mathematics and Informatics, vol.10V, 75-81, 2017.
- [8] R. Suganya, D. Maheswari, "On the Negative pellian Equation $y^2 = 110x^2 - 29$ ", Journal of Mathematics and Informatics, vol.1, 163-71, 2017.
- [9] P. Abinaya, S. Mallika, "On the Negative pellian Equation $y^2 = 40x^2 - 15$ ", Journal of Mathematics and Informatics, vol.1, 195-102, 2017.
- [10] K. Meena, M.A. Gopalan, T. Swetha, "On the negative pell equation $y^2 = 40x^2 - 4$ ", International Journal of Emerging Technologies in Engineering Research (IJETER), volume5, Issue 1, 6-11, January 2017.
- [11] K. Meena, S. Vidhyalakshmi, G. Dhanalakshmi, "On the negative pell equation $y^2 = 5x^2 - 4$ ", Asian Journal of Applied Science and Technology(AJAST)volume 1, Issue 7, pages 98-103, August 2017.
- [12] S. Vidhyalakshmi, M.A. Gopalan, T. Mahalakshmi, "On the negative pell equation $x^2 = 6y^2 - 50$ ", International Journal of Engineering Science and Research Technology (IJESRT) volume 7, Issue 11, 50-56, November 2018.

10.22214/IJRASET

45.98

IMPACT FACTOR:
7.129

IMPACT FACTOR:
7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)