iJRASET

International Journal For Research in
Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: II Month of publication: February 2021

DOI: <https://doi.org/10.22214/ijraset.2021.33006>

www.ijraset.com

Call: 08813907089

E-mail ID: ijraset@gmail.com

Optimization of Setback Position in RC Building under Dynamic Earthquake Response

Shubham Shrivastava¹, Kishor Patil²

¹PG Student, Department of Civil Engineering, Sushila Devi Bansal College of Engineering, Indore (MP), India

²Professor & HOD, Department of Civil Engineering, Sushila Devi Bansal College of Engineering, Indore (MP), India

Abstract: Now day, tall buildings have been widely used in semi-urban and urban areas of developed and developing countries, as they provide large space for commercial or residential use. As per civil and structural Engineering concept a building consist of different discontinuity related to mass, structural geometry, stiffness and et. al. This discontinuity imparts the irregularities in the structure. Earthquake analysis performance of structure becomes really important under the effect of vertical irregularities. For this study, analysis has been carried out on five different models having same base plan area of 30.00m x 30.00m and structure height of 78.75m (i.e. G+20 Storied Structure), in which one is regular model without setbacks (Designated as Model “0”) while four other models having setbacks at different positions. The setbacks are of same plan area (20.00m x 20.00m and 10.00m x 10.00m) and of same heights as 31.50 m 26.25m and 21.00 m from the base. Storey Displacement, Maximum Storey Displacement, and Base Shear Result are evaluated. The analysis is carried out in ETABSv.16 Software. On the basis the results is taken out are Story Displacement, Maximum Story Displacement and Base Shear, Overturning Moments of each models and at the place of setback provided.

Keywords: setbacks, tall buildings, G+20 Storied Structure, vertical irregularities, ETABSv.16

I. INTRODUCTION

In urban areas, high-rise construction has become a necessity for people. To satisfy the same need, they became popular in culture. Buildings can be broadly classified as ordinary and irregular plan buildings. A building that is symmetrical or with uniform geometry and with a constantly distributed mass is known as an ordinary building. A building can have various shapes, designs, and types of frame structures. In the same structure, when changes occur at any point in the region compared to the upper and lower floors, and the other side of the building is called an irregular building. A building that is classified as irregular, structural failure can occur due to this uncertainty, such as geometry discontinuity, mass discontinuity, load resistance rupture, and rupture in the absence of building symmetry. Structural irregularities can be classified as vertical and horizontal (plan) irregularities. Roughness in the structures can be associated with uneven distribution of mass, strength and rigidity along the height of the building. There are various types of horizontal irregularities in the building, followed by Torsional irregularities, repeating angular irregularities, overlapping ceilings with an excessive opening and notches, deviation from the plane in the vertical element, and the latter is a non-parallel system of lateral forces. Different categories of vertical unevenness are stiffness unevenness (soft number of storey's), mass unevenness, vertical geometric unevenness, a gap in the plane in a vertical element withstanding lateral load, unevenness of strength (weak floor), floating or indirect columns, irregular modes of oscillations in two . Analysis and design of such a high-rise structure for lateral wind loads can become more difficult for a civil engineer. In this project, vertical geometric irregularity was carefully studied.

II. MODELLING AND ANALYSIS

The models can be sub-divided into three different sections i.e. Section 1: Base to G+6 stories, Section “B”: G+6 to G+13 stories and Section “C” from G+13 to G+20 stories. The setbacks have been kept at the top of Section “A” and Section “B” i.e. at stories G+6 and G+13. The geometrical properties of the structures have been shown in table 1.

Table 1: Structure Geometric Details

S.No.	Description	Model 0	Model 1	Model 2	Model 3	Model 4
1	Plan Area : Section "A"	30m x 30m	30m x 30m	30m x 30m	30m x 30m	30m x 30m
	Section "B"	30m x 30m	20m x 20m	20m x 20m	20m x 20m	20m x 20m
	Section "C"	30m x 30m	10m x 10m	10m x 10m	10m x 10m	10m x 10m
2	Levels Height :Section "A"	31.50 m	31.50 m	31.50 m	31.50 m	31.50 m
	Section "B"	26.25 m	26.25 m	26.25 m	26.25 m	26.25 m
	Section "C"	21.00 m	21.00 m	21.00 m	21.00 m	21.00 m
3	Structure Height	78.75m	78.75m	78.75m	78.75m	78.75m
4	Offsets: X-Direction First	Nil	5	10	5	10
	Second	Nil	5	10	10	5
5	Offsets: Y-Direction First	Nil	5	5	5	5
	Second	Nil	5	5	5	5

Fig 1: Model 1:

Fig 2: Model 2

Fig 3: Model 3:

Fig 4: Model 4:

Structural Models

Fig 5: 3D view of Model 0

Fig 6: Model 1

Fig 7 : Model 2

Fig 8: Model 3

Fig 9: Model 4

A. Seismic Data and Material Properties

- 1) Seismic Data: Zone-4, Zone Factor: 0.24, Soil Type: Medium, Importance Factor:1.15, Response Reduction Factor:5, Direction: Both X and Y, Eccentricity: Nil

Table 2: Structure Parameters for All Models

S. No	Particular	Details
1	Column Size	
1.a	Ground - G+6	400x600mm
1.b	G+7 - G+13	300x500 mm
1.c	G+14 - G+20	200x400 mm
2	Column Spacing	
2.a	X-direction	5.00 m c/c
2.b	Y-direction	5.00 m c/c
3	Beam Size (Main)	
3.a	Plinth Beam	250x600mm
3.b	Ground - G+6	300x600mm
3.c	G+7 - G+13	250x500 mm
3.d	G+14 - G+20	200x400 mm
4	Slab thickness	150 mm thick
5		20.00 KN/m ³

III. RESULTS AND DISCUSSIONS

A. Storey Displacements

Table 3 : Storey Displacement In X-Direction

Story	Model 0	Model 1	Model 2	Model 3	Model 4
G+20	376	334.73	356.144	349.516	344.432
G+19	371.698	323.994	343.62	337.439	333.386
G+18	365.199	306.367	324.097	318.385	315.394
G+17	356.355	281.947	297.738	292.51	290.611
G+16	345.102	251.749	265.205	260.466	259.68
G+15	331.412	217.692	228.03	224.489	224.993
G+14	315.408	181.802	189.682	187.073	188.646
G+13	298.864	154.936	160.034	158.566	161.12
G+12	283.568	145.28	146.927	145.9	148.62
G+11	266.415	133.554	133.832	133.339	135.763
G+10	247.63	119.745	119.684	119.325	121.496
G+9	227.397	104.088	103.986	103.765	105.581
G+8	205.532	86.943	86.907	86.816	88.209
G+7	182.228	68.927	68.976	68.825	69.935
G+6	159.834	53.72	53.481	53.595	54.207
G+5	139.552	46.64	46.294	46.515	46.95
G+4	117.919	39.242	38.782	39.032	39.422
G+3	95.214	31.874	31.215	31.553	31.75
G+2	71.666	24.206	23.436	23.907	23.881
G+1	47.558	16.173	15.55	15.946	15.886
GF	23.386	7.992	7.655	7.872	7.826
Ground	1.859	0.637	0.609	0.627	0.622
Base	0	0	0	0	0

Fig 10: Storey Displacement in X-Direction for Th-X And Th Y

Table 4: Storey Displacement In Y-Direction (mm)

Story	Model 0	Model 1	Model 2	Model 3	Model 4
G+20	376	334.73	367.933	345.175	349.443
G+19	371.698	323.994	358.893	335.373	339.3
G+18	365.199	306.367	344.018	319.318	322.599
G+17	356.355	281.947	323.231	296.97	299.258
G+16	345.102	251.749	296.83	268.722	270.244
G+15	331.412	217.692	265.495	236.006	236.387
G+14	315.408	181.802	230.837	200.604	199.133
G+13	298.864	154.936	201.989	171.702	173.625
G+12	283.568	145.28	186.687	156.897	165.709
G+11	266.415	133.554	169.72	141.189	154.146
G+10	247.63	119.745	151.802	124.46	140.492
G+9	227.397	104.088	133.107	106.905	125.239
G+8	205.532	86.943	114.003	88.304	108.744
G+7	182.228	68.927	94.513	69.481	91.527
G+6	159.834	53.72	78.046	60.234	76.798
G+5	139.552	46.64	68.721	53.186	67.69
G+4	117.919	39.242	58.465	45.414	57.626
G+3	95.214	31.874	47.522	36.979	46.86
G+2	71.666	24.206	35.988	28.018	35.497
G+1	47.558	16.173	24.017	18.694	23.692
GF	23.386	7.992	11.87	9.234	11.71
Ground	1.859	0.637	0.948	0.737	0.935
Base	0	0	0	0	0

B. Maximum Storey Displacement AND Storey Drift At Setbacks

Fig 11: Maximum storey Displacement

Fig 12: Storey Drift for TH-X and TH-Y

C. Overturning Moments/Base Moment

Fig 13: Overturning Moment

D. Storey Shear at Setbacks

Fig 14: Storey shear for TH-X

Fig 15: Storey shear for TH-X

IV. CONCLUSIONS

In this Thesis on different setback position on same plan area and same set back heights when compared with regular symmetric building analyzed in ETABsv.16 following conclusions were made:

- Symmetric building with setback i.e. Model 1 shows minimum value of storey displacement for earthquake forces in both the directions while on comparing asymmetric setback building Model 3 and Model 4 shows lowest value for Y-direction and X-direction respectively.
- In Irregular setback building, all the structures shows almost equal value at first setback, while at second setback and top storey Model 1 shows lowest value. Although the difference is small, highest value observed in Model 2 and Model 3 for second setback and top storey respectively.
- In terms of Storey Drift Model 2 and Model 4 shows minimum values as compared to other Models. Although the difference is very small.
- Model 2 and Model 1 shows minimum overturning moments with respect to all other models.
- From here it can concluded that Model 1 i.e. symmetric building with setbacks outperformed all other asymmetric setback building.
- When it is not possible to provide Model 1 like structure than Model 2 is the most preferable than other type asymmetric models.

REFERENCES

- Devesh P. Soni and Bharat B. Mistry (2006) "Qualitative Review Of Seismic Response Of Vertically Irregular Building Frames" ISET Journal of Earthquake Technology, Technical Note, Vol. 43, No. 4, , pp. 121-132.
- Pradip Sarkar, A. Meher Prasad, Devdas Menon(2010), "Vertical geometric irregularity in stepped building frames", Publication by Engineering Structures Publisher Elsevier, PP 1-12.
- I.N. Jayatilake, W.P.S. Dias, et al. (2010) "Response of tall buildings with symmetric setbacks under blast loading" Journal of the National Science Foundation of Sri Lanka, 38(2), pp.115–123. DOI:
- Rahul Ghos h, Rama Debbarma (2017) "Performance evaluation of setback buildings with open ground storey on plain and sloping ground under earthquake loadings and mitigation of failure" Int J AdvStructEng , 9:97–110 DOI 10.1007/s40091-017-0151-3
- Himanshu Bansal, Gagandeep(2012) "Seismic Analysis and Design of Vertically Irregular RC Building Frames" International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064 Impact Factor (2012): 3.358 Volume 3 Issue 8, August pp 207-215.
- Abul Hasnat, M RifatIbtesham Rahim (2013) "Response of Building Frames with Vertical and Stiffness Irregularity due to Lateral Loads", Dhaka, Bangladesh , Islamic University of Technology, Pp 1704-1710.
- Suchita Hirde and Romali Patil(2014) "Seismic Performance of Setback Building Stiffened with Reinforced Concrete Shear Walls", International Journal of Current Engineering and Technology, Vol.4, ISSN: 2277-4106,
- Awang Taib, Mohd. ZulhamAffandi, MohdZahid, et al. (2014) 'Axial Load Variations of Irregular RC Frames with Setback under Vertical Earthquakes
- Milind V. Mohod, Nikita A. Karwa (2014) Seismic Behaviour of Setback Buildings, International Journal of Innovative Research in Science, Engineering and Technology Vol. 3, Issue 9, pp 15871-15878.
- S. Varadharajana, V. K. Sehgal, et al. (2014) Fundamental time period of RC Setback Buildings. Vol. 5(4) –Varadharajan, S, Concrete research letter, pp 901-935.

- [11] Aashish Kumar, Aman Malik, Neeraj Mehta (2015) International Journal of Engineering and Technical Research (IJETR) pp 187-189 ISSN: 2321-0869, Volume-3, Issue-6.
- [12] Nonika. N, Gargi Danda De (2015) Comparative Studies on Seismic Analysis of Regular and Vertical Irregular Multistoried Building International Journal for Research in Applied Science & Engineering Technology (IJRASET): Volume 3 Issue VII, IC Value: 13.98 ISSN: 2321-9653
- [13] Dileshwar Rana, Juned Raheem (2015) Seismic Analysis of a High-rise RC Framed Structure with Irregularities" International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056 Volume: 04 Issue: 07 | July -2017 www.irjet.net p-ISSN: 2395-0072 Impact Factor value: 5.181, PP 1338-1342.
- [14] D. Rana, and J. Raheem (2015). Seismic Analysis of Vertical Irregular RC Building with Stiffness and Setback Irregularities IOSR Journal of Mechanical and Civil Engineering (IOSR-JMCE) e-ISSN: 2278-1684,p-ISSN: 2320-334X, Volume 14, Issue 1 Ver. VI , PP 40-45 DOI: 10.9790/1684-1401064045
- [15] Shaikh Abdul Aijaj Abdul Rahman and Ansari UbaidurrahmanSalik (2016) "Seismic analysis of vertically irregular buildings" Current Science, Vol. 1 11 , No. 10, 25, pp1658-1663.
- [16] S. A. Aijajand GS. Deshmukh (2016) Parametric Study on Seismic Behavior International Journal of Engineering Research and Technology (IJERT)ISSN: 2278-0181Published by, ETCEA - 2K16 Conference Proceedings, Volume 6, Issue 06, pp 1-4.
- [17] R. Kiran, Sridhar. R (2016) Seismic Analysis Of Regular And Irregular Building By Time International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056, Volume: 06 Issue: 05 p-ISSN: 2395-0072
- [18] K. Divya, S. Sai Harsha, et al. (2016) Effect of Setback Percentages in Vertically Irregular Concrete Buildings on Response to Earthquake" Proceedings of International Conference on Planning, Architecture and Civil Engineering, 07 - 09 February 2019, Rajshahi University of Engineering and Technology, Rajshahi, Bangladesh pp 1-7.
- [19] S. Abdul Rahman and Ansari U. Salik (2016) "Seismic analysis of vertically irregular buildings" Current Science, Vol. 1 11 , No. 10, 25 ,pp1658-1663
- [20] Firoja Alam, Shree Prakash (2017) Effect of Setback On Fundamental Period Of Rc Framed Buildings International Journal Of Engineering Sciences and Research Technology 6(10): Impact Factor: 4.1161 Value: 3.00 CODEN: IJESS7, ISSN: 2277-9655, pp 209-2019.
- [21] Rupesh R. Pawade, M.N.Mangulkar "Influence of Combine Vertical Irregularities in the Response of Earthquake Resistance Rc Structure" OSR Journal of Mechanical and Civil Engineering (IOSR-JMCE) e-ISSN: 2278-1684, p-ISSN: 2320-334X, Volume 14, Issue 1 Ver. IV (Jan. - Feb. 2017), PP 33-40 .
- [22] Oman Sayyed, Suresh Singh Kushwah, ArunaRawat "Seismic Analysis of Vertical Irregular RC Building with Stiffness and Setback Irregularities" IOSR Journal of Mechanical and Civil Engineering (IOSR-JMCE) e-ISSN: 2278-1684, p-ISSN: 2320-334X, Volume 14, Issue 1 Ver. VI (Jan. - Feb. 2017), PP 40-45.
- [23] Ravindra N. Shelke, U. S. Ansari "Seismic Analysis Of Vertically Irregular Rc Building Frames" International Journal of Civil Engineering and Technology (IJCIET) Volume 8, Issue 1, January 2017, pp. 155–169, Article ID: IJCIET_08_01_017 Available online a ISSN Print: 0976-6308 and ISSN Online: 0976-6316, Iaeme Publication.
- [24] Shashiknath H, sanjith J, n Darshan (2017) "Analysis Of Vertical Geometric Irregularity In Rc Structure Subjected To Wind Load" ISSN: 2455-2631 © September 2017 IJSDR Volume 2, Issue 9 International Journal of Scientific Development and Research (IJSDR)
- [25] Sharon Esther (2017) Influence of Combine Vertical Irregularities in the Response of Earthquake Resistance Rc Structure" OSR Journal of Mechanical and Civil Engineering (IOSR-JMCE) e-ISSN: 2278-1684,p-ISSN: 2320-334X, Volume 14, Issue 1 Ver. IV (Jan. - Feb. 2017), PP 33-40 .
- [26] Rahul Ghos h, Rama Debbarma (2017) "Performance evaluation of setback buildings with open ground storey on plain and sloping ground under earthquake loadings and mitigation of failure" Int J Adv Struct Eng (2017) 9:97–110 DOI 10.1007/s40091-017-0151-3, pp 97-110.
- [27] Ilham Salehi and Raman Nateriya (2018) "Seismic Analysis For Vertically Geometric Irregularity Using E-Tabs"
- [28] Siva Naveen Ea,d, Nimmy Mariam Abrahamb,d,*, Anitha Kumari S Dc,d 2nd International Conference on Structural Integrity and Exhibition 2018 Analysis of Irregular Structures under Earthquake Loads, Science Direct, Procedia Structural Integrity 14 (2019) 806–819, pp 806-819.
- [29] Resmi Vinod, Nimiya Rose Joshua Parametric Study on Seismic Behaviour of Setback Buildings Published 2018 Geology International journal of engineering research and technology
- [30] Resmi Vinod, Nimiya Rose Joshua (2018)"Parametric Study on Seismic Behaviour of Setback Buildings", Paper ID : IJERTCONV6IS06039, Volume & Issue : ETCEA – 2018 (Volume 6 – Issue 06) Published (First Online): 24-04-2018, ISSN (Online) : 2278-0181, International Journal Of Engineering Research & Technology (Ijert) IJERT, Pp 1-4
- [31] Md Mahmud SAZZAD, Md Samdani AZAD, Avishek GHOSH (2019) "Effects of Vertical Irregularity in Steel Frame with Shear Linked Steel Bracings" volume: 3 issue: 4, Journal of Advanced Engineering and Computation (JAEC), Pp 524-531.

10.22214/IJRASET

45.98

IMPACT FACTOR:
7.129

IMPACT FACTOR:
7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)