iJRASET

International Journal For Research in
Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: VI Month of publication: June 2021

DOI: <https://doi.org/10.22214/ijraset.2021.34849>

www.ijraset.com

Call: 08813907089

E-mail ID: ijraset@gmail.com

Inverse Sum Status Energy of a Graph

K. N. Prakasha¹, Padmanava Samanta², Niyati Misra³

¹Department of Mathematics, Vidyavardhaka College Engineering, Mysuru-570002, INDIA

²Department of Mathematics, Berhampur University, Odisha, INDIA

Abstract: Motivated by the inverse sum status index, we introduce the inverse sum status matrix $ISS(G)$ as $ISS(G) = (ISS)_{n \times n}$

$$ISS = \begin{cases} \frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} & \text{if } u_i \sim v_j, \\ 0 & \text{otherwise} \end{cases}$$

Thus we also obtained the results for well known graphs.

Keywords: Inverse sum status energy, Inverse Sum Indeg matrix. 2010 AMS Subject Classification: 05C50.

I. INTRODUCTION

Status of the vertex 'u' is defined as the sum of distance of all other vertices from 'u'... Inverse Sum Status index is introduced by V. R. Kulli [35]. He defined it as

$$ISS(G) = \frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)}$$

Where σ_u represents the status of the vertex u .

Motivated by the Inverse Sum Status index, We introduce the Inverse Sum Status matrix $ISS(G)$ as $ISS(G) = (ISS)_{n \times n}$

$$ISS = \begin{cases} \frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} & \text{if } v_i \sim v_j \\ 0 & \text{otherwise} \end{cases}$$

The Inverse Sum Status energy is given by

$$ISSE(G) = \sum_{i=1}^n |\beta_i| \quad (1)$$

The inverse sum status energy is given by

Figure 1. Graph with 6 vertices

$$ISSE(G) = \sum_{i=1}^n |\beta_i|$$

II. INVERSE SUM STATUS ENERGY OF SPECIFIC GRAPH STRUCTURES

1) *Theorem-2.1.* Inverse sum status energy of complete graph K_n is $ISSE(K_n) = ISIE(K_n) = 2\sqrt{2n-4}$. [?]

Proof. For each and every vertex u in K_n , $\sigma(u) = (n-1)$. Then the every ij^{th} - entry of the Inverse Sum Status matrix will be $n-1$.

$$ISS(K_n) = \begin{bmatrix} 0 & n-1 & n-1 & \cdots & n-1 & n-1 \\ n-1 & 0 & n-1 & \cdots & n-1 & n-1 \\ n-1 & n-1 & 0 & \cdots & n-1 & n-1 \\ \vdots & \vdots & \vdots & \ddots & \vdots & \vdots \\ n-1 & n-1 & \cdots & n-1 & 0 & n-1 \\ n-1 & n-1 & \cdots & n-1 & n-1 & 0 \end{bmatrix}$$

This matrix will be same as Inverse Sum Indeg Matrix. Then the energy will be also as same as Inverse Sum indeg energy. Therefore, $ISSE(K_n) = (n-1)^2$.

2) *Theorem-2.2.* The inverse sum status energy of the star $K_{1,n-1}$

$$ISSE(K_{1,n-1}) = \frac{\sqrt{n-1}}{2^{n-1}},$$

Proof. The status of the central vertex in $n-1$ and the pendant vertices is $2n-3$. Thus the inverse sum status matrix is

$$(K_{1,n-1}) = \begin{bmatrix} 0 & \frac{2n^2-5n+3}{3n-4} & \frac{2n^2-5n+3}{3n-4} & \cdots & \frac{2n^2-5n+3}{3n-4} & \frac{2n^2-5n+3}{3n-4} \\ \frac{2n^2-5n+3}{3n-4} & 0 & 0 & \cdots & 0 & 0 \\ \frac{2n^2-5n+3}{3n-4} & 0 & 0 & \cdots & 0 & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots & \vdots \\ \frac{2n^2-5n+3}{3n-4} & 0 & 0 & \cdots & 0 & 0 \\ \frac{2n^2-5n+3}{3n-4} & 0 & 0 & \cdots & 0 & 0 \end{bmatrix}$$

Clearly, the characteristic equation is $|\beta I - ISS(K_{1,n-1})| = 0$

$$\begin{vmatrix} \beta & -\frac{2n^2-5n+3}{3n-4} & -\frac{2n^2-5n+3}{3n-4} & \cdots & -\frac{2n^2-5n+3}{3n-4} & -\frac{2n^2-5n+3}{3n-4} \\ -\frac{2n^2-5n+3}{3n-4} & \beta & 0 & \cdots & 0 & 0 \\ -\frac{2n^2-5n+3}{3n-4} & 0 & \beta & \cdots & 0 & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots & \vdots \\ -\frac{2n^2-5n+3}{3n-4} & 0 & 0 & \cdots & \beta & 0 \\ -\frac{2n^2-5n+3}{3n-4} & 0 & 0 & \cdots & 0 & \beta \end{vmatrix} = 0$$

$$\beta^{n-2} \left(\beta + \frac{(\sqrt{n-1})(2n^2-5n+3)}{3n-4} \right) \left(\beta - \frac{(\sqrt{n-1})(2n^2-5n+3)}{3n-4} \right) = 0. \text{ Therefore, the spectrum would be}$$

$$Spec_{ISS}(K_{1,n-1}) = \begin{pmatrix} \frac{(\sqrt{n-1})(2n^2-5n+3)}{3n-4} & -\frac{(\sqrt{n-1})(2n^2-5n+3)}{3n-4} & 0 \\ 1 & 1 & n-1 \end{pmatrix}$$

Therefore,

$$ISSE(K_{1,n-1}) = \frac{(2\sqrt{n-1})(2n^2-5n+3)}{3n-4}.$$

3) *Theorem-2.3.* The inverse sum status energy of crown graph S_n^0 is

$$ISSE(S_n^0) = 6n(n-1).$$

Proof. The inverse sum status matrix is

$$\begin{bmatrix} 0 & 0 & 0 & \dots & 0 & 0 & \frac{3n}{2} & \dots & \frac{3n}{2} & \frac{3n}{2} \\ 0 & 0 & 0 & \dots & 0 & \frac{3n}{2} & 0 & \dots & \frac{3n}{2} & \frac{3n}{2} \\ 0 & 0 & 0 & \dots & 0 & \frac{3n}{2} & \frac{3n}{2} & \dots & 0 & \frac{3n}{2} \\ \vdots & \vdots & \vdots & \ddots & \vdots & \vdots & \vdots & \ddots & \vdots & \vdots \\ 0 & 0 & 0 & \dots & 0 & \frac{3n}{2} & \frac{3n}{2} & \dots & \frac{3n}{2} & 0 \\ 0 & \frac{3n}{2} & \frac{3n}{2} & \dots & \frac{3n}{2} & 0 & 0 & \dots & 0 & 0 \\ \frac{3n}{2} & \frac{3n}{2} & 0 & \dots & \frac{3n}{2} & 0 & 0 & \dots & 0 & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots & \vdots & \vdots & \ddots & \vdots & \vdots \\ \frac{3n}{2} & \frac{3n}{2} & 0 & \dots & \frac{3n}{2} & 0 & 0 & \dots & 0 & 0 \\ \frac{2}{2} & \frac{2}{2} & \frac{3n}{2} & \dots & 0 & 0 & 0 & \dots & 0 & 0 \end{bmatrix}$$

$$|\beta I - RTZ_3(K_n)| =$$

$$\begin{bmatrix} \beta & 0 & 0 & \dots & 0 & 0 & -\frac{3n}{2} & \dots & -\frac{3n}{2} & -\frac{3n}{2} \\ 0 & \beta & 0 & \dots & 0 & -\frac{3n}{2} & 0 & \dots & -\frac{3n}{2} & -\frac{3n}{2} \\ 0 & 0 & \beta & \dots & 0 & -\frac{3n}{2} & -\frac{3n}{2} & \dots & 0 & -\frac{3n}{2} \\ \vdots & \vdots & \vdots & \ddots & \vdots & \vdots & \vdots & \ddots & \vdots & \vdots \\ 0 & 0 & 0 & \dots & 0 & -\frac{3n}{2} & -\frac{3n}{2} & \dots & -\frac{3n}{2} & 0 \\ 0 & -\frac{3n}{2} & -\frac{3n}{2} & \dots & -\frac{3n}{2} & \beta & 0 & \dots & 0 & 0 \\ -\frac{3n}{2} & 0 & -\frac{3n}{2} & \dots & -\frac{3n}{2} & 0 & \beta & \dots & 0 & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots & \vdots & \vdots & \ddots & \vdots & \vdots \\ -\frac{3n}{2} & -\frac{3n}{2} & 0 & \dots & -\frac{3n}{2} & 0 & 0 & \dots & \beta & 0 \\ -\frac{3n}{2} & -\frac{3n}{2} & -\frac{3n}{2} & \dots & 0 & 0 & 0 & \dots & 0 & \beta \end{bmatrix} = 0$$

Characteristic equation is

$$\left(\beta - \frac{3n}{2}\right)^{n+1} \left(\beta + \frac{3n}{2}\right)^{n-1} \left(\beta(n-1) - \frac{3n}{2}\right) \left(\beta - (n-1) - \frac{3n}{2}\right) = 0$$

spectrum is $Spec_{ISS}(S_n^0)$

$$= \begin{pmatrix} \frac{3n}{2}(n-1) & -\frac{3n}{2}(n-1) & -\frac{3n}{2} & \frac{3n}{2} \\ 1 & 1 & n-1 & n-1 \end{pmatrix}$$

Therefore, $ISSE(S_n^0) = 6n(n-1)$.

4) *Theorem-2.4.* For complete bipartite graph, the Inverse Sum Status energy is

$$ISSE(K_{m,n}) = 2(mn)^{\frac{5}{2}}.$$

Proof. $ISS(K_{m,n}) = ISS(K_{m,n}) = (mn)^2 \begin{pmatrix} 0_{m \times m} & J_{m \times n} \\ J_{n \times m} & 0_{n \times n} \end{pmatrix}$

$$Spec_{ISS}(K_{m,n}) = \begin{pmatrix} 0 & (mn)^{\frac{5}{2}} & -(mn)^{\frac{5}{2}} \\ m+n-2 & 1 & 1 \end{pmatrix}$$

Therefore, $ISSE(K_{m,n}) = 2(mn)^{\frac{5}{2}}.$

5) *Theorem-2.5.* The Inverse Sum Status energy of $K_{n \times 2}$ is

$$ISSE(K_{n \times 2}) = 2n(n-1).$$

Proof. Here the status of each vertex is $2n$. hence Inverse Sum Status matrix is

$$\begin{bmatrix} 0 & 0 & n & n & \cdots & n & n & n & n \\ 0 & 0 & n & n & \cdots & n & n & n & n \\ n & n & 0 & 0 & \cdots & n & n & n & n \\ n & n & 0 & 0 & \cdots & n & n & n & n \\ \vdots & \vdots & \vdots & \vdots & \ddots & \vdots & \vdots & \vdots & \vdots \\ n & n & n & n & \cdots & 0 & 0 & n & n \\ n & n & n & n & \cdots & 0 & 0 & n & n \\ n & n & n & n & \cdots & n & n & 0 & 0 \\ n & n & n & n & \cdots & n & n & 0 & 0 \end{bmatrix}$$

$$Spec_{ISS}(K_{n \times 2}) = \begin{pmatrix} n(n-1) & 0 & -n \\ 1 & n & n-1 \end{pmatrix}$$

$$ISSE(K_{n \times 2}) = 2n(n-1).$$

III. PROPERTIES OF INVERSE SUM STATUS ENERGY

The following results will give the initial coefficients of the Inverse Sum Status characteristic polynomial.

1) *Proposition-3.1.* In the Inverse Sum Status characteristic polynomial $\phi_{ISS}(G, \beta)$, the first three coefficients are 1,0 and

$$-\sum_{i=1}^n \left[\frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} \right]^2 \text{ respectively.}$$

2) *Proposition-3.2.*

$$\sum_{i=1}^n \beta_i^2 = 2 \sum_{i=1}^n \left[\frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} \right]^2$$

(Where If β_i represents Inverse sum status eigenvalues.)

Proof. We know that

$$\begin{aligned} \sum_{i=1}^n \beta_i^2 &= \sum_{i=1}^n \sum_{j=1}^n a_{ij} a_{ji} \\ &= 2 \sum_{i < j} a_{ij}^2 + \sum_{i=1}^n a_{ii}^2 \\ &= 2 \sum_{i < j} a_{ij}^2 \\ &= 2 \sum_{i=1}^n \left[\frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} \right]^2. \end{aligned}$$

3) *Theorem-1.3.* Let G be a graph with n vertices. Then

$$ISSE(G) \leq \sqrt{2n \sum_{i=1}^n \left[\frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} \right]^2}$$

Proof. We have Cauchy-Schwartz inequality as

$$\left(\sum_{i=1}^n x_i y_i \right)^2 \leq \left(\sum_{i=1}^n x_i^2 \right) \left(\sum_{i=1}^n y_i^2 \right)$$

Substitute $x_i = 1$ and $y_i = \beta_i$. Then

$$\left(\sum_{i=1}^n |\beta_i| \right)^2 \leq \left(\sum_{i=1}^n 1 \right) \left(\sum_{i=1}^n |\beta_i|^2 \right)$$

Which implies that

$$ISSE(G) \leq \sqrt{2n \left[\sum_{i=1}^n \frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} \right]^2}$$

4) *Theorem-1.4.*

$$ISSE(G) \geq \sqrt{2 \sum_{i=1}^n \left[\frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} \right]^2 + n(n-1) [Det(ISS(G))]^{\frac{2}{n}}}$$

Proof. By definition,

$$\begin{aligned} (ISSE(G))^2 &= \left(\sum_{i=1}^n |\beta_i| \right)^2 \\ &= \sum_{i=1}^n |\beta_i| \sum_{j=1}^n |\beta_j| \\ &= \left(\sum_{i=1}^n |\beta_i|^2 \right) + \sum_{i \neq j} |\beta_i| |\beta_j|. \end{aligned}$$

Using arithmetic mean and geometric mean inequality, we have

$$\frac{1}{n(n-1)} \sum_{i \neq j} |\beta_i| |\beta_j| \geq \left(\prod_{i \neq j} |\beta_i| |\beta_j| \right)^{\frac{1}{n(n-1)}}.$$

Therefore,

$$\begin{aligned}
 (ISSE(G))^2 &\geq \sum_{i=1}^n |\beta_i|^2 + n(n+1) \left(\prod_{i \neq j} |\beta_i| |\beta_j| \right)^{\frac{1}{n(n-1)}} \\
 &\geq \sum_{i=1}^n |\beta_i|^2 + n(n+1) \left(\prod_{i=1}^n |\beta_i|^{2(n-1)} \right)^{\frac{1}{n(n-1)}} \\
 &= 2 \left[\sum_{i=1}^n \frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} \right] + n(n-1) \left[[ISS]_n^2 \right] \\
 ISSE(G) &\geq \sqrt{2 \left[\sum_{i=1}^n \frac{\sigma_u \sigma_v}{(\sigma_u + \sigma_v)} \right] + n(n-1) \left[[ISS]_n^2 \right] \dots}
 \end{aligned}$$

REFERENCES

- [1] C.Adiga and C.S.Shivakumaraswamy, Bounds on the largest minimum degree eigenvalues of graphs, Int. Math. Forum, 5(37)(2010), 1823-1831.
- [2] I. Gutman, The energy of a graph: old and new results, Combinatorics and applications, A. Betten, A. Khoner, R. Laue and A. Wassermann, eds., Sp[ringer, Berlin, 2001, 196-211.
- [3] F. Harry, On the notion of balance of a signed graph, Michigan Math. J., 2(1953-54), 143-146 and addendum proceeding, p.1.
- [4] F. Harary, On local balance and N-balance in signed graphs, Michigan Math. J., 3(1955), 37-41.
- [5] Kinkar Ch. Das, Bounds on the greatest eigenvalue of a graphs, Indian J. Pure appl. Math., 334(6), June 2003, 917-925.
- [6] Mohsen Molahajjiaghahi, The eigenvalues and energy of integral circulant graph, Transactions on Combinatorics, 1(2012), No.3, 47-56.
- [7] V. Nikiforov, Graphs and matrices with maximal energy, J. Math. Anal. Appl., 327(2007), 735-738.
- [8] H.S. Ramane, H.B. Walikar, S.B.Rao, B.D. Acharya, P.R. Hampiholi, S.R., Jog, I. Gutman, Spectra and energies of iterated line graphs of regular graphs, Applied Mathematical Letters, 18(2005), 679-682.
- [9] E.Sampathkumar, P.Siva Kota Reddy and M.S. Subramanya, (4,d)-sigraph and its applications, Advan. Stud. Contemp. Math., 20(1)(2010), 115-124.
- [10] E.Sampathkumar, P.Siva Kota Reddy and M.S. Subramanya, Directionally n-signed Graphs-II, International. J. Math. And Combin, 4,89-98, (2009).
- [11] E.Sampathkumar and M.A.Sriraj, Vertex Labeled / Colored Graphs, Matrices and Signed Graphs, J. of Combinatorics, Informtion and System Sciences, to appear.
- [12] D.Stevanovic and G.I Indulal, The distance spectrum and energy of the composition of regular graphs, Appl. Math. Lett., 22(2009), 1136-1140.
- [13] H.B.Walikar, H.S.Ramane, and P.R.Hampiholi, On the energy of graph, Proc. Of the Conference on Graph connections (R. Balakrishnan, H.M.Mulder and A. Vijaykumar, ed.) Allied Pub. Ltd., New Delhi, 1999, 120-123.
- [14] T. Zaslavsky, Signed Graphs, Discrete Appl. Math., 4(1)(1982), 47-74.
- [15] T.Zaslavsky, A Mathematical Bibliography of Signed and Gain Graphs and Allied Areas, VII Edition, Electronic J. Combinatorics, 8(1)(1998), Dynamic Surveys # 8, 124 pp. (Also, see VIII Preliminary Edition, March 2008).
- [16] T.Zaslavsky, Matrices in the Theory of Signed Simple Graphs, RMS-Lecture Notes Series 13, (2010), 207-229.

10.22214/IJRASET

45.98

IMPACT FACTOR:
7.129

IMPACT FACTOR:
7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)