A STUDY ON THE 5TH GENERATION OF CELLULAR TECHNOLOGY (5G) ERA IN INTERNET OF THINGS

RAGHU RAM CHOWDARY VELEVELA¹ & DR. ADILAKSHMI YANNAM²

¹M.Tech Student, Dept. of Computer Science & Engineering, Gudlavalleru Engineering College,
Gudlavalleru, Andhra Pradesh, India

²Associate Professor, Dept. of Computer Science & Engineering, Gudlavalleru Engineering College,
Gudlavalleru, Andhra Pradesh, India

ABSTRACT

The fate of human existence will be subjected to Internet of Things and 5G, which will change the gadgets into insightful machines. Across the world, the concept Internet of Things is quickly developing and expanding the interconnectedness among gadgets and individuals through the methods for the web. As the IoT environment developing on a normal of 6-7 gadgets for every individual by year 2022, the 5G organizations are required to monstrous growth of present IoT that helps the organization difficulties and driving the Internet future to the edge. This paper audits the momentum research cutting edge of IoT, 5G-IoT, security challenges towards 5G, key enabling technologies for IoT, 5G solutions for IoT and burgeoning Benefits of 5G-IoT

KEYWORDS: IoT, 4G, 5G, Network, M2M, Sensors, Technology, Cellular, URLLC, LTE, RAT, WFNV, HetNet, eMBB, mMTC

Received: Feb 25, 2021; **Accepted:** Mar 16, 2021; **Published:** Apr 30, 2021; **Paper Id.:** IJCSEITRJUN20216

INTRODUCTION

Exploration on the fifth era (5G) network is becoming more and more intense and is said to improve the scope of IoT applications. From a new measurements delivered by International Data Corporation (IDC), 5G will drive 80% of organizations across the world to burn through \$1.2 billion on availability arrangements. New business would require IoT with significantly better execution rules, for example, security, reliability, remote inclusion, super low dormancy, mass network yet to make reference to a couple for IoT gadgets. To coordinate with these prerequisites, the Long Term Evolution (LTE) and 5G innovations would present new network interfaces for future IoT applications. The up and coming age of organizations, 5G which is still at its beginning phase, would present new Radio Access Technologies (RAT), very much improved reception apparatus (smart receiving wires) and furthermore utilise higher frequencies while likewise adjusting or re-architecting networks.

According to Gartner, by 2020, a total of 8.4 billion devices would be connected through M2M and this number would increase to about 20.4 billion in 2022[1]. The 5G empowered IoT would help the association of enormous number of these IoT gadgets and would help to fulfil market needs for remote administrations which would thus prompt quick financial and social development [2].

In the previous years, many researches have been made on both 5G innovations and the future IoT. Various key enabling innovations in 5G are created to offer new frameworks and design with characteristic

capacities needed by the future IoT.

1.1 Internet of Things(IoT)

The Internet of things, also called IoT can best be depicted as a network of interrelated gadgets which are associated through web. These gadgets have one of a kind identifiers called as UUIDs. Best of all, it doesn't need any order from people. So the correspondences between these gadgets are called as machine to machine (M2M) correspondence. In straightforward way we can assume that an IoT gadget can work naturally without involvement by the people. These days, organizations are utilizing IoT more to control their workplace with more proficiency, exactness, maximize comfort and diminished human endeavours. However, security worries of IOT has been a region of exploration lately, targeting making IOT significantly more precise and effective than it presently is.

1.1.1 History of IoT

The term IoT is 16 years of age. However, the genuine thought of connected devices has been around from along time, since 70s. In those days, the thought was regularly called "embedded internet" or "pervasive computing". The certified term "Internet of Things" was founded by Dr. Kevin Ashton in the year 1999 when he was working at Procter and Gamble, in inventory of network advancement, expected to pull in senior organization's respect for another empowering development called RFID. Since the web was the most sweltering new pattern in 1999 and on the grounds that it some way or another seemed well and good, he called this introduction "Internet of Things".

Even though Kevin grabbed the interest of some P&G executives, the term Internet of Things did not get widespread attention for the next 10 years. But now IoT has grown these years and there are many IoT devices available in the market nowadays. Many examples like smart home, smart phone, smart watches, smart fire alarm, fitness tracker, medical sensors, smart bicycle etc.

1.2 5G: THE NEW

Cellular Technology

The fifth era (5G) mobile and remote correspondence advances are emerging into research fields depending on the Internet Protocol framework of 4G communication systems. Countless number of smart and heterogeneous wireless devices are ready to access future 5G connectivity and wireless communication systems that leads to the growth of Internet traffic. In this way, significantly we can expect high wireless transmission rates are expected in 5G communication systems than 4G communication systems. 5G will help to understand the vision of basically limitless access and sharing of information anyplace and anytime for anyone. In this sense, 5G will provide ubiquitous connectivity to any sort of gadget and

application that may benefit from being connected. Also, mobile broadband will keep on being significant and will drive the requirement for higher system capacity and higher data rates. Accordingly, 5G will also provide remote broadband connectivity to a vast range of latest applications and use cases and also for ultra-speed media delivery. The 5th Generation Cellular technology will incorporate storage resources, computing and networking into single modifiable and combined framework. This combination will permit an enhanced and more powerful use of all distributed resources and the convergence of fixed, portable and broadcast services. In addition, 5G will also support multi-tenancy service architecture models, enabling network operators and other players to collaborate, leveraging more scalable and efficient applications based on the characteristic of current cloud computing technologies.

5G's model is IP based architecture and is being designed for mobile as well as wireless networks. The advantages of 5G over the former wireless technologies are humungous; ultra-high speed ranging from 1 to 10 Gbps; Per unit area bandwidth will be 1000 times, more devices can connect, Global coverage, Usage of network energy will be reduced by 90%, Longer battery life and a many more.

1.2.1 Evolution of Cellular Networks

5th Generation wireless Network is the impending revolution of mobile technology In the heterogeneous IoT, many wireless technologies like 2G/3G/4G, WiFi, Bluetooth, and so forth, have been utilized in IoT, in which millions of devices are associated by wireless communication technologies[5]. The 2G connectivity is implemented for voice, 3G for voice and data, and then 4G for broadband internet experiences. The 3G and 4G are generally utilized for IoT however not completely upgraded for IoT applications. The 4G has fundamentally upgraded the capacities of cell networks that can provide IoT gadget usable Internet access.

Since 2012, the LTE to 4G network, turned into the fastest and and most consistent variety of 4G compared to competing technologies like BLE, WiMaxb, ZigBee, SigFox, LoRaetc; so forth the 5G networks and standard are required to address difficulties faced by 4G networks like more complicated communication, device computational capabilities, and intelligences and so on to match the needs in mart environments, industry 4.0, and so forth.

Underneath Figure shows the advancement of the cellular networks from 1G to the next 5G empowered IoT. The improvement of 5G will be based on the foundation laid by 4G LTE, which will provide voice, data and Internet to the consumers.

CHAPTER 2

LITERATURE REVIEW

2.1 Why IoT Matter

IoT gadget is constantly associated with Internet, so implies that it can move the information the two sides, such as sending and getting, this element moving the information to the two sides is called keen, that is the reason IoT gadgets are called Smart Devices[11].

For instance, we can do numerous things with our Mobile Phone(Smartphone) at a time like we can listen any song or any video on the planet however that tune or video isn't present in our smartphone but it is associated with Internet and all are stored in the servers somewhere in the world which can be accessed through Internet.

Smartphones have that element to move the information both so it can bring that video for us, it can send and get. Smart gadgets don't have immense capacity, yet they simply need a computing device which can connect to the internet and can transmit data from the device to somewhere else and vice versa.

In IoT, we can classify all the devices into three sorts:

- **Devices that gather info and then transmit.**
- **Devices that get info then process and react.**
- **Devices that perform both tasks.**

And all three of these have tremendous advantages that feed on each other.

2.1.1 Gathering and Transmitting Information

The gathering task is done by sensors. There are many types of Sensors available like, temperature sensors, motion sensors, moisture sensors, sensors to check air quality, light sensors, etc. These sensors can gather the information from its surrounding area or environment automatically and can transmit to the system that is connected.

For example, we take moisture sensor's use, we can use this for farmers, farmers can use it, so it will tell the information of soil and by that farmers can get an idea when they have to water the crops. By this, farmers will neither water the crops more nor the less but the exact amount of water which is needed for the crops. So, it will save the water and crops can be more healthy and better.

A human can smell, hear, see, taste and touch. In similar way sensors can also sense its surrounding environment which can be useful for humankind.

2.1.2 Getting and Then Process the React on Information

Any connected device must have a system to gather and transmit the received information. For example, there some devices that supplies water to the crops that are controlled by some human interventions. In the similar way we can command to print any document from our computer and printer prints it easily. It needs a command; we know that we can command a device by using the internet from anywhere in this world. But this is not real use of IoT, what if this can be done automatically, that would be smart.

2.1.3 Performing Both Tasks

It can be the system, which performs both tasks of gathering information and transmitting it to the system and processing the information and taking action according to the processed information. Here we can create a system that includes devices that can perform the first and second tasks that can be operated by a smart system, that water the crops itself without intervention of the farmer. It waters based on the data provided and processed by the devices. The system can also take the weather information, and if there is a chance of rain then it won't water the crops so that water can be saved through this system.

We can also make large systems that work on complex algorithms, and uses different types of sensors so that time can be saved. Through this we can also identify that the crops are ready to harvest or not. By this we can get the idea that all the farmers get these systems and it can be beneficial for the whole world.

2.2 IoT Protocols

IoT conventions are a pivotal piece of the IoT innovation stack. Without protocols, hardware would be pointless as the protocols enables in data exchange in a ordered and purposeful way. Out of these transferred pieces of data, useful information can be extracted for the end user and thanks to it, the whole deployment becomes economically profitable, especially in terms of IoT device management[13].

When discussing about Internet of Things, we generally think about communication. Interaction between sensors, devices, gateways, servers, and user applications is the essential characteristic that makes the IoT what it is. But what enable all this smart stuff to talk and interact are the IoT protocols which can be seen as languages that the IoT gear uses in order to communicate.

There are several emerging IoT standards:

- **6 LoWPAN**, it used for communicating internet because it uses low power radio signal. It also uses internet protocol version six (IPv6). It provides wireless personal area network and mainly used for home automation[12].

- **ZigBee0**, is an IoT standard which is mainly used in industrial settings. It is a low-power, low data-rate wireless network[12].
- **LiteOS**, it is an operating system. LiteOS is used for IoT devices[12].
- **One M2M**, it is a layer in the architecture, which is called machine to machine, can be used in software and hardware for the connection of IoT devices[12].
- **DDS(Data Distribution Service)**, is standard for IoT devices and mainly used for better communication[12].
- **AMQP (Advanced Message Queuing Protocol)**, is an open source protocol used for asynchronous messaging through wire. It Provides end to end encryption[12].
- **CoAP(Constrained Application protocol)**, designed by the IETF. It provides the specification for low-power devices[12].
- **Message Queuing Telemetry Transport(MQTT)**,is the most widely adopted standard and a lightweight publication/subscription type (pub/sub) messaging protocol designed for battery-powered devices. Its design is simple and lightweight, providing low power consumption for devices[13].
- **LoRaWAN(Long Range Wide Area Network)**, is created for large networks[12].
- **Lightweight M2M (LwM2M)**, was particularly designed to meet the requirements for comprehensive handling of resource-constrained devices. It was launched by Open Mobile Alliance in 2014 [13].
- **eXtensible Messaging and Presence Protocol(XMPP)**, is based on the XML by the Jabber open source community developed in 1999 that allows real-time exchange of structured and extensible data between network clients[13].

2.3 IoT Frameworks

IoT (Internet of Things) is an organization of gadgets which are associated with the web for moving and detecting the information without much human intervention, the system used to this is named as the IoT structure, this structure comprises all the necessary capabilities for the cloud uphold and different requirements which is expected to fulfill the IoT innovation.

There are manyIoT frameworks:

- **AWS(Amazon Web Service)**,is a cloud platform for IoT released by Amazon. This framework helps the IoT devices for secure and easy connection to cloud.
- **KaaIoT**, is a platforms that helps anyone to freely implement their smart product concepts and helps to manage N devices connected each other with cross-device interoperability. It also enables exchange of information between linked devices [14].
- **Cisco IoT Cloud Connect** provides robust, secure and automated connectivity for the enterprise. Cisco Kinetic IoT platform performs the data to move, compute and extract the data[14].

- **ZETTA IoT**, is a server-oriented platform implemented by using REST, Node JS, and the Siren hypermedia-API-strip flow-based reactive programming philosophy[14].
- **Microsoft's Azure**, is a cloud from Microsoft which provides services for IoT devices.
- **GBrillo/Weave** was launched by Google It is a plat form which is useful for development of IoT apps. It has two main things. Brillo, is an operating system and Weave, is a protocol that acts as a mediator between devices and cloud.
- **Calvin**, is released by Ericsson Company. It is open source. It is a platform. It is used for developing and managing networking applications for devices which can talk to each other. Calvin is used in applications and runtime environments.
- **Sales force IoT**, bring their clients closer by allowing anyone to take proactive personalized activities [14].
- **Oracle IoT**, offers flexible environment to develop organisation applications. It supports the processing and builds large-scale IoT networks with very wide data[14].
- **IBM Watson**, is very popular among IoT plat form among developers. It allows developers to use IoT-applications easily. It also stores data and also manages secure communication. We can also exchange Real-time data with IBM Watson[14].
- **Hewlett Packard** provides cloud-based assistance that collects and analyses information for the growth of company[14].

2.4 AREAS THAT USES IoT

The Internet of Things keeps on venturing into ever more are as business, and where once the principle focal point of mobile networks was in consumer services there is an expanding acknowledgment that versatile organizations would now use more for specialised organisation services like IoT monitoring, big data technologies, edge computing and artificial intelligences; It is approximated by GSMA Intelligence that enterprise applications will use around 54% of cellular IoT connections by 2022.

2.4.1 Agriculture

Natural conditions, for example, stickiness, temperature, wind speed, soil supplements, and so forth are essential in farming and most importantly in cropping than livestock. IOT develops cultivating techniques by coordinating remote sensors with portable applications and cloud platforms to provide this environmental information to farmers with the sole purpose of collation, accurate decision making and implementation based on the provided information. The utilization of IOT in horticulture helps precise use of agrarian recourses and furthermore helps to reduce risks[3].

2.4.2 Healthcare

Huge number of wearable gadgets, interconnected machines and distributed computing advancements are nowadays received to recover patient's information with such information, continually checking patients and prompting dispatching of meds when essential. Of later, a few medical clinics have set up keen beds which perceive and show if or not it is occupied by a patient and also provides the appropriate pressure and support needed by the patient with aid from the patient's weight[3].

2.4.3 Transportation

Electronic cost assortment framework is the most mainstream use of IOT in the region of transportation, where sensors are placed in essential areas to identify vehicle approach towards toll gates. For the registered vehicles, the amount is debited directly from account of the driver at every entrance of the toll gate when it permits entrance. Other aspects of transportation influenced by IOT are; smart control of traffic, fleet management [3].

2.4.4 Home Automation

Through the influence of IoT in our homes, energy can be conserved adequately due to the non-operation of appliances or devices in the absence of the occupants of that house by replacing with sensors and controlling them in a convenient for the occupants. In present times, one could operate any device or appliance in their home from any location providing flexibility, comfort and convenience to the occupants[3].

2.4.5 Industries

Industrial Internet is a new trend in the industrial sector known as Industrial Internet of Things (IIoT). In this sector, smart machines are used which are packed with different sensors making them smarter. These sensors collect data and IoT interprets these data making machines smarter and accurate making it friendly communication with humans[4].

2.4.6 Smart Cities

Smart city is one of the most powerful applications of IoT which is generating eagerness and curiosity among people. These cities comprise smart devices with IoT technology like automated transportation, smarter energy management systems, security, surveillance camera, environmental monitoring, and water distribution that can solve major problems which are faced by the people like pollution, traffic jams, and shortage of energy supplies[4].

2.4.7 Power Engagement

Power is the most important part of our life that is obtained from a non-renewable source. IoT makes power grid smarter by saving electricity. By gathering the data and the behaviour of the user using electricity; suppliers of electricity improve the efficiency, reliability, and economics of electricity an automated fashion.

Smart power grids can also detect power outages quickly and also at individual households[4].

CHAPTER 3

TECHNICAL REVIEW

IoT (Internet of things) is used for producing Big Data with four V's i.e; volume, velocity, variety and veracity. At that point, Cloud is acquired for Big Data storage and processing. At the final stage which is the SDN is used to give more proficient and adaptable systems between Cloud data transport[9]. Out of Big Data, Cloud, and SDN, impelled progressions like AI examination, Cloud RAN and 5G are then evolved.

Based on beneath figure, 5G serves as a superior gateway and transport network for IoT applications in a manner data gotten from IoT is transmitted all the more effectively and economically, IoT will at that point end up as one of the significant source of Big Data by conveying large volume, high speed, and various assortments of information. Some technologies as of now set up to impact this interconnection among 5G and IOT are: WiFi, Bluetooth, Zigbee, LoraWAN.

3.1 How 5G Works

The network which are wireless, we normally divide them into parts. So, the data is sent using radio waves. The previous technology was using the less frequency of order. The industry is also using the less frequency collaboration connection. Less frequency will get bigger distance. The order of connection is between 20 to 400 GHZ for high speed and to reach the destination in less distance[15].

As we know in 5G technology we will have multiple connections so that we can cover the area and for millimetre waves order as well. In millimetre waves we face a problem with area means how much area we have to cover, using 5G, accordingly less frequency collaboration network could be used to build their network. We have mentioned that in 5G

technology we use antenna to cover the whole area or any other location, in that case we use small-small cells to cover. Before we were not using that but in today's Date, we do this. By every cell when we move from one to another then we get another cell network that is how antenna or cells are working in 5G technology.

3.2 What 5G Will Do

5G covers three categories of communication, each aimed at a different set of use cases and operating conditions[16].Broadly speaking, these use cases cover:

- Machine-Type Communication(mMTC)
- Ultra-Reliable, Low Latency Communications(URLLC)
- Enhanced Mobile Broadband (eMBB).

Figure 2: 5G Addresses Current and Future Use Cases in Consumer and IoT Markets

3.2.1 Massive, Machine-Type Communication (mMTC)

It is the progression of Low-Power Wide-Area (LPWA) LTE technologies for applications that require low-cost, low-current operation with more coverage in high-density operating environments. Here 5G technology addresses with diverse versions of the two LPWA standards mostly used in the IoT today, LTE-M and NB-IoT that are designed for huge-scale deployments of less-power devices like sensors that are used in smart logistics, smart meters, smart cities, and other applications.

3.2.2 Ultra-Reliable, Low-Latency Communications (URLLC)

URLLC is mainly designed for the Industrial Internet of Things (IIoT) that includes applications like smart city, autonomous vehicles and factory automation. Ultra-low latency and high reliability are main issues in this area. 5G connectivity addresses this category by using RAT, called New Radio or NR.

The 5G New Radio technology supports high bandwidth in the mmWave spectrum which is one of the major differences between 4G and 5G.

3.2.3 Enhanced Mobile Broadband (eMBB)

It is the technology used by the next-generation smartphones where most users will experience 5G technology. eMBB supports high-bandwidth applications like AR, immersive and 3G video. Spectrum should be used efficiently for high peak speeds and high average speeds while managing high capacity. 5G technology addresses this category in two ways:

- Standalone (SA): uses the similar technology as URLLC, namely 5G NR.

- Non-standalone (NSA): uses a combination of both 5G NR technologies and LTE and for achieving high-bandwidth.

Acronym	Full Name	Key Characteristics
mMTC	Massive, Machine-Type Communication	Low cost Low power High coverage High density
URLLC	Ultra-Reliable, Low-Latency Communication	Very low latency High reliability High mobility
eMBB	Enhanced Mobile Broadband	High peak speed High efficiency High capacity

3.3 SECURITY CHALLENGES TOWARDS 5G

Security is an intrinsic requirement of 5G networks. If the number of 5G devices and applications increases, the need for security is vital in retrieving information between entities.

According to [17], it is expected that the security issues will be raised in 5G due to a number of factors including: (1) the IP-based open architecture of the 5G system, (2) the diversity of the underlying access network technologies of the 5G system, (3) the plethora of interconnected communicating devices, which will also be highly mobile and dynamic, (4) the heterogeneity of device types, and (5) the cloud use for data processing and information exchange. In addition, the use of services will also become a more common practice, enabling interoperability between entities and communication from everywhere. Consequently, the integration of multiple existing advanced technologies with innovative techniques will lead to tremendous security challenges in future 5G-based IoT systems.

5G will bring new requirements that must be considered in order to ensure the protection of the systems [18]. The major aspect to predict what new security challenges 5G will introduce for IoT middleware systems in the next years. Once 5G will allow the consolidation of the IoT, some future directions are already taking shape.

The following sections describe the main security challenges for 5G based IoT middleware related to the requirements and evolution of 5G technology [19,20,21].

3.3.1 BIG DATA SECURITY AND LIGHTWEIGHT APPROACHES

IoT systems generate massive heterogeneous data every minute. In addition, data traffic demands for mobile communication in IoT systems are predicted to increase dramatically in the coming years [31,32]. So, it is compulsory to find an efficient way to deal with these massive data that is generated by IoT systems. To support such demand, 5G network technologies must deliver data with less cost per bit compared with the current and available networks.

Related to security, we need to provide secure protocols to efficiently handle and organize all these mass information so that we can finally obtain a more comprehensive security solution for the entire application-related 5G-based IoT system. However, we can use Internet solutions for Bigdata in 5G-based IoT systems. As IoT systems are defined by huge quantity of data, devices and applications, providing lightweight security solutions for IoT middleware systems are another challenge. In this sense, it is also mandatory to be careful with the way in which the involved protocols are been deployed, since some IoT devices may not have sufficient resources to perform specific security mechanisms.

Provided solutions such as key management, authentication, access control, confidentiality and integrity are considered a big challenge mainly when applied in resources-constrained environments like the physical infrastructure of devices of the IoT.

3.3.2 DEVICES AND APPLICATIONS PROTECTION

To assure protection for devices and applications is another challenge. The main aspect of 5G-based IoT systems is the capacity to support many devices and applications today. The new use cases anticipate for 5G based IoT applications includes, the deployment of millions of wirelessly connected actuators, sensors and other mobile devices[27]. Adding connectivity for millions of new devices and applications will allow new security issues.

Multiplying the count of connected devices and applications means more opportunity for attacks like DoS. Consumers in 5G-based systems need to perform mutual authentications frequently than in 4G to prevent impersonation and man-in-the-middle attacks. Therefore, faster, efficient and robust authentication and protection of privacy schemes are to be implemented for complex 5G heterogeneous networks. However, applying cryptographic schemes for encryption and authentication codes to packets is not sufficient for resource-constrained IoT. For complete end-to-end security, authentication of individuals on both ends, protocols for dynamically negotiating session keys like TLS and IPsec and algorithms such as AES and Hash algorithms must be implemented securely[23].

3.3.3 COMMUNICATION CHANNELS PROTECTION

Protection of communication channels between devices, middleware and applications is also a major challenge. With end-to-end security in the IoT, the communication is not visible to anyone else, and no one can able to modify data in transit. Complete end-to-end security is required, without which, many applications would not be possible[23]. 5G will revolutionize the ways of transmitting messages through new requirements as lower latency in data transmission. In this sense, it is probable that some communication security protocols used today will be changed for protecting the communication channels between entities in 5G-based IoT systems.

3.3.4 USER PRIVACY AND DATA PROTECTION

User privacy is also a major issue in 5G-based IoT systems because we have to deal with many users and huge data. So, ensure that each user will have access only to his/her data is essential. Privacy in collection of data and also with data sharing and management and security of data matters remain open research issues to be fulfilled[22]. 5G will increase data transfer speeds, which implies increase of threats. With high data transfer rates large malicious file transfers could more easily escape notice[23].

As much as the information in 5G-based IoT systems may be personal data, there is a requirement to support anonymity and restrictive handling of personal information. According to [24], there are a number of areas where advances are required:

- Cryptographic techniques that enable protected data which can be stored, processed and shared, without the information content being accessible to other parties.
- Techniques to support Privacy by Design concepts, including data minimisation, identification, authentication and anonymity.
- Fine-grain and self-configuring access control mechanism emulating the real world.

3.4 NEW TECHNOLOGY ON WHICH IOT WOULD OPERATE ON

According to Godfrey A. Akpakwu, the IoT is a promising discovery which has capacity to modify and associate the global world by means of heterogeneous keen gadgets through consistent availability. The possibility of the IoT has drawn the thought of the exploration local area with a definitive target of ensuring that wearables, sensors, brilliant devices, garments washers, tablets, advanced mobile phones, smart transportation system, etc; and various substances are related with an ordinary interface with the ability to talk with one another. The test regardless, is the methods by which the fifth era (5G) mobile network will meet the contrasting requirements of the IoT.

As discussed above 5G mobile networks are envisioned to ensure that massive gadgets and new administrations, for instance, enhanced Mobile Broadband (eMBB), massive Machine-Type Communications (mMTC), Network Operations and Critical Communications are effectively upheld. It is believed that essential prerequisites, for example, low latency, high throughput, high adaptability to engage tremendous number of devices, productive energy utilization system and the provision of ubiquitous connectivity for end users will be adequately supported using the 5G mobile system for the IoT[10].

*Proceedings of the International Conference on Industrial Engineering and Operations Management
Washington DC, USA, September 27-29, 2018*

3.5 5G KEY ENABLING TECHNOLOGIES FOR IoT

5G will be a key empowering influence for the IoT by giving that monstrous number of items can be associated with the Internet. In IoT conditions, sensors and actuators will be spread all over the place. In this sense, since these things require exceptionally low energy utilization to save battery lifetime, the organization should successfully uphold this low-power necessity. Also, items, clients, and their own organization, regardless of whether body worn or in a family unit, will be maker and purchaser of information.

Along these lines, future gadgets and other keen items will make nearby organizations utilizing a huge number of various access techniques. 5G will permit any one of these items to interface freely of a particular accessible organization framework. Alongside the IoT combination, 5G organizations should oblige a lot more applications and gadgets while conveying more information to every application at any moment as expected. Analysts imagine not just a 5G organization with uncommon information rates and portable access, yet in addition an occasion to reclassify the organization to oblige an abundance of new and assorted associated gadgets. The huge number of associated gadgets will prompt a wide assortment of portable IoT applications that are anticipated to develop at a lot quicker pace[22].

3.5.1. WIRELESS NETWORK FUNCTION VIRTUALIZATION (WNFV)

WNFV enables the virtualization of entire network functions to ease the deployment of 5G-IoT in which NFV will decouple scalable and flexible hardware and underlying network functions to empower 5G-IoT to concentrate on generic cloud servers[30]. The NFV expects to give scalable and adaptable network to 5G-IoT applications, which will empower customized network slicing over dispersed cloud to make programmable organizations for 5G-IoT applications[24].

The NFV can isolate an actual organization into numerous virtual organizations, wherein the gadgets can be reconfigured to construct different organizations concurring the prerequisites of uses. The NFV will give 5G-IoT applications constant handling capacity by optimizing the speed, capacity, and coverage in the logic sliced networks to match the demands of applications. In the profoundly heterogeneous 5G-IoT, the network densification will have the option to densify 5G frameworks with multi-RAT connectivity.

3.5.2 HETEROGENEOUS NETWORKS(HetNet)

Heterogeneous Networks (HetNet) is a novel networking paradigm proposed to satisfy the on-demand requirements of service-driving 5G IoT. The HetNet enable 5G-IoT by providing data transmission rates on demand. The 5G-IoT will deploy many resource constrained devices. To guarantee the Quality of Service, a number of Het-Net solutions are proposed [31,32] for building a huge-scale MIMO link for backhauling.

Owing to its high rate of data uphold and other notable highlights, 5G/Hetnets is being viewed as a powerful innovation arrangement in 5G-IoT to the quickly developing information traffic requests from MTC devices[33].

The HetNet was developed initially for human to human (H2H) communication, while MTC applications are portrayed by some unique features such as large number of devices, high frequency access of network and QoS requirements during emergency situations.

3.5.3 DIRECT DEVICE TO DEVICE (D2D)

For small range communication among two devices (D2D) is implemented as modern way for transmission of data that will benefit the 5G-IoT with better Quality of Service, load balancing and less power consumption for edge users. D2D enables exchange of data in between user equipment without the use of Base Station and serves as an 'Cell Tier' in the 5G-IoT.

In Internet of Things around 80% of applications requires long battery, low power and broad coverage of connectivity. But, the existing technologies like WiFi, Zigbee, BLE and 2G/3G/4G cannot support these features. In the previous years, many new technologies are implemented to match IoT needs like NB-IoT, LPWA, longrange(LoRa), Long Term Evolution category M1 (LTE-M), SigFox, etc. Among these, the LTE-based NB-IoT implemented by 3GPP has

become a major technology and have both academic and industry. In the short range wireless communication (less than 210 meters), the D2D communication provides lower power and QoS guaranteed communication for massive device communication. The D2D is employed as an extension to NB-IoT up links that can establish routing cellular link through NB-IoT. In IoT, D2D is used by cooperation with mobile NB-IoT user equipment.

3.6 FUTURE OF IOT IN 5G WIRELESS NETWORKS

As IoT is an organization of associated gadgets; hardware, mechanical, sensors and so forth both equipment and programming that are interconnected that permit them to address one another and trade information without human-to-PC or human to human collaboration. IoT cuts across various fields throughout everyday life, similar to; Medical, Transportation, training, natural observing, energy the executives and so on, another age of remote correspondence has been presented around consistently. From the hour of presentation of 1G in 1982, this was prevailing by 2G, which initiated text informing highlights in 1992. From that point, 3G organizations showed up in 2001, which permitted telephones to get to the Internet. From that point, in 2012, 4G arose, which added video web based highlights. Presently, 5G is being created with gigabit speeds. The primary 5G organizations are probably going to be uncovered in 2020[6]. The emerging technology, 5G, would facilitate the expansion of the IoT in lots of ways:

- **Higher bandwidth:** 5G would support 1000 times the traffic that is being handled by the existing networks. This also gives speed of the range of 10 Gbps[7].
- **Smaller device packaging:** 5G shall be operated at frequencies up to 80 GHz shrinking the size required for antennas up to 1-10mm[8].
- **Millisecond latency:** Latency is the amount of time needed to transmit one packet of data. 5G networks will provide latency less than 1 millisecond which is required for critical applications such as self-driving vehicles as well as surgeries aided by robot[6].
- **High capacity networks:** Networks with high effectiveness well as efficacy, connecting billions of physical objects at lightning speed will be the key feature of 5G technology.
- **Forward compatibility:** 5G technology would support various types of devices to be connected in the future. Since many devices would be added in the IoT network, forward compatibility is one of the key requirements to support the growth of IoT.

3.7 5G SOLUTIONS FOR IoT

Standards body 3GPP has made many enhancements to 5G connectivity architecture and NR specifications to improve IoT devices support that are used by consumers and enterprises. 3GPP Release 16, the next phase of the 5G specifications, is

scheduled to be completed by December 2019[34]. Release 16 will enhance the capabilities of the 5G NR and introduce support for key features such as:

- Ultra-Reliable Low Latency Communications (URLLC)
- Non-public networks

3.7.1 ULTRA –RELIABLE LOW LATENCY COMMUNICATION (URLLC)

Resilience will be a key in the 5G era, as the mobile network is being explicitly asked to support ultra-reliable and critical systems, such as automatic control of industrial devices and autonomous self-driven vehicles. This is an important selling point for 5G and is reflected in the identification of URLLC as one of the key pillars of the 5G opportunity, according to the GSMA.

URLLC is critical for organisations IoT use cases and in the consumer sector for smart city and smart home applications. For example, smart cities could use URLLC IoT devices to manage traffic more efficiently, prevent congestion and warn of accidents ahead, benefitting road-users. In smart homes, URLLC capabilities will bring a number of benefits, supporting online gaming and AR/VR devices. Faster response times and higher reliability will reduce transmission delays, providing a more immersive experience. LLC is necessary for machines that self-drive like autonomous vehicles or perform critical tasks, such as control of industrial devices. Low latency will allow a 5G network to be optimised to process huge volumes of changing data in real time, a capability not possible with other technologies.

3.7.2 NON -PUBLIC NETWORKS

Industrial IoT applications often require a high level of security and reliability. These include Industrial robots, Factory vehicles, Predictive maintenance, Connected tools, Wearable technology. Typical public networks will not meet the stringent requirements needed by enterprises for these applications.

3GPP Rel-16 defines non-public networks – often referred to as “private networks” as networks which serve the needs of enterprises. A number of independent spectrum options, including dedicated IoT frequency bands, shared bands and unlicensed bands, could be used to enable non-public networks. In addition, operators can allocate part of their spectrum assets to support these networks.

Non-public networks can connect to public networks or be restricted to a particular factory or site, depending on the requirements. Again, 5G technology gives enterprises the flexibility to serve their individual needs. Some potential use cases include campus networks in universities, hospitals or military bases, as well as smart ports, manufacturing sites or transport hubs.

Network slicing technology could offer an alternative to a private network: the GSMA has published a document introducing network slicing, showing how it can be utilised by business customers to meet their individual requirements in a similar manner to a private network.

3.8 BURGEONING

BENEFITS OF 5G & IoT

Next generation wireless infrastructure won't be operational until 2019 or 2020. In fact, the global standard for 5G is still being defined. The new standard will be imperative for building safe, liveable and economically vibrant communities[34]. Building smart communities will help attract businesses, create jobs, and generate government efficiencies.

- **Rocket Fuel for Economic Growth** – According to one report, for every 100,000 residents 5G and smart technologies will boost city or county annual gross domestic product (GDP) by approximately \$125 million and gain approximately 650 new permanent jobs. (2019 report, 5G, Smart Cities & Communities of Color, the Joint Center for Political and Economic Studies)
- **Leaping Beyond the Digital Divide** – 5G will enable latest services and applications that helps to fill connectivity gaps in underserved populations and geographic areas. Americans are smartphone users-only internet users with no broadband at home. As rapidly increasing in speed and capacity, mobile users will be able to do more on their smart devices. In rural areas, 5G helps in the development of smart industries and also brings healthcare closer to home with enhanced tele-health capabilities.
- **Generating Government Efficiency** – Core services will be delivered by local governments with cost-effectiveness and greater efficiency across any device which is connected for managing vehicle traffic, improving energy efficiency, monitoring critical infrastructure, electrical grids, and improving public safety. In urban areas tiny, embedded devices will collect and process data regularly for air quality, traffic, disasters, crowd management, noise pollution and security incidents.
- **Multiplying Civic Engagement** – Cellular technologies will engender community and participation of citizens while improving transparency of government through online media and e-governance applications.

CHAPTER 4

CONCLUSIONS

IoT is a key correspondences worldview for future brilliant applications and administrations. Current IoT existing advances empower the application improvement in a few spaces. Future advancements like 5G that will bring IoT as a typical 5G application will give an additional lift to IoT extension. Different advancements like Cloud Computing, Big Data and Cognitive Radio Networks will likewise be joined with IoT to offer new types of assistance. 5G gives a scope of advantages which are not accessible with different advancements. These incorporate 5G's adaptability to help countless static and portable IoT gadgets, which have an assorted scope of speed, transmission capacity and nature of administration prerequisites.

As the IoT develops, the adaptability of 5G will turn out to be considerably more huge for endeavours. 5G will uphold basic correspondences with considerably more thorough execution necessities. 5G's ultra-unwavering quality and low idleness could help make self-driving vehicles, shrewd energy networks, upgraded plant mechanization and other progressed applications a reality. Just as having the option to serve an exceptionally wide scope of gadgets and their assorted assistance prerequisites, 5G organizations can likewise safely deal with the huge volume of information that will be created by IoT gadgets.

Further 5G improvements, for example, network cutting, non-public organizations and 5G center, are eventually set to help understand the vision of a worldwide IoT organization, supporting a monstrous number of associated gadgets with assorted versatility and openness necessities.

CHAPTER 5

REFERENCES

1. "Federated IoT services leveraging 5G technologies at the edge"
2. "5G Internet of Things: A survey"
3. E.brown, "who needs the internet of things," 23 october 2016
4. Yogesh Chauhan, "Application Areas of Internet of Things"
5. L. D. X. S. Z. Shancang Li, "5G Internet of Things: A survey," Elsevier-Journal of Industrial Information Integration, 2018
6. AbhiruchiPassi, Deepak Batra, "Future of internet of things (IoT) in 5G wireless networks," International Journal of Engineering & Technology
7. A.Gupta and R. K. Jha, "A Survey of 5G Network: Architecture and Emerging Technologies," IEEE Access, 2015.
8. T. Padmapriya and V. Saminadan, "Improving Throughput for Downlink Multi user MIMO-LTE Advanced Networks using SINR approximation and Hierarchical CSI feedback", International Journal of Mobile Design Network and Innovation-Inderscience Publisher
9. "https://en.wikipedia.org/wiki/Internet_of_things".
10. N.K. Shankaranarayanan - AT&T Labs
11. SomayyaMadakam, R. Ramaswamy, SiddharthTripathi (2015) Internet of Things. Journal of Computer and Communications, 2015, 3, 164-173.
12. Tara Salman, Raj Jain, "A Survey of Protocols and Standards for the Internet of Things," Advanced Computing and Communications, Vol. 1, No. 1, March 2017.
13. "<https://www.avsystem.com/iot-protocols-and-standards>"
14. "<https://www.educba.com/iot-framework>"
15. Krishna Avatar Garg, Dr.Agya Mishra, "5G Network Advance technique," International Journal of Engineering and Technical Research, Volume-8, Issue-5, May 2018
16. Sierra "Wireless 5G for IoT," White Paper
17. Rodriguez J, "Fundamentals of 5G Mobile Networks," Wiley, Hoboken (2015)
18. Hasan, S.F, "5G communication technology," Springer (2014)
19. Chaqfeh, M., Mohamed, N, "Challenges in middleware solutions for the internet of things," 2012
20. Chen S, Zhao J, "The requirements, challenges, and technologies for 5G of terrestrial mobile telecommunication," IEEE Commun. Mag, 2014
21. Dahlman.E, Mildh.G, Parkvall.S, Peisa.J, Sachs.J, Selen.Y, Skold.J, "5G wireless"
22. John Blyler, "Top 5 RF Technologies for 5G in the IoT"
23. I.F Akyildiz , P. Wang , S.C. Lin , "SoftAir: a software defined networking architecture for 5G wireless systems, Computer. Networks"
24. SDX Central, "How 5G NFV Will Enable the 5G Future"

25. Monowar Hasan, Ekram Hossain, "Random Access for Machine-to-Machine Communication in LTE- Advanced Networks: Issues and Approaches", *IEEE Communications Magazine*, vol. 51, 2013.
26. X. Ge, H. Cheng, M. Guizani and T. Han, "5G Wireless Backhaul Networks: Challenges and Research Advances, *IEEE Network*, vol. 28, no.6, Nov. 2014.
27. Agrawal, R., Srikant, R.: *Privacy-preserving data mining*. In: *ACM Sigmod Record*, vol. 29, 2000
28. Abomhara, M., Koien, G.: *Security and privacy in the internet of things: current status and open issues*. In: *2014 International Conference on Privacy and Security in Mobile Systems*
29. Vermesan, O., Friess, P.: *Internet of Things: Converging Technologies for Smart Environments and Integrated Ecosystems*. River Publishers (2013)
30. Ericsson: *Ericsson mobility report: on the pulse of the networked society*. White Paper (2014)
31. Group 4G Americas: *4G americas recommendations on 5G requirements and solutions*. White Paper (2014)
32. Ericsson: *5G radio access*. White Paper (2015) (PRISMS), pp. 1–8 (2014). doi:10.1109/PRISMS.2014.6970594
33. *201911-GSMA-IoT-Report-IoT-in-the-5G-Era*
34. *Preparing for 5G & the Internet of Things "Harnessing Wireless Technology to Build Vibrant Communities"*
35. Adilakshmi.Y, "A Privacy Protecting Locality supervising System for Wireless sensor Network", *International Journal Of Emerging Trends In Engineering And Development (IJETED)*, Vol 5, Issue 2, Page No: 328-337, July 2012., Impact Factor: 2.87

CHAPTER 6

APPENDIX

List of Acronyms and Abbreviations

Iot	Internet of Things
IDC	International Data Corporation
RAT	Radio Access Technologies
UID	Unique IDentifiers
Gbps	Gigabits Per Second
1G	1 st Generation
2G	2 nd Generation
3G	3 rd Generation
4G	4 th Generation
5G	5 th Generation
LTE	Long Term Evolution
M2M	Machine to Machine
RFID	Radio Frequency IDentifier
BLE	Bluetooth Low Energy
WiFi	Wireless Fidelity
6LoWPAN	LoW-Power Wireless Personal Area Networks
MQTT	Message Queuing Telemetry Transport
CoAP	Constrained Application protocol
AMQP	Advanced Message Queuing Protocol
DDS	Data Distribution Service
LoRaWAN	Long Range Wide Area Network
LwM2M	Lightweight M2M
XMPP	Extensible Messaging and Presence Protocol
AWS	Amazon Web Service

SDN	Software-Defined Networking
mMTC	Massive, Machine-Type Communication
URLLC	Ultra-Reliable, Low-Latency Communications
eMBB	Enhanced Mobile Broadband
GHz	Gigahertz
RAN	Radio Access Network
LTE-M	Long Term Evolution –Category M1
NB-IoT	Narrowband Internet of Things
SA	Standalone
NSA	Non-Standalone
IIoT	Industrial Internet of Things
NR	New Radio
NFV	Network Function Virtualisation
AR	Augmented Reality
HetNet	Heterogeneous Networks
QoS	Quality of Service
ETSI	European Telecommunications Standards Institute
D2D	Direct Device to Device
3GPP	3rd Generation Partnership Project
H2H	Human to Human
MIMO	Multiple Input, Multiple Output
MU-MIMO	Multi-User MIMO
VLM	Very Large MIMO
LBS	Location Based Service
GSMA	Global System for Mobile Communications Association
mmWave	millimeter Wave
GDP	Gross Domestic Product
WNFV	Virtualization Wireless Network Function