**ИНСТИТУТ
АРХЕОЛОГИИ РАН**

**ИНСТИТУТ
ГЕОГРАФИИ РАН**

**ИНСТИТУТ ИСТОРИИ
МАТЕРИАЛЬНОЙ
КУЛЬТУРЫ РАН**

**АДМИНИСТРАЦИЯ
БРЯНСКОЙ ОБЛАСТИ**

**МУЗЕЙ
АНТРОПОЛОГИИ
И ЭТНОГРАФИИ РАН**

**БРЯНСКИЙ
ГОСУДАРСТВЕННЫЙ
УНИВЕРСИТЕТ
ИМ. АКАДЕМИКА
И.Г. ПЕТРОВСКОГО**

БРЯНСКИЙ ГОСУДАРСТВЕННЫЙ КРАЕВЕДЧЕСКИЙ МУЗЕЙ

THE CULTURAL GEOGRAPHY OF THE PALAEOLITHIC IN THE EAST-EUROPEAN PLAIN FROM THE MICOQUIAN TO THE EPIGRAVETTIAN

BRYANSK, BETOVO, KHOTYLEVO, YUDINOV

10 — 16 OF SEPTEMBER 2019

CONFERENCE FIELD WORKSHOP GUIDE BOOK

Moscow 2019

«КУЛЬТУРНАЯ ГЕОГРАФИЯ ПАЛЕОЛИТА ВОСТОЧНО-ЕВРОПЕЙСКОЙ РАВНИНЫ: ОТ МИКОКА ДО ЭПИГРАВЕТТА»

БРЯНСК, БЕТОВО, ХОТЫЛЁВО, ЮДИНОВО

10 – 16 СЕНТЯБРЯ 2019

**ПУТЕВОДИТЕЛЬ КОНФЕРЕНЦИИ —
ПОЛЕВОГО СЕМИНАРА**

Москва 2019

УДК 902/903
ББК 63.4
К 90

Утверждено к печати Ученым советом ИА РАН

Редакторы:

К.Н. Гаврилов, А.К. Очередной, М.Н. Желтова

Перевод:

Katharine R. Judelson

Рецензенты:

д.и.н. *С.А. Васильев* (ИИМК РАН, Санкт-Петербург)

д.г.н. *А.В. Панин* (ИГ РАН, Москва)

Авторы:

Л.Б. Вишняцкий, Е.В. Воскресенская, Н.Е. Зарецкая,

К.Н. Гаврилов, Ю.Н. Грибченко, Е.И. Куренкова,

Е.Н. Мащенко, А.К. Очередной, К.Н. Степанова,

Г.А. Хлопачев, J.F. Hoffecker, M. Frouin, T. Higham

Культурная география палеолита Восточно-Европейской равнины: от микока до эпиграветта.
Путеводитель конференции — полевого семинара. — М.: Ин-т археологии РАН, 2019. — 204 с.

В коллективной монографии представлена обобщенная характеристика ключевых археологических памятников среднего и верхнего палеолита, известных на территории Подесенья. Предварительные результаты изучения опорных гео-археологических комплексов Хотылёво I, Бетово, Хотылёво 2, Хотылёво 6 и Юдиново были обсуждены в рамках конференции — полевого семинара с международным участием «Культурная география палеолита Восточно-Европейской равнины: от микока до эпиграветта», проведенной на этих комплексах с 10 по 16 сентября 2019 года. Издание рассчитано на археологов, геологов, палеогеографов, краеведов и других специалистов, занимающихся четвертичной эпохой Центральной и Восточной Европы.

Исследования выполнены при финансовой поддержке РФФИ,
проекты №№ 14-06-00139-а; 17-06-00355; 18-09-00688-а; 18-00-00837 КОМФИ;
18-00-00542 КОМФИ (18-00-00918 (К) КОМФИ).

ISBN 978-5-94375-295-7

DOI: 10.25681/IARAS.2019.978-5-94375-295-7

© Федеральное государственное бюджетное
учреждение науки Институт археологии
Российской академии наук, 2019
© Авторы статей, 2019

Долина реки Десны, основного левого притока Днепра, уже в течение почти столетия известна как область сосредоточения разновременных памятников каменного века. Начиная с двадцатых годов прошлого столетия здесь были выявлены и изучены стратифицированные памятники почти всех эпох палеолита, различные варианты мезолитических стоянок и неолитических поселений. Регулярные комплексные исследования наиболее крупных стоянок региона, которые проводились в течение всего XX века почти без перерывов, позволили зафиксировать наиболее древние этапы заселения центральной части Восточной Европы в среднем палеолите, установить особенности развития верхнепалеолитических традиций, изучить крупные мезолитические и неолитические мастерские и долговременные поселения. Среди археологических комплексов различных эпох, представленных в долине Десны и ее крупнейших притоков Судости и Сейма, памятники различных эпох палеолита занимают особое место. Различные по возрасту, степени сохранности и насыщенности, они распространены почти на 300 км с севера на юг от г. Жуковка Брянской области Российской Федерации до села Оболонь в Черниговской области Украины. Причиной такой концентрации именно в Подесенье являются выходы кремня,

The valley of the River Desna, the main eastern tributary of the River Dnieper, has for almost a hundred years been known as a region in which Stone-Age sites of varying dates are concentrated. Starting in the 1920s, stratified sites from almost all periods of the Palaeolithic have been identified and investigated there, as have various Mesolithic encampments and Neolithic settlements. Regular multi-disciplinary investigations of the largest sites in the region, which were conducted there throughout almost the whole of the 20th century, made it possible to record the earliest stages in the settlement of the central part of Eastern Europe during the Middle Palaeolithic era, to establish specific features in the development of Upper-Palaeolithic traditions and to study large Mesolithic and Neolithic workshops and long-term settlements. Among the archaeological assemblages from the various eras represented in the valley of the River Desna and its major tributaries — the Sudost and Seym rivers — sites from various eras within the Palaeolithic occupy a special place. Although they vary in age, state of preservation and concentration of valuable information, they are spread over an area measuring almost 300 kilometres from North to South, from the town of Zhukovo in the Bryansk Region of the Russian Federation to the village of Obolon in the Chernigov

которые связаны с отложениями разных формаций позднего мела на правобережье Десны. Распространение разведанных комплексов каменного века на такой площади автоматически выводит деснинский регион в ряд крупных районов концентрации палеолитических памятников в европейской части Евразии. Поэтому, не смотря на то, что все Подесенье географически относится к бассейну Днепра, этот регион рассматривается как самостоятельная область концентрации стоянок и местонахождений, определяющих облик комплексов каменного века не только на западе Русской равнины, но и, вместе с аналогичными районами Среднего и Нижнего Дона, а также Верхнего и Среднего Днестра, в целом в Восточной Европе. Первоначальные этапы изучения палеолита Десны связаны с именами М.В. Воеводского, М.Я. Рудинского, П.И. Борисковского, К.М. Поликарповича, Ф.М. Заверняева, Л.М. Тарасова. Исследованиями на ключевых для Восточной Европы верхнепалеолитических комплексах Авдеево, Пушкари и Юдиново руководили А.Н. Рогачев, М.Д. Гвоздовер, Г.П. Григорьев (Авдеево), В.И. Беляева (Пушкари), З.А. Абрамова и Г.В. Григорьева (Юдиново). Подесенье является одним из немногих регионов, где наиболее крупные памятники верхнего палеолита изучаются разными поколениями исследователей без значительных перерывов, что позволяет не только в полной мере сохранить методические традиции их изучения, но и счи-

Region of the Ukraine. A concentration of this kind precisely in the Desna valley can be explained with reference to the outcrops of flint associated with various formations dating from the Late Cretaceous era along the eastern bank of the Desna. The distribution of recorded Stone-Age complexes over an area of this size immediately gives the Desna region a place among the major concentrations of Palaeolithic sites in the European part of Eurasia. For this reason, despite the fact that the whole of the Desna valley is part of the Dnieper basin, geographically speaking, this region is regarded as a separate area containing a special concentration of encampments and sites defining the appearance of Stone-Age complexes not only in the western part of the Russian Plain but — together with similar areas in the middle and lower reaches of the Don and in the upper and middles reaches of the Dniester — in Eastern Europe as a whole as well. The initial stages in the study of the Palaeolithic in the Desna valley are linked with the names of M.V. Voevodskii, M.Y. Rudinskii, P.I. Boriskovskii, K.M. Polikarpovich, F.M. Zavernyaev and L.M. Tarasov. Investigations of Upper Palaeolithic complexes, which were to prove of key importance for Eastern Europe such as Avdeevo, Pushkari and Yudinovo, were led by A.N. Rogachov, M.D. Gvosdover, G.P. Grigoriev (Avdeevo), V.I. Belyaeva (Pushkari), Z.A. Abramova and G.V. Grigorieva (Yudinovo). The Desna valley is one of the few regions where the largest Upper Palaeolithic sites have been

тать их ключевыми для развития школы отечественного палеолитоведения.

Начиная с 1950-х гг. этот регион, наряду с Костенковско-Борщевским районом на Среднем Дону и районом концентрации молодых памятников на Среднем Днестре, становится одним из центров изучения четвертичной геологии и палеогеографии в европейской части СССР. Деснинские разрезы предоставили материалы не только для изучения погребенных почвенных комплексов последнего межледникового (мезинский почвенный комплекс) и середины последнего мегаинтерстадила, таких, как, например, брянская почва, но и для изучения лессовых комплексов позднего валдая. В течение нескольких десятков лет, вместе с Костенковско-Борщевским регионом, разновременные памятники Хотылевской и Бетовской групп, Елисеевичи, Юдиново, Пушкири и Мезин являются ключевыми комплексами для развития идей эволюционной географии, воплощенных в работах группы исследователей под руководством выдающего палеогеографа Андрея Алексеевича Величко.

Таким образом, Подесенье является одной из ключевых территорий для реализации многих комплексных задач палеолитоведения. Среди них — хроностратиграфические корреляции отложений аллювиальных и лёссово-почвенных серий последнего межледникового и валдайской эпохи на Восточно-Европейской равнине, вопросы реконструкции пале-

studied by a series of generations of researchers without any major interruptions: this has made it possible not only to preserve methods traditionally used for their study, but also to consider them as possessing key importance for the development of Palaeolithic studies in our country.

From the 1950s onwards this region — on a par with the Kostenkovsky-Borshchevsky district in the middle reaches of the Don and the area in the middle reaches of the Dniester (Moldova) where there is a similar concentration of such sites — began to emerge as one of the centres for the study of Quarternary geology and palaeo-geography in the European part of the USSR. Sections excavated in the Desna valley were a source of materials not only for studying buried-soil complexes from the last Interglacial (Mezin soil complex) and from the middle of the last Mega-Interstadial, such as Bryansk soil, for instance, but also for the study of loess complexes of the Late Valdai Ice Age. For a period of several decades on a par with the Kostenkovsky-Borshchevsky region, sites of various dates from the Khotylevo and Betovo groups, Eliseyevichi, Yudinovo, Pushkari and Mezin are key complexes with regard to the development of ideas underlying evolutionary geography, embodied in the works by researchers working under the leadership of the outstanding palaeogeographer, Andrei Alekseyevich Velichko.

From this it follows that the Desna valley is a key region where researchers can carry out such multi-disciplinary tasks involved in palaeo-lithology as, for example, chro-

оклиматических изменений в течение позднего плейстоцена, соотношение социокультурных и природных факторов в развитии крупных культурных общностей европейского континента в среднем и верхнем палеолите, варианты моделирования процессов развития крупных культурных общностей различных эпох каменного века.

Материалы наиболее крупных комплексов различных эпох каменного века Подесенья являются постоянным источником для изучения как хронологии и климато-стратиграфии основных природных событий последнего ледниково-межледникового макроцикла (Микулинского межледниковья и Валдайского оледенения), так и основных этапов заселения региона различными сообществами, начиная с последнего межледниковья. За последние двадцать пять лет интенсивных исследований среднего и верхнего палеолита накоплен большой объём археологических данных, требующий постоянного осмысления. В археологической науке отчётливо проявилась тенденция к выделению крупных территориальных объединений памятников, ранее рассматривавшихся как разнотерриториальные. Существенно пересмотрены вопросы хронологии и периодизации среднего и верхнего палеолита Восточно-Европейской равнины, значительное развитие получило технологическое направление в анализе каменных и костяных индустрий, которое позволило по-новому подойти к проблематике опре-

no-stratigraphic correlation of deposits in alluvial and loess-soil series from the last Interglacial and the Valdai era in the East European Plain or in questions concerning palaeo-climatic change in the course of the Late Pleistocene, the relationship between socio-cultural and natural factors in the development of large cultural communities within the European continent in the Middle and Upper Palaeolithic and variants for the modelling of processes underlying the development of large cultural communities in different eras of the Stone Age. Materials from the largest complexes from different eras of the Stone Age in the Desna valley constitute a constant source for the study of both the chronology and climate-stratigraphy of the main natural events of the last glacial-interglacial macro-cycle (the Mikulin Interglacial and the Valdai glaciations) and also of the main stages in the settlement of the region by various communities starting in the last Interglacial. Over the last 25 years of intensive research into the Middle and Upper Palaeolithic, a large volume of archaeological data has been accumulated demanding constant interpretation. In archaeological research a clear trend has emerged towards the identification of large groups of sites within a single territory, which were previously regarded as belonging to different cultures. There has been a substantial re-examination of questions concerning the chronology and the distinct periods within the Middle and Upper Palaeolithic in the East-European Plain and far more emphasis is now placed on the

деления и генезиса археологических культур и традиций. Произошла радикальная смена исследовательских подходов к анализу пространственной структуры поселений. Всё это делает актуальным обсуждение современной проблематики изучения среднего и верхнего палеолита Восточной Европы с привлечением сравнительного материала в широком хронологическом и территориальном контексте.

Обсуждению этих вопросов посвящена конференция–полевой семинар «Культурная география палеолита Восточно-Европейской равнины: от микока до эпиграветта», которую проводят совместно Институт Археологии РАН, Институт истории материальной культуры РАН, Музей антропологии и этнографии РАН, Брянский государственный университет им. академика Петровского, Брянский государственный краеведческий музей и Администрация Брянской области. Представительный список организаторов объясняется не только обширной темой конференции, но и празднованием знакового юбилея для всей археологии Подесенья — столетия со дня рождения научного сотрудника Брянского краеведческого музея Фёдора Михайловича Заверняева, первооткрывателя крупнейших памятников каменного века Русской равнины в селе Хотылёво — комплексов среднего и верхнего палеолита Хотылёво I и Хотылёво 2, а также многих более поздних археологических памятников от неолита и эпохи бронзы до средневековья.

technological approach to analysing stone- and bone-based industries, which paved the way towards a new approach to the identification and emergence of archaeological cultures and traditions. There has been a radical change in researchers' approach to the analysis of the spatial structure of settlements. All this means that it is high time for us to discuss questions involved today in the study of the Middle and Upper Palaeolithic in Eastern Europe, using comparative material within a wide chronological and territorial context.

It is to the discussion of the above questions that the forthcoming conference and field-seminar is devoted: "The Cultural Geography of the Palaeolithic in the East-European Plain: from the Micoquian to the Epigravettian": it has been organized by the Institute of Archaeology of the Russian Academy of Sciences, the Institute for the History of Material Culture of the Russian Academy of Sciences, the Museum of Anthropology and Ethnography affiliated to the Russian Academy of Sciences, the Petrovsky State University of Bryansk and the administrative authorities of the Bryansk Region. The imposing list of organizers can be explained not just by the conference's wide theme for this conference and field-seminar but also by the fact that it is being held to mark a landmark date for archaeology throughout the Desna Valley — the centenary of the birth of Fyodor Mikhailovich Zavernyaev, formerly a member of the research staff at the Bryansk Museum of Regional History. It was he who first discovered the very large Stone-

К началу проведения форума для демонстрации и обсуждения были подготовлены геологические разрезы и раскопы на участках некоторых опорных археологических комплексов Верхнего и Среднего Подесенья: Хотылёво I, Бетово, Хотылёво 2, Хотылёво 6 и Юдиново 1. Их исследования проводят коллективы из Института Археологии РАН (ИА РАН), Института истории материальной культуры РАН (ИИМК РАН), Музея археологии и этнографии РАН (МАЭ РАН), а также Института географии РАН при поддержке Российского Фонда Фундаментальных Исследований (Проекты: 14-06-00139-а; 17-06-00355; 18-09-00688-а; 18-00-00837 КОМФИ; 18-00-00542 КОМФИ; 18-00-00918 (К) КОМФИ). Обсуждение материалов демонстрируемых в рамках полевого семинара объектов призвано способствовать развитию дальнейшего изучения не только каждого из упомянутых памятников, но и детализации наших представлений о позднем плейстоцене в рамках Центральной и Восточной Европы. Путеводитель, который держит в своих руках читатель, содержит краткую характеристику перечисленных комплексов.

Оргкомитет конференции – полевого семинара надеется, что форум «Культурная география палеолита Восточно-Европейской равнины: от микоча до эпиграветта», сможет не только продемонстрировать работу разных исследовательских коллективов на протяжении

Age sites in the Russian Plain in the village of Khotylevo – complexes of the Middle and Upper Palaeolithic, Khotylevo I and Khotylevo 2 and also many later archaeological sites ranging from the Neolithic and Bronze Age through to the medieval period.

As part of the preparation for this forum, geological sections and trenches were made ready for demonstration purposes and subsequent discussions within the confines of some of the key archaeological complexes in the region: Khotylevo I, Betovo, Khotylevo 2, Khotylevo 6 and Yudinovo 1. Their research conducted by teams from the Institute of Archaeology of Russian Academy of Sciences, Institute for the History of Material Culture of Russian Academy of Sciences, the Museum of Archaeology and Ethnography RAS (the Kunstkamera) and the Institute of Geography RAS supported by Russian Foundation for Basic Research (Projects: 14-06-00139-а; 17-06-00355; 18-09-00688-а; 18-00-00837 COMFY; 18-00-00542 COMFY; 18-00-00918 (K) COMFY). It is hoped that discussion of materials originating from each of the sections during the field-seminar will further the development of subsequent investigations not only of each of the above-mentioned sites, but also with regard to detailed aspects of our ideas on the Late Pleistocene within Central and Eastern Europe. This Guide to the sites under discussion is designed to provide the reader with a short description of the archaeological complexes listed above.

The organizing committee hosting this

последних лет, но и продолжить на Десне крайне полезный опыт периодического проведения тематических конференций, посвященных отдельным вопросам археологии и палеогеографии позднего плейстоцена Европы.

*К.Н. Гаврилов, А.К. Очередной,
Г.А. Хлопачев*

conference and field-seminar hopes that this forum devoted to “The Cultural Geography of the Palaeolithic in the East-European plain: from the Micoquian to the Epigravettian” will not only serve to demonstrate the work which various research teams have been carrying out in recent years, but will also continue the extremely useful initiative for holding themed conferences from time to time focused on specific questions relating to the archaeology and palaeo-geography of the Late Pleistocene period in Europe.

*K.N. Gavrilov, A.K. Otcherednoy,
G.A. Khlopachev*

К ВОПРОСУ О ПАЛЕОГЕОГРАФИЧЕСКИХ ОСОБЕННОСТЯХ РАСПРОСТРАНЕНИЯ КРУПНЫХ СТОЯНОК ПАЛЕОЛИТА В БАСЕЙНЕ РЕКИ ДЕСНЫ

ВВЕДЕНИЕ

С поздним плейстоценом в бассейне р. Десны связаны такие памятники среднего палеолита как Хотылево I и Бетово (Заверняев 1972; Тарасов 1989; Очередной, Воскресенская, 2009, Воскресенская, Маркова, 2019), однако большая часть широко известных палеолитических памятников относится к позднему палеолиту. Здесь пока не выявлено достаточно аргументированных признаков присутствия человека ранней поры палеолита. Только в начале последней ледниковой эпохи, валдайской, люди начинают активно осваивать этот регион. Разновременные памятники и небольшие местонахождения приурочены к долинам р. Десны и ее крупных притоков — Судости и Сейма (рис. 1). Более трети наиболее значительных стоянок сконцентрировано в бассейне Десны.

Наиболее ранние памятники позднего палеолита (24–20 тыс. л. н.) размещены на водораздельных участках речных долин — Хотылево 2, Пушкири 1, Погон, Новгород-Северская (Величко 1961; Ве-

ON THE QUESTION OF PALAEOGRAPHIC FEATURES RELATING TO THE DISTRIBUTION OF LARGE SITES OF THE PALAEOLITHIC IN THE BASIN OF THE RIVER DESNA

INTRODUCTION

Middle Palaeolithic sites such as Khotylevo I and Betovo (Zavernyaev 1972; Tarasov 1989; Ocherednoi, Voskresenskaya 2009; Voskresenskaya, Markova 2019) represent the Late Pleistocene in the basin of the River Desna, but most of the well-known Palaeolithic sites are those of the Late Palaeolithic. In this area sufficient work has not yet been carried out to identify adequately substantiated features indicating the presence of man during the early phase of the Palaeolithic. It was only at the beginning of the last Ice Age — the Valdai Ice Age — that human beings began actively to settle this region. Sites of various dates and small find clusters have been discovered in the valleys of the River Desna and also in those of its large tributaries — the Sudost and Seim Rivers. More than a third of all the significant sites are concentrated in the basin of the River Desna.

The earliest sites of the Late Palaeolithic (dating from 24,000–20,000 years ago) are to be found in watershed areas of the valleys — Khotylevo 2, Pushkari I, Pogon, Novgorod-

Рис. 1. Карта распространения опорных палеолитических памятников в бассейне р. Десны
 Fig. 1. Map of the Locations of key Palaeolithic sites in the basin of the River Desna

личко и др. 1999). К данной эпохе относятся и крупные долговременные стоянки в бассейне р. Сейм (Авдеево, Быки и др.). Это говорит о том, что прогрессирующее похолодание и формирование перигляциальных ландшафтов не препятствовали широкому расселению человека в центральных районах Восточной Европы.

Для стоянок после максимума последнего оледенения характерно еще большее расширение ареалов местообитаний. Расширяются также возможности выбора путей миграций и участков для размещения долговременных поселений в долинах рек. Крупные стоянки формировались как на водоразделах (Тимоновка, Бугорок, Чулатово 1), так и на низких надпойменных террасах — Елисеевичи, Супонево, Юдиново и др. Культурные слои многих из них отличаются значительными мощностями, в пределах стояночных участков выявляются остатки крупных костно-земляных конструкций. Все это свидетельствует о достаточно продолжительном функционировании поселений и активной хозяйственной деятельности их обитателей.

Прежде чем перейти к характеристике отложений непосредственно в разрезах стоянок, необходимо остановиться на общей последовательности строения осадков, высокого правобережья р. Десны (рис. 2). В составе дочетвертичных отложений, слагающих коренное основание правого борта долины Десны, принимают участие выветрелый серовато-белый мел-сурка с включениями конкреций черного крем-

Severskaya (Velichko 1961; Velichko et al. 1999). Large long-term sites in the basin of the River Seim (Avdeyev, Byki et al.) are of similar date as well. This would indicate that continuing falls in temperature and the formation of periglacial landscapes did not prevent wide human settlement in the central parts of Eastern Europe.

For such sites what was a characteristic development after the maximum phase of the last glaciation was a still greater expansion of the area with human habitation. This also meant wider possibilities with regard to the choice of migration routes and areas where long-term settlements in river valleys might be established. Large sites took shape both in watershed areas (Timonovka, Bugorok, Chulatovo 1) and also on low fluvial terraces above the flood-plain (Yeliseyevichi, Suponevo, Yudinovo and others). Cultural layers at many of these sites stand out on account of their considerable thickness and, within the confines of these site areas, the remains of large bone-and-earth structures have been identified. All this testifies to the fact that the settlements were functioning for quite a long time and that their inhabitants had been actively engaging in economic activity.

Before moving on to a description of the deposits contained within the sections cut through the sites, it is essential to turn to the general sequence in the structure of the sediments on the high west bank of the River Desna [Fig. 1 with the diagram of the sites]. The pre-Quaternary deposits which

Рис. 2. Геоморфологическое и стратиграфическое положение палеолитических стоянок бассейна Средней Десны (по: Величко, 1961, Величко и др., 1997, с дополнениями)
 Fig. 2. Geo-morphological and Stratigraphic Position of the Palaeolithic sites in the middle reaches of the Desna Basin (after: Velichko, 1961; Velichko et al. 1997, with additions)

ня турон-альбских ярусов верхнего мела, подстилаемый глауконитовыми зеленоватыми песками со стяжениями фосфоритов сеноманского яруса (Величко, 1961). На коренные отложения верхнемелового возраста ложатся флювиогляциальные осадки среднего плейстоцена, представленные песками и алевроитами светло-серой окраски с прослоями мергелистых зеленоватых глин и многочисленными включениями обломочного материала как местных (мергеля, мела, кремневых конкреций), так и дальнеприносных (граниты, шокшинский кварцит,

form the bedrock base of the right side of the Desna valley, contain weathered greyish-white chalk with inclusions of black flint concretions in the Turonian-Albian tiers of the upper chalk spread over glauconite greenish sands with concretions of Cenomanian phosphorites (Velichko, 1961). Above the bedrock deposits from the upper chalk period are spread fluvio-glacial deposits of the Middle Pleistocene, represented by sands and silts pale-grey in colour with thin bands of marly greenish clays and numerous inclusions of fragmental material —

кварц) пород (Грибченко, 2002, Шик. 1982). Флювиогляциальные пески и алевриты подстилают и являются материнской породой для мезинского полигенетического комплекса погребенных почв, ранняя фаза которого отвечает последнему — микулинскому межледниковью, а поздняя сопоставляется с верхневолжским интерстадиалом внутри валдайской ледниковой эпохи. Перекрывающая мезинский педокомплекс мощная лесово-почвенная толща, которая сформировалась в перигляциальной зоне валдайского оледенения, состоит из трех горизонтов лессов, разделенных брянской погребенной почвой и уровнем оглеения (трубчевский горизонт). Однако в разрезах стоянок подобная четкая последовательность часто прослеживается только для поздневалдайской лессово-почвенной серии, а более ранние отложения затронуты переотложением и представлены фрагментарно.

ХОТЫЛЕВСКАЯ ГРУППА ПАЛЕОЛИТИЧЕСКИХ СТОЯНОК

Долина р. Десны в пределах их распространения имеет выраженное асимметричное строение: низкая обширная аллювиальная равнина занимает левобережье, высокий правый борт долины сложен в основании коренными породами верхнемелового возраста. Коренные породы в прибреговой части долины перекрываются четвертичными отложениями, которые

both local (marl, chalk, flinty concretions) and from further afield (granites, Shokshinsky quartzite, quartz). Fluvio-glacial sands and silts are found under, and are the parent rock for, the Mezin polygenetic complex of buried soils, the early phase of which corresponds to the last — Mikulino — Interglacial, while the later phase can be compared to the Upper-Volga Interstadial within the Valdai Ice Age. The thick layer of loess soil covering the Mezin pedokomplex, which was formed in the periglacial zone of the Valdai glaciation, consists of three levels of loess separated by Bryansk buried soil and the gleying level (Trubchevskii level). Yet in the sections cut through the sites a clear sequence of this kind can often only be traced for the Late Valdai loess-soil series, while earlier deposits have been impacted by redeposition and are only to be found in a fragmentary state.

KHOTYLEVO GROUP OF PALAEOLITHIC SITES

The valley of the River Desna within the area where these sites are located is of a very asymmetric shape: a low extensive alluvial plain occupies the east bank, while the high west bank consists in the main of bedrock dating back to the Upper Cretaceous Age. The bedrock in the part of the valley along the banks is covered over by Quarternary deposits represented by Middle-Pleistocene

представлены среднеплейстоценовыми водно-ледниковыми песками и алевритами и позднеплейстоценовой лессово-почвенно-криогенной серией. Из аллювиальных форм рельефа на правобережье р. Десна повсеместно выражены только уровни поймы голоценового возраста высотой от 0.5 до 6 м. Ниже по течению от с. Хотылево, где в Десну впадает р. Госома, в рельефе правобережья прослеживаются фрагменты первой надпойменной террасы поздневалдайского возраста высотой 10–12 м над урезом. Уровни более древних террас ранне- и средневалдайского возраста в рельефе долины практически не выражены, сохранились только фрагменты их тыловых участков, которые перекрыты наложенной толщей позднеплейстоценовых субаэральных отложений. С данными отложениями связаны культуросодержащие горизонты среднепалеолитического памятника Хотылево I (Воскресенская, 2016). На участке Хотылево I-6–2, Хотылево I-3–2 и в Разрезе № 3 три из четырех культуросодержащих горизонтов (КСГ) приурочены к погребенным почвам и педоседиментам различной степени сохранности. Нижний, четвертый КСГ, связан с фациально различными — русловыми и пойменными — осадками аллювиального генезиса. Культуросодержащие горизонты среднепалеолитической стоянки Бетово, расположенной на мысу в прибрежной части долины в 8 км к западу от с. Хотылево, имеют более молодой возраст. Они формировались на протяжении

sands and silts formed in the wake of melting glaciers and a Late-Pleistocene loess-soil-cryogenic series. From among the alluvial forms of relief on the west bank of the River Desna what are to be found everywhere are only levels of the flood-plain from the Holocene period with a height of between 50cms and 6 metres. Further down the river after the village of Khotylevo, where the Gosoma river flows into the Desna, fragments of the first fluvial terrace above the flood-plain, dating from the Late Valdai Age, can be traced in the relief of the west bank, which was between 10 and 12 metres above the water surface. The levels of the more ancient terraces, dating from the Early and Late Valdai Age, hardly show up: only fragments of their backshores have survived — sections which have been covered over by a superimposed layer of Late-Pleistocene subaerial deposits. It is with these deposits that the habitation levels of the Middle-Palaeolithic site Khotylevo I (Voskresenskaya 2016) are linked. In the areas designated Khotylevo I-6–2 and Khotylevo I-3–2 and in Section № 3, three of the four levels containing a cultural layer are counted among the buried soils and the pedosediments in varying states of preservation. The lowest, fourth level contains environmentally different — channel and flood-plain — deposits of alluvial origin. The levels containing a cultural layer at the Middle-Palaeolithic site, Betovo, which is situated on a cape near the side of the valley 8 kilometres west of Khotylevo village, are of a later date. These levels were formed over the second

второй половины средневалдайского мегаинтерстадиала, в пределах одного из этапов активизации делювиально-склоновых процессов, на протяжении которого происходило постдепозиционное сползание и солифлюкционное перемешивание педоседиментов брянской и частично, мезинской погребенных почв с захватом материала из коренных меловых отложений.

Хотылевские позднепалеолитические стоянки располагаются на поверхности пологонаклонного приводораздельного склона. Большая часть стоянок связана с мысами, сформированными овражно-балочной сетью, густо расчленяющей высокое коренное правобережье р. Десны, из которых наиболее изучены пункты А-Д памятника Хотылево 2 (Заверняев, 1972; Величко и др. 1999; Гаврилов, Воскресенская, 2012). В зависимости от расстояния от борта долины сохранность и выраженность горизонтов лессов и ископаемых почв в разрезах памятников Хотылево 2 (пункты А — Д), Хотылево 6 и городища Кудеярка варьируется (Воскресенская Е.В. и др., 2016). На новом участке памятника Хотылево 2 — пункте Д, находки второго культурного слоя связаны с педоседиментами мезинского почвенного комплекса. В этих же стратиграфических условиях залегает третий культурный слой на городище Кудеярка. Первый культурный слой памятника Хотылево 2 — пункт Д приурочен к верхней части гумусового горизонта брянской погребенной почвы. Третий культурный слой стоянки Хотылево

half of the Middle-Valdai Mega-Interstadial in one of the periods when deluvial-slope processes were being activated, during which post-depositional sliding and solifluctional re-deposition of pedosediments of Bryansk and, in part, Mezin buried soils took place, involving capture of material from the bedrock chalk deposits.

The Khotylevo Late-Palaeolithic sites are situated on the surface of a gentle incline sloping down to the watershed area. Many of the sites are associated with capes, formed by a network of gully and flat-bottom valley reliefs, which cut through the high bedrock on the west bank of the River Desna. The areas which have been most closely studied are points **A-G** at the Khotylevo 2 site (Zavernyaev 1972; Velichko et al. 1999; Gavrillov, Voskresenskaya 2012). Depending upon their distance from the side of the valley, the state of preservation of the levels of loess and fossil soils in the sections through the Khotylevo 2 (Points **A-D**) and Khotylevo 6 sites and the fortified settlement of Kudeyarka varies, as does the clarity with which those levels are delineated (Voskresenskaya E.V. et al. 2016). In the newly investigated section of the Khotylevo 2 site — Point **D**, finds in the second cultural layer are linked with pedosediments of the Mezin soil complex. It is in those stratigraphic conditions that the third cultural layer is to be found in the fortified settlement of Kudeyarka. The first cultural layer of the Khotylevo 2 site (Point **D**) is regarded as belonging to the upper part of the humus level of the Bryansk buried soil.

6 также связан с сильно нарушенным криотурбационными процессами гумусовым горизонтом брянской почвы. Основной культурный слой стоянки Хотылево 2 на пунктах А-Г связан с эмбриональной палеопочвой в основании деснинского лесового горизонта и имеет непосредственно постбрянский возраст. По костному материалу из раскопок разных лет для пунктов А, Б и В были получены радиоуглеродные датировки, укладываемые в диапазон 24–19¹⁴С т. л. н. (Gavrilov et al., 2015, Воскресенская и др., 2016) (Табл. 1.) С уровнем эмбрионального почвообразования в основании деснинского лесса связан и второй культурный слой городища Кудеярка. Верхний горизонт находок на стоянке Хотылево 2 (пункты А-Г) залегает на контакте трубчевской палеопочвы с алтыновским лессовым горизонтом. Второй культурный слой Хотылево 6 залегает в верхней части

The third cultural layer at the Khotylevo 6 site is also associated with the humus level of Bryansk soil badly damaged by cryoturbation processes. The main cultural layer at the Khotylevo 2 site at Points **A-G** is linked to the embryonic fossil soils forming the base of the Desna loess level and it relates directly to the post-Bryansk period. Using bone material from excavations of various years for Points **A**, **B** and **V**, radio-carbon dates were obtained, which fell within a range of 24–19¹⁴C thousand years ago (Gavrilov et al. 2015; Voskresenskaya et al. 2016) (Table 1). The second cultural layer at the fortified settlement of Kudeyarka is also linked with the level of embryonic soil formation at the base of the Desna loess. The upper level with finds at the Khotylevo 2 site (Points **A-G**) is at the line of contact between the Trucheb-skii fossil soil and the Altynov loess level. The second cultural layer at Khotylevo 6 is

Табл. 1. Радиоуглеродные датировки культурного слоя Хотылево 2 (Гаврилов, 2008)
Tabl. 1. The site of Khotylevo 2. Radiocarbon Dating of the cultural layer (To: Gavrilov, 2008)

№ п/п	Даты	Индекс	Материал
1.	21170±260	ГИН-8497	Зуб мамонта
2.	21720±170	ГИН-8495	Зуб мамонта
3.	21850±170	ГИН-8886	Костный уголь
4.	22660±170	ГИН-8496	Зуб мамонта
5.	22700±200	ГИН-8406	Зуб мамонта
6.	23300±300	ГИН-8497a	Зуб мамонта
7.	24220±110	GrN-21899	Кость, фр. 1
8.	23870±160	GrN-22216	Кость, фр. 11
9.	23660±270	ЛУ-359	Кость
10.	24960±400	ИГАН-73	Зуб мамонта

алтыновского лессового горизонта, проработанного голоценовым почвообразованием. Более подробно строение отложений на памятниках Хотылевской и Бетовской групп рассмотрено в посвященной каждой из стоянок главах данного «Путеводителя».

СТОЯНКИ ЕЛИСЕЕВИЧИ И ЮДИНОВО В ДОЛИНЕ Р. СУДОСТИ

Елисеевичи. Стоянка расположена в 30–35 км от верховьев Судости. Структура участка долины, к которой приурочена стоянка, имеет отчетливо выраженные черты асимметрии (Величко и др. 1997). Левый склон постепенно поднимается к водоразделу Десны — Судости. Отчетливо прослеживаются низкие (II и I) надпойменные террасы. Морфологическая выраженность более высоких геоморфологических уровней менее четкая. Переходы к ним сnivelированы перекрывающими лессовыми покровами финала позднего плейстоцена. Правый борт долины здесь, как правило, более крутой и задернованный. Перепад высот между урезом реки и водоразделом не превышает 30–35 м. Три надпойменные террасы сохранились в виде узких сегментов, не имеющих сплошного распространения вдоль долины (Величко и др. 1997). В районе стоянки отмечаются фрагменты III надпойменной террасы, к которым причленяется пойма. Ниже по течению преобладающим

embedded in the upper part of the Altynov loess level influenced by Holocene soil formation. The structure of the deposits at the sites of the Khotylevo and Betovo groups will be examined in the chapters devoted to each of those sites in this *Guide*.

THE SITES OF YELISEYEVICHI AND YUDINOV IN THE VALLEY OF THE SUDOST RIVER.

Yeliseyevichi. This site is situated 30–35 kilometres from the upper reaches of the Sudost river. The structure of this part of the valley, where the site lies, is characterized by features which are clearly asymmetrical (Velichko et al. 1997). The left slope rises gradually up to the Desna-Sudost watershed. Low fluvial terraces above the flood-plain (II and I) can be clearly traced. The morphological features of the higher geomorphological levels stand out less clearly. The transitions to these have been rendered more level by the loess levels which covered them during the final stage of the Late Pleistocene. The west side of the valley in this area is usually steeper and covered with turf. The difference in height between the river's edge and the watershed does not exceed 30–35 metres. Three fluvial terraces above the flood-plain have survived in the form of narrow segments which do not extend the whole way down the valley (Velichko et al. 1997). In the area of the site fragments of Fluvial Terrace III can be seen, adjacent to which is the

геоморфологическим уровнем становится I надпойменная терраса. В устьевых частях крупных балок, выходящих в долину Судости, прослеживаются узкие фрагменты участков II надпойменной террасы. На ней и располагается стоянка. Характерной чертой строения рельефа правобережья Судости является распространение крупных балочных систем.

Стоянка расположена в пределах хорошо выраженного, но небольшого по размерам мыса, ограниченного с востока правым бортом долины Судости. Борт мыса со стороны Судости крутой, порядка 60–70°, а в верхней части отвесный. Со стороны балки мыс имеет отчетливые очертания. Сама балка, хотя и небольшая по протяженности (около 250–300 м), но в своей средней и нижней части имеет вид достаточно зрелой эрозионной формы. Культурный слой стоянки приурочен к верхней пачке толщи, слагающей стояночный террасовый уровень (рис. 3). Эта пачка перекрывает аллювиальную толщу террасы и представлена лессовыми субаэральными-делювиальными отложениями. Культурные находки основного слоя расположены несколько выше слабо выраженного уровня гумусированности, представляющего собой маломощную эфемерно-развитую ископаемую почву.

Культурный слой Елисеевичей имеет сложное строение и прерывистое распространение. Первичное залегание горизонта, содержащего культурные находки (кремь, костные конструкции,

flood-plain. Further down the river, Fluvial Terrace I above the flood-plain constitutes the predominant geomorphological level. At the mouths of the large flat-bottom valleys, which come out into the valley of the Sudost river, narrow fragments of Fluvial Terrace II can be traced above the flood-plain. It is on that terrace that the site is situated. A characteristic feature of the structure presented by the relief on the west bank of the Sudost is the range of large flat-bottom valley systems.

The site is situated within the confines of a clearly delineated but small cape, the eastern edge of which is formed by the west side of the Sudost Valley. The edge of the cape on the Sudost river side is steep with an incline of approximately 60–70° and in its upper part it is sheer. On the side of the cape where there is a small flat-bottom valley it has clearly visible contours. The flat-bottom valley itself, although small in length (approximately 250–300 metres), appears in its middle and lower part to have quite a mature eroded shape. The cultural layer of the site is of the same period as the upper part of the rock mass, which forms the terrace level of the site (Fig. 3, in Text 5). This level covers the alluvial rock mass of the terrace and consists of loess subaerial-deluvial deposits. Cultural finds in the main layer are found slightly higher than the far from prominent level with humus content consisting of a thin layer of hardly developed fossil soil.

The cultural layer at Yelisseyevichi has a complex structure with some interruptions along it. The initial position of the level containing the cultural finds (flint, bone

Елисеевичи 2

15 620±200 (ИГАН-556)

12 630±360 (ГИН-4137)

12 970±140 (ЛУ-102)

14 080±70 (ГИН-4135)

14 590±140 (ГИН-4186)

15 600±1350 (QC-889)

16 850±120 (ГИН-4138)

17 340±170 (ЛУ-360)

Елисеевичи

Рис. 3. Буровой профиль на участке стоянки Елисеевичи

Fig. 3. Drilling Profile within the area of the Elisievichi site

зольники) частично нарушено в начале его погребения процессами эоловой аккумуляции лессов, палеокриогенными процессами (Величко и др. 1997). На стояночном участке распространена система полигонально-жильных структур, которые часто разрывают культурный слой. В заполнении мерзлотных клиньев круп-

constructions, ash-pits) was often damaged at the beginning of its burial by processes of aeolian accumulation of loess or by palaeocryogenic processes (Velichko et al. 1997). On the site area a system of polygonally veined structures has been laid out, which often cut through the cultural layer. Large mammoth bones and tusks have been sinking down into

ные кости мамонта и бивни опускаются вниз (глубиной до 1,5–2,0 м) от уровня их первичного положения в культурном слое. Участки концентрации находок часто залегают в пологих (блюдцеобразных) искусственных углублениях небольшой глубины в центральной части. Очевидно, что возможности большего углубления земляных конструкций на стояночном участке были ограничены существованием здесь многолетней мерзлоты в период функционирования стоянки. Судя по радиоуглеродным датировкам культурного слоя, начало его погребения активизировалось после 12 тыс. л. н. и совпадало с началом деградации многолетней мерзлоты (табл. 2). Изменения природных условий в районе стоянки, судя по всему,

the infill of the wedge-like structures formed by the permafrost (down to a depth of up to 1.5–2 metres) from the level of their original position in the cultural layer. Areas with the greatest concentration of finds are often embedded in shallow (saucer-shaped) artificial hollows in the central part of the site. It is evident that possibilities for creating large hollows for earthen constructions within the site area were limited by the fact that the land was frozen for many years at a time during the period when the encampment was functioning. To judge from the radio-carbon dates obtained for the cultural layer, its burying first began around 12,000 years ago and coincided with the beginning of the degradation of the permafrost which had lasted for many years (Table 2). Changes in the natural conditions

Табл. 2. Радиоуглеродные датировки культурного слоя стоянки Елисеевичи (Величко и др., 1997)

Tabl. 2. The site of Eliseyevichi. Radiocarbon Dating of the cultural layer (To: Velichko et al., 1997)

№ п/п	Даты	Индекс	Материал
Елис. 1	12630±360	ГИН- 4137	Зуб мамонта
1.	12970±140	ЛУ-102	Костный уголь
2.	14080±70	ГИН-4135	Костный уголь
3.	14100±400	ГИН-4139	Зуб мамонта
4.	14240±120	ГИН-5475	Костный уголь
5.	14470±100	ЛУ-126	Зуб мамонта
6.	14590±140	ГИН- 4186	Зуб мамонта
7.	16850±120	ГИН-4138	Зуб мамонта
8.	17340±170	ЛУ-360	Зуб мамонта
9.	15600±1350	QC889	Костный уголь
Елис. II	15620±200	ИГАН-556	Зуб мамонта

стали причиной дестабилизации поверхности обитания человека, что привело к необходимости оставить данную территорию людьми. Сходные радиоуглеродные датировки наиболее поздних периодов функционирования палеолитических стоянок имеются и для некоторых других поздних памятников бассейна Десны (Юдиново, Тимоновка, Супонево, Бугорок и др.). Особый интерес в дальнейшем изучении памятника имеет продолжение работ на участке стоянки Елисеевичи II, которая ранее исследовалась на небольшой площади. Здесь важно определить масштабы памятника, его структуру, степень обособленности и время функционирования.

Юдиново. Памятник находится на правом берегу долины р. Судости, правого притока Десны, на 60 км южнее Елисеевичей. Он связан с низким геоморфологическим уровнем I надпойменной террасы (Величко 1961; Величко и др. 1996; 1999). Стояночный участок представляет собой небольшой пологий мыс, ограниченный с востока береговым уступом реки (рис. 4). В современном рельефе структура мыса выражена слабо. С юго-запада он ограничен широким понижением с пологими бортами. В этом балочном понижении выделяются крупные блюдцеобразные замкнутые западины. Судя по относительным высотам и строению отложений стояночного мыса, он относится к обособленному участку I надпойменной террасы Судости, верхняя часть кото-

pertaining to the site would appear to have caused the destabilization in the ground surface used for human habitation and these had obliged human beings to abandon this particular territory. Similar radio-carbon dates for the latest periods in the functioning of Palaeolithic sites have been recorded for certain other late sites in the basin of the River Desna (Yudinovo, Timonovka, Suponevo, Bugorok and others). Of particular interest for the future study of the site will be continued work in part of the Yeliseyevichi II site, which had previously only been investigated over a small area. Here it will be important to determine the scale of the site, its structure, the degree to which it existed separately from other such sites and how long it functioned.

Yudinovo. This site is on the west bank of the valley of the Sudost river — a western tributary of the Desna — 60 kilometres south of Yeliseyevichi. It is linked to the low geomorphological level of Fluvial Terrace I above the flood-plain (Velichko 1961; Velichko et al. 1996; 1999). The site area consists of a small, gently sloping cape bordered in the East by a steep escarpment down to the river (Fig. 4 in Text 6). In the modern relief of the area the structure of the cape does not stand out clearly. In the South-West it is edged by a wide hollow with sloping sides. Inside this hollow, large saucer-shaped depressions can be made out with discernible edges right round them. To judge from the relative heights and the structure of the deposits on the cape incorporating this site, it belonged to a separate part of Fluvial Terrace I above

Рис. 4. Буровой профиль на участке стоянки Юдиново
 Fig. 4. Drilling Profile within the area of the Yudinovo site

рого перекрыта лессовыми отложениями конца позднего плейстоцена. Основным источником обломочного материала, формировавшего осадки стояночной террасы, были отложения гляциальных и перигляциальных формаций, широко распространенных в бассейне Десны. Различия литолого-фациальных свойств отдельных слоев и комплексов определялись условиями транспортировки, перераспределения, сортировки и аккумуляции песчаного, алевритового и глинистого материала.

На участке стоянки изучены разрезы нескольких раскопов. Для них характерны определенные общие черты строения вмещающих отложений, подстилающих

the flood-plain of the Sudost river, the upper part of which was covered with loess deposits dating from the end of the Late Pleistocene. The main source of fragmental material which had shaped deposits on the site's terrace, were deposits of glacial and periglacial formations which had been widespread in the basin of the River Desna. Differences in the lithological properties of individual levels and complexes were the result of the transporting and re-distributing, sorting and accumulating of sand, silt and clay material.

Within the area of the site, sections in several of the trenches have been studied. Certain characteristic shared features in the structure of the deposits under the

и перекрывающих культурные слои. Признаки некоторой пространственной изменчивости структуры и свойств отложений, непосредственно сопряженных с культурными слоями, были зафиксированы в раскопе З.А. Абрамовой 1981–1984 гг. Их сложность определялась значительной мощностью отложений, включающих скопления крупных костей мамонта, представляющих остатки жилища (Абрамова, Григорьева 1997; Абрамова и др. 1997; Величко и др. 1996; 1999). В восточной части разреза, за пределами костных конструкций, культурный слой имел незначительную мощность. Здесь был заложен шурф ниже уровня культурного слоя, и были получены первые результаты литологических и спорово-пыльцевых анализов (Величко и др. 1996; 1999; Борисова и др. 1996).

К моменту появления человека поверхность стояночного участка достаточно стабилизировалась и практически не подвергалась воздействиям водных потоков, о чем говорит четко выраженная однородность отложений, непосредственно подстилающих горизонт с культурными находками. Вскрытые здесь отложения мощностью 2,75 м отличаются определенной сложностью. Цикличность осадконакопления проявляется в слабо выраженной и скрытой слоистости, а также в виде маломощных уровней потемнения, возможно, отвечающих циклам эфемерного почвообразования. Это подтвердилось и изучением более поздних шурфов и скважин на других участках памятника.

cultural layers and covering them have been established. In the trench excavated by Z.A. Abramova in 1981–1984 features of a certain spatial variability in the structure and properties of the deposits were recorded, which were directly linked with cultural layers. The complexity of these cultural layers resulted from the considerable thickness of deposits containing clusters of large mammoth bones, which were the remains of a dwelling (Abramova, Grigoriev 1997; Abramova et al. 1997; Velichko et al. 1996; 1999). In the eastern part of the section and beyond the limits of the bone structures, the cultural layer was one of only insignificant thickness. In that area a test-pit was sunk below the level of the cultural layer and initial results were obtained for lithological and spores-and-pollen analysis (Velichko et al. 1996; 1999; Borisova et al. 1996).

At the time when man first appeared there, the surface of the site area had become fairly stable and was virtually no longer affected by the impact of water courses, as can be seen from the clearly homogenous nature of the deposits immediately below the level containing cultural finds. The deposits cleared in this area, which have a thickness of 2.75 metres, are of definite complexity. The cyclical nature of the sedimentation manifests itself in the far from striking, often hidden, stratification and also in the shallow levels of dark stripes, which perhaps reflect cycles of ephemeral soil formation. This has been borne out by the study of later test-pits and drill-holes in other parts of the site.

Пушкаревские позднепалеолитические стоянки расположены в долине р. Десны, в районе г. Новгород-Северского, на окраине с. Пушкари, (Украина). Масштабные раскопки проводились только на трех из многочисленных местонахождений — Пушкари I, Погон и Бугорок. Стояночный участок площадью около 0,25 км² составляет часть Пушкаревского мыса. Изученные здесь археологические памятники связаны с крупным мысом, образованным долиной р. Десны и широкой древней балкой Мосолов Ров. Все эти стоянки относятся к разным временным этапам позднего палеолита — от 24 000 до 11 000 л. н. (Беляева, 2002). В последние годы на Пушкаревском участке было открыто местонахождение мустьерских кремневых орудий, т.е. данное место представляло собой интерес для первобытного человека и среднего палеолита. (Беляева и др. 2014).

Сниженный участок Пушкаревского мыса представляет собой высокую эрозионную террасу, перекрытую делювиальными и песчаными отложениями. В основании обеих уровней залегают мезозойские меловые породы, содержащие многочисленные включения кремневых конкреций и жильного плитчатого кремня, которые использовались палеолитическим человеком для производства орудий. Крупная балка Мосолов Ров, ограничивающая Пушкаревский мыс с юга, сформировалась

The Late Palaeolithic sites on the edge of the village of Pushkari are situated in the valley of the River Desna, near the town of Novgorod-Severskii in the Ukraine. Large-scale excavations have only been carried out in three of the many places of interest — Pushkari I, Pogon and Bugorok. The area containing sites occupies approximately a quarter of a square kilometre and forms part of the Pushkarevskii Cape. The archaeological sites which have been studied there are associated with a large cape, formed by the valley of the River Desna and the wide and ancient flat-bottom valley known as Mosolov Rov. All these sites are linked with various stages of the Late Palaeolithic era dating from 24,000 to 11,000 years ago (Belyaeva 2002). In recent years a site was discovered in the Pushkari area containing Mousterian flint tools, i. e. this place turned out to be of interest for primitive man and those researching the Middle Palaeolithic (Belyaeva et al. 2014).

The lower part of the Pushkarevskii Cape is a high erosion terrace, covered with deluvial and sandy deposits. At the base of both levels there are Mesozoic chalk rocks containing numerous inclusions of flint concretions and veined slabs of flint, which were used by man in the Palaeolithic era to produce tools. The large Mosolov Rov flat-bottom valley marking the edge of the Pushkarevskii Cape in the South, was formed at the

в конце среднего плейстоцена тальми ледниковыми водами последней стадии днепровского оледенения. Можно сказать, что структурная основа долин бассейна Средней Десны и ее притоков была заложена к началу позднего плейстоцена (Горецкий 1970; Грибченко 1994). В районе Пушкарей не исключено существование позднепалеолитических местообитаний на некоторых участках на уровне третьей террасы. В юго-западной части стояночного мыса исследовались местонахождения Пушкар-и II (Аникеев Ров) и Пушкар-и III (Сосницкий Ров), которые могут быть наиболее ранними среди Пушкаревских памятников (Громов 1948; Величко 1961). Они значительно разрушены оврагами и делювиальными процессами.

Позднепалеолитические стоянки расположены на Пушкаревском мысу в северной и центральной его частях. В современном рельефе гипсометрические различия между участками размещения стоянок Пушкар-и I, Погон и Бугорок составляют около трех метров. Характерной особенностью условий залегания и стратиграфического положения культурных слоев памятников являются различия состава и мощности вмещающих отложений, представленных горизонтами позднеплейстоценовых лессов и ископаемых почв, опесчаненных супесей и песков (Величко 1961; Величко и др. 1999). Судя по литолого-фациальным свойствам отложений, их аккумуляция в значительной мере была связана с перераспределени-

end of the Middle Pleistocene by snow-melt waters during the last stage of the Dnieper glaciation. It can be stated that the structural base of the valleys in the basin of the Middle Desna and its tributaries had taken shape by the beginning of the Late Pleistocene (Goretskii 1970; Gribchenko 1994). It is possible that some Late Palaeolithic sites had existed in certain parts of the area at the level of the third terrace. In the south-western part of the cape, the Pushkarii II (Anikeyev Rov) and Pushkarii III (Sosnitskii Rov) sites were investigated, which could have been the earliest of the Pushkarii sites (Gromov 1948; Velichko 1961). They had suffered significant damage from gullies and deluvial processes.

The Late Palaeolithic sites on the Pushkarevskii Cape are situated in its northern and central parts. In the modern relief the hypsometric differences between the positions of the sites Pushkarii I, Pogon and Bugorok amount to about three metres. The typical feature of the conditions in which the sites are found and the stratigraphic position of their cultural layers are to be found in the differences with regard to the composition and thickness of the deposits within them consisting of levels of Late Pleistocene loess and fossil soils, loamy sands and sands (Velichko 1961; Velichko et al. 1999). To judge from the lithological properties of the deposits, their accumulation was to a large extent linked to the redistribution of the powdery material from the formations in which the glacial complex had been embedded. Below the cultural layers there is an

ем пылеватого материала из подстилающих формаций гляциального комплекса. Ниже культурных слоев находится хорошо выраженная брянская ископаемая почва, возраст которой определяется ^{14}C датировками и составляет интервал от 30 до 23 тыс. л. н. Хронологические данные, полученные для культурных слоев стоянок Пушкири I, Погон и Бугорок отличаются небольшим расхождением (табл. 3). Судя по имеющимся датировкам Погона и Пушкирей I, они существовали в максимум валдайского оледенения. В бассейне Десны для этого времени было характерно наиболее интенсивное формирование мощных лессовых толщ (Величко, 1973). Эоловая седиментация в пределах Пушкиревского мыса повсеместно проявилась только в позднеледниковье, когда происходило накопление песчаных, песчано-алевритовых и лессовых отложений, перекрывающих культурные слои. Расположение стоянок на высокой водораздельной поверхности, очевидно, связано не только с ее стабильностью и хорошей дренированностью, но и с выходами меловых пород, содержащих большое количество кремневых конкреций — желваков. Этот материал добывался здесь в больших количествах и использовался для производства каменных орудий. Отмеченные ранее на участке стоянки Погон признаки крупных криогенных деформаций (Громов 1948; Величко 1961) говорят о наличии в этом районе мощной многолетней мерзлоты в период жизни человека.

easily discernible Bryansk fossil soil, the age of which has been determined with the help of radio-carbon dating as falling between 30 and 23 thousand years ago. Chronological data obtained for the cultural layers at the Pushkari I, Pogon and Bugorok sites stand out as differing from each other considerably (Table 3, in Text 4). To judge from the dates available for the Pogon and the Pushkari I sites, they existed at the peak of the Valdai glaciation. Typical for the Desna basin at that time was the most intense formation of thick loess strata (Velichko 1973). Aeolian sedimentation within the confines of the Pushkarevskii Cape manifested itself everywhere only in the late glacial period, when an accumulation of sandy, sandy-silt and loess deposits was taking place, which were covering over the cultural layers. The situation of the sites on the high watershed surface was clearly connected not only with its stability and good drainage, but also with the outcrops of chalk rocks containing large amounts of flint concretions. This material was extracted on the cape in large quantities and used for the manufacture of stone tools. Signs of large cryogenic deformations in the area of the Pogon site, referred to earlier (Gromov 1948; Velichko 1961) would indicate that there had been thick long-term permafrost in the period. The polygonal veined structures manifest themselves clearly in the sections through Trench VII at the Pushkari I site (Fig.5 in Text 10). Wedge-shaped structures cut through the cultural layer.

Табл. 3. Радиоуглеродные датировки культурных слоев Пушкаревских стоянок
(Грибченко и др., 2011)

Tabl. 3. The group of Pushkari sites. Radiocarbon Dating of the cultural layers
(To: Gribchenko et al., 2011)

Пушкари I Раскоп II	16 775±605	QC-899	Костный уголь
Пушкари I раскоп V	19 010±220	АА-1389	Костный уголь
	20 500±500	ГИН-11311б	Кость
	20 900±900	ГИН-11311а	Кость
	20 600±1200	ГИН-8529	Зуб мамонта
	20 700±500	ГИН-8529а	Зуб мамонта
	21 000±400	ГИН-3382	Кость
	21 100±400	ГИН-3381	Костный уголь
Пушкари I Раскоп VII	22 350±150	ГИН-11307	Костный уголь
	19 500±240	Ki-11901	Кость лошади
	20 160±180	ГИН-11310	Кость жженая
	20 350±180	ГИН-10195	Костный уголь
	20 500±500	ГИН-11311	Зуб мамонта
	20 840±190	ГИН-11309	Костный уголь
Погон	20 900±600	ГИН-11311а	Зуб мамонта
	18 690+770	ЛУ-361	Кость
	22 300+300	ГИН-10193	Кость
	22 500+450	ГИН-10194	Бедро
	23 800+700	ГИН-11315	Ребра
Бугорок	24 000+1200	ГИН-11312	Кости
	11 500+400		Зуб маманта
	11 060+140		Зуб овцебыка

Полигонально-жильные структуры отчетливо проявляются в разрезах VII раскопа стоянки Пушкари 1 (рис. 5). Клиновидные структуры разрывают культурный слой.

Стоянка **Погон** располагается на самом высоком участке мыса и может счи-

The **Pogon** site is situated on the highest area of the cape and can be regarded as the earliest in the Pushkari group of Late Palaeolithic sites (24–22 thousand years ago). The cultural layer at this site is only five metres below the ground surface. The

Рис. 5. Строение вмещающих отложений в шурфе на участке стоянки Пушкари I (раскоп VII)
Fig. 5. Structure of the Deposits in the test-pit within the area of the Pushkari I site (Trench 7)

таться самой ранней в Пушкаревской группе памятников позднего палеолита (24–22 тыс. л. н.) Культурный слой залегает здесь на глубине около 5 м от поверхности. Оглеенность слоя отражает

waterlogged nature of the soil reflects excessive moisture in the palaeo-surface at the time when the site had been inhabited. To judge from the nature of the deposits after the site had been abandoned by its

переувлажнение палеоповерхности времени обитания стоянки. Судя по характеру осадков, после ухода людей здесь активизировались эоловые процессы. Возможно, это вынудило человека к перемещению стоянки на другой участок. Судя по хронологической близости Погона и Пушкарей, можно предполагать, что первобытные сообщества могли не покидать территорию мыса, а перемещались на более стабильные участки в его пределах. По данным спорово-пыльцевых определений Е.Ю. Новенко (Величко и др. 1999) во время функционирования местообитания здесь существовала разреженная древесная растительность в сочетании с тундрово-степной. Подобные типы ландшафтов были характерны и для других районов бассейна Десны, где располагались стоянки позднелепеолитического человека.

Стоянка Бугорок. В финале ледниковой эпохи человек вновь поселяется на данном участке после завершения процессов эоловой седиментации лесов. Культурные слои стоянки Бугорок залегают в верхней части четырехметровой толщи лесов, перекрывающей слой с находками стоянки Погон. Время поселения определяется периодом около 14–11 тыс. л. н., состав фауны Бугорока мало отличается от более ранних Пушкаревских местообитаний (мамонт и овцебык), что говорит о преимущественно перигляциальном характере ландшафтов.

Комплексные исследования разновременных местообитаний показывают, что суровые ландшафтно-климатические ус-

inhabitants, aeolian processes had intensified. It is possible that this had forced the inhabitants to move their site to a different area. To judge from the similarity in date of the two sites — Pogon and Pushkari — it is possible to suggest that the primitive communities might not have left the territory of the cape, but merely moved to more stable areas within its confines. According to the data based on spores-and-pollen definitions by E.Y. Novenko (Velichko et al. 1999), at the time when the site had been inhabited there had existed sparse tree cover combined with steppe-tundra vegetation. Landscapes of a similar kind were typical for other parts of the Desna basin as well, where sites inhabited by Late Palaeolithic man were situated.

The **Bugorok** site. At the end of the Ice Age humans began to settle again in this area after the processes of aeolian sedimentation of loess was complete. The cultural layers at the Bugorok site are in the upper part of the loess level which is four metres thick and covers over the level containing finds at the Pogon site. The period when the site was settled has been determined as approximately 14–11 thousand years ago and the range of fauna at the Bugorok site differs little from that found at the earlier sites of the Pushkari group (mammoth and musk ox), which indicates that the landscapes were mainly of a periglacial character.

Multi-disciplinary investigations of these sites relating to different periods reveal that the harsh landscape and climatic conditions

ловия последней ледниковой эпохи влияли на характер адаптации человека к среде обитания, однако, первобытные сообщества не покидали освоенных территорий.

ЗАКЛЮЧЕНИЕ

Открытые перигляциальные ландшафты в широких речных долинах бассейна Десны оставались достаточно благоприятными для палеолитического человека. Существование долговременных местообитаний человека в бассейне Десны фиксируется здесь на многих памятниках палеолита.

Природные и антропогенные изменения в пределах участков существования крупных позднепалеолитических стоянок в разной степени отражались на условиях обитания человека. Это вызывало необходимость перемещений мест обитания. Подобные смещения разновременных стоянок в пределах достаточно ограниченных участков отмечены и на многих памятниках (Хотылево, Елисеевичи, Юдиново, Пушкари и др.). Судя по характеру погребенных культурных слоев, трудно предполагать, что изменения положения разновременных стоянок связаны с необратимыми антропогенными нарушениями поверхности обитания. Вероятно, со временем менялся эрозионно-седиментационный режим различных участков при незначительном влиянии хозяйственной деятельности обитателей.

in the last Ice Age influenced the way in which man adapted to his environment but did not lead primitive communities to abandon territories where they had settled.

CONCLUSION

Open periglacial landscapes in the wide valleys of the River Desna basin remained fairly favourable for Palaeolithic man. The existence of long-term human habitation in the Desna basin has been recorded at many Palaeolithic sites.

Natural and anthropogenic changes within the confines of areas, where large Late Palaeolithic sites had existed, influenced to varying degrees the conditions for human habitation. This made necessary moves for the inhabitants from one site to another. Moves of this kind from encampments dating from different time periods within the confines of fairly limited areas have been noted at many sites (Khotylevo, Yeliseyevichi, Yudinovo, Pushkari and others). To judge from the character of the buried cultural layers, it would be difficult to assume that changes in the position of sites of different date were connected with irreversible anthropogenic damage to the surface inhabited by humans. It is likely that over time the erosion and sedimentation patterns in various parts of the area changed but without influencing significantly the economic activity of the inhabitants.

Памятник Хотылёво I расположен в 18 км от Брянска на северной окраине с. Хотылёво Глинищевского сельского поселения Брянского района Брянской области РФ. Культуросодержащие горизонты (далее — КСГ) связаны как с аллювиальными, так и с делювиально-склоновыми отложениями, слагающими прислоненные к коренному склону погребенные пойменные и террасовые уровни, формировавшиеся в первой половине позднего плейстоцена.

Границы распространения вдоль правого берега Десны среднепалеолитических культурных слоев с инвентарем среднепалеолитического облика до сих пор не установлены. Фактически под определением «памятник Хотылёво I» или «местонахождение Хотылёво I» следует понимать группу разновременных среднепалеолитических памятников разной сохранности, распространенных на расстояние до 1 км вдоль правого борта долины Десны. Традиционно считается, что высокая концентрация среднепалеолитических памятников на небольшом отрезке правого берега Десны связана с выходами сырья — конкреций черного мелового кремня, залегающих в мергелисто-меловых отложениях сеноман-альбского яруса верхнемеловой системы.

The Khotylevo I site lies 18 kilometres from Bryansk on the northern edge of the village of Khotylevo in the of the Bryansk District in the Bryansk Region of the Russian Federation. The levels containing cultural remains — referred to from now on as Cultural Horizons — are linked with both the alluvial and the deluvial-slope deposits, which make up the buried flood-plain and terrace levels resting against the primary slope, which took shape during the first half of the Late Pleistocene period.

The limits to the extent of Middle-Palaeolithic cultural layers containing an inventory of Middle-Palaeolithic appearance have not been established to this day. In practice when we hear the term “Khotylevo I site” or “Khotylevo I surface scatter” we need to understand by this a group of Middle Palaeolithic sites of different dates and in different states of preservation spread over a distance of a kilometre along the west side of the Desna valley. The traditional approach has been to believe that the high concentration of Middle Palaeolithic sites along a small stretch of the west bank of the Desna is bound up with the outcrops of raw material — concretions of black Cretaceous flint to be found in marly-chalk deposits in the Senomanian-Albian tier within the Upper Cretaceous system.

В зависимости от расположения вдоль современного русла Десны можно выделить «нижние» и «верхние» участки памятника, в пределах которых варьируют как количество выделенных КСГ, так и генезис и состав вмещающих отложений.

ИСТОРИЯ ИССЛЕДОВАНИЯ

Первые находки (кости мамонта и несколько орудий) в районе будущего обширного среднепалеолитического комплекса Хотылево I были сделаны в 1948 году учащимися местной школы и местными краоведами. Однако сам памятник был открыт сотрудником Брянского государственного краеведческого музея Фёдором Михайловичем Заверняевым в результате разведок, предпринятых им совместно со смоленским археологом Евгением Альфредовичем Шмидтом в 1958 г. Ф.М. Заверняев и Е.А. Шмидт выявили стратиграфическую позицию культуросодержащего горизонта и приблизительную площадь распространения памятника. Было установлено, что горизонт с находками залегает «непосредственно на коренных породах меловой системы — на глауконитовых песках, сверху он перекрыт толщей четвертичных отложений в 15, 65 м» и фиксируется на протяжении 400 м вдоль берега реки (Заверняев, 1961. с. 243–247).

Depending upon the location of these sites along the modern channel of the River Desna, it is possible to single out the “lower” and “upper” parts of the site, in the confines of which both the number of identified Cultural Horizons varies and also the origin and composition of the deposits within them.

HISTORY OF THE RESEARCH

The first finds (mammoth bones and several tools) within the area of what would later come to be known as the extensive Middle Palaeolithic complex — Khotylevo I — were made in 1948 by pupils from a local school and local historians interested. The site itself, however, was discovered by a member of staff from the Bryansk Museum of Regional History, Fyodor Mikhailovich Zavernyaev, as a result of the reconnaissance work he had embarked on in 1958 with an archaeologist from Smolensk, Evgenii Shmidt. The two scholars identified the stratigraphic position of the cultural horizon and the approximate area and extent of the site. It was established that the cultural horizon containing finds lay “immediately above the primary rocks of the Cretaceous system — on glauconite sands and were covered over with a layer of Quaternary deposits 15,6 metres thick” and it was recorded as stretching over 400 metres along the bank of the river (Zavernyaev, 1961, pp. 243–247).

Через два года экспедиция Брянского государственного краеведческого музея (БГОКМ) под руководством Ф.М. Заверняева начала регулярные раскопки, продолжавшиеся в течение четырех лет с 1960 по 1964 гг. За это время вдоль правого берега Десны были заложены 6 раскопов и несколько шурфов (рис. 6). После 1964 года регулярные исследования памятника не проводились вплоть до современности — лишь в 1981 году Ф.М. Заверняевым были проведены незначительные по объему работы для демонстрации разрезов «нижней» части памятника на советско-французском семинаре «Динамика взаимодействия между естественной средой и доисторическими обществами на Русской равнине».

Намного позже, в 2004 году, на одном из «нижних» участков памятника были предприняты спасательные раскопки сотрудником Брянского Государственного университета А.А. Чубуром, который, в частности, зафиксировал факт размыва паводковыми водами Десны культуросодержащего горизонта (Чубур, 2006). Разрушение «нижних» участков памятника неоднократно отмечалось и сотрудниками Хотылевской археологической экспедиции (ХАЭ) ИА РАН, занимающейся комплексным изучением стоянки Хотылёво 2. В 2006 году сотрудниками ХАЭ ИА РАН был подготовлен и описан полный геологический разрез разрушающегося участка Хотылёво I, (Воскресенская и др., 2011), а с 2010 года комплексные

Two years later, the expedition from the Bryansk State Museum of Regional History, headed by F.M. Zavernyaev, began conducting regular excavations, which went on for four years between 1960 and 1964. Over that period 6 trenches and several test pits were sunk along the west bank of the Desna (Fig. 6). After 1964 regular investigations were no longer undertaken until much more recently. It was only in 1981 that Zavernyaev undertook some small-scale work in order to demonstrate the sections of the “lower” part of the site at the Soviet-French seminar entitled “The Dynamics of Interaction between the Natural Environment and Prehistoric Societies in the Russian Plain”.

Long after that, in 2004, some rescue archaeology was undertaken in one of the “lower” parts of the site by a researcher from Bryansk State University, A.A. Chubur: among other things he recorded how the cultural horizon had been eroded by the flood waters of the Desna (Chubur, 2006). The destruction of “lower” parts of the site were also noted on several occasions by members of the Khotylevo Archaeological Expedition organized by the Institute of Archaeology affiliated to the Russian Academy of Sciences, who were engaged in the multi-disciplinary study of the Khotylevo 2 site. In 2006 members of that expedition prepared and described a geological section of the part of the Khotylevo I site, which was being destroyed (Voskresenskaya *et al.*, 2011). The multi-disciplinary investigation of the whole site was resumed by a team from the Upper Desna Expedition (UDE) of the Institute

- ◆ Хотылёвское нижнепалеолитическое местонахождение
Lower Paleolithic location in Khotylevo
- ▲ отдельные находки кремневых сколов нижнего палеолита
single finds of Lower Paleolithic flakes
- стоянки верхнего палеолита
Upper Paleolithic sites
- отдельные находки обработанного кремня верхнего палеолита
single finds of Upper Paleolithic flakes

Составил Ф.М. Заверняев 1960.
Drawn up by F.M. Zavernyaev in 1960

Рис. 6. Хотылёво I. Схематический план расположения раскопов по правому берегу Десны на северной окраине с. Хотылёво (по: Заверняев, 1963)

Fig. 6. Khotylevo I. Diagram charting the Location of Trenches along the west bank of the River Desna on the northern edge of Khotylevo (after: Zavernyaev, 1963)

исследования всего памятника были возобновлены коллективом Верхнедеснинской экспедиции (ВДЭ) ИИМК РАН.

В течение первых полевых сезонов работы ВДЭ была подготовлен обновленный топографический план всего района распространения материалов Хотылёво I и заложены несколько зачисток и шурфов, позже расширенных до раскопов (рис. 7). Работы ВДЭ в на-

for the History of Material Culture affiliated to the Russian Academy of Sciences (IHMC RAS) in 2010 (Otcherednoy *et al.*, 2018).

During the first field seasons of work carried out by the UDE, a new topographical plan of the whole district was prepared covering the whole district within which Khotylevo I materials were spread and some clearing work was undertaken. Some test pits were also sunk, which were later expanded as exca-

Рис. 7. Топографический план участка правобережья Десны, на котором расположена группа разновременных среднепалеолитических памятников Хотылёво I (ВДЭ ИИМК РАН, авторы: Е.К. Блохин, А.К. Очередной, К.Н. Степанова)

Fig. 7. Topographical Plan of the area on the west bank of the Desna on which the Khotylevo group of Middle Palaeolithic sites of various dates is located (drawn by E.K. Blokhin, A.K. Otcherednoy, K.N. Stepanova)

стоящее время сосредоточены на «верхних» участках Хотылёво I, к которым можно отнести раскопы Хотылёво I-6-2, Разрез 3 и Хотылёво I-3-2, а также зачистки 1 и 2. На «нижних» участках памятника было заложено несколько стратиграфических разрезов. На участках Хотылёво I-6-2, Разрез 3 и Хотылёво I-3-2 были выделены четыре КСГ, залегающих в различных отложениях и отличающихся друг от друга по степени сохранности и по составу находок. В настоящее время программа гео-археологических исследований памятника продолжается.

ГЕОЛОГИЧЕСКИЕ И ГЕОМОРФОЛОГИЧЕСКИЕ УСЛОВИЯ ЗАЛЕГАНИЯ ВМЕЩАЮЩИХ КУЛЬТУРНЫЕ СЛОИ ОТЛОЖЕНИЙ

Позднеплейстоценовые осадки, слагающие правобережье Десны в районе локализации местонахождения, характеризуются достаточно сложным строением и динамичными условиями формирования. Отложения, с которыми связаны культуросодержащие горизонты со среднепалеолитическим инвентарем, прислонены к высокому коренному склону, сложенному в основании верхнемеловыми мергелисто-меловыми отложениями с прослоями серовато-черного кремня и сеноманскими кварцево-глауконитовыми песками.

vation trenches (Fig.7). The work of the UDE is concentrated at the present time in the “upper” parts of Khotylevo I, to which excavations at Khotylevo I-6-2, Section 3 and Khotylevo I-3-2 belong, as also do the cleared areas 1 and 2. In the lower parts of the site some stratigraphic sections were also made. In areas Khotylevo I-6-2, Section 3 and Khotylevo I-3-2 four cultural horizons were identified within various deposits and distinct from each other as regards the state of their preservation and the composition of the finds collections. At the present time work is continuing in accordance with the programme for geo-archaeological investigations of the site.

GEOLOGICAL AND GEOMORPHOLOGICAL CONDITIONS AT LEVELS ENCLOSING THE DEPOSITS CONTAINING CULTURAL LAYERS

Late Pleistocene sediments, making up the west bank of the Desna in the area where the sites and surface scatterings are found, are characterized by a fairly complex structure and were formed in dynamic conditions. The deposits with which the cultural horizons with a Middle-Palaeolithic inventory are associated and which are set into the high primary slope built up its base from Upper Cretaceous marly-chalk deposits containing inter-layers of greyish-black flint and Senomanian quartz-glaucinite sands.

Наиболее полно изученная колонка отложений представлена в восточной стенке раскопа на участке Хотылёво I-6-2 (рис. 8):

1. Супесь серая, мелкокомковатая, пронизанная корнями и червеходами, нижняя граница — неровная, куполообразная — *гумусовый горизонт A₁ современной почвы* — 0–0,23 м.

2. Супесь светло-желтая, вниз по разрезу переходящая в легкий рыжевато-бурый и светло-коричневый суглинок. *Горизонт A-B современной почвы* — 0,23–0,74 м.

3. Суглинок плотный рыжевато-палевый, с линзами и прослоями коричневатого и темно-бурого гумусированного суглинка субгоризонтального простирания — 0,74–1,47 м..

4. Пески тонкозернистые, горизонтально-слоистые, с более глинистыми прослоями вторичного ожелезнения типа ортзандов. Слой под углом до 45° секут трещины, амплитуда сбросов достигает 7–10 см — 1,47–4,47 м.

5. Суглинок плотный, серый, оглеенный, с разводами омарганцевания и точками и полосами ожелезнения. Отмечается четкая субгоризонтальная слоистость, подчеркнутая прослоями тонко- и мелкозернистого песка. Слой разбит на блоки системой пересекающихся под острым углом субвертикальных тонких трещин — 4,47–5,98 м..

6. Суглинок светло-серый, оглеенный, легкий, пылеватый, скрыто-слоистый — 5,98–8,52 м.

The column of deposits which has been studied in the most thorough way so far is to be found in the east wall of the trench in the area known as Khotylevo I-6-2 (Fig. 8):

1. Grey loamy sand containing small lumps and penetrated by roots and worm tunnels. Its lower limit is uneven and dome-shaped — *Humus Level A₁ forming part of the modern soil* 0–23cms.

2. Pale-yellow loamy sand, which further down the section changes into a light ginger-brown and pale-brown loam. *Level A-B of the modern soil* — 23–74cms.

3. Dense, ginger-yellow loam containing lenses and inter-layers of brownish and dark-brown loam with humus content spread sub-horizontally 74 cms — 1.47 metres.

4. Fine-grained sand with horizontal layers and containing more clayey inter-layers of secondary ferrugination of an ortzand type. Cracks cut through the level at an angle of 45° and the width of the faults varies between 7–10 cms and 1.47–4.47 metres.

5. Dense grey gleyic loam, shot through with manganese and dots and stripes of ferrugination. Clear sub-horizontal layers are to be observed, emphasized by inter-layers of fine- and small-grained sand. The level has been broken up into blocks by a network of fine sub-vertical cracks cutting through it at an acute angle — 4.47–5.98 metres.

6. Light-grey gleyic loam which is light, dusty and contains concealed layers — 5.98–8.52 metres.

7. Lenses and inter-layers of loam containing humus, alternating with layers of

Рис. 8. Хотылёво I. Восточная стенка раскопа на участке Хотылёво I-6-2
Fig. 8. Khotylevo I. Eastern wall of the trench in the area Khotylevo I-6-2

7. Линзы и прослои темно-коричневого гумусированного суглинка, перемежающиеся с бурым и серовато-бурым суглинком и рыжевато-палевым тонкозернистым ожелезненным песком. В гумусированную толщу вдавлены языки зеленоватой мергелистой глины из нижележащего слоя со слабоокатанными доломитовыми обломками. **К гумусированным линзам приурочены находки КСГ 1–8,52–9,38 м.**

8. Мергелисто-меловая толща с линзами и изометричными прослоями слабогумусированных суглинков и зеленоватых мергелистых глин. Содержит многочисленные включениями слабо-окатанных обломков мела и мергеля, а также фрагменты кремневых плиток и редкие экземпляры кремневых изделий (**КСГ1**) – 9,38–10,40 м.

9. Переслаивание бурых гумусированных суглинков с тонкозернистым оглиненным песком палевого цвета и линзами темно-коричневых сильно гумусированных легких суглинков. Слой разбит системой субвертикальных трещин, амплитуды сбросов по которым достигают 8 см. **Слой содержит комплекс КСГ 2 и отдельный КСГ 3–10,40–10,80 м.**

10. Суглинок плотный, светло-серый, оглеенный, с субгоризонтальными прослоями и линзами светло-желтого песка, границы которых подчеркнуты ожелезнением, которое образует плотную корку, со стяжениями орштейнов. На площади раскопа мощность оглеенного суглинка резко уменьшается, его состав становится более легким, опесчаненным. В нижней

greyish-brown loam and ginger-yellow, fine-grained ferruginous sand. Tongues of greenish marly clay had been pressed into the layer containing humus from the level beneath with slightly smoothed dolomite fragments. Finds from Cultural Horizon 1 were regarded as having originated from lenses containing humus – 8.52–9.38 metres.

8. Marly-chalk layer containing lenses and isometric inter-layers of loams with little humus content and of greenish marly clays. The level contains numerous inclusions of faintly smoothed fragments of chalk and marl and also fragments of flint slates and rare examples of flint artefacts (Cultural Horizon 1).

9. Brown loams containing humus interspersed with fine-grained clayey sand yellow in colour and lenses of dark-brown light loams with a good deal of humus. The level was interrupted by a network of sub-vertical cracks and the size of the faults in these could reach as much as 8cms. The level contains Cultural Horizon 2 and a separate Cultural Horizon 3–10.40–10.80 metres.

10. Dense, pale-grey gleyic loam with sub-horizontal inter-layers and lenses of pale-yellow sand, the edges of which are emphasized by ferrugination, which forms a dense crust with ortstein concretions. Within the area of the trench, the thickness of the gleyic loam decreases sharply and its composition becomes lighter with greater sand content. The lower part contains finds from Cultural Horizon 4, which are to be found in gleyic loams and also in fine- or medium,—

части **содержит находки КСГ 4**, которые залегают как в оглеенных суглинках, так и в мелко-среднезернистых песках с включениями меловой крошки – 10,80–11,15 м.

11. Пески серые с зеленоватым оттенком, вмещающие большое количество обломочного материала, в том числе кремневых изделий из КСГ 4–11,15–11,45 м.

12. Пески серовато-зеленые, однородные, с разводами бурого ожелезнения и омарганцевания – коренные породы сеноманского яруса верхнего мела 11,45–11,60 м (видимая глубина).

В результате проведенных на среднепалеолитическом комплексе Хотылево I исследований удалось детализировать хроно-стратиграфическую позицию отложений, с которыми связаны находки среднего палеолита, и установить их связь с прислоненными к коренному склону тыловыми фрагментами пойменных и террасовых уровней, формировавшихся в первую половину позднего плейстоцена. Поверхности данных уровней в современном рельефе долины не выражены, так как они полностью нивелируются наложенной толщей позднеплейстоценовых делювиально-склоновых лессов и почвенно-криогенных отложений, накопление которой происходило в прибрежной части долины на более поздних этапах ее развития. На «верхних» участках памятника были зафиксированы четыре среднепалеолитических культуросодержащих горизонта, часть из которых залегает в состоянии, близком

grained sands with inclusions of tiny pieces of chalk – 10.8–11.15 metres.

11. Grey sands with a greenish tinge containing a large amount of fragmentary material, including some from flint artefacts found in Cultural Horizon 4–11.15–11.45 metres.

12. Greyish-green homogenous sands with streaks of brown ferrugination and manganese – primary rocks from the Senomanian tier of the Upper Cretaceous level – 11.45–11.60 metres (visible depth).

As a result of the investigations carried out at the Middle-Palaeolithic site of Khotylevo I it proved possible to specify in detail the chrono-stratigraphic position, with which the finds from the Middle Palaeolithic are associated, and to establish their link to the backshore fragments of flood-plain and terrace levels resting against the primary slope formed during the first half of the Late Pleistocene (Figs. 7, 9) The surfaces of those levels in the modern relief of the valley are not prominent, because they were completely levelled by the layer of Late Pleistocene deluvial-slope loess and cryogenic soil deposits on top of them, which accumulated at the side of the valley during the late stages of its development. In the “upper” parts of the site, four Middle-Palaeolithic levels were recorded containing cultural remains, some of which were almost *in situ* and linked with the only slightly developed levels of the buried soils. The formation of the rhythmically layered bedding incorporating levels containing Middle-Palaeolithic finds took place in the backshore part of the

in situ и связана со слабо развитыми уровнями погребенных почв. Формирование ритмично-слоистой толщи, вмещающей уровни с находками среднего палеолита, происходило в тыловой части поймы при участии постоянного привноса материала со склона. В целом, вся толща, которая лежит на коренных сеноманских песках, подразделяется на аллювиальные отложения с горизонтально-слоистыми песками и алевритами в нижней части разреза, серии горизонтов погребенных почв в средней части разреза, которые, в свою очередь, перекрыты смещенной вниз по склону мергелисто-меловой толщей, толщей тонкослоистых алевритов с горизонтами оглеения и прослоями ортзандов в верхней части. Аллювиальные отложения, залегающие непосредственно на сеноманском песке и вскрытые в раскопе Хотылёво I-6-2, содержат горизонты интенсивного оглеения и линзы светлых тонкозернистых песков. Именно в этих литологических слоях, горизонтах и линзах, с ярко выраженной фациальной изменчивостью даже в пределах одного раскопа, залегает комплекс КСГ 4 (КСГ 4.1 и 4.2) — богатый культуросодержащий горизонт с наиболее сложной микростратиграфической структурой. Выше лежащие КСГ 3 и комплекс КСГ 2 (КСГ 2.1, 2.2, 2.3 и 2.4) залегают в слоистых отложениях с темноцветными гумусовыми горизонтами легкого гранулометрического состава и с железисто-марганцевыми новообразованиями. Такие характеристики позволя-

flood-plain involving material from the slope which was constantly being carried in there. In general, the whole rock mass, which lies above the primary Senomanian sands, can be divided into alluvial deposits with horizontally layered sands and aleurites in the lower part of the section and series of levels of buried soils in the middle part of the section, which in their turn were covered by a marly-chalk rock mass that was shifted down the slope: that rock mass consisted of thin-layered aleurites with levels of gleyization and interlayers of ortzands in its upper part. The alluvial deposits lying directly above the Senomanian sand and which had been cleared in the Khotylevo trench 1–6–2 contain levels of intensive gleyization and lenses of pale, fine-grained sands. It is precisely in these lithologic levels, horizons and lenses with their highly variable facies that the Cultural Horizon 4 assemblage lay (CH 4.1 and CH 4.2) — a rich horizon containing cultural remains and with the most complex micro-stratigraphic structure. Cultural Horizon 3 and the assemblage from Cultural Horizon 2 (CH 2.1, 2.2, 2.3 and 2.4), which lay above it, are embedded in layered deposits with levels containing humus and dark in colour: these are of light granulometric composition and within them there are ferruginous and manganese new formations. Characteristics of this kind make it possible to associate these deposits with alluvial soils of flood-plain meadows. The level of these soils, which is uppermost and with which Cultural Horizon 1 is associated, consists of pae-

ют соотносить эти отложения с аллювиальными луговыми пойменными почвами. Верхний из почвенных уровней, с которым связан КСГ 1, представлен педоседиментами мезинского почвенного комплекса и несет характерные следы деформаций и переотложения склоново-криотурбационными и гравитационными процессами.

На нижележащих по течению р. Десна участках памятника единственный культуросодержащий горизонт приурочен к базальной фации руслового аллювия, которая лежит с резким эрозионным контактом на сеноманских коренных песках. Находки изделий среднепалеолитического облика и редкие фаунистические остатки залегают в заполнении из белесовато-серых кварцевых крупно- и среднезернистых песков, в которых в составе обломочного материала присутствуют также плитчатые отдельности сырья, дресва мергеля и мела и окатанная галька кристаллических пород. Литолого-фациальный состав отложений русловой фации, наличие в базальном горизонте включений дальнепринесных кристаллических пород позволяет предполагать, что одним из основных источников формирования данных отложений являлись флювиогляциальные среднеплейстоценовые осадки. Поступление в аллювиальные отложения материала с примыкающего коренного склона и переотложение культурных горизонтов осуществлялось, по-видимому, неоднократно в периоды активизации эрозионно-денудационных процессов в долине и процессов врезания

do-sediments of the Mezin soil complex and bears typical traces of deformation and re-depositing resulting from slope-cryoturbation and gravitational processes.

In the parts of the site further down the River Desna, the only level containing cultural remains is that dating from the base facies of the channel alluvium, which forms a sharp erosion contact line with the Senomanian primary sands. The artefacts with Middle-Palaeolithic appearance and rare faunal remains are found in the whitish-grey quartz sands with large or medium-sized grains: in the composition of their fragmentary material tabular pieces of raw material, marl and chalk debris and smoothed pebbles from crystalline rocks are also present. The lithologic and facial composition of the deposits from the channel facies and the presence in the base level of inclusions of crystalline rocks brought in from far away make it possible to assume that one of the main sources for their formation were fluvio-glacial Middle Pleistocene sediments. The emergence in the alluvial deposits of material from the adjacent primary slope and the re-depositing of cultural horizons evidently occurred on several occasions during periods when erosion and denudation processes were being activated in the valley and the river channel was being incised and forming meanders. In the structure of the deposits, which close off the horizon containing finds, in the lower parts of the site facies of alluvial sediments are found with a thickness of 7.5 metres and subaerial loess-soil deposits

и меандрирования русла. В строении отложений, которые запечатывают горизонт с находками, на «нижних» участках памятника принимают участие фации аллювиальных осадков мощностью 7.5 м и субаэральные лессово-почвенные отложения мощностью до 4 м. В аллювиальных осадках, запечатывающих горизонт с находками, выделяются отложения русловой, старичной и пойменных фаций, что также свидетельствует о неоднократных изменениях в конфигурации русла. Аллювиальные свиты перекрываются субаэральными сериями лессово-почвенных отложений второй половины позднего плейстоцена, которые представлены переотложенными педоседиментами мезинской полигенетической ископаемой почвы, брянской средневалдайской погребенной почвой и лессовидными супесями поздневалдайского возраста.

ТАФОНОМИЯ КУЛЬТУРОСОДЕРЖАЩИХ ОТЛОЖЕНИЙ, ТЕХНОЛОГИЯ И ТИПОЛОГИЯ ИНВЕНТАРЯ

Уже Ф.М. Заверняевым было установлено, что характер отложений и степень сохранности КСГ меняются по простиранию памятника. Во время полевых работ им были выделены участки памятника с разными условиями залегания находок. В раскопах 1, 2 и отчасти 4 они приурочены к слою галечника, который варьирует и по мощности, и по составу. В раскопах 3,

with a thickness of 4 metres. In the alluvial sediments sealing off the level containing finds it is possible to distinguish between channel, dead-channel and flood-plain facies, which also shows that several changes took place in the configuration of the channel. The alluvial suites are covered with a subaerial series of loess and soil deposits dating from the second half of the Late Pleistocene and these are represented by re-deposited paedo-sediments of Mezin polygenetic fossil soil, Bryansk Middle-Valdai buried soil and loess-type loamy sands dating from the Late Valdai ice age.

TAPHONOMY OF DEPOSITS CONTAINING CULTURAL REMAINS AND THE TECHNOLOGY AND TYPOLOGY OF THE INVENTORY

It was established decades ago by F.M. Zavernyaev that the nature of the deposits and the degree to which the Cultural Horizons change across the site. During his field work Zavernyaev identified parts of the site where the finds were found in various different conditions. In Trenches 1 and 2 and part of Trench 4 they were associated with shingle beds, which varied in both thickness and composition. In Trenches 3, 5 and 6 the finds were both in shingle beds and also in the buried soils covering over the latter. It was noted at the time that the state of preservation of the horizons containing cultural remains situ-

5 и 6 находки залегали как в галечнике, так и в перекрывающих его погребенных почвах. При этом было отмечено, что сохранность культуросодержащих горизонтов на участках, расположенных выше по течению Десны, значительно лучше, чем на участках, лежащих ниже по течению.

Фаунистические находки были зафиксированы Ф.М. Заверняевым только в «слое в галечнике» во всех шести заложенных им раскопах. Первые видовые определения фауны Хотылёво I были сделаны В.И. Бибиковой еще в 1960-е гг., и, к сожалению, остались не опубликованными должным образом. Недавняя повторная обработка старой фаунистической коллекции, предпринятая А.А. Чубуром, позволила выделить следующие виды: волк (*Canis lupus L.*), бурый медведь (*Ursus arctos L.*), мамонт (*Mammuthus primigenius Blum.*), шерстистый носорог (*Coelodonta antiquitatis Blum.*), широкопалая лошадь (*Equus latipes Gromova*), первобытный зубр (*Bison priscus Boj.*), благородный олень (*Cervus elaphus L.*), северный олень (*Rangifer tarandus L.*) и выхухоль (*Desmana moschata L.*) Общее количество находок оставляет всего 255 экз., что отражает низкую насыщенность этого слоя фаунистическими остатками, при учете вскрытой в начале 60-х гг площади памятника (около 500 м²) (Чубур, 2016). Изучение КСГ 4 на площади раскопов Хотылево I-6-2 и Разрез 3 выявило наличие в нем фрагментов костей млекопитающих.

В итоге первого этапа исследований Ф.М. Заверняевым была сформирована

ated further up the Desna river was better than that from the parts of the site further down river.

Faunal remains were recorded by F.M. Zavernyaev only in the “level in the shingle beds” in all six of the trenches he sunk. The first definitions of fauna from Khotylevo I were recorded by V.I. Bibikova back in the 1960s and, unfortunately, they were not published properly. A recent repeated study of the old faunal remains collection, undertaken by A.A. Chubur made it possible to identify the following species: wolf (*Canis lupus L.*), brown bear (*Ursus arctos L.*), mammoth (*Mammuthus primigenius Blum*), woolly rhinoceros (*Coelodonta antiquitatis Blum.*), horse (*Equus latipes Gromova*), primitive bison (*Bison priscus Boj.*), red deer (*Cervus elaphus*), reindeer (*Rangifer tarandus L.*) and Russian desman (*Desmana moschata L.*). The total number of finds came to only 255 specimens, which reflects the low density of faunal remains in the level, when we take into account the total area of the site at the beginning of the 1960s (c. 500 m²) (Chubur, 2016). A study of Cultural Horizon 4 within the area of Khotylevo trenches I-6-2 and Section 3 identified fragments of mammal bones within them.

By the end of the first stage in the investigations led by F.M. Zavernyaev, a collection of 18,000 stone artefacts had been assembled and among these there were 1,600 cores, 883 tools and over 8,000 flake blanks. Initial analysis of this material demonstrated that it was not typologically homogenous. The site was defined originally as a workshop and the

коллекция из 18000 каменных изделий, среди которых выделялось 1600 нуклеусов, 883 орудия и более 8000 сколов-заготовок. Уже первичный анализ материала продемонстрировал его типологическую неоднородность. Первоначально памятник был определен как мастерская, а материал был разделен на аморфный и ашело-мустьерский комплексы. Позже, при анализе всей коллекции, ее «ашело-мустьерская» часть была также дифференцирована на несколько самостоятельных комплексов (Заверняев 1978).

Материал из раскопов 1–4, по определению Ф.М. Заверняева, можно характеризовать как мустье типа Кина из-за большого количества скребел (side scrapers), на массивных отщепках и пластинах с лезвиями, изготовленных чешуйчатой или ступенчатой ретушью, нуклевидных орудий, рубилец, остроконечников, лимасов, скребков и других типов. При этом, односторонние и частично двусторонне обработанные скребла преобладают (Заверняев, 1978, 116–117). Раскопами 5 и 6, расположенными в «верхней» части Хотылёво I, были вскрыты участки, на которых обнаружено залегание археологических материалов в виде двух горизонтов. Эти два горизонта, соответственно, составили еще два комплекса. Находки из нижнего слоя были представлены изделиями типа «ашельских ручных рубил», в основном, в виде фрагментов, а также «крупными рубящими, скребловидными и режущими бифасами, изделиями листовидных

material was divided into amorphous and Acheulian-Mousterian assemblages. Later, when the whole collection had been analysed, distinctions were drawn within the “Acheulian-Mousterian” part of it and several separate assemblages within it were then identified (Zavernyaev 1978).

The material from Trenches 1–4 could, according to F.M. Zavernyaev, be described as of a Quina type (Quina Mousterian) on account of the large number of side-scrapers, made from large flakes and blades with cutting edges worked using scaly or stepped retouch, core-like tools, small hand-axes, points, limaces, end-scrapers and other tool types. In this assembly it is, however, side-scrapers — worked on one or sometime two sides — which predominate (Zavernyaev, 1978, 116–117). In Trenches 5 and 6 in the upper part of Khotylevo I, sections were cleared in which archaeological materials were found forming two different horizons. Accordingly, this meant that the two horizons yielded up a further two assemblages. Finds from the lower level were presented as articles of an “Acheulian hand-axe” type — mainly in the form of fragments — and also as “large axes, resembling side-scrapers and with bifaces, as leaf-shaped articles /.../ pick-like tools, side-scrapers worked on both sides, knives of a prondnik type” and also leaf-shaped tools of the ‘Blattspitze type’.” Among one-sided articles, attention was drawn to canted scrapers, knife-like and scraper-like articles — end-scrapers, burins, borers, denticulated and notched articles. On the basis of the fact

форм /.../ пикообразными орудиями, двусторонне обработанными скреблами, ножами типа «прондник», а также листовидными формами «типа Blattspitzen». Среди односторонних изделий были отмечены угловатые скребла, ножевидные и скребловидные изделия, скребки, резцы, проколки, зубчатые и выемчатые изделия. На основании наличия многочисленных двусторонне обработанных изделий Ф.М. Заверняев датировал его «позднеашельским или раннемустерским временем, а точнее — ашело-мустерским» (Заверняев, 1978, 119). Изделия, обнаруженные в верхнем слое погребенной присклоновой почвы в раскопах 5 и 6, Ф.М. Заверняев связал с отдельным культурным слоем. В качестве специфических черт этого комплекса он выделил тщательность вторичной обработки лезвий скребел, их мелкий размер, а также отличия в сырье (по его мнению здесь был использован беловатый или светлый опаловидный кремнь). Кроме того, здесь больше односторонне патинизированных изделий. По Ф.М. Заверняеву, это самый молодой комплекс Хотылево I — по своим характеристикам он соответствует инвентарю стоянок типа ферраси. Результаты исследований Хотылёво I были опубликованы Ф.М. Заверняевым в двух монографиях и нескольких статьях (Заверняев, 1961; 1971; 1977; 1978).

Предварительные результаты работ ВДЭ на выявленных многослойных участках памятника — Хотылёво I-6-2, Разрез 3

that there were many articles worked on two sides, F.M. Zavernyaev dated the inventory as “Late Acheulian or Early Mousterian or, to be more precise, Acheulian-Mousterian” (Zavernyaev, 1978, 119). He linked the articles discovered in the upper level of the buried soil near the slope in Trenches 5 and 6 to a separate cultural layer. By way of specific characteristics of that assemblage he singled out thorough secondary working of the side-scraper blades, their small size and also the different raw material (in Zavernyaev’s opinion whitish or pale-yellow flint had been used). In addition, there were more articles which were patinated on one side in the upper level. According to F.M. Zavernyaev the latest assemblage from Khotylevo I corresponds in its characteristics to inventories from sites of a Ferrasi type. The results of the investigations carried out at Khotylevo I were published by Zavernyaev in two monographs and several articles (Zavernyaev 1961; 1971; 1977; 1978).

Preliminary results from the work carried out by the UDE in the multi-level sites already identified — Khotylevo I-6-2, Section 3 and Khotylevo I-3-2 — show that there is a clear link between the presentation of multi-layer stratigraphy at archaeological sites and the presence of buried soils of various kinds in deposits covering alluvial deposits with a lower cultural layer (Fig.9). In all the above-mentioned sections of the site four main cultural horizons were identified, which were associated with various lithologic levels.

в отложениях, перекрывающих аллювиальные отложения с нижним культурным слоем. На всех этих участках было выделено по четыре основных культуросодержащих горизонта, приуроченных к различным литологическим слоям.

Характеристикам того культурного слоя, который был прослежен Ф.М. Заверняевым во всех раскопах в шестидесятые годы прошлого века и описан им как «слой в галечнике» или «культурный слой Хотылёво I», соответствует нижний культуросодержащий горизонт (или КСГ 4), обнаруженный ВДЭ во всех зачистках и раскопах. По предварительным данным, со слоем, частично изученным Ф.М. Заверняевым, можно отождествить: КСГ 4 в раскопе Хотылёво I-6-2, КСГ 4 в Разрезе № 3, КСГ 3 в Разрезе № 1, единственный культуросодержащий горизонт, выявленный в Разрезе № 2, а также КСГ 3 (низ) в раскопе Хотылёво I-3-2. Остальные КСГ, выявленные в последние годы в указанных раскопах, относятся к литологическим горизонтам различного генезиса (в основном, погребенным почвам), перекрывающим погребенный аллювий с КСГ 4.

Участком памятника Хотылёво I, который полностью изучен Верхнедеснинской экспедицией на площади в 40 м², является раскоп Хотылёво I-6-2. Кроме колонки из двенадцати литологических слоев, здесь прослежено четыре различных культуросодержащих горизонта

Общее количество изделий, обнаруженных в различных КСГ на участке Хотылёво I-6-2, составляет 17139 экз. Наиболее

Khotylevo I" match those of the lower horizon containing cultural remains (or Cultural Horizon 4) found by the UDE in all the areas they cleared or excavated. According to the preliminary data, it is possible to identify Cultural Horizon 4 found at Khotylevo I-6-2, Cultural Horizon 4 in Section No. 3 and Cultural Horizon 3 in Section No. 1, the only cultural horizon identified in Section 2 and also Cultural Horizon 3 (lower part) in the excavations at Khotylevo I-3-2 with the level studied in part by Zavernyaev. The other Cultural Horizons identified in recent years link in with lithologic levels of various origins (mainly buried soils) which cover the buried alluvium from Cultural Horizon 4.

The part of the Khotylevo I site, which has been fully investigated by the Upper Desna Expedition over an area of 40 m² is the excavation Khotylevo I-6-2. Apart from the column made up of 12 lithologic layers, four different cultural horizons have been traced there as well.

The total number of artefacts discovered in the various Cultural Horizons at Khotylevo I-6-2 comes to 17,139. The Cultural Horizon with the largest range of items is Cultural Horizon 4 (over 13,000 artefacts), which is currently still divided into two parts on the basis of the characteristics of the deposits within it. The upper part of Cultural Horizon 4 (CH 4.1 or CH gley) is to be found in dense gleyic loams with a dense crust of ferrugination along its upper contact line, while the lower part (CH 4.2 or CH 4 sand) contains the largest number of finds in small- and

насыщенным горизонтом является комплекс КСГ 4 (более 13000 изделий), который пока подразделяется на два горизонта, по характеристикам вмещающих отложений. Верхняя часть КСГ 4 (КСГ 4.1 или КСГ 4-глий) залегает в плотных оглеенных суглинках с плотной коркой ожелезнения по верхнему контакту, а нижняя (КСГ 4.2 или КСГ 4-песок), наиболее насыщенная находками, в мелко- и среднезернистых песках, связанных, видимо, с русловой и пойменной фациями руслового аллювия, перекрывающего толщу коренных песков сеноманского яруса меловой системы. В комплексе КСГ 4 были выявлены изделия, свидетельствующие о его принадлежности к группе индустрий с кайльмессерами (или кайльмессергруппе) среднего палеолита Евразии, а также примеры использования техники леваллуа (рис. 12)

Среди вышележащих КСГ больше всего находок было зафиксировано в различных субгоризонтах группы КСГ 2 (2.1, 2.2, 2.3, 2.4) — 2793 изделия. Субгоризонты КСГ 2 были изучены на небольшом участке раскопа Хотылёво I-6-2, в основном в его северной части. В южной части раскопа верхние интенсивно гумусированные горизонты литологического слоя 9 полностью выклиниваются, вместе со всеми относящимися к ним субгоризонтами КСГ 2, и сливаются с нижележащими бурыми гумусированными суглинками того же литологического слоя, содержащими редкие находки КСГ 3. Изделия этого КСГ (всего 317 экз.) распределены по площади

medium-grained sands, linked evidently with the channel and flood-plain facies of the channel alluvium covering the rock mass of the primary sands in the Senomanian stratum of the Cretaceous system. In the assemblage from Cultural Horizon 4 artefacts were found which testified to the fact that it belongs to the group of stone industries including Keilmesser (or the Keilmesser group) from the Middle Palaeolithic of Eurasia, and also signs of Levallouis technology having been used (Fig. 12).

Among the Cultural Horizons situated higher up, the largest number of finds was recorded in various sub-horizons of Cultural Horizon 2 (2.1, 2.2, 2.3, 2.4), namely 2,793 artefacts. The sub-horizons of Cultural Horizon 2 were studied within a small section of the Khotylevo I-6-2 Trench, mainly in its northern part. In the southern part of the trench, the upper horizons containing a good deal of humus in Lithologic Level 9 taper out to nothing, together with all the sub-horizons of Cultural Horizon 2 relating to them, and then fuse with the brown loams with high humus content beneath them in the same lithologic level, which contain the rare finds from Cultural Horizon 3. The artefacts from that cultural horizon (a total of only 317 specimens) are distributed over the area of the site already studied fairly evenly and they do not form specific concentrations which were common for the assemblage from Cultural Horizon 2. One of the typical features in the inventories from all the subhorizons in Cultural Horizon 2 is their small size: within them small flakes, fragments of flakes and chips predomi-

изученного участка достаточно равномерно и не образуют специфических концентраций, обычных для комплекса КСГ 2. Одной из характерных особенностей инвентаря всех субгоризонтов КСГ 2 являются его мелкие размеры — тут доминируют мелкие сколы, фрагменты сколов и чешуйки, часто образующие разные по формам концентрации. Крупные сколы, как правило, редки. Изделий с вторичной обработкой очень мало, а наиболее выразительной формой является единственное двойное продольное скребло (рис. 11).

Самая представительная коллекция орудий для участка Хотылёво I-6–2 получена из КСГ 1, который связан с гумусированными суглинками, видимо, относившимися к перемещенной ископаемой почве, нарушенной постдепозиционными процессами. Большинство обнаруженных изделий залегают именно в гумусированных линзах, полностью повторяя углы их наклона. Среди 732 изделий этого КСГ можно выделить различные скребла, выразительные остроконечники, среди которых один — двойной, а также двусторонне обработанные формы, представленные фрагментами поломанных изделий (рис. 10). Степень сохранности КСГ 1 не оставляет шансов на изучение структурных особенностей этого археологического слоя, однако речь не идет и о переотложении данного материала, определенно сохраняющего связь с гумусированными линзами разрушенной ископаемой почвы.

nate and they often form clusters of different shapes. Large flakes are, as a rule, rare. There are very few artefacts with fashioning and the most interesting shape found is the one and only double side-scraper (Fig. 11).

The most impressive collection of tools from the area Khotylevo-I-6–2 was that from Cultural Horizon 1, linked with humus-rich loams, which evidently relate to the re-deposited fossil soil was damaged by post-deposition processes. Most of the artefacts found lay precisely in the humus-rich lenses, which echoed in all respects the angles of their incline. Among the 732 items from that Cultural Horizon it is possible to single out various side-scrappers, some interesting points — one of which is a double specimen — and also shapes that have been worked on both sides which are represented by fragments of broken artefacts (Fig. 10). The state of preservation of Cultural Horizon 1 is such that there is no chance of being able to study the structural features of this particular archaeological level, but we are not referring to the re-depositing of the material in question which was definitely associated with the lenses containing humus found in the disrupted fossil soil.

Continuing the multi-disciplinary geoarchaeological investigations of the group of Middle Palaeolithic sites at Khotylevo I will enable scholars to obtain new information not only about the various kinds of Middle Palaeolithic communities in Eastern Europe, but also about the ways in which the environment changed during the last glacial and interglacial macro-cycles.

Рис. 10. Хотылёво I. Раскоп Хотылёво I-6-2. Основные типы изделий из коллекции КСГ 1
 Fig. 10. Khotylevo I. Khotylevo Trench I-6-2. Main types of artefacts from the assemblage CH 1

Рис. 11. Хотылёво I. Раскоп Хотылёво I-6-2. Основные типы изделий из коллекций комплекса КСГ 2/3

Fig. 11. Khotylevo I. Khotylevo Trench I-6-2. Main types of artefacts from the assemblage CH 2/3

Рис. 12. Хотылёво I. Раскоп Хотылёво I-6-2. Основные типы изделий
из коллекций комплекса КСГ 4

Fig. 12. Khotylevo I. Khotylevo Trench I-6-2. Main types of artefacts from the assemblage CH 4

Хронометрические данные (¹⁴C):

/AMS даты по древесному углю получены в Университете Колорадо при помощи Дж. Хоффекера. Образцы отобраны в раскопах и зачистках, расположенных на различных участках памятника Хотылёво I: Khotylevo I-6-2, Khot. I, Prof. № 3, Khotylevo I-3-2/

Index	Excavation area	Archeological layer	Lithological layer	¹⁴ C дата	Calendric Age calBP
UCIAMS-17368	Khotylevo I-6-2	CL 1	9	49 780 ± 3 710	55 255 ± 5 404
UCIAMS-18727	Khotylevo I-6-2	CL 1	9	37 910 ± 1 030	42 186 (IntCal13)
UCIAMS-18766	Khotylevo I-6-2	CL 2.1	12	>45 650	>47 791 (IntCal13)
UCIAMS-17369	Khotylevo I-6-2	CL 2.2	12	47 160 ± 2 680	51 485 ± 3 810
UCIAMS-18772	Khot. I, Prof. № 3	CL 1	9	>45 650	>47 791 (IntCal13)
UCIAMS-18746	Khot. I, Prof. № 3	CL 1	9	>45 650	>47 791 (IntCal13)
UCIAMS-18760	Khot. I, Prof. № 3	CL 2	11	>45 650	>47 791 (IntCal13)
UCIAMS-208235	Khotylevo I-3-2	CL 2		>54 000	

/конвенциональные даты по гумусу получены в Лаборатории ИГ РАН. Образцы отобраны в раскопах и зачистках, расположенных на различных участках памятника Хотылёво I: Khotylevo I-6-2, Khot. I–Krjuchka; Khotylevo I-3-2 /

Index	Excavation area	Archeological layer	Lithological layer	¹⁴ C дата	Calendric Age calBP
ГИН-15287	Khotylevo I-6-2	CL1	9	25 150±350	29 580
ГИН-15195	Khotylevo I-6-2	КСГ 2.3		35 900 ± 600	41 630
ГИН-15197	Khotylevo I-6-2	CL 2.4		41 900 ± 600	45 725
ГИН-15291	Khotylevo I-6-2	CL 3	13	40 000 ± 970	44 650
ГИН-15289	Khot. I–Krjuchka	гиттия		23 650 ± 250	28 670
ГИН-15196	Khotylevo I-3-2	КСГ 1	8	35 400 ± 400	41 130
ГИН-15923	Khotylevo I-6-2	—	«верхняя почва 1»	31 450 ± 520	
ГИН-15924	Khotylevo I-6-2	—	«верхняя почва 2»	27 590 ± 350	

Chronometric Data (¹⁴C):

/AMS Dates using charcoal obtained at the University of Colorado with the help of J. Hoffeker. Specimens were selected in the trenches and cleared areas located in various parts of the Khotylevo I site. Khotylevo I-6-2; Khotylevo I, Prof. No.3; Khotylevo I-3-2/

Index	Excavation area	Archaeological level	Lithologic level	¹⁴ C data	Calendric Age calBP
UCIAMS-17368	Khotylevo I-6-2	CL 1	9	49,780 ± 3,710	55 255 ± 5404
UCIAMS-18727	Khotylevo I-6-2	CL 1	9	37,910 ± 1,030	42,186 (IntCal 13)
UCIAMS-18766	Khotylovo I-6-2	CL 2.1	12	>45,650	>47,791 (IntCal 13)
UCIAMS-17369	Khotylevo I-6-2	CL 2.2	12	47,160 ± 2,680	51,485 ± 3,810
UCIAMS-18722	Khot. I, Prof. № 3	CL 1	9	>45,650	>47791 (IntCal 13)
UCIAMS-18746	Khot. I, Prof. № 3	CL 1	9	>45,650	>47791 (IntCal 13)
UCIAMS-18760	Khot. № 3	CL 2	11	>45,650	>47,791 (IntCal 13)
UCIAMS-208235	Khotylevo I-3-2	CL 2		>54,000	

/Conventional dates using humus obtained in the Laboratory of the Institute of Geography affiliated to the Russian Academy of Sciences. The specimens were selected in the trenches and cleared areas in various parts of the Khotylevo I site: Khotylovo I-6-2; Khot. I-Krjuchka; Khotylevo I-3-2/

Index	Excavation Area	Archaeological level	Lithologic level	¹⁴ C data	Calendric Age calBP
GIN-15287	Khotylevo I-6-2	CL1	9	25,150±350	29,580
GIN-15195	Khotylevo I-6-2	Cultural Horizon 2.3		35,900±600	41,630
GIN15197	Khotylevo I-6-2	CL 2.4		41,900±600	45,725
GIN15291	Khotylevo I-6-2	CL 3	13	40,000±970	44,650
GIN15289	Khot.I-Krjuchka	gittiya		23,650±250	28,670
GIN-15196	Khotylevo I-6-2	Cultural Horizon 1	8	35,400±400	41,130
GIN-15923	Khotylevo I-6-2	-	“Upper soil 1”	31,450±520	
GIN-15924	Khotylevo I-6-2	-	“Upper soil 2”	27,590±350	

Стоянка Бетово расположена в 30 км от Брянска на северной окраине д. Бетово Чернетовского сельского поселения Брянского района Брянской области РФ. Культуросодержащие горизонты залегают в позднеплейстоценовых субаэральных отложениях высокого правобережья Десны.

Памятник расположен в прибортовой части обширного мыса, опирающегося на поверхность высокой поймы Десны (рис. 13). Система мысов, к одному из которых приурочена стоянка, ограничена с запада и с востока Бетовской и Коршевской балками, которые представляют собой переходные формы от балок к небольшим речным долинам, с постоянным водотоком по тальвегу. Помимо крупных балок, южный склон мыса прорезан системой более мелких оврагов, два из которых ограничивают площадь стоянки (Воскресенская, Маркова, 2019).

The site of Betovo is situated 30 kilometres from Bryansk on the northern edge of the village of Betovo (Chernetovskoye village settlement) in the Bryansk District of the Bryansk Region of the Russian Federation. The levels containing remains of material culture lie in the Late Pleistocene subaerial deposits on the high west bank of the River Desna.

The site is near the edge of an extensive cape, forming part of the surface of the high flood-plain of the River Desna. A series of capes, to one of which the Betovo site is linked, is bordered to the West and East by two small flat-bottomed valleys — Betovo and Korshevo valleys — which are transitional forms of such river valleys, in which there is a constant flow of water along their deepest part. Apart from large valleys of this kind, the southern slope of the cape is intersected by a series of small gullies, two of which form edges of the site area (Voskresenskaya, Markova, 2019). (Voskresenskaya, Markova, 2019).

ИСТОРИЯ ИССЛЕДОВАНИЯ

Стоянка была открыта сотрудником ИИМК РАН Львом Михайловичем Тарасовым в 1971 во время обследования им северной окраины деревни Бетово, расположенной на правом берегу Десны в 10 км

HISTORY OF RESEARCH AT THE SITE

The site was discovered in 1971 by Lev Tarasov, a member of staff from the Institute for the History of Material Culture affiliated to the Russian Academy of Sciences (IHMC-RAS), while he had been surveying the

Рис. 13. Топографический план участка правобережья Десны,
 на котором расположена стоянка Бетово
 Fig.13. Topographical Plan of the area on the west bank of the River Desna,
 on which the Betovo site is situated (drawn by E.K. Blokhin, A.K. Otcherednoy)

выше по течению от села Хотылёво. Первый этап изучения Бетово занял десять лет (с 1972 по 1983 гг.). Недалеко от стоянки Бетово в ходе активных разведочных работ Л.М. Тарасова были открыты еще несколько памятников среднего палеолита, к которым относятся нижние культурные слои стоянок Коршево I и Коршево II (1973 г.) и крупное, ныне утраченное, местонахождение Лебедевка (1974 г.). Кроме того, в окрестностях Бетово экспедицией Л.М. Тарасова были открыты местонахождения неолитического, мезолитического и, вероятно, верхнепалеолитического возраста. Таким образом, Бетово является наиболее полно изученной стоянкой в отдельной группе Бетовских памятников каменного века Верхней Десны.

По данным Л.М. Тарасова, культурный слой, мощность которого доходила до 1 м, залегал на коренном песке сеноман-альбского яруса меловой системы и перекрывался мощной шестиметровой толщей лессов с выраженной слоистостью. Значительная мощность культурного слоя на большинстве изученных участков обусловила его вскрытие четырьмя условными горизонтами (~ по 20 см. каждый). Коллекция Бетово, сформированная в результате работ экспедиции Л.М. Тарасова, насчитывает около 10 000 экз., из которых, по Л.М. Тарасову, к орудиям относится 1080 изделий, а 1716 изделий — к сколам-заготовкам. Типологический анализ материала не выявил аргументов для дифференциации на разные ком-

northern edge of the village of Betovo situated on the west bank of the Desna, which lay 10 kilometres higher up the river from the village of Khotylevo. The first stage in its investigation lasted for 10 years (from 1972 to 1983). Not far from the Betovo site and while carrying out intensive survey work, L.M. Tarasov discovered further Middle-Palaeolithic sites, including the lower cultural layers at the Korshevo I and II (1973) sites (1973) and the large site, now lost, at Lebedevka (1974). In addition the expedition led by L.M. Tarasov discovered sites from the Neolithic and Mesolithic periods and probably from the Upper-Palaeolithic period as well. This meant that Betovo was to become one of the most thoroughly excavated sites within the Betovo group of Stone-Age sites in the upper reaches of the Desna river.

According to the data obtained by L.M. Tarasov, the cultural layer which had a thickness of up to one metre, lay on the bedrock sand of the Senomanian-Albian stage within a chalk system, was covered by loess six metres deep and made up of distinct layers. The considerable thickness of the cultural layer in most of the areas investigated led to the decision that it should be cleared by excavating four arbitrary tiers (each 20cms deep). The collection of finds from Betovo, assembled as a result of the work carried out by L.M. Tarasov's expedition team, consisted of approximately 10,000 items, 1,080 of which — according to L.M. Tarasov — were tools and 1,716 articles were flake blanks. Typological analysis of the material did not

плексы. Результаты первых сезонов свидетельствовали о постдепозиционных нарушениях в слое, который по предварительным данным был частично смещен сюда с участка, лежащего выше по склону в результате воздействия мерзлотных процессов (Тарасов, 1977). Важной характеристикой слоя, содержащего культурные остатки, является его насыщенность отдельностями плитчатого кремня, осколками и обломками естественного происхождения. Именно этот кремень и составил сырьевую базу каменного инвентаря. Культурная принадлежность инвентаря Бетовской стоянки на первом этапе исследований была определена Л.М. Тарасовым в самых общих чертах как принадлежащая к позднему мустье Центральной Европы: в коллекции были выделены соответствующие типы орудий — скребла, остроконечники, резцы, мелкие скребочки и скребки, ножи с обушком, клювовидные, тесловидные, зубчатые, выемчатые, рубящие, массивные бифасы (Тарасов, 1989; 1995). Особое внимание было сосредоточено на базальной части небольшого фрагмента тонкого бифаса, пропорции которого позволили Л.М. Тарасову реконструировать форму полного орудия в виде стрелецкого наконечника (Тарасов, 1999: 31). Наличие обломка стрелецкого наконечника в коллекции изделий среднепалеолитического облика и некоторые находки, интерпретированные как верхнепалеолитические типы орудий (микроскребки, резцы и терочные плит-

bring to light arguments for drawing distinctions between the finds as from different assemblages. The results obtained during the initial field seasons showed that there had been disruptions in the cultural layer after deposition which, according to preliminary data, was partly shifted into its current position from an area higher up the slope as a result of the impact of cryogenic processes (Tarasov, 1977). An important characteristic of the layer containing cultural remains was that there was a dense concentration in it of pieces of tabular flint, stone chips and fragments of natural origin. It was precisely flint of this kind which constituted the main raw-material base for the stone industry. The cultural origin of the inventory from the Betovo site was determined during the first stage in the investigations by L.M. Tarasov as belonging, in the most general terms, to the Late Mousterian period of Central Europe. The types of tools identified in the collection, which corresponded to that conclusion, were: side-scrapers, points, burins, small and medium-sized end-scrapers, backed knives, beaked, adze-shaped, denticulated, notched, axe-like and large bifaces (Tarasov, 1989; 1995). Special attention was focused on the base part of a small fragment from a thin biface, the proportions of which allowed L.M. Tarasov to reconstruct the shape of a tool in the form of a Streletskaia point (Tarasov, 1999: 31). The presence of a fragment from a Streletskaia point in the collection of artefacts of Middle-Palaeolithic appearance and certain finds interpreted

ки) послужили основой для обозначения Л.М. Тарасовым связи между бетовской стоянкой и стрелецкой культурой (рис. 14) (Тарасов, 1999).

Комплексное изучение Бетовской стоянки было возобновлено в 2009 г. и продолжено в 2016 г. коллективом Верхне-деснинской экспедиции ИИМК РАН

as Upper-Palaeolithic tool types (micro end-scrapers, burins and pestle slates) served as the basis for L.M. Tarasov's decision to link the Betovo site with the Streletskaia Culture (Fig. 14) (Tarasov 1999).

The multi-disciplinary study of the Betovo site was embarked upon again in 2009 by the Upper Desna Expedition

Рис. 14. Бетово. Кремневые орудия (по: Тарасов, 1999)

Fig. 14. Betovo. Flint tools (after: Tarasov, 1999)

(Очередной, Воскресенская, 2012; Очередной и др., 2018). Для получения более ясного представления о стратиграфической позиции культурного слоя новый раскоп был заложен на участке, примыкающем к раскопу Л.М. Тарасова 1983 г. с юга (рис. 13). В отложениях общей мощностью до 5.5 м выделено 12 литологических слоев. Верхняя часть (слои 1–6) представлена светлыми лессовидными супесями, а нижняя (слои 7–11) серовато-палевыми и бурыми слабогумусированными суглинками и супесями, включающими и культуросодержащие отложения (рис. 15, 16). Исходя из того, что культурные остатки залегают в разных литологических горизонтах с характерными особенностями постдепозиционных деформаций склоновыми и мерзлотными процессами были выделены по меньшей мере два культуросодержащих горизонта.

ГЕОЛОГИЧЕСКИЕ И ГЕОМОРФОЛОГИЧЕСКИЕ УСЛОВИЯ ЗАЛЕГАНИЯ ВМЕЩАЮЩИХ КУЛЬТУРНЫЕ СЛОИ ОТЛОЖЕНИЙ

Стратиграфическая последовательность отложений сверху вниз по Западной стенке раскопа ВДЭ-16 (рис. 15) следующая:

1. Почва, сформировавшаяся за последние 30 лет на подготовленной в лесах площадке для раскопок Л.М. Тарасова

of the IHMC-RAS) and continued till 2016 (Ocherednoi, Voskresenskaya, 2012; Ocherednoi *et al.*, 2018) and continued till 2016. In order to obtain a clearer idea of the stratigraphic position of the cultural layer, a new trench was sunk in an area adjacent to the trench dug by L.M. Tarasov in 1983 and to the South of it (Fig. 13). Twelve lithologic levels with an overall thickness of 5.5 metres were identified. The upper part (Levels 1–6) consisted of pale loess-type loamy sands, while the lower part (Levels 7–11) consisted of greyish-yellow and brown loams and loamy sands containing little humus: the lower levels also contained deposits containing cultural remains (Figs. 15 and 16). Starting out from the fact that cultural remains are found in different lithologic levels containing typical features of post-deposition deformations resulting from slope and cryogenic processes, at least two levels were identified which contained cultural remains.

GEOLOGICAL AND GEOMORPHOLOGICAL CONDITIONS SHAPING THE POSITION IN WHICH THE DEPOSITS CONTAINING CULTURAL LAYERS WERE FOUND

The stratigraphic sequence of deposits in the western wall of the trench dug by the Upper Desna Expedition team (from the top downwards) (Fig. 15) was as follows:

1. Soil which had formed over the previous 30 years on a loess platform prepared by

Рис. 15. Бетово. Южная стенка раскопа
Fig. 15. Betovo Southern profile of the Trench

в 1970 гг. Мощность гумусового горизонта с подушкой дернины — 17 см, горизонта В — около 12 см.—0,27 м

2. Супесь лессовидная, коричневатопалевая, однородная, проработанная биотурбацией, с новообразования карбонатов в виде псевдомицелия по порам — 0,27–0,73 м.

3. Супесь лессовидная, палевая, с чередованием более светлых и более темных

L.M. Tarasov in 1970 (1970s). The thickness of the level containing humus on a turf cushion was 17 cms and Level V was between 12 and 27cms thick.

2. Loamy sand of a loess type: brownish-yellow, homogenous, affected by bioturbation. New formations of carbonates had appeared in the form of pseudomycelia in the pores — 27–73cms.

Рис. 16. Бетово. Западная стенка раскопа
 Fig. 16. Betovo. Western profile of the Trench

субгоризонтальных прослоев. Горизонт пронизан современными и древними червеходами. В слое отмечаются карбонатный псевдомицелий, точки органо-минеральных стяжений и пятна ожелезнения по порам. *Алтыновский лесс.* — 0,73–1,23 м..

4. Супесь лессовидная, плотная, темно — палевая с коричневатым оттенком в верхней части слоя и серовато-палевая, слабоогленная в нижней части, с фестон-

3. Loess-type loamy sand yellow in colour and with alternating paler and darker sub-horizontal inter-layers. The level has been penetrated by modern and ancient worm tunnels. In this level carbonate pseudomycelia have been observed, spots of organic-mineral concretions and stains of ferrugination in the pores. *Altynov loess* — 73cms to 1.23 metres.

4. Loess-type loamy sand, dense, dark-yellow with a brownish tinge in the upper part of

чатым нижним контактом. По порам — стяжения карбонатов, точки и пятна ожелезнения. *Трубчевская почва*. — 1,23–1,75 м.

5. Супесь лессовая, желтовато-палевая, с признаками скрытой слоистости в верхней части слоя, с глубины 2,3 м — горизонтально-слоистая. Начиная со средней части слой прослеживаются признаки оглеения — прослой серого цвета толщиной до 5 см, с каймой ржавого ожелезнения по верхнему контакту — 1,75–2,43 м.

6. Супесь лессовидная, палевая до белесовато-палевой, слоистая, с горизонтом оглеения в средней части слоя. Слоистость в верхней части слоя подчеркивается горизонтальными прослоями оглиненного светлого тонкозернистого, в нижней части слоя — ритмичная горизонтальная слоистость по всей толще. Слойки разбиваются на отдельные линзы системой тонких субвертикальных трещин, по некоторым из которых развито оглеение, а борта подчеркнуты каймой ожелезнения. В нижней части по падению прослоев прослеживается незначительный уклон в сторону долины. *Деснинский лесс*. — 2,43–3,74 м.

7. Суглинок серовато-палевый, оглеенный, с линзами и прослоями оглиненного песка, проявляющимися с глубины 3,96 м. Материал в песчаных линзах сцементирован карбонатами. *Уровень эфемерного почвообразования* — 3,74–4,16 м.

8. Суглинок бурый (до буровато-серого в средней части слоя и рыжевато-бурого — в нижней), лессовидный, пластичный, с признаками скрытой слоистости.

the level and greyish-yellow, slightly gleyic in the lower part: the bottom contact line is scalloped. Along the pores there are concretions of carbonates, dots and ferrugination stains. *Trubchevskaya palaeosol* — 1.23–1.75 metres.

5. Loess-type loamy sand, pale yellow or yellowish, with signs of concealed stratification in the upper part of the level and with horizontal layers from a depth of 2.3 metres. Starting from the middle part of the level there are gleyic features to be noted: an inter-layer grey in colour and up to 5cms thick, edged with rusty ferrugination along the upper contact line — 1.75–2.43 metres.

6. Loess-type loamy sand, yellow to whitish-yellow in colour, layered and with a gleyic stratum in the middle part of the level. The stratification in the upper part of the level is emphasized by horizontal inter-layers of pale fine-grained and clayed sand, while in the lower part of the level there are rhythmic horizontal layers right through it. The thin layers are broken up into separate lenses by a network of fine sub-vertical cracks, along some of which there is gleyization to be seen, while the edges are emphasized by ferrugination. In the lower part of the level along the descending line of the inter-layers it is possible to trace a slight slope in the direction of the valley. *Desninsky loess* — 2.43–3.74 metres.

7. Greyish-yellow loam, gleyic, containing lenses and inter-layers of clayey sand, which appear after a depth of 3.96 metres. The material in the sandy lenses is cemented in place by carbonates. *A level of ephemeral soil formation* — 3.744–4.16 metres.

По нижнему контакту — прослой одно-родного мелкозернистого желтоватого песка толщиной до 2 см, разбитый на отдельные линзы проникающими сверху трещинами — 4.16–4.35 м.

9. Чередование прослоев серовато-палевого и серого суглинка и линз тонкозернистого белесого песка — 4.35–4.72 м.

10. Суглинок серовато-палевый, сильно опесчаненный, с большим количеством мелкой дресвы и крошки мела, фосфоритов. Содержит включения обломков местного серовато-черного кремня, в том числе — со следами обработки, фрагменты костей мелких млекопитающих (**КСГ 1**) — 4.72–4.97 м.

11. Песок мелко- средне зернистый, сильно оглиненный, с неровной, ячеистой окраской. Цвет меняется от оливкового и буроватого до белесого. Многочисленные кротовины. Включения обломков кремня, в том числе — крупных отщепов и фаунистических остатков (в том числе шерстистого носорога) (**КСГ 2**) — 4.97–5.50 м.

12. Пески однородные тонко- среднезернистые, серовато-зеленые — сеноманские коренные пески верхнего мела — 5.50–5.80 м (видимая глубина).

Формирование отложений, вмещающих культурные остатки, происходило в прибортовой части долины, в основании опирающегося на пойму склона, сложенного снизу вверх коренными сеноманскими верхнемеловыми глауконитовыми песками, выветрелым мелом-суркой, маломощ-

8. Brown loam (shading to brownish-grey in the middle part of the level and ginger-brown in the lower part), loess-type and pliable, with signs of concealed stratification. Along the bottom contact line is an inter-layer of homogenous fine-grained yellowish sand up to 2cms thick, broken up into separate lenses by cracks that have penetrated it from above — 4.16–4.35 metres.

9. Alternating inter-layers of greyish-yellow and grey loam and lenses of fine-grained whitish sand — 4.35–4.72 metres.

10. Greyish yellow loam with high sand content and also containing a large amount of fine scree, tiny pieces of chalk and phosphorites. Also present are fragments of the local greyish-black flint, including some with traces of having been worked, and fragments of the bones of small mammals (**Cultural Horizon 1**) — 4.72–4.97 metres.

11. Sand that is fine- or medium-grained, containing a good deal of clay: its colour is uneven and in honeycomb relief. The colour changes from olive-green to brownish and then whitish. There are numerous mole-courses in this level and flint inclusions including large flakes and faunal remains as well (including those of a woolly rhinoceros) (**Cultural Horizon 2**) — 4.97–5.50 metres.

12. The sands are homogenous, fine- or medium-grained and greyish green — Cenomanian bedrock sands from the Late Cretaceous — 5.50–5.80 metres (the visible depth).

The formation of the deposits containing the cultural remains, took place along the

ными флювиогляциальными супесями и алевритами среднеплейстоценового возраста, на которых была сформирована лесово-почвенная позднеплейстоценовая серия отложений (мезинский почвенный комплекс — хотылевский лесс — брянская почва — деснинский лесс — трубчевская почва — алтыновский лесс). Отложения, вмещающие находки среднепалеолитического облика и фаунистические остатки, формировались на протяжении второй половины средневалдайского мегаинтерстадиала (МИС 3). Культуросодержащие горизонты связаны с нарушенными мерзлотными процессами и частично переотложенным уровнем брянской погребенной почвы. Можно предположить, что функционирование и захоронение памятника сопровождалось несколькими этапами активизации эрозионных процессов в прибортовой части долины, в результате чего процессами сноса были затронуты и более высокие участки приводораздельного склона. Изначально под место стоянки была выбрана выработанная в коренных сеноманских песках террасовидная площадка, которая с северной стороны была ограничена руслом пра-Десны, а с южной — основанием коренного склона, сложенного толщей выветрелых мергелисто-меловых отложений с конкрециями кремня. В ритмике осадконакопления на стояночном участке можно выделить последовательно несколько этапов оживления мерзлотно-криотурбационных и склоновых процессов, об-

side of the valley, at the base of a slope supported on the flood-plain, consisting of bedrock Senomanian glauconite sands of the Late Cretaceous period which have built up from below, weathered chalk, thin layers of fluvio-glacial loamy sands and aleurites from the Middle Pleistocene era, on which a series of loess-soil deposits from the Late Pleistocene took shape (Mezin soil complex — Khotylyovo loess — Bryansk soil — Desninsky loess — Trubachevskaya soil — Altyn loess). The deposits containing finds of Middle-Palaeolithic appearance and faunal remains, were formed during the second half of the Middle Valdai Mega-interstadial, (MIS3). The levels containing cultural remains were associated with disruptive cryogenic processes and partly redeposited by the level of the Bryansk buried soil. It could be suggested that the functioning and burying of the site was accompanied by several stages in the activation of erosion processes in the sides of the valley, as a result of which the higher sections of the slope around the watershed were also affected by wear processes. Initially a location for the settlement was selected that was a terrace-like platform area formed in the bedrock Senomanian sands. It was edged on its north side by the channel of the ancient River Desna, and on its south side by the base of the bedrock slope consisting of a series of weathered, marly-chalk deposits with flint concretions. In the rhythm of the sedimentation that took place within the site area it is possible to single out several consecutive stages in the activation of the permafrost-cryoturbation and

условленных, вероятно, отзывавшимся на климатические изменения резким падением базиса эрозии и, соответственно, активизацией врезания по бортам склона к долине и ограничивающих стоянку оврагов. В процесс сноса вовлекались последовательно все более древние отложения. На первом этапе эрозией был затронут материал делювиального шлейфа, ложившегося непосредственно на сеноманские коренные пески, на котором и существовало поселение. Затем с более высоких участков склона снос усилился, возможно, при участии солифлюкционных процессов, и проходил уже с захватом как коренных меловых отложений и гравийно-галечного обломочного материала из среднеплейстоценовых водноледниковых отложений, так и материала мезинского педокомплекса. Этому этапу отвечает формирование КСГ 2. На третьем этапе, вероятно, в более криоаридных условиях, в конце МИС 3, снос несколько замедлился. Гумусированные супеси, вмещающие КСГ 1, ниже которых залегает насыщенный новообразованиями карбонатов КСГ 2, возможно, отвечают педоседиментам гумусового и карбонатного горизонтов брянской ископаемой почвы. На заключительных этапах почвообразования сформировались крупные воронковидные трещины. Этап формирования крупных трещин приходится, вероятно, на окончание средневалдайского мегаинтерстадиала. Образование системы более мелких мерзлотных трещин,

slope processes, probably brought about by the sharp fall in the erosion base echoing climatic changes, and, accordingly by renewed cutting away at the edges of the slope towards the valley and the gullies at the edges of the site. This meant that all the more ancient deposits were affected by the wear process one after the other. The first stage of this erosion affected the material from the deluvial shelf, lying immediately above the Senomanian bedrock sands, on which the settlement had existed as well. After that the wear on the higher parts of the slope intensified, possibly involving solifluction processes as well: by this stage it was affecting both the bedrock chalk deposits and the gravel-and-shingle detrital material from the Middle-Pleistocene fluvio-glacial deposits and also the material from the Mezin paedo-complex. It was during this stage that Cultural Horizon 2 took shape. During the third stage, in what were probably more cryo-arid conditions at the end of (MIS3), the erosion slowed down somewhat. The loamy sands with high humus content, which contained Cultural Horizon 1, and below which lay Cultural Horizon 2 with its dense concentration of new carbonate formations, possibly correspond to the paedo-sedimentation of the levels containing humus and carbonates in the Bryansk fossil soil. During the final stages of soil formation, large funnel-shaped cracks emerged. This stage, when the large cracks formed, probably coincides with the end of the Middle Valdai mega-interstadial. The emergence of this network of smaller cryogenic cracks, which were also cutting

также разбивающих слои, вмещающие находки на изометричные блоки, связано уже с этапом накопления слоистых лессовидных супесей деснинского лессового горизонта. Лессонакопление на протяжении позднего Валдая происходило в пределах приводораздельного склона, но уже на некотором удалении от борта долины. Горизонты оглеения в нижней части деснинского лесса отвечают кратковременным периодам потеплений и замедления лессовой аккумуляции. (Воскресенская, Маркова, 2019).

**ТАФОНОМИЯ
КУЛЬТУРОСОДЕРЖАЩИХ ОТЛОЖЕНИЙ,
ТЕХНОЛОГИЯ И ТИПОЛОГИЯ
ИНВЕНТАРЯ**

Во время работ Верхнедеснинской экспедиции ИИМК РАН в 2016 г. на всей вскрытой площади в разных литологических слоях были надежно прослежены два культуросодержащих горизонта (далее КСГ) с изделиями среднепалеолитического облика, кроме того, по мере изучения зоны контакта литологических слоев 11 и 12 было выдвинуто предположение о существовании дополнительного КСГ (КСГ 3). Положение, распределение и сохранность КСГ неодинаковы. КСГ 1 был выделен в литологическом слое 10, представляющем собой серовато-палевый суглинок. Количество находок в КСГ 1

through layers containing finds and forming isometric blocks as they did so, was already linked to the stage when stratified loess-type loamy sands of the Desninsky loess level were accumulating. The accumulation of loess during the Late Valdai Ice Age took place within the confines of the watershed slope but, by this time, at some distance from the side of the valley. The gleyization levels in the lower part of the Desninsky loess match the short periods of rising temperatures and the slowing down of loess accumulation. (Voskresenskaya, Markova, 2019).

**THE TAPHONOMY OF THE DEPOSITS
CONTAINING CULTURAL FINDS.
THE TECHNOLOGY AND TYPOLOGY
OF THE INVENTORY**

During the work carried out by the Upper Desna Expedition of the IHMC-RAS in 2016 across the whole of the cleared area in the various lithologic levels, it emerged that two cultural horizons could reliably be traced, which contained artefacts of Middle-Palaeolithic appearance. Moreover, while the contact line between lithologic levels 11 and 12 was being studied, a suggestion was put forward to the effect that there had existed an additional cultural horizon as well — Cultural Horizon 3. The position, spread and state of preservation of the cultural horizons were not all the same. Cultural Horizon 1 had been identified in lithologic level 10, made up of

невелико — всего 353 экз., среди которых к изделиям с вторичной обработкой можно отнести лишь 9 предметов — невыразительное скребло, скребок и семь сколов с ретушью (что составляет 2,5% от всех изделий коллекции), а первичное расщепление представлено серией из 12 плоскостных нуклеусов и 147 сколами, среди которых лишь 11 экз. можно отнести к пластинчатым формам (рис. 17). В нижней части КСГ 1 был выявлен объект, предварительно определенный как искусственная ямка с заполнителем, инородным для вмещающих отложений. Степень сохранности этого объекта свидетельствует о хорошей степени сохранности КСГ 1 в целом. По всей видимости, КСГ 1 соответствует первому горизонту разборки слоя Л.М. Тарасова.

В литологическом слое 11 был выявлен КСГ 2. Он, безусловно, является основным культурным горизонтом Бетовской стоянки и его можно соотносить со 2 и 3 горизонтами разборки слоя Л.М. Тарасова. Его мощность соответствует мощности 11 литологического слоя (от 40 см до 1 м). При этом структура литологического слоя довольно сложна. Характерными особенностями КСГ 2 являются:

- 1) смещенность подавляющего большинства находок в результате воздействия морозобойного растрескивания, криотурбаций и солифлюкции различной интенсивности;

- 2) многочисленность находок (относительно КСГ 1), и обилие обломков

greyish-yellow loam. The quantity of finds in Cultural Horizon 1 was not large: it totalled only 353 specimens, among which there were only nine objects which could be classified as articles with secondary working: a rather ordinary side-scraper, an end-scraper and seven retouched flakes (making up 2.5% of all the articles in the collection), while primary knapping was represented by a series of 12 planar cores and 147 flakes, among which only 11 specimens could be classified as blade forms. (Fig. 17). In the lower part of Cultural Horizon 1 an object was found which was initially classified as an artificial pit with infill which was heterogenous relation to the deposits containing it. Its state of preservation indicated that the state of preservation for the whole of Cultural Horizon 1 was good. It would appear that Cultural Horizon 1 matched the first level which had been investigated by L.M. Tarasov.

In lithologic level 11 Cultural Horizon 2 was identified. There is no doubt that it is the main cultural horizon of the Betovo site and it can be seen as corresponding to Levels 2 and 3 described by L.M. Tarasov, when he was studying the site. Its thickness matches the thickness of lithologic level 11 (between 40cms and 1 metre). The structure of the lithologic level, however, is fairly complex. The characteristic features of Cultural Horizon 2 are as follows:

- 1) the shifting of the vast majority of finds as a result of the impact of frost cracks, kryoturbation and solifluction of varying intensity.

Рис. 17. Бегово. КСГ-1, кремнёвые изделия
 Fig. 17. Betovo. CH 1, flint artefacts

кремневых плиток вместе с десквамационными сколами и фрагментами. Фактически количество обломков местного плитчатого кремня разных фракций составляет фон, который позволяет адекватно оценить тафономические характеристики сильно поврежденного кремневого материала;

3) хорошая сохранность разноразмерного фаунистического материала;

4) полное отсутствие на всей вскрытой площади углистых или зольных пятен и отдельных мелких угольков.

Каменный инвентарь КСГ 2 состоит из 944 изделий и большого количества мелких плиток и их фрагментов со следами различных повреждений (десквамация, внутренние трещины, забитость ребер, псевдоретушь и т. п.). Изделия с вторичной обработкой в этой коллекции намного более выразительны, чем в КСГ 1. Здесь обнаружены: остроконечник без базальной части, скребок, четыре скребла, а также 25 различных сколов с ретушью (3,4% от всех изделий коллекции) (рис. 18). Основная масса материалов коллекции представлена многочисленной серией из 53 нуклеусов и их фрагментов, а также 419 сколов.

Таким образом, предварительные результаты полевых исследований демонстрируют, что формирование культурных горизонтов стоянки происходило в несколько этапов, связанных с постдепозиционными нарушениями его первоначального состояния. Разные особенности

2) the large number of finds (relating to Cultural Horizon 1) and the abundance of flint flakes together with desquamation flakes and fragments. In fact the number of fragments of local tabular flint constitutes the background allowing researchers adequately to evaluate the taphonomic characteristics of the seriously damaged flint material.

3) the good state of preservation of faunal remains of varying sizes;

4) the complete absence of charcoal or ash stains or of small pieces of charcoal over the whole cleared area.

The stone inventory from Cultural Horizon 2 consists of 944 items and a large amount of small slabs and their fragments bearing traces of various kinds of damage (desquamation, internal cracks, crushing of ribs, pseudo-retouching and so on). Items with secondary working in this collection are of far more interest than those from Cultural Horizon 1. Here the following finds have been made: a point without a base, an end-scraper, four side-scrappers and also 25 various flakes with re-touching (3.4% of all the items in the collection) (Fig. 18). The bulk of materials in the collection is represented by a large series of 53 cores and their fragments and also by 419 flakes.

This means that the preliminary results of the field investigations demonstrate that the formation of the site's cultural horizons took place over several stages, associated with the post-deposition disruption of its original state. Various features of the arrangement of the inventory in lithologic levels 10

Рис. 18. Бетово. КСГ-2, кремнёвые изделия
 Fig. 18. Betovo. CH 2, flint artefacts

залегания инвентаря в литологических слоях 10 и 11 на изученных площадях свидетельствуют о неоднократном заселении бетовского мыса носителями среднепалеолитических индустрий на границе стадий OIS3 и OIS2. Процентное соотношение сколов и плоскостных нуклеусов в КСГ 1 и КСГ 2 очень близкое.

and 11 within the areas already investigated show that the Betovo cape had been settled on more than one occasion by those involved in the Middle-Palaeolithic industries at the borderline between stages MIS3 and MIS2. The relative percentages represented by flakes and planar cores in Cultural Horizons 1 and 2 are very similar.

Хронометрические данные (^{14}C):

*/AMS даты получены в Университете Колорадо при помощи Дж. Хоффекера в 2014 г.
Материал — кость из раскопок Л.М. Тарасова/*

Index	Archeological layer	material	^{14}C age (BP)
UCIAMS-143879	horizont II	bone (hare)	23960±140
UCIAMS-143883	horizont III	bone (horse)	24490±150
UCIAMS-143882	horizont I	bone (horse)	24610±150
UCIAMS-143884	horizont?	bone (bison)	26490±210
UCIAMS-143881	horizont IV	bone (hare)	28120±230
UCIAMS-143878	horizont I	bone (hare)	28300±240
UCIAMS-143880	horizont III	bone (hare)	28330±240
UCIAMS-143885	horizont II	bone (deer)	32170±380

*/AMS даты получены в Университете Орхус при помощи В.В. Питулько в 2015 г.
Материал — кость из раскопок Л.М. Тарасова/*

Index	Material	Date
AAR-21012	bone	25600 ± 230

*/AMS даты получены в Университете Оксфорд при помощи Р. Динниса в 2016 г.
Материал — кость из раскопок ВДЭ ИИМК РАН 2015 г./*

Index	Archeological layer	Lithological layer	material	Date
OxA-X-2669-43	1	9	Bone (Marmot)	26550±250
OxA-33895	1	9	Bone (Marmot)	33550±600

Chronometric Data (^{14}C):

*/The AMS dates obtained at the University of Colorado with the help of J. Hoffecker in 2014.
The material used was bone from the excavations carried out by L.M. Tarasov/*

Index	Archeological layer	material	^{14}C age (BP)
UCIAMS-143879	horizont II	bone (hare)	23960±140
UCIAMS-143883	horizont III	bone (horse)	24490±150
UCIAMS-143882	horizont I	bone (horse)	24610±150
UCIAMS-143884	horizont?	bone (bison)	26490±210
UCIAMS-143881	horizont IV	bone (hare)	28120±230
UCIAMS-143878	horizont I	bone (hare)	28300±240
UCIAMS-143880	horizont III	bone (hare)	28330±240
UCIAMS-143885	horizont II	bone (deer)	32170±380

*/AMS dates obtained at the University of Aarhus with the help of V.V. Pitulko in 2015.
The material used was bone from the excavations carried out by L.M. Tarasov/*

Index	Material	Date
AAR-21012	bone	25600 ± 230

/AMS dates obtained at the University of Oxford with the help of P. Dinnis in 2016. The material used was bone from excavations carried out by the Upper Desna Expedition of the IHMC-RAS in 2015/

Index	Archeological layer	Lithological layer	material	Date
OxA-X-2669-43	1	9	Bone (Marmot)	26550±250
OxA-33895	1	9	Bone (Marmot)	33550±600

*/AMS даты получены в Университете Оксфорд в 2018 году Эммой Хендерсон (Emma Henderson, Research Laboratory for Archaeology and the History of Art, Oxford University) для Тибо Девиеца (Dr. Thibaut Deviese, Research Laboratory for Archaeology and the History of Art, Oxford University) в рамках проекта PaleoChron (рук. Prof. Tom Higham).
Материал — кость из раскопок ВДЭ ИИМК РАН 2016 г./*

Index	Sample	Radiocarbon	AgecalBP (68%)		AgecalBP (95.4%)	
OxA –36206	CH1, Lith10, K27, X45, Y90, Z-130 / Mouse/rat?	33200 ± 500	38145	36744	38644	36228
OxA –36207	CH2, Lith11, K73, X57, Y18, Z-180 / Hare/rabbit	33800 ± 550	38888	37382	39531	36627
OxA –36208	CH2, Lith11, K56, X38, Y5, Z-200 / Rangifer tar.?	28000 ± 280	32186	31406	32696	31257
OxA –36209	CH1, Lith10, K34, X27, Y0–10, Z-138 / Canidae	27830 ± 270	31899	31277	32478	31154
OxA –37077	CH2, Lith11, K53, X46, Y43, Z-217 / bone	26080 ± 230				
OxA –37078	CH2, Lith11, K69, X88, Y94, Z-183 / bone	28160 ± 290				
OxA –37079	CH2, Lith11, K69, X88, Y94, Z-183 / bone	28010 ± 290				

/The AMS dates obtained at the University of Oxford in 2018 by Emma Henderson (from the Research Laboratory for Archaeology and the History of Art, Oxford University) for (Dr. Thibaut Deviese, from the Research Laboratory for Archaeology and the History of Art, Oxford University) within the framework of the PaleoChron project (led by Prof. Tom Higham). The material used was bone from the excavations carried out by the Upper Desna Expedition of the IHMC-RAS in 2016/

Index	Sample	Radiocarbon	AgecalBP (68%)		AgecalBP (95.4%)	
OxA –36206	CH1, Lith10, K27, X45, Y90, Z-130 / Mouse/rat?	33200 ± 500	38145	36744	38644	36228
OxA –36207	CH2, Lith11, K73, X57, Y18, Z-180 / Hare/rabbit	33800 ± 550	38888	37382	39531	36627
OxA –36208	CH2, Lith11, K56, X38, Y5, Z-200 / Rangifer tar.?	28000 ± 280	32186	31406	32696	31257
OxA –36209	CH1, Lith10, K34, X27, Y0–10, Z-138 / Canidae	27830 ± 270	31899	31277	32478	31154
OxA –37077	CH2, Lith11, K53, X46, Y43, Z-217 / bone	26080 ± 230				
OxA –37078	CH2, Lith11, K69, X88, Y94, Z-183 / bone	28160 ± 290				
OxA –37079	CH2, Lith11, K69, X88, Y94, Z-183 / bone	28010 ± 290				

ВЕРХНЕПАЛЕОЛИТИЧЕСКИЕ СТОЯНКИ В ОКРЕСТНОСТЯХ с. ХОТЫЛЁВО

Хотылёвские верхнепалеолитические стоянки расположены у западной окраины с. Хотылёво, Глинищевского сельского поселения, Брянского района Брянской области, на расстоянии около 20 км к западу от центра Брянска и в 400-х км к юго-западу от Москвы.

ХОТЫЛЁВО 2

История изучения

История изучения верхнепалеолитической стоянки Хотылёво 2 началась в 1966 г., когда в одном из оврагов к северо-западу от окраины с. Хотылёво Ф.М. Заверняев обнаружил фрагмент кости мамонта. Открытие новой стоянки состоялось в 1968 г. Планомерные раскопки Хотылёво 2 Ф.М. Заверняев начал в 1969 г. (Заверняев, 1974) и вел их, с небольшими перерывами, вплоть до 1981 г. Полевые работы 1981 г. были приурочены к посещению стоянки участниками совместного советско-французского семинара. В общей сложности Ф.М. Заверняевым было вскрыто 554 кв. м на участке, впоследствии получившего обозначение как пункт А. Результаты своих исследований Ф.М. Заверняев опубликовал в ряде статей (Заверняев, 1974; Заверняев, 1978б; Заверняев, 1981; Заверняев, 1991; Заверняев, 2000).

UPPER-PALAEOLITHIC SITES IN THE VICINITY OF THE VILLAGE OF KHOTYLEVO

The Upper-Palaeolithic sites in the vicinity of Khotylevo are located near the western edge of the village (in the rural settlement of Glinishchevskoye, in the Bryansk District, Bryansk Region of the Russian Federation) at a distance of approximately 20 kilometres from the centre of Bryansk and 400 kilometres SSW of Moscow.

KHOTYLEVO 2

History of the study of the site

The history of the study of the Upper Palaeolithic site — Khotylevo 2 — began in 1966, when F.M. Zavernyaev discovered a fragment of mammoth bone in one of the gullies north-west of the edge of Khotylevo. The discovery of this new site took place in 1968. F.M. Zavernyaev embarked on planned excavations at Khotylevo 2 in 1969 (Zavernyaev, 1974) and led this work, apart from a few intervals, right up until 1981. The field work that year was timed so as to coincide with the visit paid to the site by participants in a joint Soviet-French seminar. In total, F.M. Zavernyaev cleared 554 m² in the area, which afterwards came to be known as Point A. He published the results of his investigations in a number of articles (Zavernyaev, 1974; Zavernyaev 1978b; Zavernyaev 1981; Zavernyaev 1991; Zavernyaev 2000).

После 1981 г. в полевых исследованиях стоянки наступил длительный перерыв. Он окончился в 1993 г., когда раскопки на этом памятнике были возобновлены Хотылёвской археологической экспедицией ИА РАН под руководством К.Н. Гаврилова и которые продолжаются до сих пор. За это время были зафиксированы новые пункты распространения культурного слоя, включающие в себя, в том числе, сложные археологические объекты. В 2008 г. было опубликовано монографическое исследование, в котором с современных методических позиций проанализированы как материалы из раскопок Ф.М. Заверняева, так и результаты исследований Хотылёвской экспедиции ИА РАН, полученные в период с 1993 по 2003 гг.

В 2003 г. во время шурфовки был обнаружен пункт **В**, который систематически исследуется начиная с 2005 г. Именно здесь удалось открыть комплекс археологических объектов, по своим структурным характеристикам аналогичный центральным участкам пункта **А**, изучавшихся Ф.М. Заверняевым в 1970-е гг. В 2010 г. был обнаружен пункт **Д**. В 2012 и 2013 гг. здесь были проведены раскопки, которые позволили зафиксировать культуросодержащие слои, относящиеся к ранней поре верхнего палеолита. Результаты раскопок пунктов **В** и **Д** частично опубликованы (напр., Гаврилов, Воскресенская, 2012а; Гаврилов, Воскресенская, 2012б; Гаврилов и др., 2013; Gavrilov et al., 2015; Воскресенская, Гаврилов, 2015; Гаврилов,

After 1981 there was a long pause in the field work at the site. This came to an end in 1993, when excavations at the site were resumed by the Khotylevo Archaeological Expedition (KhAE) of the Institute of Archaeology affiliated to the Russian Academy of Sciences (IA-RAS) led by K.N. Gavrilov. New points were recorded marking the spread of the cultural layer, which incorporated, among other things, complex archaeological features. In 2008 a research monograph was published, in which both the material from Zavernyaev's excavations and also the results obtained by the Khotylevo expedition of the IA-RAS (between 1993 and 2003) were analysed from the viewpoint of up-to-date methods.

In 2003, while test-pits were being dug, Point B was discovered and it has been investigated systematically since 2005. It is precisely here that it proved possible to discover a range of archaeological features which, as regards their structural characteristics, were similar to the central parts of Point A, which F.M. Zavernyaev studied in the 1970s. In 2010, Point D was discovered and in 2012 and 2013 excavations were undertaken there, which made it possible to record layers containing cultural remains relating to the early phase of the Upper Palaeolithic. The results of the excavations carried out at Points V and D have been published in part (e. g. Gavrilov, Voskresenskaya, 2012a; Gavrilov, Voskresenskaya 2012b; Gavrilov *et al.*, 2013; Gavrilov *et al.*, 2015; Voskresenskaya, Gavrilov, 2015;

2016; Гаврилов, Лев, 2017), однако их исследования ещё не завершены.

ГЕОЛОГИЧЕСКИЕ И ГЕОМОРФОЛОГИЧЕСКИЕ УСЛОВИЯ ЗАЛЕГАНИЯ ВМЕЩАЮЩИХ КУЛЬТУРНЫЕ СЛОИ ОТЛОЖЕНИЙ НА МЕСТЕ РАСПОЛОЖЕНИЯ ПУНКТОВ А-Г

Обширный мысовидный участок, на котором располагается археологический памятник Хотылёво 2 (рис. 19), образован двумя древними балками, своими устьями выходящими в долину реки. Культурный слой зафиксирован в четырёх пунктах, получивших обозначения в буквах славянского алфавита от **А** до **Д**, в пределах широкого мыса, расположенных в его центральной и западной частях. Однако подъемный материал встречен на всем протяжении площадки мыса, на склонах между двумя балками.

Мысовая площадка имеет северную экспозицию, так как Десна на этом участке долины делает резкий поворот с запада на восток, огибая плато, на котором, в частности, расположен Брянск. Балка, сформировавшая западный борт хотылёвской мысовой площадки, получила название Кладбищенской, поскольку вдоль этого борта расположено сельское кладбище. Данный участок правого берега Десны свою очередь разделён на отдельные мысы небольшими овражками, заложенными в краевой части приводораздельного плато. Бровка склона правого берега

Gavrilov, 2016; Gavrilov, Lev, 2017), but their research has not yet been completed.

GEOLOGICAL AND GEOMORPHOLOGICAL CONDITIONS OF THE LOCATION WHERE THE CULTURAL LAYERS INSIDE THE DEPOSITS ARE SITUATED ACROSS POINTS A-G

The extensive cape-like area, where the archaeological site Khotylevo 2 (Fig. 19) is situated, was formed by two ancient shallow valleys which used to open out into the valley of the Desna River. A cultural layer was recorded at the five points, marked with the first five letters from the Cyrillic alphabet **A, B, V, G** and **D** within the confines of a wide cape in its central and western parts. Surface finds were encountered all over the cape area, on the slopes between the two shallow valleys.

The cape area faces north, because the Desna river in this part of its valley makes an abrupt turn from West to East, skirting round the plateau on which, among other things, the town of Bryansk stands. The shallow valley which formed the western side of the Khotylevo cape area, came to be known as Kladbishchenskaya, because the village cemetery (*kladbishche*) was laid out along that side of the river. This part of the west bank of the Desna was divided into capes by small gullies in the end part of the watershed plateau. The brow of the slope forming the west side of the Khotylevo cape area on the west bank rises 20–25 metres above the

Рис. 19. Топографический план участка правобережья Десны, на котором расположена группа верхнепалеолитических памятников в окрестности с. Хотылёво (выполнен Ю.Н. Грибченко).

I – Хотылёво 2, пункт **А**, раскопы №№ 1-11; II – Хотылёво 2, пункт **А**, раскопы №№ 12-14;

III – Хотылёво 2, пункт **Б**, раскопы № I; IV – Хотылёво 2, пункт **В**, раскопы А, Б, В;

V – Хотылёво 6, раскоп № 1; VI – городище «Кудеярка», раскоп 1 и шурф № 7;

VII – Хотылёво 2, пункт **Д**, раскоп № 1' и шурф № 8

Fig.19. Topographical Plan of the area on the west bank of the Desna, on which is situated a group of Upper Palaeolithic sites near the village of Khotylevo (drawn by Y.N.Gribchenko).

I – Khotylevo 2, Point **A**, Trenches Nos. 1-11; II – Khotylevo 2, Point **A**, Trenches Nos. 12-14;

III – Khotylevo 2, Point **B**, Trench No. I; IV – Khotylevo 2, Point **V**, Trenches A,B,V;

V – Khotylevo 6, Trench No. 1; VI – fortified settlement “Kudeyarka”, Trench 1 and Test-pit No. 7;

VII – Khotylevo 2, Point **D**, Trench No. 1 and Test-pit No. 8

поднята над урезом на высоту 20–25 м. Перепад высот от отметки уреза р. Десна до высшей точки водораздела составляет до 60 м. Поверхность водораздельных пространств — полого-волнистая, густо расчлененная овражно-балочной сетью. Среди эрозионных форм, привязанных к пойме Десны, выражены как развитые крупные балки, уходящие истоками далеко вглубь водоразделов, так и более мелкие овраги, расчленяющие коренной склон на небольшие регулярные мысы, имеющие северную экспозицию.

Коренное основание правобережья Десны, на котором располагается стоянка Хотылёво 2, сложено породами верхнемелового возраста. Коренные породы, слагающие основание разреза, представлены мергелистыми глинами и мелом-суркой с включениями конкреций серовато-черного кремня и относятся к альб-туронским ярусам верхнего мела. Непосредственно на породах верхнего мела залегают отложения лёссово-почвенно-криогенной серии, накапливавшихся в течение последнего ледниково-межледникового цикла. Общая стратиграфическая последовательность строения лёссово-почвенно-криогенной серии позднеплейстоценовых отложений, которые вмещают культурный слой Хотылёво 2, зафиксированный в пунктах **А** — **В**, практически идентична (Величко и др., 1977; Гаврилов, Воскресенская, 2012а; Гаврилов, Воскресенская, 2012б; Воскресенская и др., 2016), отличия прослеживаются в мощностях отдельных горизонтов.

water's edge. The difference in height between the water of the Desna and the highest point of the watershed is up to 60 metres. The surface of the watershed area is smoothly undulating, but broken up by a dense network of small shallow valleys and gullies. Among the erosion shapes now visible and linked to the flood-plain of the River Desna, there are larger well-developed shallow valleys, the sources of which start out deep in the watershed area, and also small gullies, cutting through the primary slope to form small regular-shaped capes facing north.

The primary base of the west bank of the Desna, on which the site Khotylevo 2 is located, is made up of rocks which date from the Upper Cretaceous period. The primary rocks, forming the base of the section, are marly clays and chalk surka with inclusions made up of concretions of greyish-green flint and they originated from the Albian-Turonian tiers of the Upper Cretaceous period. Immediately above the rocks of the Upper Cretaceous period there are deposits of loess soil of the cryogenic series, which accumulated over the course of the glacial and interglacial cycle. The general stratigraphic sequence in the structure of the loess-soil-cryogenic series of Late-Pleistocene deposits, which contain the cultural layer of Khotylevo 2, recorded at points A-V, is virtually identical (Velichko *et al.*, 1977; Gavrilo, Voskresenskaya, 2012a; Gavrilo, Voskresenskaya, 2012b; Voskresenskaya *et al.*, 2016), although some differences can be traced in the thicknesses of certain levels.

Вмещающие культурный слой Хотылёво 2 отложения представлены поздневалдайскими лёссовидными супесями с выраженными горизонтами почвообразования и оглеения. Общая мощность отложений на пунктах **А** и **В** достигала 6,4 м, на пункте **Б** — 4.85 м. Верхняя часть разреза представлена современной почвой, развитой по типу светло-серой лесной, в профиле которой выделяются горизонты Апах-Е — А-В-Bt (сл.1–3). Голоценовое почвообразование проработало ниже лежащие лёссы алтыновского лёссового горизонта (сл. 4) до гл. 1,5 м — до данной глубины отмечаются волнистые прослои ортзандов — горизонт иллювиирования Bt. В раскопах пунктов **А-Б**, расположенных ближе к долине, ортзандовые прослои выполняют и подчёркивают мощные псевдоморфозы по повторно-жильным льдам, проникающие основанием на глубину до 5 м (рис. 20). На гл. 2,3–2,5 м в лёссовидных супесях прослеживается уровень слабого почвообразования (сл. 5). Его гумусовый горизонт выражен слабо, нарушен за счет переотложения материала по склону, а горизонт Bca имеет характерное строение — его нижняя граница образует своеобразные раструбы. Данный почвенный уровень сопоставляется нами с трубчевским уровнем почвообразования, разделяющий алтыновский и деснинский лёссовые горизонты. Ниже уровня почвообразования лёссовидные отложения (сл. 6 и 8) становятся менее однородными, слоистыми, слоистость подчеркивается

The deposits enclosing the cultural layer at Khotylevo 2 consist of Late Valdai loess-type loamy sands with pronounced levels of soil formation and gleyization. The overall thickness of the deposits at Points A and V was up to 6.4 metres and at Point B 4.85 metres. The upper part of the section consisted of the modern soil, which had developed as pale grey forest soil, in the profile of which levels A-E — A-V-Vt (Levels 1–3) could be identified. The Holocene soil formation had had an impact on the loess layers underneath, which were part of the Altyn loess level (Level 4) down to a depth of 1.5 metres: prior to that depth wavy inter-layers of ortzands were noted — the illuviation level Bt. In the trenches sunk at Points A and B situated nearer to the valley, the ortzand inter-layers act as and emphasize powerful pseudomorphs across ice-wedges penetrating with their base down to a depth of up to 5 metres (Fig. 20). At a depth of 2.3–2.5 metres in loess-type loamy sands, a level of slight soil-formation can be traced (Level 5). Its humus layer does not stand out clearly: it has been damaged as the material has been re-deposited along the slope and the Bca level presents with its characteristic structure — its lower limit forms unusual funnels. This soil level we contrasted with the Trubachevsky level of soil formation, which lies between the Altynov and Desninsky loess levels. Below the soil formation level the loess-type deposits (Levels 6 and 8) become less homogenous and layered and this stratification is emphasized by lenses and

Рис. 20. Хотылёво 2. Литологические колонки, гранулометрический состав, содержание гумуса и карбонатов (CO_2) в отложениях на месте расположения пунктов А и В

Fig. 20. Khotylevo 2. Lithologic columns, granulometric composition, humus and carbonates (CO_2) contained in deposits at Points A and V

линзами и прослоями более лёгкого механического состава, вниз по разрезу состав пород становится более тяжёлым, от супесчаного переходит к суглинистому. На гл. 3,6 м прослеживается уровень оглеения, вероятно, маркирующий положение древнего деятельного слоя (сл. 7). От нижней границы горизонта оглеения вниз отходит сетка субвертикально ориентированных трещин шириной до 3 см, отстоящих друг от друга на расстояние 15–20 см. Ниже залегает слабооглеенный серовато-палевый суглинок, в котором отмечаются линзы опесчаненного материала. На уровне 4,6 м от поверхности он содержит включения отдельных выветрелых обломков костей. Основная зона концентрации находок прослеживается на 5–10 см ниже и приурочена к уровню тёмно-коричневого, обогащённого органикой лёгкого суглинка мощностью 2–4 см. Отчётливо видны трещины, разбивающие гумусированную прослойку на отдельные фрагменты со смещением по вертикали. Отдельные трещины на уровне культурного слоя оканчиваются воронковидными утолщениями, в «раструбы» которых затянут гумусированный суглинок из маркирующей находки прослоя. Над гумусированной прослойкой местами прослеживаются микрослойки тёмно-коричневого цвета (вероятно, затёки органики), ныряющие в направлении крупных костей. Отдельные находки фиксируются и ниже основной зоны концентрации. Подстилают культурный слой тяжёлые серые с желтоватым

inter-layers of a lighter mechanical composition and, further down the section, the composition of the rocks becomes heavier: there is a transition from loamy sand to loam. At a depth of 3.6 metres, a level of gleyization can be traced, which probably marks the position of the ancient active layer (Level 7). After the lower limit of the gleyization level there descends a network of sub-vertical cracks with a width of up to 3cms and at a distance of 15–20cms from each other. Further down there is a faintly gleyic greyish-yellow loam, in which lenses of sand-rich material can be seen. At a level of 4.6 metres from the surface it contains inclusions of some weathered bone fragments. The main area in which a concentration of finds can be traced is 5–10cms further down and it is associated with a level of dark-brown light loam enriched with organic material, which is 2–4cms thick. Cracks are clearly visible, which break up the humus-rich layer into separate fragments, shifting them in relation to the vertical. Some of the cracks at the level of the cultural layer thicken out till they are almost funnel-shaped at the end and humus-rich loam is pulled into these 'funnels' from out of the inter-layer indicating the presence of finds. Above the thin inter-layer containing humus, a micro-layer can be traced, which is dark-brown in colour (probably due to intrusions of organic material) and drops down in the direction of the large bones. Some finds were also recorded below the main zone of their concentration. Under the cultural layer there

оттенком суглинки (сл. 10–12), в которых также прослеживаются трещины, проникающие из вышележащей толщи. В них на гл. 5,3 м прослеживался ещё один слабовыраженный уровень почвообразования, по строению во многом аналогичный содержащему находки, но стерильный (сл. 11). В основании разреза залегают криотурбированные педоседименты брянской и мезинской ископаемых почв (сл. 13), которые ложатся непосредственно на неровную поверхность коренных мергелисто-меловых отложений (слой 14).

Общая стратиграфическая ситуация свидетельствует в пользу вывода о том, что культурный слой стоянки Хотылёво 2 имеет непосредственно постбрянский возраст. Поздневалдайские отложения лёссово-почвенно-криогенной серии, подобные тем, которые вмещают культурный слой, формировались в перигляциальной зоне валдайского оледенения в специфических криоаридных условиях (Морозова, Нечаев, 2002). Период обитания человека соотносится с интервалом, переходным от относительно тёплого средневалдайского мегаинтерстадиала к наиболее холодным и суровым климатическим условиям максимального похолодания позневалдайской ледниковой эпохи. Горизонты слаборазвитых почв в разрезе стоянки, в том числе и тот, с которым связан культурный слой, фиксируют различные по протяженности этапы снижения скорости лёссовой аккумуляции в интервалах незначительного смягчения климатических условий

are heavy grey loams with a yellowish tinge (Levels 10–12), in which cracks can also be traced coming down from the stratum above. In these cracks at a depth of 5.3 metres, another far from pronounced level of soil formation can be traced: its structure is in many ways similar to the level containing finds, but it is sterile (Level 11). At the base of the section there are paedosediments of Bryansk and Mezin fossil soils (Level 13) disrupted by cryoturbation, which settled directly on the uneven surface of the primary marly-chalk deposits (Level 14).

The general stratigraphic situation would lead us to conclude that the cultural layer at the site of Khotylevo 2 is clearly of a post-Bryansk age. Late-Valdai deposits of a loess-soil-cryogenic series, similar to those which enclose the cultural layer, had taken shape in the periglacial zone of the Valdai glaciations in specific cryo-arid conditions (Morozova, Nechaev, 2002). The period of human habitation coincides with the interval marking the transition from the relatively warm Middle-Valdai mega-interstadial to colder and more rigorous climatic conditions during the maximum drop in temperature of the Late-Valdai Ice Age. The levels of weakly developed soils in the section of the site incorporating the level, with which the cultural layer is linked, indicate stages of various duration in the slowing down of the loess accumulation in intervals of a slight easing in the climatic conditions of the Late Valdai and it was during the

позднего валдая, на завершающей фазе развития которых возобновлялись процессы лёссакопления и мерзлотного растрескивания (Воскресенская, Морозова, 2009).

Пункт А.

Расположен в краевой, северной, части небольшого мыса, занимающего центральное место среди мысов между крупными балками у западной окраины Хотылёво. Исследован на площади 687 кв. м раскопами Ф.М. Заверняева (№№ 1–11) и К.Н. Гаврилова (№№ 12–14). Большая часть (554 кв. м) вскрыта раскопами №№ 1–11. Центральная зона этой площади была занята специфическими комплексами археологических объектов, представлявших собой площадки, по периметру которых располагались неглубокие и округлые в плане ямы диаметром не менее 0,5 м и не более 1 м, вкопанные кости мамонтов и скопления разнообразного археологического материала: расколотого кремня, костей животных, костного угля (Гаврилов, 2008). В центре этих площадок, располагался, как правило, очаг или скопление костного угля. Размер таких комплексов составлял от 4 до 6 м в поперечнике, в плане их границы очерчивали круг или овал. В центральной части раскопанной Ф.М. Заверняевым площади размещалось пять подобных комплексов. Помимо них, на этой же площади был зафиксирован обширный зольник, связанный с крупным углублённым очагом. Зафиксирован факт перекрывания этим зольником одного из пяти названных

final phase in the development of those conditions that the processes of loess accumulation and ice-cracking began again (Voskresenskaya, Morozova, 2009).

Point A.

It is situated in the outer northern part of a small cape, which occupies a central position between capes in the large shallow valleys at the western edge of Khotylevo. It was investigated over an area of 687 m² in trenches excavated by F.M. Zavernyaev (Nos. 1–11) and K.N. Gavrilov (Nos. 12–14). A large part of the area (554 m²) was cleared when trenches 1–11 were dug. The central zone within this area contained specific assemblages of archaeological objects: these were found within smaller areas round the edges of which there were shallow pits round in plan and with a diameter of no less than 50cms, but no more than 1 metre, mammoth bones which had been dug into the ground and clusters of diverse archaeological material: splintered flint, animal bones, charcoal (Gavrilov, 2008). In the centre of these small areas, there was usually a hearth or a charcoal cluster. These complexes measured four to six metres across, as a rule, and their outline was either circular or oval. In the central part, which F.M. Zavernyaev had excavated, there were five such complexes. Apart from these, an extensive ash-pit was recorded in the same area linked to a large, deep hearth. The fact that this ash-pit covered over one of the five above-mentioned

комплексов, что свидетельствует о нескольких этапах формирования культурного слоя на участке пункта А (Гаврилов, 2008). Периферийная зона характеризуется отсутствием сложных комплексов археологических объектов, прежде всего — крупных очагов и широких блюдцеобразных ям. Тем не менее, в южной части раскопа № 13 был зафиксирован небольшой углублённый очаг с расположенными поблизости от него по дуге наклонными и вертикальными ямками, напоминающими столбовые (Гаврилов, 2008). К очагу примыкало скопление костного угля и расщеплённого кремня — результат эвакуации материала. В непосредственной близости от очага располагались две группы преднамеренно вкопанных костей мамонта.

Каменный инвентарь, изделия из кости и бивня в настоящее время составляют наибольшую часть коллекции артефактов, полученных при раскопках Хотылёво 2. Эти материалы опубликованы (Заверняев, 1978б; Заверняев, 1981; Заверняев, 1991; Гаврилов, 2008).

Каменные изделия изготовлены в основном из местного плитчатого полупрозрачного кремня серого и тёмно-серого цвета, встречающегося и сейчас в слоях мела, вскрывающегося в современных склонах балок и оврагов. Небольшая часть предметов была изготовлена из непрозрачного кремня матового чёрного цвета. Технология раскалывания кремня была направлена на получение в качестве основных заготовок крупных, шириной от 20 мм и более, и средних

complexes demonstrates that there must have been several stages in the formation of the cultural layer in the part of the site known as Point A (Gavrilov, 2008). In the periphery of Point A there were no complex groups of archaeological features, in particular no large hearths or wide saucer-like pits. Nevertheless, in the southern part of Trench № 13, a small deeper hearth was recorded near which there were inclined and vertical small pits reminiscent of post-holes (Gavrilov, 2008). Up against the hearth there was a cluster of charcoal and knapped flint — the result of material having been removed. In the immediate vicinity of the hearth there were two groups of mammoth bones which had been deliberately dug into the earth.

Today the stone inventory and bone and tusk items make up only a small part of the collection of artefacts obtained during the excavations carried out at Khotylevo 2. These materials have been published (Zavernyaev 1978b; Zavernyaev 1981; Zavernyaev, 1991; Gavrilov 2008).

The stone articles had been made for the most part from local tabular, semi-transparent flint grey or dark-grey in colour, which is still encountered today in layers of chalk to be found in the modern slopes of shallow valleys and gullies. A small proportion of the objects was made from flint which was not transparent, mat and black in colour. The technique for splitting flint was aimed at obtaining the basic blanks for making large — 20mms wide or more — and me-

пластин. Серийно представлены пластинки и микропластины, в том числе — узкие, шириной до 7 мм. Пренуклеусы представляли собой бифасиально обработанные плитки кремня. Основной технологический контекст характеризуется при этом нуклеусами с односторонними поверхностями раскалывания, в большинстве своём — торцовыми. Пластины-заготовки снимались при помощи техники удара с использованием каменного мягкого отбойника. Крупные и средние пластины, полученные в процессе утилизации нуклеусов основного технологического контекста, не отличались ярко выраженной стандартизацией метрических признаков. Их различие, помимо размеров, проявлялось в степени симметрии и заострённости краёв, а также огранки дорсальной части. Общее количество кремнёвых изделий Хотылёвской верхнепалеолитической стоянки из раскопок Ф.М. Заверняева составляет около сорока тысяч. Коллекция предметов с вторичной обработкой насчитывает более пяти с половиной тысяч предметов. Их категориальный состав приведён в таблице 1.

Таблица 1. Предметы с вторичной обработкой стоянки Хотылёво 2, пункт А (по материалам Ф.М. Заверняева)

Наименование	Кол.	%
Резцы	2354	42,6
Нуклевидные резцы	31	0,6
Скребки	711	12,9
Транке	146	2,6
Piece ecaille	1	0,02

dium-sized blades. Series of small or micro-blades were found, including narrow ones with a width of no more than 7mm. Core rough-outs were represented by bifacially processed tablets of flint. The main technological context consisted of cores with splitting on one side of their surface and in most cases across the end. The blade-blanks had been obtained through blows struck using a soft stone hammer. The large and medium-sized blades, obtained while cores were being worked in their main technical context, did not reveal any clearly pronounced standardization of metric features. Differences between them — apart from those of size — lay in how symmetrical and pointed they were and also in the outline of their dorsal part. The overall number of flint articles was almost 40,000. The collection of objects with secondary working came to over 5,500 items and the categories involved are listed in Table 1.

Table 1. Objects with secondary working from the Khotylevo site, Point A (based on materials obtained by F.M. Zavernyayev)

Category name	Amount	Percentage
Burins	2,354	42.6
Core-like burins	31	0.6
End-scrapers	711	12.9
Blades with retouched end	146	2.6
Pièce écaillée	1	0.02
Kostenki knives	22	0.4

Ножи костённого типа	22	0,4
Проколки	46	0,8
Острия на пластинах	141	2,6
Острия с притупленным краем	75	1,4
Пластины/микропластины с притупленным краем	823	14,9
Наконечники с боковой выемкой	16	0,3
Пластины с ретушью	508	9,2
Отщепы с ретушью	3	0,1
Пластины с выемками	507	9,2
Комбинированные орудия	119	2,2
Скрёбла	3	0,1
Индивидуальная форма (пластина с черешком)	1	0,02
Сломанные неопределимые	12	0,2
Итого	5520	100

Общее количество предметов каменного инвентаря, собранных на площади раскопов №№ 12–14, — 2216 экз. Состав орудий приведён в нижеследующей таблице 2.

Табл. 2. Кремнёвый инвентарь пункта А, раскопы №№ 12–14, Хотылёво 2

Категория	Кол.	%
Боковой скол	1	0,05
Корки меловой фрагменты	6	0,27
Краевые сколы	5	0,23
Микропластины	109	4,92
Микропластинки	212	9,57
Нуклеусы	9	0,41
Обломки кремня	14	0,63
Осколки кремня	51	2,30
Отщепы	357	16,11

Borers	46	0.8
Points from blades	141	2.6
Points with a blunted edge	75	1.4
Blades or micro-blades with a blunted edge	823	14.9
Shouldered points	16	0.3
Blades with retouch	508	9.2
Retouched flakes	3	0.1
Notched blades	507	9.2
Combined tools	119	2.2
Side-scrapers	3	0.1
Individual shaped tool (with tanged blade)	1	0.02
Broken indeterminate items	12	0.2
Total	5520	100

The total number of items in the stone inventory collected in Trenches Nos. 12–14 was 2,216. The composition of that range is listed in Table 2 below.

Table 2. Stone inventory from Point A, Trenches Nos. 12–14, Khotylevo 2

Category name	Amount	Percentage
Lateral flake	1	0.05
Fragments of chalk crusts	6	0.27
Edge flakes	5	0.23
Micro-blades	109	4.92
Micro-bladelets	212	9.57
Cores	9	0.41
Flint fragments	14	0.63
Flint chips	51	2.3
Flakes	357	16.11

Пластины	211	9,52
Пластинки	49	2,21
Пластинчатых сколов	2	0,09
Фрагменты	1	0,05
Плитка	1	0,05
Пре-нуклеус	1	0,05
Проколка без втор обр	1	0,05
Резцовые сколы	101	4,56
Сколы неопред.	94	4,24
Чешуйки	850	38,36
Предметы с вторичной обработкой	142	6,41
Всего	2216	100,00

Изделия из кости и бивня пункта А опубликованы Ф.М. Заверняевым (Заверняев, 1974; Заверняев, 1978б) и Г.А. Хлопачевым (Хлопачев, 2006). Анализ археологического контекста дан в монографии 2008 г. (Гаврилов, 2008). Общий состав этих предметов приведён в нижеследующей таблицах 3 и 4.

Таблица 3. Хотылёво 2, пункт А.
Шифрованные изделия из бивня и кости,
pp. №№ 1–11

Предмет	Кол.	%
«Тупой наконечник» из ребра	2	1,13
«Шарик» с шипом	1	0,56
Бивень с вырезанным пазом	1	0,56
Бивень с заглаженной пов-ю слома	1	0,56
Бивень с заглаженным концом	2	1,13
Бивень, продольно расчленённый	2	1,13

Blades	211	9.52
Bladelets	49	2.21
Fragments of lamellar flakes	2	0.09
Tablet	1	0.05
Core rough-out	1	0.05
Borer without secondary working	1	0.05
Burin spalls	101	4.56
Indeterminate flakes	94	4.24
Chips	850	38.36
Objects with secondary working	142	6.41
TOTAL	2,216	100

Items made from bone and tusks from Point A published by F.M. Zavernyaev (Zavernyaev 1974; Zavernyaev 1978b) and G.A. Khlopachov (Khlopachov, 2006). Analysis of the archaeological context was provided in a monograph of 2008 (Gavrilov, 2008). The general composition of these ranges of articles is provided in Tables 3 and 4 below.

Table 3. Khotylevo 2, Point A. For articles made from bones and tusks with complete documentation. Trenches №№ 1–11

Object	Amount	Percentage
'Blunt point' from a rib	2	1.13
'Ball' with a pin	1	0.56
Tusk with a groove	1	0.56
Tusk with a smoothed surface break	1	0.56
Tusk with a smoothed end	2	1.13
Tusk split lengthways	2	1.13

Браслета фрагмент	5	2,82
Клык песка без отверстия	3	1,69
Кость песка с нарезками	1	0,56
Лоцило	6	3,39
Мотыга	1	0,56
Наковаленка-трубчатая кость	1	0,56
Наконечник из бивня	6	3,39
Нуклеус из бивня	1	0,56
Орудие из кости	1	0,56
Остриё из бивня	1	0,56
Отщеп бивнёвый	3	1,69
Пластина бивнёвая	16	9,04
Пластина бивнёвая орнаментированная	1	0,56
Подвеска из клыка песка	30	16,95
Поделка из бивня в виде фаланги (волк?)	1	0,56
Поделка с нарезками — «Бумеранг»	1	0,56
Поделки из бивня фрагмент	4	2,26
Проколка	6	3,39
Пронизка	2	1,13
Ребро песка со сломанными концами	1	0,56
Ребро продольно Расчленённое	2	1,13
Ребро с 2-мя продольными сколами встречными	1	0,56
Ребро с нарезками по краю	3	1,69
Ребро со слом по надпилам концами	8	4,52
Ребро-копалка	22	12,43
Ребро-копалка и ретушёр	2	1,13

Bracelet fragment	5	2.82
Arctic-fox canine tooth with no hole	3	1.69
Arctic-fox bone with incised notches	1	0.56
Burnisher	6	3.39
Hoe	1	0.56
Long bone used as anvil	1	0.56
Point (наконечник) from a tusk	6	3.39
Core from a tusk	1	0.56
Tool from a bone	1	0.56
Point (острие) from a tusk	1	0.56
Flake from a tusk	3	1.69
Blade from a tusk	16	9.04
Decorated blade from a tusk	1	0.56
Pendant from an arctic-fox canine tooth	30	16.95
Article from a tusk in the shape of a phalanx (wolf?)	1	0,56
Article with incised notches — 'boomerang'	1	0.56
Fragment of an article from a tusk	4	2.26
Borer	6	3.39
Long bead	2	1.13
Arctic-fox rib with broken ends	1	0.56
Rib split lengthways	2	1.13
Rib with two lengthways reflected flakes	1	0.56
Rib with incised notches along the edge	3	1.69
Rib with a break at its sawn- off ends	8	4.52
Digging tool from a rib	22	12.43

Ребро-ретушёр	6	3,39
Ретушёр из трубчатой кости	1	0,56
Рукоятка костяная	1	0,56
Совок из трубчатой кости	6	3,39
Стержень бивнёвый	21	11,86
Трубчатая кость с нарезками	1	0,56
Трубчатая кость с негативами сколов	1	0,56
Трубчатая кость со следами Обработки	1	0,56
Трубчатая кость со срезанными концами	1	0,56
Всего	177	100,00

Таблица 4. Хотылёво 2, пункт А.
Изделия из бивня и кости с неполным
шифром или без паспорта,
пр. №№ 1–11

Предмет	Кол.	%
Бивень со следами вырезанных стержней	1	1,01
Бивень, продольно расчленённый	3	3,03
Иголка	3	3,03
Клык песка без отверстия	22	22,22
Лоцило	1	1,01
Наконечник из бивня	5	5,05
Нуклеус из бивня	1	1,01
Пластина бивнёвая	12	12,12
Пластина бивнёвая с бороздками	1	1,01
Пластина бивнёвая с поперечным пазом	1	1,01

Digging tool and retoucher from rib	2	1.13
Rib-retoucher	6	3.39
Retoucher from a long bone	1	0.56
Bone handle	1	0.56
Scoop from a long bone	6	3.39
Bar from a tusk	21	11.86
Long bone with incised notches	1	0.56
Long bone with flake scars	1	0.56
Long bones with traces of working	1	0.56
Long bone with cut ends	1	0.56
TOTAL	177	100

Table 4. Khotylevo 2, Point A.
Articles made of tusk and bone with an
incomplete code or without documentation.
Trenches №№ 1–11

Object	Amount	Percentage
Tusk with traces of cut-out bars	1	1.01
Tusk split lengthways	3	3.03
Needle	3	3.03
Arctic-fox canine tooth without a hole	22	22.22
Burnisher	1	1.01
Point from a tusk	5	5.05
Core from a tusk	1	1.01
Blade from a tusk	12	12.12
Blade from a tusk with grooves	1	1.01
Blade from a tusk with a crossways recess	1	1.01

Плоская кость с нарезками	1	1,01
Подвеска из клыка песца	25	25,25
Поделка из бивня в виде клыка со сверл. отверстием	1	1,01
Поделки из бивня фрагмент	1	1,01
Поделки из зуба фрагмент	1	1,01
Проколка	3	3,03
Ребра обработанного фрагмент	1	1,01
Ребро со слом по надпилам концами	3	3,03
Ребро-копалка	4	4,04
Совок из трубчатой кости	1	1,01
Стержень бивнёвый	8	8,08
Всего	99	100,00

Пункт Б.

Расположен в северной части небольшого мыса, следующего к западу от мыса, с которым связан пункт **А**, на расстоянии около 20 м. Пункт **Б** изучен на площади 80 кв. м (раскоп I). Центральное место на площади раскопа № I занимает углубленный очаг и связанные с ним планиграфически объекты: скопление костного угля и золы, пятна охры, вертикально стоящие кости и, возможно, группа преднамеренно уложенных костей мамонта. Вокруг этих объектов была зафиксирована повышенная плотность фаунистического материала.

Каменный инвентарь пункта **Б** (см. табл. 3) по своему составу близок инвентарю периферийной зоны пункта **А**. Он опубликован в монографии 2008 г. (Гав-

Flat bone with notches	1	1.01
Pendant from the canine tooth of an arctic fox	25	25.25
Tusk article in the shape of a canine tooth with a drilled hole	1	1.01
Fragment of an article made from a tusk	1	1.01
Fragment of an article made from a tooth	1	1.01
Borer	3	3.03
Fragment from a worked rib	1	1.01
Rib with a break at its sawed-off ends	3	3.03
Digging tool from a rib	4	4.04
Scoop from a long bone	1	1.01
Bar from a tusk	8	8.08
TOTAL	99	100

Point B.

It is situated in the northern part of a small cape, next to the west side of the cape with which Point **A** is linked, at a distance from it of around 20 metres. Point **B** has been investigated over an area of 80 m² (Trench I). The centre of the area within Trench I is occupied by a deep hearth and the following features are linked with it as far as the overall plan of the area is concerned: a cluster of charcoal and ash, stains of ochre, vertically positioned bones and possibly a group of mammoth bones deliberately arranged. Round these features an increased density of faunal remains was recorded.

The stone inventory at Point **B** (see Table 3) was similar in composition to that of the peripheral zone at Point **A**. It was published in a monograph in 2008 (Gavrilov, 2008).

рилов, 2008). Общий состав его приведён в таблицах 5 и 6.

Табл. 5. Кремнёвый инвентарь пункта Б Хотылёво 2

Категория	Кол.	%
Галька кремнёвая	4	1,84
Галька песчаника расколотая	2	0,92
Корки меловой фрагменты	2	0,92
Микропластины	4	1,84
Микропластинки	3	1,38
Нуклевидный обломок кремня	1	0,46
Нуклеусы	6	2,76
Обломки камней	7	3,23
Обломки кремня	7	3,23
Отщепы	49	22,58
Пластины	46	21,20
Пластинки	9	4,15
Плитка	1	0,46
Пре-нуклеус	1	0,46
Резцовые сколы	8	3,69
Сколы неопред.	16	7,37
Сколы переоформления нуклесов	4	1,84
Чешуйки	10	4,61
Предметы с вторичной обработкой	37	17,05
Всего	217	100,00

Табл. 6. Предметы с вторичной обработкой пункта Б Хотылёво 2

Категория	Кол.	%
НКТ на ребристой пластине	1	2,70
Острие-прокола	1	2,70

The complete composition of the inventory is listed in Tables 5 and 6.

Table 5. Flint inventory from Point **B** at the Khotylevo 2 site

Category	Amount	Percentage
Flint pebbles	4	1.84
Split sandstone pebbles	2	0.92
Chalk crust fragments	2	0.92
Micro-blades	4	1.84
Micro-bladelets	3	1.38
Core-like flint fragment	1	0.46
Cores	6	2.76
Stone fragments	7	3.23
Flint fragments	7	3.23
Flakes	49	22.58
Blades	46	21.20
Bladelets	9	4.15
Tablet	1	0.46
Core rough-out	1	0.46
Burin spalls	8	3.69
Indeterminate flakes	16	7.37
Flakes from re-shaping of cores	4	1.84
Chips	10	4.61
Objects with secondary working	37	17.05
TOTAL	217	100

Table 6. Objects with secondary working from Point **B** at the Khotylevo site

Category	Amount	Percentage
Kostenki knife	1	2.70

Остриё ретушированное на пластине	1	2,70
Отбойники	2	5,41
Отщеп пластинчатый со срезанным ретушью концом	1	2,70
Отщепа пластинчатого с выемкой фрагмент	1	2,70
Пластины с ретушью по краям	1	2,70
Пластинка с ретушью края	1	2,70
Р. — Скр.	1	2,70
Резцы	9	24,32
Скола с ретушью фрагмент	1	2,70
Скребки	17	45,95
Всего	37	100,00

Костяной инвентарь пункта Б опубликован (Гаврилов, 2008). Ниже приведён его общий состав.

Таблица 7. Хотылёво 2, пункт Б, раскоп I.
Состав коллекции изделий из кости и бивня

Наименование	Кол.
Нуклеус из бивня мамонта	1
Отщепы из бивня мамонта	2
Фрагменты бивней с преднамеренно сломанными концами	3
Фрагмент ребра мамонта со срезанными концами	1
Фрагмент нижней челюсти мамонта подтреугольной формы	1
Фрагмент пластины, вырезанной из внутренней части бивня	1
Фрагмент крупной плоской кости с длинными ритмичными нарезками	1

Borer-point	1	2.70
Retouched point from a blade	1	2.70
Hammerstones	2	5.41
Lamellar flake with end cut through retouching	1	2.70
Fragment of lamellar flake with a notch	1	2.70
Blades with retouched edges	1	2.70
Bladelet with a retouched edge	1	2.70
Burin-scraper	1	2.70
Burins	9	24.32
Fragment of retouched flake	1	2.70
End-scrappers	17	45.95
TOTAL	37	100

The bone inventory from Point B has been published (Gavrilov, 2008). The complete range of the inventory is listed below.

Table 7. Khotylevo 2, Point B, Trench I.
The Composition of the collection of articles made from bones and tusks

Category	Amount
Core from mammoth task	1
Flakes from mammoth tusks	2
Fragments of tusks with deliberately broken ends	3
Fragment of mammoth rib with cut-off ends	1
Roughly triangular fragment of a mammoth's mandible	1
Fragment of blade cut from the inside of a tusk	1
Fragment of large flat bone with long regular notches	1

Наковаленки из позвонков мамонта	2
Копалки из рёбер мамонта	3
Лопаточка из ребра мамонта	1
Совок из расколотой трубчатой кости мамонта.	1
Черешковый наконечник из бивня мамонта	1
Фрагмент поделки из бивня мамонта	1
Фрагмент ребра мамонта подтреугольной формы с заглаженными концами	1
Всего	20

Пункт В.

Расположен в 50 м к юго-юго-западу от пункт А. Изучен на площади 65 кв. м (раскопы А, Б и В, рис. 21). Здесь было зафиксировано два комплекса пространственно связанных археологических объектов.

Южный комплекс характеризуется крупными скоплениями преднамеренно уложенных костей мамонтов, структурную основу которых составляли черепа и плоские кости. С данными скоплениями были связаны ямы, в которых также находились преднамеренно уложенные кости мамонта. Кости в скоплениях, а также древняя дневная поверхность вокруг них и под некоторыми черепами были интенсивно окрашены охрой. Особенности укладки костей мамонта в крупных скоплениях напоминают способы укладки костей в конструкциях аносовско-мезинского типа.

Северный комплекс представляет собой расположенные по дуге округлые в плане неглубокие ямы и вкопанные

Anvils made from mammoth vertebrae	2
Digging tools from mammoth ribs	3
Small shovel made from a mammoth rib	1
Scoop from the split long bone of a mammoth	1
Tanged point from a mammoth tusk	1
Fragment of an article made from a mammoth task	1
Roughly triangular fragment of a mammoth rib with smoothed ends	1
TOTAL	20

Point V.

It is situated 50 metres SSW of Point A. It was investigated over an area of 65 m² (Trenches A, B and V: Fig. 21). Two complexes of spatially linked archaeological features were recorded here.

The southern complex is distinguished by its large clusters of deliberately laid out mammoth bones, the structural base of which was provided by skulls and flat bones. Pits were associated with these clusters, in which deliberately arranged mammoth bones were also to be found. The bones in these clusters and also the ancient ground surface around them and under some of the skulls were stained with ochre. The way the mammoth bones were arranged in these large clusters was reminiscent of how bones were arranged in structures of an Anosovsky-Mezin type.

The northern complex is made up of shallow pits round in plan and arranged in an arc and of long mammoth bones dug into

Рис. 21. Хотылёво 2, пункт В. План расположения археологических объектов на площади раскопов А, Б, В

Fig. 21. Khotylevo 2, Point V. Plan of the location of archaeological features within the area of trenches A, B and V

длинные кости мамонта, часть из которых была преднамеренно расколота. В непосредственной близости от некоторых ям были зафиксированы черепа мамонтов. С двумя ямами были связаны группы из попарно уложенных лопаток мамонтов. В ямах и вокруг них были зафиксированы скопления охры. С внутренней стороны дуги, вдоль которой были расположены ямы, располагалось обширное скопление костного угля и золы, в южной части которого была зафиксирована еще одна яма, возможно, очаг. По своим пространственным характеристикам данный комплекс аналогичен тем, которые изучались Ф.М. Заверняевым в центральной части пункта **A**. Именно с этим комплексом связаны находки новых женских статуэток (рис. 22): вырезанной из мела и изображающей две женские фигуры без голов, исполненных с соблюдением костёнковских пропорций (**б**), и бивнёвой фигурки беременной женщины, выполненной по хотылевскому канону (**а**). Среди костяных предметов в коллекции пункта **B** необходимо отметить лопаточку из ребра мамонта с гравировкой (Гаврилов, 2016), а также подвеску из клыка крупного бурого медведя (Гаврилов и др., 2013).

Имеющиеся данные о стратиграфическом соотношении археологических объектов на участке пункта **B** и радиоуглеродных датировках, полученных по образцам из них, позволяют утверждать более ранний возраст южного комплекса и более поздний — северного (Гаврилов, 2015).

the earth, some of which had been deliberately split. Mammoth skulls were recorded in the immediate vicinity of some of the pits. Groups of mammoth shoulder blades arranged in pairs were linked with two of the pits. Clusters of ochre were to be found in and around the pits. Inside the arc formation in which the pits had been arranged, there was a large cluster of charcoal and ash and, in the southern part of the arc, a further pit was recorded which had perhaps been a hearth. As regards its spatial characteristics this complex was similar to those studied by F.M. Zavernyaev in the central part of Point **A**. It is precisely with this complex that the finds of new female figurines were linked (Fig. 22). One was made of chalk and depicted two female figures without heads and fashioned in accordance with Kostenki proportions (**b**) and the other was a small figure of a pregnant woman made from a tusk and fashioned in accordance with the Khotylevo canon (**a**). Among the bone articles in the collection from Point **V** it is essential to note the small shovel made from a mammoth tusk and engraved (Gavrilov, 2016) and also a pendant made from the canine tooth of a large brown bear (Gavrilov *et al.*, 2013).

The available data on the stratigraphic correlations between the archaeological features within the area of Point **V** and the radio-carbon dates obtained using specimens from the latter enable us to confirm both the early age of the southern complex and the later one of the northern complex.

Рис. 22. Хотылёво 2, пункт В. Женские статуэтки: а – раскопки 2016 г., бивень (рисунок А.О. Машезерской); б – раскопки 2009 г., мел (рисунок А.В. Трусова)
 Fig. 22. Khotylevo 2, Point V. Female figurines: a – 2016 excavations, tusk (drawing by A.O.Mashezerska); b 2009 excavations, chalk (drawing by A.V. Trusov)

Каменная индустрия пункта **В** одина для обоих комплексов объектов по технологическим и морфологическим характеристикам. Общее количество кремневых предметов из коллекции раскопок 2003–2016 гг. насчитывает 2256 экземпляров. Среди предметов первичного раскалывания имеются заготовки нуклеусов, сколы их переоформления, отдельности сырья и первичные сколы обивки. Таким образом, на данном участке производился весь цикл первичной обработки и утилизации кремня. Кремневые орудия насчитывают 292 экземпляров, что составляет около 13% от состава имеющейся сейчас коллекции. Наиболее представительные серии орудий представлены резцами (рис. 23: 21, 25), в том числе — нуклевидными (рис. 23: 27, 28), скребками (рис. 23: 20, 22, 23), разнообразными остриями на пластинах (рис. 23: 10, 12, 13, 26) и микроорудиями — пластинами и микропластинами с притупленным краем (рис. 23: 1–9, 14, 15). Единичными экземплярами представлены ножи костенковского типа, среди которых один предмет относится к классическому варианту этой категории, который не обычен для Хотылёво 2 (рис. 23: 19). Соответствует этому предмету и обнаруженный при раскопках типичный краевой скол с костенковского ножа (рис. 23: 18). Имеется один предмет, который может рассматриваться как фрагмент листовидного острия костенковского типа (рис. 23: 16). В целом, состав орудий является характерным для этого памятника. Присутствие листовидного

The stone industry from Point **V** is the same for both complexes as regards their technical and morphological characteristics. The total number of flint objects from the collection assembled during the excavations carried out in 2003–2016 comes to 2,256. Among the objects with primary splitting there are blanks for cores, flakes for their re-shaping, and separate pieces of these raw materials and primary flakes from their working. This means that within this part of the site all the stages in the primary working and utilization of flint were taking place. Two hundred and ninety-two specimens of flint tools were found, which accounts for around 13% of those making up the current collection. The most impressive series of tools was that of burins (Fig. 23: 21,25) which includes core-like burins (Fig.23: 27,28), end-scrapers (Fig.23:20, 22, 23), various points made from blades (Fig. 23: 10,12,13,26) and also micro-tools — from blades and micro-blades with a blunted edge (Fig. 23: 1–9,14,15). Knives of the Kostenki type are represented by isolated specimens, among which one object provides a classic example of this category, which is unusual for Khotylevo 2 (Fig.23: 19). What also fits well with that object is the typical edge flake from a Kostenki knife (Fig. 23: 18). There is one object which can be regarded as a fragment of a leaf-shaped Kostenki-type point (Fig. 23: 16). In general the range of tools is characteristic for this site. The presence of a leaf-shaped point and a

Рис. 23. Хотылёво 2, пункт В. Кремнёвые артефакты
 Fig. 23. Khotylevo, Point V. Flint artefacts

острия и типичного костенковского ножа в этом комплексе демонстрирует определенную степень variability материальной культуры стоянки.

ОБЩАЯ ХАРАКТЕРИСТИКА ТЕХНИКО-ТИПОЛОГИЧЕСКИХ ОСОБЕННОСТЕЙ КАМЕННОГО ИНВЕНТАРЯ ПУНКТОВ А-В

Комплекс предметов с вторичной обработкой Хотылёвской стоянки обладает ярко выраженными особенностями, которые проявляются как в приёмах вторичной обработки, так и в типологическом составе кремнёвого инвентаря, и позволяет рассматривать каменную индустрию этого памятника в качестве самостоятельного варианта восточного граветта. Для Хотылёво 2 характерно очень широкое использование техники резцового скола, притупляющей ретуши, в том числе — встречной, а также плоской вентральной ретуши, наносившейся на предметы, как правило, с краёв заготовки. Подтёска, а также техника снятия краевых сколов применялась, но значительно реже. Применение крупной плоской вентральной ретуши зафиксировано в единичных случаях. Использование крупной широкой пластины в качестве заготовки отмечается в основном для категорий резцов и скребков и реже — для ножей костенковского типа, а также острий на пластинах. При изготовлении категорий орудий с притупленным краем преобладающими

typical Kostenki knife within this assemblage demonstrates a definite degree of variability in its material culture.

GENERAL DESCRIPTION OF TECHNICAL-TYPELOGICAL FEATURES OF THE STONE INDUSTRY AT POINTS A-V

The range of objects with secondary working from the Khotylevo site possesses strikingly clear features, which manifest themselves both in the methods used for secondary working and also in the typological range of the flint industry. This makes it possible to regard the stone industry from this site as an independent variant of the Eastern-Gravettian. Typical for Khotylevo 2 is the very wide use of the burin blow technique, blunting retouch — including reflected retouch — and also flat ventral retouch used, as a rule, for objects made from the edges of a blank. Trimming and also the technique of releasing edge flakes were also used but far less frequently. The use of large-scale flat ventral retouch has been recorded in isolated cases. The use of large wide blades as blanks has also been noted, mainly for burins and end-scrapers and, less frequently, for Kostenki-type knives and also for points made from blades. In order to make categories of tools with a blunted edge, the main blanks used were narrow blades and micro-blades. The typological features of the stone inventory from Points

заготовками были узкие пластины и микропластины. Типологические особенности каменного инвентаря пунктов А-В Хотылёвской стоянки определяются комплексом изделий с притупленным ретушью краем: острый микрограветт и вашон, а также ППК/МППК, среди которых выделяются «пилки», широкие ППК с симметрично ретушированными концами, МППК с заострёнными концами и вентральной ретушью на них. Своеобразен набор наконечников с боковой выемкой. Инвентарь пункта **В** выделяется тем, что в его составе имеется «классический» нож костёнковского типа, а также фрагмент орудия, близкого к листовидным остриям костёнковского типа. Кроме того, в инвентаре пункта **В** пока не зафиксированы острия микро-граветт и вашон, однако имеются острия с ретушью по одному краю у приострённой части в виде широкой неглубокой выемки.

ПРЕДВАРИТЕЛЬНАЯ ХАРАКТЕРИСТИКА СОСТАВА ФАУНЫ КРУПНЫХ МЛЕКОПИТАЮЩИХ

Сводный список видов млекопитающих фауны участка памятника Хотылево 2, пункт **В**, и непосредственно прилегающих участков включает неопределимые виды грызунов (*Rodentia* gen ind.), а также следующие виды животных: заяц (*Lepus* sp.), нещёрный лев (*Panthera spelaea*), несец (*Alopex lagopus*), волк (*Canis*

A, B and V at the Khotylevo site were determined by the range of articles with edges blunted by retouch: the micro-gravette and vachon points and also backed blades/micro-blades, among which “small saws” stand out, wide backed blades with symmetrically retouched ends, backed micro-blades with sharpened ends and with ventral retouch on them. The range of points with a side notch is unusual. The inventory from Point **V** is set apart by the fact that it includes a ‘classical’ knife of the Kostenki type and also a fragment of a tool similar to the leaf-shaped points of the Kostenki type. Apart from that, no micro-gravette points or vachon points have been recorded in the inventory from Point **V**, but there are points with retouch along one edge in the sharpened part, in the form of a wide shallow notch.

PRELIMINARY DESCRIPTION OF THE RANGE OF LARGE MAMMALS REPRESENTED IN THE FAUNAL REMAINS

The list summarizing the types of faunal remains from mammals found in the part of the Khotylevo 2 site known as Point **V** and the immediately adjacent areas contains some indeterminate species of rodents (*Rodentia* gen. ind.) and also the following animal species: hare (*Lepus* sp.), Eurasian cave lion (*Panthera spelaea*), Arctic fox (*Alopex lagopus rossicus*), wolf (*Canis lupus*), wolver-

lupus), *посомаха* (*Gulo gulo*), *бурый медведь* (*Ursus arctos*), *шерстистый мамонт* (*Mammuthus primigenius*), *северный олень* (*Rangifer tarendus*), *бизон* (*Bison priscus*), *лошадь* (*Eguus ferus??*), *шерстистый носорог* (*Coelodonta antiquitatis*). Кроме того, в 2011 г были обнаружены фрагменты диафизов больших берцовых одной особи птицы (*Aves gen ind.*) размерного класса лебедь/тетерев. За исключением шерстистого мамонта, другие виды млекопитающих представлены остатками одной-трех особей каждого из видов. Иногда остатки конкретного вида, например *C. antiquitatis* и *G gulo* представлены одной костью. Фрагменты костей таких видов, как *E. ferus??*, *C. antiquitatis* представлены каждый одним фрагментом кости, точное определение которых затруднено из-за их повреждений.

Обращает на себя внимание, что количество костей мамонта с исследованного участка составляет около 99% от общего количества остатков крупных млекопитающих. Для участка памятника, раскапывавшегося Ф.М. Заверняевым (пункт А), определено не менее 1364 костей от большинства отделов скелета (Чубур, 2003). Общее количество остатков млекопитающих на участке памятника В составляет не менее 824 экземпляра. Подавляющее большинство костей и фрагментов костей мамонта принадлежат половозрелым особям. С исследованной части памятника определены остатки только трех детенышей (одна особь индивидуального возраста

(*Gulo gulo*), brown bear (*Ursus arctos*), woolly mammoth (*Mammuthus primigenius*), reindeer (*Rangifer tarandus*), bison (*Bison priscus*), horse (*Equus ferus??*) and woolly rhinoceros (*Coelodonta antiquitatis*). In addition to that fragments from the diaphyses of the tibias of a bird (*Aves gen ind.*) the size of a swan or black grouse were discovered. With the exception of the woolly rhinoceros, other species of mammals have only been represented by 1–3 individuals of each of the species in question. Sometimes the remains of a specific species, for example *C. antiquitatis* and *Gulo gulo* are represented by only one bone. Bone fragments of species such as *Equus ferus??* or *C. antiquitatis* are represented by no more than one bone fragment and precise definitions of such remains are made still more difficult by the damage they have suffered over time.

What cannot fail to attract attention is that the quantity of mammoth bones from the investigated area in question makes up around 99% of the total amount of remains from large mammals. In the area of the site excavated by F.M. Zavernyaev (Point A) no less than 1,364 bones from most sections of the skeleton have been identified (Chubur, 2003). The total amount of faunal remains from mammals in Point V of the site comes to no less than 824 specimens. The vast majority of mammoth bones and bone fragments were those of sexually mature individuals. From the whole of the part of the site that was investigated remains of only three woolly calves (one aged 1–2 years and two

ста 1–2 года и две особи 2–4 лет) шерстистого мамонта и два фрагмента костей, предположительно отнесенные к одному эмбриону этого вида. Критерии определения индивидуального возраста — по методике Е. Maschenko (2002). Определение количества особей шерстистого мамонта, сделанное А.А. Чубуром по чертежам и изображениям зубов мамонта для пункта **А**, близко к числу особей установленному Ф.М. Заверняевым — около 50 (Чубур, 1995). Указанный выше состав видов крупных млекопитающих и процентное соотношение остатков разных видов типично для многих памятников позднего палеолита Русской равнины (Maschenko *et al.*, 2003; Gavrilo *et al.*, 2013).

Количество особей мамонта, установленное на участке пункта **В**, составляет по предварительной оценке 12 особей (5 — половозрелые особи: 2 самца и 3 самки; 5 молодые особи (3–4–5–6 лет), 2 детёныша 1,5–2 года). Следует отметить, что количество костей от каждой из особей шерстистого мамонта не превышает 2–3% от скелета каждой из особей.

По остаткам эмбриона шерстистого мамонта (предположительно, вторая половина второго года пренатального развития) и сброшенным рогами северного оленя (ХАЭ-2010, кв. Д-1', № 195), можно предположить, что гибель/сбрасывание рогов особей, относящихся к этим видам, произошла в конце зимы — начале весны.

2–4 years) were found and two bone fragments that are thought to have belonged to a mammoth embryo. The criteria for determining the mammoths' ages were in keeping with the method devised by E. Mashchenko (2002). A.A. Chubur used drawings and depictions of mammoth teeth to determine the number of woolly mammoths within the Point **A** area and his conclusions were very close to the number of mammoths established by F.M. Zavernyaev — around 50 (Chubur, 1995). The ranges of large mammal species outlined above and the percentage of the total faunal remains they represented are typical for many Late-Palaeolithic sites in the Russian Plain (Mashchenko *et al.*, 2003; Gavrilo *et al.*, 2013).

The number of mammoths established for the area known as Point **V**, based on a preliminary assessment is 12 individuals (5 sexually mature animals — 2 males and 3 females; 5 young individuals (3–4–5–6 years old), 2 calves (1½–2 years). It should be noted that the amount of bones for each of the individual woolly mammoths is no more than 2–3% of its skeleton.

On the basis of the remains of the woolly mammoth embryo (assumed to have been in the second half of the second year of its pre-natal development) and the shed reindeer antlers (Khotylevo Archaeological Expedition — 2010, quadrant D-1', № 195) it can be assumed that the antler-drop of those animals took place in late winter or early spring.

Пункт Г.

Расположен в северной части небольшого мыса, следующего к западу от мыса, с которым связан пункт **Б**, на расстоянии около 20 м. Пункт **Г** остаётся практически не изученным. Культурный слой на этом участке был зафиксирован в 1995 г. в шурфе, заложенном на восточном склоне небольшого овражка. Находки были вскрыты на площади 5,5 кв. м и представляли собой костные останки мамонта и редкие предметы из расщеплённого кремня, залегающие на склоне древнего овражка.

Пункт Д.

Пункт **Д** памятника Хотылёво 2 расположен в средней части полого понижающегося к долине р.Десна приводораздельного склона, на расстоянии около 300 м от бровки склона (рис. 19). В рельефе в средней части приводораздельного склона прослеживаются два ориентированных по линии юг-север водосборных понижения в верховьях оврагов, врезы которые в нижнем течении ограничивают площадь пунктов А-Г Хотылёво 2. Между водосборными воронками, в пределах слабовыраженного в современном рельефе всхолмления относительной высотой не более 1 на расстоянии 250 м от границы пункта **В** были заложены шурф 2010 и раскопы 2012–2013 гг. Общее превышение дневной поверхности между пунктами **В** и **Д** составляет 12 м.

Пункт **Д** пока изучен на небольшой площади, однако здесь в разрез наиболее

Point G.

It is situated in the northern part of a small cape adjacent to the cape, with which Point **B** is associated and to the West of it, around 20 metres away. Point **G** has virtually not been studied at all. The cultural layer in this section was recorded in 1995 in a test-pit sunk into the eastern slope of a small gully. The finds were cleared over an area measuring 5.5 m² and they included faunal remains of mammoth and rare objects made of knapped flint, which had been lying on the slope of a small ancient gully.

Point D.

Point **D** within the Khotylevo 2 site is situated in the middle part of a gentle slope descending into the valley of the Desna river at a distance of approximately 300 metres from the brow of the watershed slope (Fig. 19). In the relief of the middle part of the watershed slope, two drainage basins in the gullies of the upper reaches can be traced forming a N-S line and the incised valleys in their lower reaches form the outline of the area incorporating Points A-G of the Khotylevo 2 site. Between the drainage funnels and within the confines of a faint elevation in the modern relief no more than a metre high and at a distance of 250 metres from the edge of Point **V**, a test-pit was sunk in 2010 and trenches were dug in 2012–2013. The overall rise of the ground surface between Points **V** and **D** amounts to 12 metres.

Only a small area within the Point **D** section of the site has been studied so far, but

полно представлены поздне- и средне-плейстоценовые отложения, плащеобразно перекрывающие коренное основание правобережья р. Десна (Воскресенская, Гаврилов, Машченко, 2012). Общая мощность плейстоценовых отложений, вскрытых на пункте **Д**, составляла 12.5 м (рис 24). В верхней части разреза залегает голоценовая серая лесная почва, развитая на поздневалдайских лессовых супесях. Профиль почвы состоит из трех горизонтов: гумусового $A_{1\text{max}}$, переходного $A-V_1$, и иллювиального V_1 . Расположенный ниже переходный горизонт (сл. 2) состоит из рыжевато-бурого, проработанного биотурбацией суглинка, включающего волнистые линзы белесой кремнеземистой присыпки мощностью до 0.5 см и длиной от 5 до 25 см. Запускает профиль почвы иллювиальный горизонт V_1 (сл. 3), состоящий из прослоев плотного ожелезненного суглинка буровато-желтого цвета (т. н. ортзандалы), чередующихся со светлыми линзами и прослоями присыпки кремнезема. В южной стенке раскопа ожелезненными прослоями подчеркнута мощная псевдоморфоза по повторно-жильному льду, основание которой проникает на глубину до 6 м.

Под современной почвой прослеживается мощная — до 3,5 м, толща лессовидных супесей алтыновского горизонта, накопление которых происходило с участием склоново-делювиальных процессов (сл.4–7). В верхней части супеси скрытослоистые, с общим наклоном прослоев к северу, к долине Десны, под углом 2–4°.

in the section the deposits which are represented to the most complete degree are those of the Late and Middle Pleistocene, which form a 'cloak' covering over the bedrock of the west bank of the River Desna (Voskresenskaya, Gavrilov, Mashchenko, 2012). The overall thickness of the Pleistocene deposits cleared in the Point **D** area is 12.5 metres (Fig. 24). In the upper part of the section there is Holocene soil of a grey forest type, which was formed on the basis of Late Valdai loess-type loamy sands. The soil profile is made up of three levels: humus-rich level $A1_{\text{max}}$, transitional level $A-V_1$, and illuvial level V_1 ... The transitional layer (Level 2) consists of ginger-brown loam, which has undergone bioturbation and contains wavy lenses of whitish flinty silicic dust 50cms thick and between 5 and 25 cms long. The soil profile ends with the illuvial layer V_1 (Level 3) consisting of inter-layers of dense ferruginous loam brownish-yellow in colour (so-called ortzands) alternating with pale lenses and inter-layers of silicic dust. In the south wall of the trench ferruginous inter-layers serve to emphasize a thick pseudomorph across the ice veine, the base of which penetrates down to a depth of 6 metres.

Under the modern soil it is possible to trace a stratum of loess-like loamy sands of the Altyn level, the accumulation of which took place partly due to slope-deluvial processes (Levels 4–7). In the upper part of the loamy sands with concealed layering, there is a general incline of the inter-layers towards the North and the River Desna at an angle of 2–4°. After a

Рис. 24. Хотылёво 2. Литологические колонки, гранулометрический состав, содержание гумуса и карбонатов (CO_2) в отложениях на месте расположения пункта Д

Fig. 24. Khotylevo 2. Lithologic columns, granulometric composition, humus and carbonates (CO_2) contained in deposits at Point D

С глубины 2 м слоистость становится более явной и проявляется в чередовании прослоев буровато-палевой и серовато-палевой супеси. Внутри сл. 7 на гл. 2,5–3,5 м меняется направление и угол падения прослоев (под углом до 20° к югу), вероятно, по приконтактной зоне с мерзлотным клином. На гл. 3,65–3,90 м прослеживается слабо выраженная погребенная почва, соответствующая трубчевскому уровню почвообразования (сл. 8). Слагающий ее материал представлен палевой с буроватым оттенком слабогумусированной супесью с рассеянными пятнами ожелезнения и карбонатным псевдомицелием по порам. Нижний контакт неровный, крупными языками, расстояние между которыми около 40 см, в нижележащий слой они проникают на глубину до 15 см и продолжают в виде тонких трещин, отклоняющихся под все большим углом к югу от вертикали.

Залегающие ниже лессовидные супеси и суглинки деснинского лессового горизонта (сл. 9–13) приобретают сероватый оттенок за счет оглеения, при этом степень оглеености отложений увеличивается вниз по слою. На гл. 4,71–4,8 м отмечается уровень эфемерного почвообразования, состоящий из линз слабогумусированного лёгкого бурого суглинка толщиной 3–4 см с прослоем светло-палевого алевролита в основании, которые подстилаются желтовато-палевым суглинком. Горизонт разбит на отдельные фрагменты трещинами, проникающими из сл. 8. Отмечаю-

depth of 2 metres, the layering becomes clearer and manifests itself in alternating brownish-yellow and greyish-yellow inter-layers within the loamy sands. Within Level 7 at a depth of 2.5–3.5 metres, the direction and angle of the descent of the inter-layers changes (at an angle of 20° to the South) — probably in the zone where it contacts the permafrost wedge. At a depth of 3.65–3.90 metres, faint evidence of buried soil can be traced, corresponding to the Trubchevsky level of soil formation (Level 8). The material of which it consists is represented by loamy sand of a brownish tinge containing little humus and scattered stains of ferrugination and carbonate pseudomorphs in the pores. The lower contact line is uneven with large tongues: the distance between these is around 40cms and they penetrate into the level below — down to a depth of as much as 15cms — after which they continue in the form of thin cracks deviating at a large angle to the South of the vertical.

The loess-like sandy loams and loams of the Desninsky loess level (Levels 9–13) acquire a greyish tinge as a result of gleyization and at the same time the degree of the deposits' gleyization increases further down the level. At a depth of 4,71–4.8 metres, there is a level of ephemeral soil formation, consisting of lenses of light brown loam containing little humus and with a thickness of 3–4 cms with an inter-layer of pale-yellow aleurite at its base, under which there is yellowish loam. The level is broken up into separate fragments by cracks penetrating down into it from Level 8. The small dots of manganese noted in

щиеся в верхней части сл. 9 мелкие точки омарганцевания в сл. 11 превращаются в субвертикальные затеки бурого цвета. В верхней части слоя оглеение наиболее интенсивно, к низу слой приобретает желтовато-палевый оттенок за счет прокраски вторичным ожелезнением. С глубины 5 м материал по составу становится более тяжелым и сл. 12 и 13 сложены серовато-бурыми оглеенными суглинками, скрытослоистыми, с точками карбонатного псевдомицелия по порам и вертикальными бурыми затеками омарганцевания длиной до 80 см, их основания отклоняются от вертикали к северу под углом до 30°. На глубине 6,03 и 6,10 м отмечаются две тонкие параллельные линзы тонкозернистого оглиненного песка.

Горизонт с находками (сл. 14) залегает на гл. 6,36–6,68 м от поверхности и представлен плотным неоднородным серовато-палевым суглинком. Кости и их фрагменты, различной степени сохранности, а также единичные находки расщепленного кремня связаны с изометричными в плане пятнами гумусированного буровато-серого суглинка, отдельные костные обломки отмечаются и в серовато-палевом суглинке. Разброс находок по вертикали составил от 9 см в северной части до 13 см в южной части вскрытой площади. Такое залегание находок объясняется тем, что весь слой разбит мощными субвертикальными трещинами с заполнением из серого оглеенного суглинка, проникающими и в нижележащие слои.

the upper part of Level 9 turn into sub-vertical intrusions brown in colour in Level 11. In the upper part of the level, the gleyization is more intensive and at the bottom the level acquires a yellowish tinge on account of colour being absorbed from secondary ferrugination. From a depth of 5 metres the material becomes heavier in its composition and Levels 12 and 13 are made up of greyish-brown gleyized loams with concealed layering, with dots of carbonate pseudomycelium in the pores and with vertical brown intrusions of manganese up to 80 cms long. The basis of the latter deviates from the vertical towards the North at an angle of up to 30°. At a depth of 6.03 and 6.10 metres, two thin parallel lenses of fine-grained clayey sand are to be observed.

The level containing the finds (Level 14) lies at a depth of 6.36–6.68 metres from the surface and consists of dense greyish-yellow loam which is not homogenous. The bones and their fragments are in states of preservation which vary, and there are also isolated finds of knapped flint associated with stains of brown-grey loam containing humus, which are isometric in plan. Some bone fragments are also to be observed in the greyish-yellow loam. The spread of finds along the verticals is between 9 cms in the northern part and 13 cms in the southern part of the cleared area. This position of the finds can be explained by the fact that the whole level is intersected by large sub-vertical cracks with an infill of greyish gleyic loam, which penetrate into the levels below. The infill of

Заполнение трещин состоит из серовато-палевого суглинка, по их бортам отмечаются бурые органо-минеральные затеки, основания отклоняются в южной стенке от вертикали к востоку. По-видимому, горизонт с находками подвергался мерзлотному растрескиванию и воздействию криотубационных процессов. Нижняя граница — неровная, волнистая за счет деформаций, со слабым падением к югу.

Между проникающими из сл. 14 языками гумусированного суглинка залегает желтовато-серый, неравномерно окрашенный, плотный суглинок с неровной языковатой границей (сл. 15). Ниже прослеживается горизонт плотного буровато-серого оглеенного суглинка (сл. 16), также с наложенной частой сеткой трещин. Ряд морфологических признаков сближает данную пачку отложений с брянской погребенной почвой. В основании по контакту с нижележащими гумусированными суглинками сформирован горизонт вторичного оглеения.

Горизонт оглеения запечатывает прошлой сильно гумусированных коричневатых и темно-бурых (до черного) суглинков (сл. 17). Материал в слое расположен изометричными пятнами, здесь также отмечаются субвертикальные мерзлотные трещины, разнящиеся по характеру заполнения и мощности. Более крупные трещины имеют ширину до 5 см и заполнение из оглеенного суглинка. По их бортам в верхней части слоя отмечаются разрывы и взбросы линз темного гумусированно-

the cracks consists of greyish-yellow loam and down their sides can be seen brown organic-mineral intrusions, while their bases in the southern wall deviate eastwards from the vertical. Evidently, the levels containing finds underwent glacial fracturing and was impacted by processes of cryoturbation. The lower edge of the level is uneven and wavy because of deformations and it slopes slightly downwards towards the South.

Between the tongues of loam with humus content, which penetrated downwards from Level 14, there lies yellowish-grey dense loam of uneven colour and with an uneven lower edge containing tongues (Level 15). Further down there is a layer of dense brownish-grey gleyic loam (Level 16), which also contains a dense network of cracks. A number of morphological features makes this series of deposits similar to Bryansk buried soil. At its base and along the line of contact with the loams containing humus further down, there is a layer of secondary gleyization.

The layer of gleyization closes off the inter-layer of humus-rich brownish-grey and dark-brown loams (some of which are even black) (Level 17). The material in the level concerned is to be found in isometric stains and sub-vertical cryogenic cracks are also to be seen in it: they vary in their character, infill and thickness. The larger cracks are up to 5cms wide and their infill consists of gleyic loam. Along their sides in the upper part of the level, ruptures and upthrow faults, consisting of lenses of dark loam containing hu-

го суглинка. Тонкие трещины проникают основаниями до гл. 7,35 м. В нижней части слоя линзы темно-серого (до черного) гумусированного материала группируются в прослой, испытывающий общее падение к югу под углом около 10° . Данные отложения, вероятно, представляют собой деформированный солифлюкционно-криотурбационными процессами гумусовый горизонт крутицкой погребенной почвы. По нижнему контакту в слое фиксируются нарушения типа инволюций — затягивание материала из подстилающих отложений. Почвенный материал, слагающий данную пачку, по морфологическим признакам сопоставляется с гумусовым горизонтом крутицкой фазы мезинского почвенного комплекса, в значительной степени деформированный и перетложенный за счет солифлюкционно-криотурбационных процессов. Ниже с резким эрозионным контактом залегают пески тонкозернистые рыжевато-бурые (слои 18–20), переходящие в желтоватопалевые (слои 21–22) пески и алевроиты с прослоями более грубого, мелкозернистого ожелезненного песка, подчеркивающими общую горизонтальную слоистость. Рыжевато-бурый оттенок данной толщи обусловлен прокраской вторичным ожелезнением. В ней отмечаются тонкие волнистые прослои ожелезнения типа ортзандов. По смятию отдельных прослоев отмечаются признаки мерзлотных деформаций по трещинам, проникающих из вышележащих слоев. Вероятно, в основании

mus, can be seen. The lower ends of thin cracks can be observed as having penetrated down to a depth of 7.35 metres. In the lower part of the level, lenses of dark-grey (some even black) material containing humus are grouped together in the inter-layer, the whole of which descends towards the South at an angle of around 10° . These deposits probably represent a layer of Krutitsky buried soil containing humus, which has been deformed by solifluction and cryoturbation processes. Along the lower contact line, disruptions of an involution type — involving the pulling in of material from deposits further down — have been recorded. The soil material making up this series can — as regards its morphological features — be compared to the humus layer of the Krutitsky phase in the Mezin soil complex, which has here been significantly deformed and re-deposited as a result of solifluction and cryoturbation processes. Further down and with a sharp erosion contact-line lie fine-grained, ginger-brown sands (Levels 18–20), which later emerge as yellowish sands (Levels 21–22) and aleurites with inter-layers of coarser, small-grained ferruginous sand, which serve to underline the general horizontal layering. The ginger-brown tinge of this stratum is the result of colouring from secondary ferrugination. In it we can observe thin and wavy inter-layers of ferrugination of the ortzand type. The crushing of certain inter-layers shows signs of glacial deformation having taken place along the cracks, which have penetrated into this level from above. It is

разреза вскрыт салынский горизонт мезинского почвенного комплекса, интервал формирования которого сопоставляется с последним, микулинским межледниковьем. В основании разреза (слои 23–25) залегают зеленовато-серые пески и алевроиты с гравийно-галечными прослоями и включениями валунов и гравия дальнепринесенных и местных пород, относимые нами к флювиогляциальным среднеплейстоценовым отложениям. Флювиогляциальные отложения в период деградации московского оледенения заполняли ложбины стока, которыми служили как сама долина Десны, так и сеть древних балочных понижений.

В результате проведенных в 2012 и 2013 гг. раскопок были зафиксированы три уровня залегания артефактов. Верхний культурный слой (к. сл. 1) может рассматриваться как слой *in situ*. Он залегает в основании мощной толщи лессовидных супесей и суглинков, сформировавшихся в поздневалдайское время, на глубине около 8-ми м от современной дневной поверхности. Особенности кремневого инвентаря данного слоя, содержащего характерные предметы с притупленным краем, позволяют отнести его к восточному граветту. Культурный слой 1 содержал в себе достаточно большое количество костей животных, преимущественно — мамонта. Кости залегали по всей площади раскопа (9 кв. м), а в юго-восточном секторе вскрытой площади образовывали отчетливо читавшееся скопление. После завершения раскопок

probable that, at the base of the section, the Salynsky level of the Mezin soil complex has been cleared: the time interval of its formation can be compared with the last Mikulino Inter-glacial. At the base of the section (Levels 23–25) lie greenish-grey sands and aleurites with gravel-and-pebble interlayers and inclusions of boulders and gravel from rocks of both local and more distant origin, classified by us as fluvio-glacial Middle Pleistocene deposits. Fluvio-glacial deposits, at the time of the degradation of the Moscow glaciation, were filling run-off hollows: the valley of the Desna itself provided these, as did the network of depressions left behind by ancient flat-bottomed valleys.

As a result of the excavations carried out in 2012 and 2013, three levels were recorded as containing artefacts. The upper cultural layer (Level 1) can be regarded as the cultural layer *in situ*. It lies at the base of a thick stratum of loess-type loamy sands and loams formed in the Late Valdai period at a depth of approximately 8 metres from the modern ground surface. The features of the flint industry in this particular layer containing typical objects with blunted edges enable us to classify it as Eastern Gravettian. Cultural Layer 1 contained a fairly large amount of animal bones, mainly those of mammoths. Over the whole area of the excavation trench (9 m²) and in the south-eastern sector of the cleared area distinctly discernible clusters took shape. After the excavations of this cultural layer were completed, the lithologic levels beneath it were

данного культурного слоя были пройдены нижележащие литологические слои (рис. 24), в том числе — погребенная брянская почва (к.сл. 2), горизонт Bt мезинского почвенного комплекса (к.сл. 3), а также отложения, относящиеся к среднему плейстоцену. В погребенной брянской почве и в непосредственно подстилающем его горизонте Bt мезинского почвенного комплекса были зафиксированы палеолитические находки, отнесённые нами, соответственно, к культуросодержащим слоям 2 и 3.

Культуросодержащий слой 2 представляет собой находящиеся во взвешенном состоянии предметы из расщепленного кремня, включенные в гумусированные линзы брянской погребенной почвы. Разброс по вертикали между находками достигал 40 см. На площади 4 кв. м было обнаружено 28 экз. кремневых предметов: преимущественно, отщепы, а также единичные чешуйки. В коллекции имеются также два вторичных нуклеуса для снятия микропластинок, а также сами микропластинки с изогнутым, «кручёным» профилем. Артефакты не имели следов окатанности. Среди находок также присутствует один фрагмент микропластинки с притупленным краем (рис.). Данное изделие не связано с мерзлотной трещиной и не могло попасть из вышележащего культурного слоя. По гумусу погребенной почвы в радиоуглеродной лаборатории ГИН была получена дата 29090 ± 350 (ГИН-15036, определение Н.Е. Зарецкой).

also examined (Fig. 24), including the buried Bryansk sand (Level 2), the Bt. layer of the Mezin soil complex (Level 3) and also deposits classified as belonging to the Middle Pleistocene. In the buried Bryansk soil and in the Bt. Layer of the Mezin soil complex, Palaeolithic finds were recorded, which were accordingly classified by us as Cultural Layers 2 and 3.

Cultural Layer 2 contained objects of knapped flint in a suspended state, which had been lying in lenses of Bryansk buried soil containing humus. The spread along the vertical between the finds reached as much as 40cms. Within an area of four square kilometres, 28 samples of flint objects were found: mainly flakes and also some isolated chips. The collection also contained two secondary cores for the removal of micro-bladelets and some micro-bladelets themselves with an oblique 'twisted' profile. The artefacts bore no traces of roundness. Among the finds there was also one fragment of a micro-bladelet with a blunted edge. This article was not linked with a glacial crack and could not have found its way in through the cultural layer above it. Using humus from the buried soil, a date was obtained in the radio-carbon laboratory of the Geology Institute — namely, 29090 ± 350 (GIN-15036, established by N.E. Zaretskaya).

The third level containing cultural remains, Cultural Layer 3, is a level in which flint objects lay, which were recorded at the base of lenses of black loam and in the up-

Культуросодержащий слой 3 представляет собой горизонт залегания кремневых предметов, которые были зафиксированы в основании линз суглинка черного цвета и в верхней части слоистых песков с прослоями ортзандов. Черный цвет гумусированного суглинка был обусловлен присутствием в его линзах большого количества древесного угля. Судя по характеру распространения слоя, в раскопе 1 был вскрыт слой пожарища природного характера. Однако, сами кремневые предметы не обожжены. Культурный слой, как и включающие его отложения переотложены, по-видимому, солифлюкционными процессами, часть артефактов имеют хорошо выраженные следы окатанности. Всего было найдено 17 экземпляров, среди них — два фрагмента узких пластин верхнепалеолитического облика. Одна из пластин имеет край, обработанный регулярной вентральной ретушью.

per part of the layered sands containing ortzand inter-layers. The black colour of the loam containing humus was a result of the presence within it of lenses containing large amounts of charcoal. To judge from the spread of the layer, what had been cleared in Trench 1 was a layer resulting from a natural fire. The flint objects themselves, however, were not charred. The cultural layer, like the deposits enclosing it, had evidently been re-deposited in the wake of solifluction processes and some of the artefacts showed clear signs of having been rounded. A total of seventeen specimens was found and, among these, two fragments of narrow blades of Upper-Palaeolithic appearance. One of the blades had an edge which had been worked with regular ventral retouch.

Табл. 8. Радиоуглеродные датировки стоянки Хотылёво 2
(по: Гаврилов, 2008; Гаврилов, 2012а; Gavrilov et al., 2015)

№ п. п.	Индекс	Материал, контекст	¹⁴ C дата
1	ГИН-12861	Зуб мамонта, пункт А, раскоп 13, 1998 г.	19 600 ± 450
2	ГИН-12857	Пункт А, раскоп 13; кв. — 2.7 / 2.8; «зольник» — костный уголь	20 190 ± 80
3	ГИН-12856	Пункт Б, раскоп I; кв. Б / 8–9; «зольник» — костный уголь	20 550 ± 210
4	ГИН-15037	Пункт Б, кв. А-10, зольник, костный уголь	20 570 ± 110
5	ГИН-13075	Пункт Б, раскоп I; кв. Б/8–9; зольник основание, костный уголь	20 720 ± 170
6	ГИН-12858	Пункт А, раскоп 13; кв. — 2.9; «зольник» — костный уголь	20 830 ± 100
7	ГИН-8497	Зуб мамонта. Пункт А. Раскоп 12	21 170 ± 260
8	ГИН-12855	Пункт А, раскоп 13; кв. — 3.7; сектор 3; очаг, костный уголь	21 370 ± 80
9	ГИН-8495	Зуб мамонта. Пункт А. Раскоп 12	21 720 ± 170

10	ГИН-8886	Костный уголь. Пункт Б. Раскоп I	21850 ± 170
11	ГИН-8496	Зуб мамонта. Пункт А. Раскоп 12	22660 ± 170
12	ГИН-8406	Зуб мамонта. Пункт А. Раскоп 12	22700 ± 200
13	ГИН-12859	Пункт Б. Раскоп I, кв. В-12, гл.—10.79/ — 10.85, зуб мамонта.	22700 ± 450
14	ОхА-27225	пункт В, раскоп Б, кв. Г-4', яма 6, гл.—876,—889, кость мамонта	22720 ± 150
15	ОхА-27002	пункт Б, раскоп I, кв. В-4, гл.—1063, кость мамонта	22900 ± 150
16	ОхА-Х-2500–11	пункт В, раскоп Б, кв. Д-1', гл.—894,—898, кость сев. оленя	23020 ± 210
17	ОхА-27223	пункт В, раскоп Б, кв. В-3', яма 4, гл.—877, кость волка	23050 ± 150
18	ОхА-27224	пункт В, раскоп Б, кв. В-2', яма 5, гл.—881, кость птицы	23160 ± 160
19	ОхА-27001	пункт А, раскоп 13, кв. 1:2, гл.—1028,—1027.5, кость мамонта	23240 ± 160
20	ГИН-8497а	Зуб мамонта. Пункт Г. шурф 2, кв. 5	23300 ± 300
21	ОхА-27000	пункт В, раскоп А, кв. Г-1, гл.—873, кость мамонта	23470 ± 170
22	ЛУ-359	Кость. Пункт А. Раскопки Ф.М. Заверняева	23660 ± 270
23	GrN-22216	Тот же образец, фракция II	23870 ± 160
24	GrN-21899	Кость, фракция I. Пункт А. Раскоп 12	24220 ± 110
25	ИГАН-73	Зуб мамонта	24960 ± 400
26	ГИН-15036	Пункт Д, почва, гумус, к. сл. 2, гл.— 826/ –833	29090 ± 350

Table 8. Radio-carbon dating of the Khotylevo 2 site
(based on: Gavrilov, 2008; Gavrilov, 2012a; Gavrilov et al., 2015)

No.	Index	Material/Context	¹⁴ C data
1	GIN-12861	Mammoth tooth, Point A, Trench 13, 1998	19,600±450
2	GIN-12857	Point A, Trench 13; Quadrant –2.7/2.8; 'ash-pit' — charcoal	20,190±80
3	GIN-12856	Point B, Trench I; Quadrant B/8–9; ash-pit — charcoal	20,550±210
4	GIN-15037	Point B, Quadrant A-10, ash-pit, charcoal	20,550±110
5	GIN-13075	Point B, Trench I; Quadrant B/8–9; ashpit base, charcoal	20,720±170
6	GIN-12858	Point A, Trench 13; Quadrant –2.9; 'ash-pit'- charcoal.	20,830±100
7	GIN-8497	Mammoth tooth, Point A. Trench 12	21,170±260
8	GIN-12855	Point A, Trench13; Quadrant –3.7; Sector 3; hearth, charcoal.	21,370±80
9	GIN-8495	Mammoth tooth, Point A. Trench 12	21,720±170
10	GIN-8886	Charcoal. Point B. Trench I	21,850±170
11	GIN-8496	Mammoth tooth, Point A, Trench 12	22,660±170
12	GIN-8406	Mammoth tooth, Point A, Trench 12	22,700±200

13	GIN-12859	Point B, Trench I, Quadrant V-12, depth –10.79/ – 10.85, mammoth tooth	22,700±450
14	OxA-27225	Point V, Trench B, Quadrant G-4', Pit 6, depth –876, –889, mammoth bone	22,720±150
15	OxA-27002	Point B, Trench I, Quadrant V-4, depth –1063, mammoth bone	22,900±150
16	OxA-X-2500–11	Point V, Trench B, Quadrant D-1', depth –894, –898, reindeer bone	23,020±210
17	OxA-27223	Point V, Trench B, Quadrant V-3', Pit 4, depth –877, wolf bone	23,050±150
18	OxA-27224	Point V, Trench B, Quadrant V-2', Pit 5, depth –881, bird bone	23,160±160
19	OxA-27001	Point A, Trench 13, Quadrant 1:2, depth –1028, –1027.5, mammoth bone	23,240±160
20	GIN-8497a	Mammoth tooth, Point G, test-pit 2, Quadrant 5	23,300±300
21	OxA-27000	Point V, Trench A, Quadrant G-1, depth –873, mammoth bone	23,470±170
22	LU-359	Bone. Point A. Excavations of F.M. Zavernyaev	23,660±270
23	GrN-22216	Same specimen, fracture II	23,870±160
24	GrN-21899	Bone, fracture I. Point A. Excavation 12	24,220±110
25	IGAN-73	Mammoth tooth	24,960±400
26	GIN-15036	Point D, soil, humus, Level 2, depth –826/ –833+	29,090±350

ХОТЫЛЁВО 6

Памятник Хотылево 6 расположен на площадке мыса на левом борту крупной балки, носящей название Кладбищенской, в её приустьевой части (рис. 25).

Хотылёво 6 было открыто Ф.М. Заверняевым в 1950-е годы, однако первоначально рассматривалось им как часть стоянки Хотылёво 2 (Заверняев, 1974). Самостоятельный характер этого памятника был окончательно подтвержден исследованиями 1981 г., проведенными А.Н. Сорокиным (Гаврилов, 2011). В тот год был исследован культурный слой

KHOTYLEVO 6

The Khotylevo 6 site is situated on a cape on the left side of a large flat-bottomed valley, known as Kladbishchenskaya near its mouth (Fig. 25).

Khotylevo 6 was discovered by F.M. Zavernyaev in the 1950s, but initially he regarded it merely as part of the Khotylevo 2 site (Zavernyaev 1974). The separate nature of this site was finally confirmed by investigations carried out in 1981 by A.N. Sorokin (Gavrilov, 2011). That same year work had been undertaken on the cultural layer from the Mesolithic era, which lay in the

Рис. 25. Топографический план участка правобережья Десны, на котором расположена стоянка Хотылёво 6 (выполнен Ю.Н. Грибченко)

Fig. 25. Topographical plan of the area on the west bank of the Desna, where the site Khotylevo 6 is located (drawn by Y.N.Gribchenko)

эпохи мезолита, залегающий в гумусовом слое современной почвы. Кроме того, в геологическом шурфе были зафиксированы кремневые артефакты, залегающие в погребенной почве плейстоценового возраста.

В результате раскопок, проведенных Хотылёвской археологической экспедицией ИА РАН в 2001–2004 гг., было зафиксировано существование на этом памятнике двух культурных слоев, относящихся к верхнему палеолиту. Сопоставление условий залегания культурных слоев Хотылёво 2 и Хотылёво 6 позволяет заключить, что нижний и верхний верхнепалеолитические слои Хотылёво 6 соответственно древнее и моложе культурного слоя Хотылёво 2, относимого к восточному граветту.

Геологические и геоморфологические условия залегания вмещающих культурные слои отложений.

Стоянки Хотылево 6 и Хотылево 2 занимают сходную геоморфологическую позицию в современном рельефе долины р. Десны. Мыс, на котором расположена стоянка Хотылево 6, с северной и восточной стороны ограничен крутыми склонами, подошва восточного склона опирается на днище Кладбищенской балки в его приустьевой части, северного склона — на поверхность высокой поймы р. Десна. Бровки склонов подняты над урезом на высоту 18 м. В юго-восточном направлении, в сторону водораздела, прослеживается плавный подъем.

humus level of the modern soil. In addition some flint artefacts had been recorded in a geological test-pit, which lay in buried soil of Pleistocene date.

As a result of excavations carried out by the Khotylevo Archaeological Expedition (KhAE) of the Institute of Archaeology affiliated to the Russian Academy of Sciences (IA-RAS) in 2001–2004, the existence at Khotylevo 6 of two cultural layers dating from the Upper Palaeolithic had been recorded. Comparison of the conditions in which the cultural layers from Khotylevo 2 and Khotylevo 6 had been found makes it possible to conclude that the Lower- and Upper-Palaeolithic levels at Khotylevo 6 were on the one hand more ancient and on the other younger than the cultural layer at Khotylevo 2 and could be classified as belonging to the Eastern Gravettian.

Geological and conditions enclosing the position of the deposits containing cultural remains.

The Khotylevo 6 and Khotylevo 2 sites occupy a similar geo-morphological position in the modern relief of the valley of the River Desna. The cape on which the site of Khotylevo 6 is situated is edged on the north and east side by steep slopes and the base of the eastern slope lies on the bed of the Kladbishchenskaya flat-bottomed valley near its mouth while that of the northern slope is on the surface of the high flood-plain of the River Desna. The brows of the slope rise 18 metres above the river's edge. The ground rises smoothly in a south-easterly direction towards the watershed.

В строении разреза общей мощностью 4.4 м, отмечаются следующие стратиграфические горизонты (рис. 26).

The structure of the geological section has a total thickness of 4.4 metres and within it there are the following stratigraphic levels (Fig. 26).

Рис. 26. Хотылёво 2. Литологические колонки, гранулометрический состав, содержание гумуса и карбонатов (CO₂) в отложениях на месте расположения стоянки Хотылёво 6
Fig. 26. Khotylevo 2. Lithologic columns, granulometric composition, humus and carbonates (CO₂) contained in deposits where the site Khotylevo 6 is located

В верхней части разреза представлен профиль голоценовой светло-серой лесной почвы (слои 1–4), который состоит из следующих горизонтов: A₁ — нарушенный пахотой редуцированный гумусовый горизонт современной почвы, переходный горизонт A₂-B и мощный горизонт иллювирования B₁. Верхние горизонты современной почвы A₁ и A₂-B залегают с небольшим уклоном к северо-востоку, согласно с рельефом мысового участка, и сильно нарушены

In the upper parts of the section there is a profile of Holocene pale-grey forest soil (Levels 1–4), which is made up as follows: A₁ — the reduced humus level of the modern soil, which has been destroyed by ploughing, the transitional level A₂-B and the thick illuviation level B₁. The upper levels of the modern soil — A₁ and A₂-B veer slightly towards the North-East, following the relief of the cape area and they have been severely damaged by bioturbation. In the humus

биотурбацией. В гумусовом горизонте голоценовой почвы были зафиксированы предметы из расщеплённого кремня (культурный слой 1). В нижней части почвенного профиля, на контакте с ортзандовым горизонтом были зафиксированы находки культурного слоя 2, также представленные изделиями из расщеплённого кремня. Так как вся верхняя часть разреза нарушена биотурбацией и пахотой, это привело к частичному смещению находок, относящихся как к культурным слоям 2 и 3. Различия между ними проявлялись в том, что кремни, относящиеся к первому культурному слою, не были покрыты патиной.

Иллювиально-глинистый горизонт B_t представлен чередованием прослоев темно-ржавого ожелезненного суглинка (ортзанды) и пятен и линз белесовато-желтой пылеватой кременеземистой присыпки.

Для залегающих ниже лессовидных суглинков (слои 5–7) характерно достаточно сложное, неоднородное строение. Материал в этих слоях сильно оглеен, в слое 7 на гл. 2,25–2,3 м отмечается уровень эфемерного почвообразования — прослой буровато-коричневого гумусированного материала, заключенный между двумя тонкими песчаными линзами. Гумусированный прослой разбит на отдельные фрагменты сетью узких субвертикальных трещин, проникающих и в нижележащие слои. На отдельных участках он разделяется на два параллельных прослоя, залегающих под наклоном 3–5° к востоку. Нарушения и смещения по трещинам отмечаются и по разрывам

level of the Holocene soil objects made of split flint (Cultural Layer 1) were recorded. In the lower part of the soil profile along the contact-line with the ortzand level, finds were recorded from Cultural Layer 2, which were also represented by articles made of knapped flint. As the whole upper part of the section had been disturbed by bioturbation and ploughing this had slightly shifted the finds relating to Cultural Layers 2 and 3. The differences between them were made visible by the fact that the flints relating to Cultural Layer 1 were not covered with a patina.

The illuvial-clayey level B_1 was represented by alternating inter-layers of a dark rust-coloured ferruginated loam (ortzands) and stains and lenses made up of whitish-yellow dusty silica powder.

A fairly complex structure was typical for the loess-type loams further down (Levels 5–7) and one that was not homogenous. The material in these levels was highly gleyic and in Level 7 at a depth of between 2.25 and 2.3 metres a layer of ephemeral soil formation is noted — namely, an inter-layer of brownish material containing humus enclosed within two thin lenses of sand. The inter-layer containing humus has been divided up into separate fragments by a network of narrow sub-vertical cracks, which penetrated into the levels further down. In certain places this inter-layer divided into two parallel layers veering at an angle of 3–5° towards the East. Previous disruption and shifting down the cracks can also be seen

в подстилающих прослой линзах светло-серого тонкозернистого песка. Такой характер залегания свидетельствует об активизации плоскостного смыва во время формирования горизонта эфемерного почвообразования и последующих нарушениях слоев за счет мерзлотного растрескивания.

Ниже, под огленными суглинками, залегает погребенная почва, которую мы по ряду морфологических признаков сопоставляем с брянским уровнем почвообразования. Серии радиоуглеродных датировок возраста брянской ископаемой почвы, полученные по органическому веществу из разрезов в центральной части Восточно-Европейской равнины, варьируют в пределах от 24 до 29 тысяч лет назад (Морозова, 1981). Профиль ископаемой почвы (слои 8–10) имеет общую мощность до 0,6 м и состоит из горизонтов A_1 , $AB-B_{ca}$ и B_{ca-g} . Гумусовый горизонт A_1 в значительной степени деформирован мерзлотно-солифлюкционными процессами и представлен отдельными пятнами изометричной формы и прослоями темно-серого обогащенного органическим веществом материала. Прослой толщиной 4–7 см залегают параллельно друг другу со слабым уклоном в западном направлении. Весь почвенный профиль разбит на блоки несколькими системами трещин, в плане образующих изометричные полигоны. Трещины проникают в подстилающие отложения до гл. 3,6 м, основания более крупных трещин (около 3 см шириной) заполнены серым с белесоватым оттенком суглинком, основания

from the ruptures in the lenses of pale-grey fine-grained sand lying under the inter-layer. The arrangement of soils of this kind testifies to the activation of surface erosion, when the level of ephemeral soil-formation was taking place and during subsequent disruption of levels in the wake of ice-cracking.

Further down, under gleyic loams, lay buried soil which, in view of a number of its morphological features, could be compared to the Bryansk level of soil formation. Series of radio-carbon dates for the age of the Bryansk fossil soil — obtained using organic material from the sections in the central part of the East-European Plain — vary from between 24 and 29,000 years ago (Morozova, 1981). The profile of the fossil soil (Levels 8–10) has a general thickness of 60 cms and consists of levels A_1 , $AB-B_{ca}$ and B_{ca-g} . The humus level A_1 was deformed to a considerable extent by permafrost-solifluction processes and is represented by certain stains of isometric shape and inter-layers of dark-grey organically enriched material. Inter-layers with a thickness of 4–7cms lie parallel to each other, veering slightly in a westerly direction. The whole soil profile is divided up into blocks by several systems of cracks, which in plan form isometric polygons. The cracks penetrate into deposits beneath them down to a depth of 3.6 metres, into the bases of the larger cracks (approximately 3 cms wide) filled with grey loam that has a whitish tinge and also into the bases of smaller cracks (less than half a centimetre wide), which are filled with dark-grey loam containing humus.

более мелких трещин (шириной менее 0.5 см) заполнены тёмно-серым гумусированным суглинком.

С гумусовым горизонтом связаны включения обломков тёмно-серого местного кремня и кремнёвых артефактов (культурный слой 3), а также галька и гравий кристаллических пород и дресва мела, особенно многочисленные по верхнему контакту. Здесь же встречались крупные (до 4-х см в диаметре) новообразования карбонатов типа журавчиков. За счет мерзлотных постдиспозиционных нарушений предметы из расщеплённого кремня распределены по всей верхней части профиля почвы, а также частично перемещены в вышележащие отложения и нижние горизонты почвенного профиля. Карбонатно-глеевый горизонт B_{ca-g} представлен белесовато-серым суглинком, который разбит на блоки трещинами, имеющими темно-серое заполнение и белесоватую кайму карбонатов по бортам.

Нижняя часть разреза (слои 11–13) представлена рыжеватыми ожелезненными алевролитами и тонко-зернистыми песками с редкими включениями гравия и обломков кристаллических и местных пород. В слое 12 отмечались заполненные темно-бурым гумусированным материалом округлые кротовины, а также темные гумусированные линзы. По нашим представлениям, данная толща представляет собой остатки крутицкого и салынского горизонтов мезинского почвенного комплекса. В основании разреза, на глубине 3,5–4,4 м залегают светло-серые мелко- и среднезернистые

Associated with the humus level are inclusions of fragments of the dark-grey local flint and flint artefacts (Cultural Layer 3) and also pebbles and gravel of crystalline rocks and chalk scree, which are particularly prevalent along the upper contact line. It is there that large (up to 4cms in diameter) new carbonate formations such as loess dolls were found. Permafrost post-deposition disruptions have led to objects made from knapped flint being distributed throughout the whole upper part of the soil profile and also being in part moved into the deposits above them and into the lower levels of the soil profile. The carbonate-gleyic level B_{ca-g} is represented by a whitish-grey loam, which has been broken into blocks by cracks which have a dark-grey infill and a whitish border of carbonates along their sides.

The lower part of the section (Levels 11–13) is represented by slightly ginger-coloured ferruginated aleurites and fine-grained sand with rare inclusions of gravel and fragments from crystalline and local rocks. In Level 12 round mole-courses were noted which had an infill of dark-brown lenses containing humus. In our view this stratum represented remains of Krutitsky and Salynsky levels of the Mezin soil complex. At the base of the section and at a depth of 3.5–4.4 metres lay pale-grey small- and medium-grained sands with inter-layers and lenses of ferrugination, containing fragments of flint concretions with a diameter of up to 20 cms (Level 14),

пески с прослоями и линзами ожелезнения, содержащие обломки кремневых конкреций диаметром до 20 см. (слой 14), сопоставляемые нами со среднеплейстоценовыми водно-ледниковыми осадками (Воскресенская, Гаврилов, 2014).

ОБЩАЯ ХАРАКТЕРИСТИКА КУЛЬТУРНЫХ СЛОЁВ И КАМЕННОГО ИНВЕНТАРЯ

К верхнему палеолиту, по нашему мнению, относятся кремневые изделия, залегавшие в культурных слоях 2 и 3. В пользу такой атрибуции свидетельствуют как их стратиграфическое положение, так и технико-типологические особенности каменных артефактов.

Культурный слой 2.

Верхний позднепалеолитический культурный слой Хотылёво 6 раскопан на площади 64 кв. м. Культурный слой 2 не был окрашен продуктами хозяйственной деятельности человека. Он представлял собой горизонт залегания кремневых изделий, отдельных древесных угольков и мелких фрагментов керамики, проникших в данный слой из верхнего культурного слоя из голоценовой почвы. Находки находились во взвешенном состоянии. Перепад глубин залегания артефактов составлял от 5 до 15 см и был вызван биогенной переработкой вмещающих отложений. Патинированные и непатинированные кремни, а также фрагменты керамики могли

which we compared with Middle-Pleistocene glacial sediments (Voskresenskaya, Gavrilov, 2014).

STONE INVENTORY

The flint articles found in Cultural Layers 2 and 3 relate, in our opinion, to the Upper Palaeolithic. Both their stratigraphic position and the technical-typological features of the stone artefacts would indicate this.

Cultural Layer 2.

The upper Late-Palaeolithic cultural layer at the Khotylevo 6 site was excavated over an area of 64 m². It presented as a level containing flint articles, some individual pieces of charcoal and small fragments of pottery, which had penetrated into this particular level from the upper cultural layer made up of Holocene soil. The finds were in a suspended state. The drop in depth of the artefacts' position amounted to 5–15 cms and it was the result of the biogenic impact of the deposits within which they were embedded. Both patinated and non-patinated flints and also fragments of pottery could be found on one and the same level within a single quadrant. The total number of flint articles came to 173 specimens and 24 of those were tools. The stone inventory has been published (Gavrilov, 2014). The patinated articles were classified as from the Upper Palaeolithic period. The differences between the patinated

залегать на одном и том же уровне в пределах одного квадрата. Общее количество кремневых изделий составило 173 экз., из них орудий — 24 экз. Каменный инвентарь опубликован (Гаврилов, 2014). К верхнему палеолиту отнесены патинированные изделия. Различия между патинированными и непатинированными кремнёвыми артефактами достаточно характерны: незначительное количество пластин среди непатинированных изделий; использование отщепов в качестве заготовок для изготовления орудий; отсутствие ребристых пластин. Патинированные предметы изготовлены из плитчатого кремня темно-серого цвета с тонкой известковой коркой кремового цвета. Среди нуклеусов: одноплощадочный клиновидный кругового скалывания (рис. 27: 6), второй — двухплощадочный торцово-уплощенный нуклеус с ребристым оформлением гребня (рис. 28: 10), а также сработанный экземпляр уплощенной формы с двусторонне-обработанными ребрами (рис. 27: 5). Большая часть пластин изогнута в продольной плоскости, ударные площадки — широкие, расположены под прямым углом к плоскости брюшка (рис. 27: 3). Среди резцов, найденных в шурфе, один предмет изготовлен на сломанном отщепе, другой представляет собой отщеп с резцовым сколом. Законченную форму имеет третий — двойной резец, в котором сочетаются ретушная и двугранная многофасеточная формы (рис. 28: 9). Резцы, залежавшие в северо-западном скоплении раскопа,

and the non-patinated flint artefacts were fairly typical: there was only a small number of blades among the non-patinated articles; flakes had been used as blanks for making the tools and there were no ribbed blades. The patinated objects had been made from tabular flint, which was dark-grey in colour and was covered with a thin cream-coloured limestone crust. Among the cores was a wedge-shaped one with a single butt and a round termination (Fig. 27: 6), a second core which had a double butt and a flattened end with a ribbed keel (Fig. 28: 10) and another reduced specimen with a flattened shape and ribs which had been processed on both sides (Fig. 27: 5). Many of these blades was curved along their lengthways surface and their striking platforms were wide and at right angles to their ventral surface (Fig. 27, 3). Among the burins found in the trench, one object had been made from a broken flake, while another was a flake made with a burin blow. A third had a more carefully finished shape: it was a double-edged burin combining a retouched and dihedral multi-faceted shape (Fig. 28, 9). The burins found in the north-west cluster within the trench were of the two-faceted kind (two specimens) and had been made from broken blanks/angle burin (1 specimen, Fig. 27, 4). All these burins had been made from large blades. The end-scrapers were of foreshortened proportions and there was no deliberate retouch of their edges. One of them had been made from a secondary flake with edges that branched out towards the working part (Fig. 28, 5).

Рис. 27. Хотылёво 6, культурный слой 2. Нуклеусы (№№ 5, 6) и предметы с вторичной обработкой (№№ 1-4)

Fig. 27. Khotylevo 6, Cultural layer 2. Cores (Nos.5,6) and objects with secondary treatment

относятся к двугранным (2 экз.) и на сломе заготовки (1 экз., рис. 27: 4). Все они изготовлены на крупных пластинах. Скребки — концевые укороченных пропорций без преднамеренной ретуши краев. Один из них изготовленна вторичном отщепе с расходящимися к рабочей части краями (рис. 28: 5). Второй — на пластинчатом отщепе или пластине с подпараллельными краями (рис. 28: 6). Среди орудий имеются так называемый косое острие на пластине (рис. 27: 2), а также пластина с притупленным краем (рис. 28: 2), изготовленная на крупной заготовке при помощи крутой ретуши, нанесенной со спинки. Среди других артефактов выделяются два предмета. Один из них — первичный отщеп со следами использования краев и дистального конца, у которого при помощи крупной полукрутой ретуши произведено уплощение ударного бугорка (рис. 28: 11). Второй — острие на широкой массивной пластине с подработкой вершины вентральной плоской ретушью (рис. 28: 7). Один из отщепов с ретушью может быть атрибутирован как острие-проколка (рис. 28: 8). Еще одно острие-проколка, но уже с массивным жалом, оформленным ретушной выемкой, было изготовлено на обломке желвака. Техничко-типологические особенности каменной индустрии второго культурного слоя позволяют отнести его к поздней поре верхнего палеолита.

Культурный слой 3.

Третий культурный слой связан с брянской погребённой почвой и раскопан

Another was made from a lamellar flake or a blade with sub-parallel edges (Fig. 28, 6). Among the tools there was a so-called diagonal point made from a blade (Fig. 27, 2) and also a blade with a blunted edge (Fig. 28, 2), which had been made from a large blank with the help of abrupt retouch applied from the dorsal surface. Two objects stood out among the other artefacts. One of them was a primary flake with traces of use on its edges and distal end, which with the help of major semi-steep retouch had had its bulb of force flattened (Fig. 28, 11). The other was a point made from a large and wide blade, the top of which had been worked with flat ventral retouch (Fig. 28, 7). One of the retouched flakes could be described as a borer-point (Fig. 28, 8) and another elongated borer, but this time with a retouched notch and made from a fragment of a concretion nodule. The technical-typological features of this stone industry in the second cultural layer make it possible to classify it as belonging to the late phase of the Upper Palaeolithic.

Cultural Layer 3.

The third cultural layer was associated with Bryansk buried soil and was excavated over an area of 30 m². The results of this research have been published (Gavrilov, 2011a; Gavrilov, Voskresenskaya, 2014; Gavrilov 2016b). In the stratum of loam and in the lenses of material containing humus, splintered flints were found and also flint pebbles and nodules. After horizontal cleaning had taken place, the loam containing humus appeared in plan as unevenly

Рис. 28. Хотылёво 6, культурный слой 2. Нуклеус (№ 10) и предметы из расщеплённого кремня (№№ 1-9, 11)

Fig. 28. Khotylovo 6, Cultural layer 2. Cores (No. 10) and objects made from flint-knapping

на площади 30 кв. м. Результаты его исследований опубликованы (Гаврилов, 2011а; Гаврилов, Воскресенская, 2014; Гаврилов, 2016б). В толще суглинка, в линзах гумусированного материала, залежали расколотые кремни, а также кремневые гальки и желваки. В плане, после горизонтальных зачисток, гумусированный суглинок выглядел в виде неравномерно окрашенных пятен, как правило, подтреугольной или сегментовидной формы. Это было связано с тем, что трещины разбивали погребенную брянскую почву на полигоны, которые в дальнейшем смещались и становились наклонными. Гумусированный слой погребенной почвы залегал с небольшим наклоном в сторону долины Десны и Кладбищенской балки. В основании погребенной почвы в южной части раскопа были зафиксированы пять небольших ямок, по-видимому, искусственной природы.

Коллекция находок насчитывает более 367 экземпляров, из которых 33 предмета — это окатанные фрагменты мелких размеров различных пород камня, среди которых встречен кварцит, сланец, гранит и окремненный песчаник. Остальные 334 предметов относятся к кремневым артефактам. Сырьем служил местный плиточный кремнь темно-серого цвета, однако использовался также валунный кремнь коричневого и черного цветов. Почти четверть расколотого кремня представлена обломками и осколками, полученными в результате первичной обработки сырья. Выраженных нуклеусов, характерных для более поздних памятни-

coloured stains, usually of roughly triangular or segment-like shape. This was linked to the fact that cracks had broken the buried Bryansk soil into polygons, which had later been shifted and re-positioned at a slight angle. The level of buried soil containing humus veered slightly towards the valley of the Desna and the Kladbishchenskaya flat-bottomed valley. At the base of the buried soil in the southern part of the trench, five small pits were recorded which were evidently of an artificial kind.

The collection of finds amounted to over 367 specimens and of these 33 were rounded fragments small in size and of various kinds of stones, which included quartzite, slate, granite and silicified sandstone. The remaining 334 objects were flint artefacts. Local tabular flint, dark-grey in colour, provided the raw material, but boulder flint, brown or black in colour, was also used. Almost a quarter of the splintered flint consisted of fragments and chips resulting from primary working of the material. There were no obvious cores typical of later sites of the Upper Palaeolithic within this territory, although some core-like preforms with characteristic ribbed finishing of the edges were found (2 specimens). The collection contained one core-like end-scrapers: it had probably been a core used for removing micro-blade flakes during the early stage of use (Fig. 29,2). There was also a core-like burin, probably a secondary core (Fig. 29,8).

Among the objects produced through primary splitting, flakes and blades ac-

ков верхнего палеолита на этой территории, нет, хотя встречены нуклевидные преформы с характерной ребристой подработкой краёв (2 экз.). В коллекции имеется один нуклевидный скребок — вероятно, нуклеус для снятия микропластинчатых сколов в начальной стадии утилизации (рис. 29: 2). Имеется также нуклевидный резец, вероятно, вторичный нуклеус (рис. 29: 8).

Среди продуктов первичного раскалывания доля отщепов и пластин составляет 20,9 и 8,75% от общего количества инвентаря соответственно. Чуть более 4% приходится на неопределимые фрагменты сколов. Для отщепов (рис. 30: 4–6, 9, 10) характерны широкие плоские ударные площадки, пластины отличаются присутствием предметов с фасетированными и ретушированными ударными площадками, и изогнутым профилем. В коллекции значительна серия кремневых галек (14,7%), большинство которых расколото (рис. 30: 8). Кремневые гальки использовались в качестве наковаленок, отбойников и ретушеров.

Большинство каменных орудий изготовлено на отщепах. Однако доля орудий на пластинах также велика, их представленность заметно увеличивается среди предметов с вторичной обработкой. Следует указать также на наличие в инвентаре ребристых пластин (13 экз.), что свидетельствует о целенаправленном характере производства пластинчатых заготовок (рис. 30: 2, 3, 7).

Набор каменных орудий характерен для ориньякоидных комплексов, о чем свидетельствуют кареноидный скребок

counted for 20.9% and 8.75% of the overall range. Indeterminate fragments of flakes accounted for just over 4%. Typical for the flakes (Fig. 30, 4–6, 9, 10) were wide, flat striking platforms and the blades stood out as objects with faceted and retouched striking platforms and curved profiles. The collection also contained a series of flint pebbles (14.7%), most of which were split ones (Fig. 30, 8). The flint pebbles were used as anvils, hammerstones and retouchers.

Most of the stone tools were made from flakes. Yet the proportion of tools made from blades was also large: their share of the objects with secondary working was significantly greater. Attention should also be drawn to the presence within the inventory of ribbed blades (13 specimens), which indicates that the production of blanks from blades was deliberate (Fig. 30, 2, 3, 7).

The range of stone tools was typical for Aurignacian assemblages, as can be seen from the karenoid end-scraper and the core-like burin, side-scrapers (Fig. 29, 1) and large and wide blades with major retouch (Fig. 29, 6). Yet the collection includes two articles which are similar to articles typical for Gravettian sites. These are a backed blade on which the edge has been worked using regular trimming (Fig. 29, 3) — a feature which is typical for the secondary working of Kostenki-type knives. Yet, the object in question does not relate to that tool category and can be classified as a blade with

Рис. 29. Хотылёво 6, культурный слой 3. Кремнёвые изделия
 Fig. 29. Khotylevo 6, Cultural layer 3. Flint artefacts

Рис. 30. Хотылёво 6, культурный слой 3. Кремнёвые изделия
 Fig. 30. Khotylevo 6, Cultural layer 3. Flint artefacts

и нуклевидный резец, скребла (рис. 29: 1) и широкие массивные пластины с крупной ретушью (рис. 29: 6). Однако в коллекции имеются два предмета, которые аналогичны изделиям, характерным для граветтийских памятников. Это пластина, у которой регулярной подтеской обработана поверхность слома (рис. 29: 3) — черта, характерная для вторичной обработки ножей костяного типа. Однако, данный предмет не относится к названной категории и может быть атрибутирован как пластина с подтёской конца. Кроме того, в коллекции имеется один экземпляр ножа с обушком, оформленным притупляющей встречной ретушью (рис. 30: 1). Плоским вентральным сколом у этого предмета подновлён режущий край в проксимальной части. Имеется в коллекции и краевой скол. Возможно, что последний экземпляр как раз связан с утилизацией ножей данной категории.

ГОРОДИЩЕ «КУДЕЯРКА»

Городище юхновской культуры «Кудеярка» расположено в 150 м к северо-западу от западной окраины с. Хотылёво, на мысу правого коренного берега Десны (рис. 31). Высота городища от подошвы составляет 17–18 м, площадка — подпрямоугольной формы, 58х30–34 м. С напольной стороны читаются вал высотой до 1,5 м и шириной 14 м, а также ров шириной 8 м и глубиной

a trimmed end. Furthermore, the collection contains a specimen of a backed knife fashioned using reflected retouch for truncation (Fig. 30, 1). The cutting edge of this object in its proximal part was renewed using a flat ventral flake. The collection includes an edge flake as well. It is possible that the latter specimen was linked precisely with the use of knives of that category.

THE FORTIFIED SETTLEMENT “KUDEYARKA”

The fortified settlement of Kudeyarka is situated 150 metres north-west of the western edge of the Khotylevo site, on a cape on the west natural bank of the River Desna (Fig. 31). Its height from the foot of the cape is 17–18 metres and it is of sub-rectangular shape, measuring 58 × 30–34 metres. At ground level its rampart is up to 1.5 metres high and 14 metres wide, while its moat is 8 metres wide and up to 1 metre deep. The steep northern slope of the cape rises from the surface of a high flood-plain, while on the east and west side the area of the fortified settlement is edged by slopes of shallow valleys and ravine depressions.

This fortified settlement was discovered by A.K. Ambroz in 1955. The site was later investigated by F.M. Zavernyaev, who in 1958 carried out small-scale excavations there (Shmidt, Zavernyaev, 1959). In 1974, A.S. Smirnov surveyed the fortified

до 1 м. Северный крутой склон мыса опирается на поверхность высокой поймы, с восточной и западной стороны площадка городища ограничена склонами балочных и овражных понижений.

Городище было открыто А.К. Амброзом в 1955 г. Позднее памятник исследовался Ф.М. Заверняевым, который в 1958 г. проводил здесь небольшие раскопки (Шмидт, Заверняев, 1959). В 1974 г. А.С. Смирнов повторно обследовал городище¹. В 2006 г. разведочными работами Хотылёвской археологической экспедиции ИА РАН на городище, в шурфе № 7, были обнаружены два верхнепалеолитических культурных слоя (№№ 2 и 3). Исследования этих слоёв проводились также в 2015 г.

ГЕОЛОГИЧЕСКИЕ И ГЕОМОРФОЛОГИЧЕСКИЕ УСЛОВИЯ ЗАЛЕГАНИЯ ВМЕЩАЮЩИХ КУЛЬТУРНЫЕ СЛОИ ОТЛОЖЕНИЙ

В строении разреза общей мощностью 8,2 м на городище «Кудеярка» зафиксирована следующая последовательность горизонтов (рис. 32). Верхняя часть разреза представлена современной светло-серой лесной почвой, развитой по типу светло-серой лесной, в профиле которой выделяются горизонты А- А-В -Вt. Гумусовый горизонт (сл.1) имеет увеличенную мощность,

¹ Смирнов А.С. Отчёт о разведках Деснинского левобережного отряда в 1974 г.//Архив ИА РАН. Д. № 5291.

settlement¹ once again. In 2006 the Khotylyovo Archaeological Expedition of the Institute of Archaeology affiliated to the Russian Academy of Sciences (IA-RAS) carried out reconnaissance work at the site and in test-pit № 7 two Upper-Palaeolithic cultural layers (Nos. 2 and 3) were found. Further investigation of these layers was carried out in 2015.

THE GEOLOGICAL AND GEOMORPHOLOGICAL CONDITIONS PERTAINING TO THE POSITION OF THE DEPOSITS ENCLOSING THE CULTURAL LAYERS

In the structure of the section at the fortified settlement “Kudeyarka”, which has an overall thickness of 8.2 metres, the following sequence of levels was recorded (Fig. 32). The upper part of the section consists of the modern pale-grey forest soil, in the profile of which the following levels can be singled out: A, A-B and -Bt. The humus level (Level 1) is thicker than usual because it incorporates a level of the Yukhnovo archaeological culture dating from the Early Iron Age. The transitional level is reduced and the illuvial level Vt. (Level 2) consists of sub-horizontal interlayers of ortzands alternating with thin layers of whitish siliceous dust of aleurite

¹ A.S. Smirnov, “Report on reconnaissance work by the Desna West Bank Team in 1974”, Archive of the IA-RAS, Vol. № 5291.

Городище Кудеярка

Рис. 32. Хотылёво, городище «Кудеярка». Литологические колонки, гранулометрический состав, содержание гумуса и карбонатов (CO₂) в отложениях на месте расположения археологического памятника

Fig. 32. Khotylevo, fortified settlement “Kudeyarka”. Lithologic columns, granulometric composition, humus and carbonates (CO₂) contained in deposits where the archaeological site is located

так как включает в себя слой (к. сл. 1) юхновской археологической культуры раннего железного века. Переходный горизонт редуцирован, а иллювиальный горизонт Bt (сл. 2) представлен субгоризонтальными прослоями ортзандов, чередующихся со слоями белесой кремнеземистой присыпки алевритовой размерности. Ниже залегают два горизонта лессовидных супесей поздневалдайского возраста — алтыновский (слой 3) и деснинский (слои 5–6), разделенных уровнем трубчевской погребенной почвы (сл. 4). В лессовидной темно-палевой супеси сл. 5 фиксируются уровни потемнения, возможно, маркирующее положение древних деятельных слоев. С гл. 3,0 м в слое нарастает оглеение и механический состав становится более тяжелым. С гл. 3,5 м в лессовидных отложениях начинает проявляться слоистость, подчеркнутая линзами белесого мелкозернистого песка. По наклону песчаных прослоев отмечается общее падение слоев к северу, к долине Десны, под уклоном около 3–5°. С этого уровня по разрывам в песчанистых прослоях отмечается система субвертикальных трещины, проникающих до гл. 6 м. Слой 6 представлен лессовидным серовато-палевым суглинком, в котором прослеживаются уровни эфемерного почвообразования и оглеения, разбитые сетью проникающих сверху мерзлотных трещин. Уровень эфемерного почвообразования на гл. 4,15–4,20 м разбит мерзлотными трещинами на отдельные пятна овальной формы и представлен линзами коричневатосерого слабогумусированными суглинка

dimensions. Below these are two levels of loess-type loamy sands from the Late Valdai era — the Altyn level (Level 3) and the Desninsky level (Levels 5–6) separated from each other by a level of Trubchevsky buried soil (Level 4). In the loess-type dark-yellow loamy sand darker levels have been recorded, which possibly mark out the position of the ancient active levels. From a depth of 3 metres there is increased gleyization and the mechanical composition of the soil becomes heavier. From a depth of 3.5 metres layering begins to appear in the loess-type deposits and it is emphasized by lenses of whitish fine-grained sand. The incline of the sand layers is a pointer to the general sinking of the levels towards the North, towards the valley of the River Desna, at an angle of around 3–5°. From that level onwards ruptures in the sandy interlayers indicate a system of sub-vertical cracks, which penetrated down to a depth of 6 metres. Level 6 is made up of loess-type greyish-yellow loam, in which layers of ephemeral soil formation and gleyization can be traced, broken up by a network of permafrost cracks penetrating the loam from above. The level of ephemeral soil formation at a depth of 4.15–4.20 metres is broken up by permafrost cracks into five stains oval in shape and consisting of lenses of brownish-grey loam containing little humus. There is a sharply defined contact-line where these lenses meet the thin inter-layer of bluish-grey loam beneath them, which is of a heavier mechanical composition. This

цвета, которые с резким контактом подстилаются маломощным прослоем голубовато-серого суглинка более тяжелого механического состава. С данным уровнем связан верхний позднепалеолитический культурный слой, представленный горизонтально залегающими обломками костей, угольками и расщепленным кремнем.

Залегающие ниже по разрезу отложения представлены бурым гумусированным суглинком (сл. 7), в основании слоя вмещающим пятна и линзы темно-серого (до черного) сильно гумусированного суглинка с большим количеством углистых частиц. Слой нарушен как мерзлотными трещинами, так и криотурбационными смятиями, которые ориентированы языками в сторону долины. В южной стенке отдельные языки бурого гумусированного суглинка вдавлены и в вышележащий слой, а темный материал образует два параллельных прослоя. В слое отмечаются многочисленные стяжения белоглазки, а также включения мелкого гравия (кварцит и гранит) и единичные — темной гальки. Слой содержит расщепленный кремнь второго верхнепалеолитического культурного слоя и скопления древесного угля. Данный горизонт представляет собой педоседименты брянской и крутицкой погребенных почв, нарушенные и смещенные склоновыми и мерзлотными деформациями. Ниже с резким эрозионным контактом залегает материал сл. 8 представленный кирпично-ржавыми и белесыми мелкозернистыми песками с прослоями ортзандов — салынский горизонт мезинского

level is linked with the upper Late Palaeolithic cultural layer consisting of horizontally spread bone fragments, pieces of charcoal and knapped flint.

The deposits lying further down in the section are made up of brown loam containing humus (Level 7) and at the base of this level it contains stains and lenses of dark grey (almost black) loam containing a great deal of humus and also a large amount of charcoal particles. The level has been disrupted by permafrost cracks and also crumpling in places due to cryoturbation, the tongues of which are orientated towards the river. In the southern wall there are some tongues of brown loam containing humus, which have been forced into the level immediately above as well and the dark material forms two parallel inter-layers. In this level numerous white spots of lime have been noted and also inclusions of fine gravel (quartzite and granite) and isolated ones of dark pebbles. The level contains knapped flint from the second Upper- Palaeolithic cultural layer and clusters of charcoal. It consists of paedosediments of Bryansk and Krutitsky buried soils, which have been disturbed and shifted by slope processes and permafrost deformations. Further down, after an abrupt erosional contact line, there follows the material making up Level 8 — brick and rust-coloured or whitish fine-grained sands enclosing inter-layers of ortzands — a Salynsky level from the Mezin range of fossil soils, which also bears traces of

комплекса ископаемых почв, который также несет следы криотурбационных нарушений. Материал нижележащего слоя 9 также представлен тонкозернистыми охристыми песками с гнездами крупнозернистых песков и песчано-гравийных прослоев. Такой механический состав, а также содержание в слое многочисленных включений гравия и более крупного по размеру обломочного материала (кремневые желваки, валунчики гранита и кварцита, окатанный рыжеватый кремень) позволяет заключить, что материнской породой для формирования мезинского почвенного комплекса, салынская фаза которого отвечает микулинскому межледниковью, послужили флювиогляциальные отложения днепровского возраста. Ниже по разрезу, в слоях 10 и 11, они представлены переслаивающимися с алевроитами разнозернистыми горизонтально-слоистыми желтоватыми песками, переходящими в основании разреза в зеленовато-серые мергелистые глины слоя 12 (Воскресенская и др., 2016).

ОБЩАЯ ХАРАКТЕРИСТИКА КУЛЬТУРНЫХ СЛОЁВ И КАМЕННОГО ИНВЕНТАРЯ

Культурный слой 2.

Культурный слой 2 залегает в основании толщи покровных лессовидных отложений, над слоем погребенной почвы брянского времени². Он изучен на площади

---

² Определение Е.В. Воскресенской.

disruption caused by cryoturbation. The material from the next level down — Level 9 — also consists of fine-grained ochreous sands with patches of large-grained sands and sand-and-gravel inter-layers. The mechanical composition of this level and also the fact that there are numerous inclusions of gravel and large pieces of fragmentary material in it (flint nodules, granite and quartzite boulders, rolled ginger-coloured flint) make it possible to conclude that fluvio-glacial deposits of the Dnieper era served as the parent rock for the formation of the Mezin soil complex, of which the Salynsky phase corresponds to the Mikulino Interglacial. Further down the section in Levels 10 and 11 those deposits appear as horizontally layered yellowish sands with grains of different sizes interspersed with aleurites which, at the bottom of the section, transition into the greenish-grey permafrost clays of Level 12 (Voskresenskaya *et al.*, 2016).

ARCHAEOLOGY

Cultural Layer 2.

Cultural Layer 2 is at the base of the loess-type deposits in the soil cover, just below the Bryansk buried soil of Period 2². It has been investigated over an area of approximately 7.5 m². In this area, Cultural Layer 2 yielded up rare finds of animal

---

² E.V. Voskresenskaya's definition.

около 7,5 кв. м. На данном участке культурный слой 2 был представлен редкими находками костей животных, почти сплошь — фрагментированных. Находки залежали в тонком прослое слабо-гумусированного суглинка. Стратиграфическое положение слоя практически идентично положению граветтского культурного слоя стоянки Хотылёво 2. Кремнёвые изделия немногочисленны: два фрагмента нуклеусов. Один из них относится к призматическому одноплощадочному (?) нуклеусу с широким фронтом скалывания, второй — это фрагмент торцового нуклеуса, достаточно характерного для граветтского комплекса кремневой индустрии стоянки Хотылёво 2.

Культурный слой 3.

Нижний культурный слой (3) верхнепалеолитического облика залегает в толще брянской почвы. Он был изучен на площади 4,5 кв. м. В плане гумусированный суглинок выглядел как система полигонов различной по интенсивности окрашенности суглинка: от серого до черного цвета. Характер нарушений погребенной почвы близок тому, что наблюдалось при раскопках третьего культурного слоя стоянки Хотылево 6. Полигоны имели асимметричную форму, что может указывать на горизонтальные постдепозиционные смещения гумусированного слоя почвы. Археологический материал представлен предметами из расщеплённого кремня. Находки залежали практически по всей гумусированной толще, разброс по вертикали достигал 30 см.

bones, which were almost all in a fragmentary state. The finds were in a thin interlayer of loam containing little humus. The stratigraphic position of the layer was virtually identical to the position of the Gravettian cultural layer at the Khotylyovo 2 site. There were only very few flint articles — just two core fragments. One of them was from a prismatic core with a single platform with a wide knapping surface and the second was the fragment of an end nucleus fairly typical for the Gravettian assemblage of the flint industry at the Khotylyovo 2 site.

Cultural Layer 3.

The bottom cultural layer (3) is of Upper-Palaeolithic appearance and it lies within the stratum of Bryansk soil. It was investigated over an area of 4.5 m². In the plan the loam containing humus looked like a system of polygons varying in the intensity of their colouring — from grey to black. The nature of the disrupted buried soil was similar to what was observed during excavations of Cultural Layer 3 at the Khotylyovo 6 site. The polygons were asymmetric in shape, which could indicate horizontal post-depositional shifting of the soil's humus layer. The archaeological material consisted of objects made from knapped flint. There were finds almost right the way through the stratum containing humus and their spread along the vertical was 30cms.

The knapped flint (Fig. 28) (Fig. 28) made up a series of 246 objects. Finds

Расщепленный кремнь (рис. 28) представлен серией из 146 предметов. Предметов с вторичной обработкой единицы — три экземпляра. Сырьём для изготовления орудий служил местный плитчатый кремнь.

Общий состав коллекции из слоя № 3 приведён в таблице 9.

Табл. 9. Категориальный состав каменного инвентаря культурного слоя 3

Категория	Кол.	%
Некремнёвых пород фрагменты	11	7,53
Кварцитовый гальки фрагменты	2	1,4
Известковые конкреции	1	0,7
Меловой корки фрагмент	1	0,7
Гальки кремнёвые	9	6,16
Желвака кремня обломок	1	0,7
Плитки кремнёвой фрагменты	3	2,0
Обломки кремня	11	7,5
Нуклевидный обломок	1	0,7
Нуклеус	1	0,7
Пре-нуклеус	1	0,7
Пластина	1	0,7
Пластинки	2	1,4
Микропластины	2	1,4
Отщепы	25	17,1
Чешуйки	24	16,4
Отщепы морозобойные	6	4,1
Скол фрагментации?	1	0,7
Скола фрагменты	14	9,6
Осколки	26	17,81
Орудия	3	2,0

of objects with secondary working were very rare — only three specimens. The raw material used for making tools was the local tabular flint.

The complete composition of the collection from Cultural Layer 3 is provided in Table 9.

Table 9. The categories making up the stone inventory of Cultural Layer 3

Category	Quantity	Percentage
Fragments of non-siliceous rocks	11	7.53
Fragments of quartzite pebbles	2	1.4
Limestone concretions	1	0.7
Fragment of chalk crust	1	0.7
Flinty pebbles	9	6.16
Fragment of a flint nodule	1	0.7
Fragments of a flint tablet	3	2.0
Flint fragments	11	7.5
Core-like fragment	1	0.7
Core	1	0.7
Core rough-out	1	0.7
Blade	1	0.7
Bladelets	2	1.4
Micro-blades	2	1.4
Flakes	25	17.1
Chips	24	16.4
Frost-shattered flakes	6	4.1
Fragmentation flake?	1	0.7
Flake fragments	14	9.6
Stone chips	26	17.81
Tools	3	2.0

В том числе:		
Резец	1	
Острия	2	
Всего	146	100,00

including:		
Burin	1	
Points	2	
TOTAL	146	100

Рис. 33. Хотылёво, городище «Кудеярка», культурный слой 3. Кремнёвые изделия
 Fig. 33. Khotylevo, fortified settlement "Kudeyarka", Cultural level 3. Flint artefacts

В составе коллекции кремнёвых изделий имеется торцовый нуклеус для снятия пластинчатых заготовок. Очевидно, часть кремневых галек, зафиксированная в толще третьего культурного слоя, могла использоваться в качестве отбойников или ретушеров.

Кроме того, в самой коллекции имеются пластинчатые и микропластинчатые сколы (рис. 33: 6, 7). Все эти предметы подтверждают атрибуцию изучаемого комплекса в качестве верхнепалеолитического, однако о культурной принадлежности данной индустрии судить затруднительно.

The collection of flint articles includes an end core for releasing lamellar blanks. It is clear that some of the flint pebbles recorded in the stratum of Cultural Layer 3 could have been used as hammerstones or retouchers.

In addition there are lamellar and micro-lamellar flakes (Fig. 33, 6,7) in the collection itself. All these objects support the attribution of the complex duly studied to the Upper Palaeolithic era, but it is difficult to form a judgment regarding the cultural origins of the stone industry.

ЮДИНОВСКАЯ ВЕРХНЕПАЛЕОЛИТИЧЕСКАЯ СТОЯНКА

Юдиновская стоянка — один из опорных памятников для изучения поздней поры (18–12 тыс. л. н.) верхнего палеолита Подесенья. Она находится на юго-западной окраине с. Юдиново (Погарский район, Брянская обл., Россия), на участке мыса высокого уровня первой надпойменной террасы правого берега р. Судости, крупного правого притока Десны (Величко, Грибченко, Куренкова, 1996, с. 35).

Стоянка была открыта известным белорусским археологом К.М. Поликарповичем. В 1934 г. он обследовал в с. Юдиново вырытые для колхозного погреба и картофелехранилища котлованы, в которых были найдены кости мамонта, и обнаружил хорошо сохранившийся палеолитический культурный слой.

В 1947 г. К.М. Поликарпович произвел первые раскопки на широкой площади, выявил два жилища (№ 1 и 2) из костей мамонта и полностью раскопал одно из них (№ 1) (Поликарпович 1968). В дальнейшем работы на Юдиновском поселении проводились его учеником В.Д. Будько (1961, 1962, 1964, 1966, 1967 гг.). Он завершил исследование жилища № 2, открыл и раскопал значительную часть жилища № 5, изучил

THE UPPER PALAEOLITHIC SITE AT YUDINOV

The Yudinovo site is one of the main sites for the study of the late phase (18–12,000 years ago) of the Upper Palaeolithic in the valley of the River Desna (Fig. 1). It is on the southwestern edge of the village of Yudinovo (Pogarskii District, Bryansk Region in Russia). It is situated on part of a cape at a high level of the first fluvial terrace above the flood-plain on the west bank of the Sudost river, a large western tributary of the River Desna (Velichko, Gribchenko, Kurkenkova, 1996, p.35).

The site at Yudinovo was discovered in 1930. The credit for this discovery belongs to the well-known Byelorussian archaeologist, K.M. Polikarpovich. In 1934 he surveyed trenches that had been dug to provide cellars for the local farm in the village and storage premises for its potato crop, in which mammoth bones were found, and he then went on find a well-preserved Palaeolithic level.

In 1947 K.M. Polikarpovich carried out the first excavations over a wide area and he discovered two dwellings (Nos. 1 and 2) made of mammoth bones and one of these was fully excavated (No. 1) (Polikarpovich 1968). After that, further work was carried out at the Yudinovo settlement by his pupil V.D. Budko (1961, 1962, 1964, 1966, 1967). Budko completed the study of Dwelling № 2: he also discovered and excavated

обширную площадь межжилищного пространства в восточной части поселения. После длительного перерыва в 1980 г. исследования Юдиновской стоянки возобновились. Их проводила Брянская палеолитическая экспедиция ЛОИА АН СССР (с 1991 г. — ИИМК РАН), которой в 1980–1985, 1987–1989, 1991 гг. руководила З.А. Абрамова, а в 1990, 1995–1997, 2000–2003 гг. — Г.В. Григорьева. В результате работ З.А. Абрамовой выявлены и изучены еще два жилища из костей мамонтов (№ 3 и 4), начато изучение южной части межжилищного пространства (Абрамова 1995). Раскопки последнего продолжила Г.В. Григорьева. Благодаря им были открыты и исследованы мощный зольник, производственные участки по обработке кремня, разделке тушек песка, место по изготовлению пуговиц-нашивок из бивня мамонта. С 2001 г. эти работы проводились совместно с Музеем антропологии и этнографии им. Петра Великого (Кунсткамерой) РАН.

С 2004 г. и по настоящее время раскопки на Юдиновской стоянке ведутся Деснинской палеолитической экспедицией МАЭ РАН под руководством Г.А. Хлопачева. Исследовались западная, центральная и восточная части межжилищного пространства древнего поселения, установлено и доказано существование на нем двух разновременных самостоятельных культурных слоев — нижнего (основного) и верхнего, сформировавшегося в более позднее время. В ходе раскопок ниже-

a large part of Dwelling № 5 and studied an extensive area in the spaces between the dwellings in the eastern part of the settlement. After a long break, investigation of the Yudinovo site was re-launched in 1980. This work was carried out by the Bryansk Palaeolithic Expedition of the Leningrad Department of the Institute of Archaeology affiliated to the USSR Academy of Sciences (known as the Institute for the History of Material Culture affiliated to the Russian Academy of Sciences), which was led by Z.A. Abramova in 1980–1985, 1987–1989 and 1991, and by G.V. Grigorieva in 1990, 1995–1997 and 2000–2003. As a result of the work carried out under Z.A. Abramova, two further dwellings made of mammoth bones were identified and studied (Dwellings № 3 and № 4), and work began on the investigation of the southern part of the space between the dwellings (Abramova 1995). The excavations of the latter area were continued by G.V. Grigorieva. Those excavations led on to the discovery and investigation of further features: a large ash-pit, production areas where flint tools were fashioned, fox carcasses processed and buttons made from mammoth tusks. After 2001 this work was continued in collaboration with the Peter the Great Museum of Anthropology and Ethnography (the Kunstkamera — now known as the MAE and affiliated to the Russian Academy of Sciences).

Since 2004 and up until the present-day, investigation of the Yudinovo settlement has been carried on by the Desna Palaeolithic Expedition of the MAE led by G.A. Khlopachov. In the

го культурного слоя выявлено и изучено большое количество различных хозяйственных объектов: очажных ямок, заполненных костным углем и зольной массой, крупных ям с костями мамонта, обширных зольников, производственных участков по расщеплению кремня и разделке тушек песка, а также доследована южная часть жилища № 5.

СОВРЕМЕННЫЙ РЕЛЬЕФ РАЙОНА СТОЯНКИ

В районе Юдиновской стоянки ширина долины р. Судости достигает максимальной ширины до 3 км. Основу структуры рельефа составляют широкие участки пойм, I и II надпойменных террас (Горецкий, 1970; Величко и др., 1999). Относительные высоты II террасы колеблются в диапазоне 12–16 м над урезом реки. Высота низкого уровня I террасы около 4–5 м, а высоких — от 6 до 8–9 м над урезом.

В современном рельефе границы между различными геоморфологическими уровнями слабо выражены и, как правило, не проявляются резкими перегибами тыловых швов и бровок террас. Это связано с большим фациальным разнообразием субаэральных отложений, перекрывающих аллювиальные комплексы. Разнообразие мощностей этих перекрывающих отложений эолового, эолово-делювиального и делювиального генезиса, значи-

course of that work the western, central and eastern parts of the area between the dwellings have been investigated and the existence of two cultural layers has been established and proven. The two layers were of different date and independent of each other. The main one was the Lower Cultural Layer and the upper one was formed later on. During excavations of the Lower Cultural Layer, a large number of various objects associated with work in the settlement was found: small hearth pits filled with bone charcoal and ash, large pits containing mammoth bones, extensive ash-pits, industrial areas where flints were knapped and fox carcasses were processed. In addition the investigation of the southern part of Dwelling № 5 was completed.

THE RELIEF OF THE SITE AREA TODAY

In the vicinity of the Yudinovo site, the maximum width of the valley of the Sudost river is three kilometres. The basis for the structure of its relief is provided by the wide areas of the flood-plains and by the first and second fluvial terraces above them (Goretskii, 1970; Velichko *et al.*, 1999). The relative height of the second terrace fluctuates between 12 and 16 metres above the edge of the river. The height of the low level of Terrace I is between four and five metres above the edge of the river, while the upper edge of that terrace is 6–9 metres above the water's edge.

In the modern relief the borders between the various geo-morphological levels do not

тельных (до 2,0–4,0 м) на одних участках I и II надпойменных террас и минимальных (около 0,5–1,0 м), отразились на общем сглаживании рельефа.

ГЕОЛОГО-ГЕОМОРФОЛОГИЧЕСКАЯ ХАРАКТЕРИСТИКА

Участок, на котором расположен стоянка, представляет собой небольшой пологий мыс, ограниченный с востока береговым уступом р. Судости (рис. 34). К водоразделу осевая зона мыса полого повышается. В современном рельефе структура мыса слабо выражена. С юго-запада он ограничен широким понижением с пологими бортами, устьевая часть которого выходит на сниженную поверхность террасы. В этом балочном понижении выделяются крупные блюдцеобразные замкнутые западины. На северо-востоке поверхность мыса постепенно понижается к небольшой балочной ложбине незначительной глубины с пологими бортами, слабо выраженной в современном рельефе.

Относительные высоты стояночного мыса 8–10 м над урезом реки. Высота берегового уступа около 4–5 м. Поверхность участка постепенно поднимается до 12 м и плавно переходит в пологий склон более высокого геоморфологического уровня. Судя по относительным высотам и строению отложений уча-

stand out clearly and, as a rule, they do not present as sharp ridges of the terrace joints and terrace edges. This is due to the large facies diversity in the subaerial deposits covering the alluvial areas. The variety in the thickness of these deposits complexes covering the alluvial deposits, which are of eolian, eolian-deluvial and deluvial origin, is considerable: they are up to 2–4 metres thick in some parts of fluvial terraces I and II and of only minimal thickness — between 50cms and 1 metre — in others and this is reflected in the overall smoothed-out nature of the relief.

THE GEOLOGICAL AND GEO-MORPHOLOGICAL FEATURES OF THE LANDSCAPE

The area of land where the site is located is a small undulating promontory bordered in the East by the escarpment leading down to the Sudost river (Fig. 2). The axial zone of the promontory rises gently up to the watershed. In the relief, as we find it today, the structure of the promontory does not stand out sharply. In the South-West it is edged by a wide depression with sloping edges, which opens out onto the lower surface of the terrace. Large saucer-like hollows with intact edges can be made out in this valley-like depression. In the North-East, the surface of the promontory gradually slopes down to a small linear hollow, which is shallow, has sloping sides and does not stand out prominently in the relief visible today.

Российская Федерация
Брянская область
Погарский район
с. Юдиново
Инструментальный план
участка правого берега
р. Судость
на южной окраине села

Условные обозначения:

- - раскопы
- - дома
- - пруды
- - приусадебные участки
- - линии электро-передач
- - луг
- - пашня

Рис. 34. Инструментальный план участка правого берега р. Судость в районе расположения стоянки Юдиново 1

Fig. 34. Instrumental plan of the area on the west bank of the Sudost river near the location of the site Yudinovo 1

сток, на котором располагалась Юдиновская стоянка, относится к I надпойменной террасе р. Судости (Величко и др., 1996; 1999). По мнению Г.И. Горещкого, стояночный участок Юдиново

The relative height of the promontory containing the site is between eight and ten metres above the river's edge. The escarpment at the river's edge is 4–5 metres high. The surface of the area gradually rises to a height of

является сниженным элементом II надпойменной террасы, наиболее низкая часть которого (у берегового уступа) представляет собой фрагмент I террасы (Горецкий, 1970, с. 205). При этом к I надпойменной террасе относятся и трех-пятиметровый выположенный террасовый уровень, сложенный песчаными фациями.

СТРАТИГРАФИЧЕСКИЕ ОСОБЕННОСТИ ОТЛОЖЕНИЙ УЧАСТКА СТОЯНКИ

Особенности позднеплейстоценовых отложений стояночного участка, вмещающих культурные слои, заключаются в отсутствии отчетливо выраженных стратиграфических горизонтов (ископаемых почв, лессов, аллювия и др.), имеющих характерные признаки. Это практически исключает возможности корреляции отдельных слоев с различными природными циклами позднего плейстоцена, выделяемыми в хроностратиграфии Восточно-Европейской равнины.

Показательно строение отложений в западной части Юдиновского поселения. Оно описано в разрезе западной стены траншеи 2009 г. (табл. 1, рис. 35), заложенной вдоль западных стен раскопов 2007 и 2008 гг. (рис. 36). Верхний (рис. 37) и нижний (рис. 38) культурные слои здесь отчетливо выражены и имеют горизонтально-волнистое залегание.

12 metres and then slopes gently up to the higher geo-morphological level. To judge from the relative heights and the arrangement of the deposits, the area where the Yudinovo site is located is part of the first fluvial terrace above the Sudost river (Velichko et al., 1996; 1999). In the opinion of G.I. Goretskii (1970, p. 205) the area containing the Yudinovo site is a lower section of fluvial terrace II, the lowest part of which (next to the escarpment) is a fragment of Terrace I. In addition, between 3 and 5 metres of the worn down terrace level have been formed by sand facies.

STRATIGRAPHIC FEATURES OF THE DEPOSITS IN A SECTION OF THE SITE

Features of the Late Pleistocene deposits in the section of the site incorporating the cultural layer, are found where there are no clearly delineated stratigraphic levels (fossil soils, loess, alluvial deposits etc.), which have characteristic features. This makes it virtually impossible to correlate individual levels with the various natural cycles of the Late Pleistocene, which can be singled out in the chronostratigraphy of the East-European plain.

The structure of the deposits in the western part of the Yudinovo settlement, as described in the section through the west wall of the trench (2009), is revealing in this connection (Table 1, Fig. 3), dug along the western walls of the trenches in 2007 and 2008 (Fig. 4). The upper (Fig. 5) and lower (Fig. 6)

Главная особенность строения и стратиграфии разреза — наличие отчетливо выраженных узких клиновидных и языковатых структур, разбивающих культурные слои, и перекрывающие их лессы переходного слоя.

cultural layers stand out clearly in this location, forming horizontal waves. The main feature of the structure and stratigraphy of the section is the presence of clearly defined narrow wedge-shaped and tongue-shaped structures cutting through the cultural layers and covering the loess of the transitional layer.

Таблица 1. Стратиграфия западной стены траншеи 2009 г. стоянки Юдиново (описание дается от дневной поверхности (условного 0) в центральной части разреза — квадраты Е, Ж)

№ слоя	Отложения	Мощность, м	Глубина, м
1	Перекоп. Насыпная порода, мешаная, слоистая, уплотненная. Нижний контакт четкий по поверхности современной почвы	0,20	0,20
2	Гумусовый горизонт современной почвы (пахотный, с нарушенной первоначальной структурой в верхней части). Супесь темно-серая, плотная, неоднородная, Сильно нарушена корнеходами и землероями. Нижний контакт нечеткий, неровный, мелкоязыковато-волнистый	0,15	0,35
3	Горизонт В современной почвы. Супесь коричневато-бурая, плотная, неоднородная, комковатая. В слое содержатся многочисленные включения темно-серого гумусированного материала из вышележащего слоя. Слой сильно нарушен корнеходами и землероями. Нижний контакт нечеткий, постепенный, неровный, мелкоязыковатый	0,20	0,55
4	Ортзандовый горизонт современной почвы. Супесь коричневато-палевая, светлая, с многочисленными прослоями и линзами коричневатого более темного суглинка. Прослои неровные, волнисто-языковатые, толщиной от 0,04 до 0,01 м. Контакты ортзандовых прослоев и линз с вмещающими супесями неровные, нечеткие — «расплывчатые». Нижний контакт слоя четкий, крупноволнистый, подчеркивается крупным и сложным ортзандовым прослоем	0,70	1,25
5	Супесь палевая, легкая, пористая, однородная, неясно слоистая. До глубины 1,35 м прослеживаются нечеткие, тонкие, слабо выраженные ортзандовые прослои. Слой содержит многочисленные скопления пылеватых карбонатов, на отдельных участках имеющих вертикальную ориентировку. В слое выделяются два подгоризонта, не имеющие четких границ. Верхняя часть отличается проявлениями нечеткой слоистости. Нижняя	0,60	1,85

	часть слоя (с глубины 1,40–1,35 м) более однородная. По границе подгоризонтов проявляются нечеткие признаки языковатых деформаций. В нижней части слоя фиксируются рассеянные мелкие пятна и включения бурого ожелезнения и сизоватого оглеения. В слое содержится большое количество кротовин разного диаметра и с различным заполнением. Нижний контакт слоя нечеткий, постепенный, слабо выраженный. По контакту проявляются признаки нечетких клиновидных и языковатых деформаций. Уровень контакта имеет незначительный общий уклон в южном направлении		
6	Супесь серовато-палевая, светлая, легкая, пористая, однородная, неясно слоистая. В слое отмечаются включения пылеватых карбонатов, редких карбонатных конкреций. Пятна ожелезнения, марганца и оглеения. В слой проникают вертикальные клиновидные языки. В нижней части слоя увеличивается количество мелких пятен и включений бурого ожелезнения и сизоватого оглеения. Нижний контакт нечеткий, постепенный, выделяется по составу, цвету и структуре отложений подстилающего слоя	0,25	2,10
7	Супесь палево-серая, легкая, пылеватая, однородная, тонкослоистая. Мощность слоя меняется по простирацию от 0,10 до 0,20 м. В слое содержатся многочисленные пылеватые карбонаты и пятна марганца. Нижний контакт четкий, слабо волнистый, в левой части с более выраженными пластическими деформациями	0,15	2,25
8	Верхний культурный слой. Песок палево-серый, среднезернистый, алевритовый, пылеватый, однородный по простирацию. Песок неяснослоистый с тонкими линзочками светло-серого песка, более сортированного, однородного. Толщина линз до 0,01 м. В слое содержатся крупные включения костей, костного угля и кремня. В песках слоя рассеяно большое количество мелкой крошки костного угля и кости. Нижний контакт нечеткий, постепенный, волнистый, мелкоязыковатый	0,10	2,35
9	Супесь буровато-серая, пятнистая, с нечеткой слоистостью. Содержит многочисленные пятна бурого ожелезнения и сизоватого оглеения. Слой не выдержан по мощности и меняется от 0,15 до 0,05 м. Основание слоя имеет общий уклон к северу до 5°. Нижний контакт нечеткий, постепенный, волнисто-языковатый	0,10	2,45
10	Основной культурный слой. Комплекс горизонтов, включающий зольную массу, кремнь, кости и костный уголь основного культурного слоя стоянки. Слой состоит из горизонтов а), б) и в). Горизонта). Супесь коричневатобурая, плотная, неоднородная, нечеткослоистая. Вероятно, слабо гумусированная. В верхней части слоя прослеживаются линзы светло-серого песка, среднезернистого, сортированного.	0,25	2,70

	В правой части разреза над скоплением крупных костей горизонт деформирован небольшими клиновидными структурами. Горизонт по простиранию не выдержан и в левой части разреза (к югу) выклинивается. Мощность горизонта колеблется от 0,05 до 0,20 м, контакты нечеткие, постепенные. Горизонт б). Зольник. Супесь буровато-серая, плотная, неоднородная, нечеткослоистая. Содержит большое количество темно-серой зольной массы, включений и крошки костного угля. С горизонтом связаны крупные кости и кремнь. По простиранию слой не выдержан и имеет линзовидно-прерывистый характер. В центральной части разреза горизонт представлен отдельными линзами и включениями зольной массы и кремня. Перепады высоты залегания горизонта в правой (наиболее высокой) части разреза и левой (сниженной) составляют около 0,25 м, контакты горизонта нечеткие, размытые, постепенные. Мощность колеблется от 0,07 до 0,02 м. Горизонт в). Супесь коричневатобурая, плотная, неоднородная, гумусированная, нечеткослоистая. По простиранию не выдержана и выклинивается в левой части разреза. В правой части отложения горизонта деформированы и имеют прерывистый характер. Общая мощность комплекса горизонтов слоя колеблется от 0,05 до 0,30 м		
11	Супесь буровато-серая, опесчаненная, плотная, неоднородная. Содержит многочисленные включения и пятна бурого ожелезнения и сизоватого оглеения. Отмечаются многочисленные включения марганца. В центральной части разреза, на участке небольшой западины, верхняя часть слоя насыщена включениями оглеения. С глубины 2,85 м в левой части разреза в слое отмечаются линзы ожелезнения и опесчаненного суглинка	Вскрытая 0,25	Вскрытая 2,95

Table № 1. Stratigraphy of the west wall of the trench dug in 2009 at the Yudinovo site.
A Description is provided of the ground surface (notional 0)
in the central part of the section (Quadrants E, J)

№ of Layer	Deposits	Thickness in cms	Depth in metres
1	Cross ditch. Bulk rock material, mixed, stratified, compact. Lower contact line is clear along the surface of the modern soil.	20	0.20
2	Humus level of the modern soil (ploughable, with a damaged initial structure in the upper part). Dark-grey loamy sand, dense, non-homogenous. Badly disturbed by roots and burrowing animals. Lower contact line not clear and uneven, wavy and containing small tongues.	15	0.35

3	Level V of the modern soil. Brown loamy sand, dense, non-homogenous, lumpy. The level contains numerous inclusions of dark-grey, humus-rich material from the level above, The level has been badly disrupted by roots and burrowing animals. The lower contact level is unclear, gradual, uneven and contains small tongues.	20	0.55
4	Ortzaund level of the modern soil. Brownish-yellow loamy sand, pale and with numerous inter-layers and lenses of brownish, darker loam. The inter-layers are uneven, wavy and tongue-like with a thickness of between 1 and 4cms. The contact lines between ortzaund inter-layers and lenses containing loamy sand are uneven, indistinct or 'blurred'. The lower contact line of this level is clear, forming large waves and this emphasizes the large and intricate ortzaund inter-layer.	70	1.25
5	Yellow loamy sand, which is light, porous and homogenous but with layers that are far from clear. Down to a depth of 1.35 metres thin, indistinct and far from prominent ortzaund inter-layers can be traced. This level contains numerous clusters of dust-like carbonates, which in certain places are vertical in their orientation. In the level it is possible to make out two sub-levels, the edges of which are not clearly defined. The upper part of this level is distinguished by the fact that its layers are not clearly defined. The lower part of the level (at a depth of between 1.40–1.35 metres) is more homogenous. Along the edge of the sub-levels there are indistinct signs of tongue-shaped deformations. In the lower part of the level, scattered small stains have been identified and also inclusions of brown ferrugination and blue-greyish gleying. The level contains a large number of mole-courses of various diameters and with various kinds of in-fill. The lower contact line of the level is indistinct, gradated and far from prominent. Along the contact line there are signs of indistinct wedge-shaped and tongue-shaped deformations. The level of the contact line slopes down slightly in a southern direction.	60	1.85
6	Loamy sand which is greyish-yellow, pale, light, porous and homogenous with indistinct layers. Within the level, inclusions can be seen of dust-like carbonates and rare carbonate concretions. There are stains of ferrugination, manganese and gleying. The level has been penetrated by vertical wedge-shaped tongues. In the lower part of the level there is an increase in the number of small stains and inclusions of brown ferrugination and bluish-grey gleying. The lower contact line is indistinct, gradated and in its composition, colour, and structure stands out from the deposits in the level directly beneath it.	25	2.10

7	Yellowish-grey loamy sand which is light, dust-like, homogenous and made up of thin layers. The thickness of the level changes across it from 10 to 20cms. The level contains numerous dust-like carbonates and manganese stains. The lower contact line is clear and slightly wavy. In its left part there are more pronounced deformations.	15	2.25
8	Upper Cultural Layer. Yellow-grey sand of medium grained structure, which is aleuritic, dust-like and homogenous right across. The sand does not contain distinct layers but small lenses of pale-grey sand, which is more uniform and homogenous. The lenses are up to 1cm thick. The cultural layer contains large inclusions of bones, bone charcoal and flint. In the sands of the cultural layer there is a large amount of tiny pieces of bone charcoal and bone. The lower contact line is indistinct, slightly wavy and tongue-shaped.	10	2.35
9	Loamy sand brownish-grey in colour and containing stains: its layers are indistinct. It contains numerous stains of brown ferrugination and bluish-grey gleying. The thickness of the level is not uniform and varies between 5 and 15cms. There is a general 5° slope towards the North at the base of the level. The lower contact line is indistinct, slightly wavy and tongue-shaped.	10	2.45
10	Main cultural layer. Several levels incorporating an ashen mass, flint, bones and bone charcoal constitute the main cultural layer of the site. It consists of levels A, B and V. Level A. Brownish and dense loamy sand, which is not homogenous and consists of indistinct layers. Probably with a low humus content. In the upper part of the layer lenses of pale-grey sand can be traced, which is of uniform medium-grained texture. In the right part of the section above the cluster of large bones the level is distorted by small wedge-shaped structures. The level is not spread evenly right across and in the left part it tapers (towards the South). The thickness of the level varies between 5 and 20cms. The contact lines are indistinct and gradated. Level B. Ashpit. Brownish-grey and dense loamy sand, which is not homogenous and does not consist of distinct layers. It contains large amounts of dark-grey ash and inclusions of tiny pieces of bone charcoal. There are large bones and flint in it. It is not spread evenly and appears to consist of intermittent lenses. In the central part of the section the level seems to consist of some lenses and inclusions of ash and flint. Dips in the position of the level as found in the left part of the section can be as much as 25cms and the contact lines are indistinct blurred and gradated. Its thickness varies between 2 and 7cms. Level V. Brownish-grey and dense loamy sand, which is not homogenous and contains little humus. Its layers are not distinct. It is not evenly spread	25	2.70

	and tapers in the left part of the section. In the right part the deposits of this level are distorted and intermittent in character. The general thickness of the series of levels in the layer fluctuates between 5 and 30cms.		
11	Brownish-grey and dense sandy loam, which is not homogenous. It contains numerous inclusions and stains of brown ferrugination and bluish-grey gleying. Numerous inclusions of manganese are also noted. In the central part of the section in a most small hollow, the upper part of the level is densely packed with inclusions of gleying. From a depth of 2.85 metres in the left part of the section lenses of ferrugination and sandy loam are to be observed.	Cleared 25	Cleared 2.95

Верхний культурный слой Юдиновской стоянки связан с горизонтом опесчаненных алевритов и залегает на глубине 2,25–2,50 м (на западном участке) и 1,95–2,10 м (на южном участке) от современной дневной поверхности (табл. 1, сл. 8; рис. 35). Он был прослежен на всей раскопанной площади как западного, так и прилегающего к нему южного участка стоянки. Кроме того, данные о верхнем

Upper Cultural Layer of the Yudinovo site
It is linked with a level of sandy aleurites and lies at a depth of 2.25–2.5 metres (in the western section) and one of 1.95 and 2.1 metres (in the southern section) from the modern ground surface (Table 1, Level 8; Fig. 3). It has been traced right across the excavated area of both the western section of the site and the adjacent southern section. In addition data relating to the Upper Cultural

Рис. 35. Юдиново 1. Стратиграфия западной стены траншеи 2009 г. (рис. Ю.Н. Грибченко)
Fig. 35. Yudinovo 1. Stratigraphy of the west wall of the 2009 Trench (drawing by Y.N.Gribchenko)

Рис. 36. Юдиново 1. План расположения раскопов разных лет
 Fig. 36. Yudinovo 1. Plan showing trench locations of various dates

Рис. 37. Юдиново 1. План расположения кремней и костей верхнего культурного слоя
 Fig. 37. Yudinovo 1. Location of flint and bone finds in the upper cultural layer

Рис. 38. Юдиново 1. План-схема расположения основных объектов нижнего культурного слоя
 Fig. 38. Yudinovo 1. Diagram-plan showing the location of the main features in the lower cultural layer

культурном слое как о «прослое сильно опесчаненного лесса», содержащем культурные остатки и отделенном от культурного слоя с «зольником» стерильным прослоем, нашли отражение и в подробных зарисовках разрезов, стен и бровок раскопа 1947 г., выполненных В.П. Левенком (Левенок 1947).

Верхний культурный слой Юдиновской стоянки характеризуется относительно небольшой мощностью — всего 0,10–0,15 м. В центральной и северной частях раскопа 2007–2008, 2012–2014 гг. верхний культурный слой расслаивался на подгоризонты — опесчаненный, зольный, глеевый и гумусированный, что говорит об отсутствии какой-либо связи его формирования с переотложением материала из основного нижнего культурного слоя. Исключить возможность такого переотложения заставляет и характер полигональной системы мелких (глубиной 0,3–0,4 м) клиновидных структур, которые замыкаются на кровлю нижнего культурного слоя и заполнены материалом супесей, разделяющих культурные слои (Хлопачев, Грибченко 2012).

Прослой стерильных супесей, разделяющий верхний и нижний культурные слои, на западном участке поселения имеет большую мощность — от 0,10 до 0,35 м. На южном участке культурные слои Юдиновской стоянки оказались существенно сближены. Здесь их разделяет прослой супеси мощностью всего 0,05–0,10 м. Верхний культурный слой образыва-

Layer — described as an “inter-layer of loess with substantial sand content”, containing cultural remains and separated from the cultural layer by a sterile inter-layer made up of an ‘ash-pit’ — were duly reflected in the detailed drawings of the sections, walls and brows in the 1947 trench made by V.P. Levyonok (Levyonok 1947).

The Upper Cultural Layer of the Yudinovo site is not particularly thick — no more than 10–15cms. In the central and northern parts of the trench, where excavations were carried out in 2007–2008 and 2012–2014, the Upper Cultural Layer divided into sub-levels — sandy, gleyic, full of ash and humus — which demonstrated that there was no kind of link between their formation and the re-depositing of material from the main cultural layer further down. Ruling out the possibility of such re-depositing also determines the nature of the polygonal system of shallow (30–40 cms deep) wedge-shaped structures, which link together at the top of the Lower Cultural Layer and are filled with the loamy materials separating the cultural layers (Khlopachov, Gribchenko 2012).

The inter-layer of sterile loamy sands separating the upper and lower cultural layers were thicker in the western section of the settlement — between 10 and 35cms. In the southern section the cultural layers of the Yudinovo site differed far less from each other. The inter-layer of loamy sand separating them was only 5–10cms thick. The finds in the Upper Cultural Layer formed a level over

ет выраженный в плане и хорошо прослеживаемый в разрезах горизонт находок костей мамонта, песка, волка, костных углей, кремневых изделий (в том числе мельчайших чешуек), единичных поделок из костей песка и бивня мамонта. Костяные предметы (фаунистические остатки и поделки) из верхнего слоя имеют худшую сохранность, нежели кости из нижнего слоя.

Верхний культурный слой в северной части стены траншеи 2009 г. представлен сложным сочетанием горизонтов. Это практически исключает возможность его формирования в процессе частичного переотложения материала из основного (нижнего) культурного слоя. В пользу этого говорит и отсутствие костяной и углистой крошки в отложениях супесей, разделяющих культурные слои.

Нижний (основной) культурный слой Юдиновской стоянки залегал на глубине 2,20–2,50, 2,60–2,95 м от современной дневной поверхности в толще лессовидной супеси (табл. 1, сл. 10, рис. 35), в которой Ю.Н. Грибченко выделил три горизонта — (а), (б) и (в). Горизонт (а) образован супесью коричневатобурой, плотной, неоднородной, нечетко-слоистой, вероятно, слабо гумусированной. В верхней части слоя прослеживаются линзы светло-серого песка, среднезернистого, сортированного. Мощность горизонта колеблется от 0,05 до 0,20 м, контакты нечеткие, постепенные. Горизонт (б) — это супесь буровато-серая, плотная,

a distinct area which could clearly be traced in the sections: they consisted of mammoth, arctic fox and wolf bones, bone charcoal and flint artefacts (including very small chips), isolated items made from arctic fox and mammoth bones. The bone items (faunal remains and artefacts) found in the Upper Cultural Layer were less well preserved than the bones from the Lower Cultural Layer.

The Upper Cultural Layer in the northern part of the wall of the trench excavated in 2009 presented a more complex combination of levels. This would have made it virtually impossible for it to have taken shape during a process of partial re-depositing of material from the main (lower) cultural layer. Another factor supporting that conclusion is the absence of small bone or charcoal fragments in the loamy sand deposits separating the two cultural layers.

Lower (main) Cultural Layer of the Yudinovo site. It lay at a depth of 2.2–2.5, 2.6–2.95 metres from the modern ground surface within a stratum of loess-type loamy sand (Table 1, Level 10, Fig. 3), within which Y.N. Gribchenko singled out three levels (A, B and V). Level A consisted of brownish and dense loamy sand, which was not homogenous, consisted of indistinct layers and probably contained little humus. In the upper part of the cultural layer lenses of pale-grey sand could be traced, which were uniform and of medium-grained texture. The thickness of the level varies between 5 and 20cms and the contact lines were indistinct and gradated. Level B — consisted of brownish-grey and dense

неоднородная, нечетко-слоистая, с выраженным горизонтом темно-серой зольной массы и включениями крошки костного угля. С этим горизонтом связаны крупные кости и кремь. По простираанию слой не выдержан и имеет линзовидно-прерывистый характер. Контакты горизонта нечеткие, размытые, постепенные. Мощность колеблется от 0,02 до 0,07 м. Горизонт (в) — супесь коричневато-бурая, плотная, неоднородная, гумусированная, нечетко слоистая. По простираанию она не выдержана. На отдельных участках отложения этого горизонта деформированы и имеют прерывистый характер. Общая мощность комплекса горизонтов слоя колеблется от 0,05 до 0,30 м. В целом пачка культурных отложений нижнего культурного слоя имеет мощность от 0,10 до 0,45 м и содержит большое количество костных останков, кремневых и костяных изделий. Нижний слой характеризуется наличием пятен охры, значительным количеством костного угля, который придает ему темную золистую окрашенность, а также серией хозяйственно-жилых конструкций из костей мамонта.

Сложность структуры каждого из культурных слоев стоянки определяется различными факторами условий микрорельефа стояночного участка, антропогенными факторами времени функционирования стоянки и поздними деформациями вмещающих отложений. Одна из главных особенностей Юдиновской стоянки заключается в сложной структуре культурных

loamy sand, which was not homogenous and did not consist of distinct layers. It contained a large amount of dark-grey ash with inclusions of tiny pieces of bone charcoal. There were large bones and flint in it. The layer was not spread evenly and appeared to consist of intermittent lenses. The contact lines of the level were not distinct and gradually became blurred. Its thickness varied between 2 and 7 cms. Level V — Brownish and dense loamy sand, which was not homogenous and contained humus, but its layers were not distinct. It was not evenly spread and in certain parts the deposits of this level had been distorted and were of an intermittent character. The general thickness of the series of levels in the layer fluctuated between 5 and 30 cms. In general the series of cultural deposits in the Lower Cultural Layer was between 10 and 45 cms thick and contained a very large amount of faunal remains and flint and bone artefacts. The Lower Cultural Layer also contained stains of ochre and a significant amount of bone charcoal, which lent it a dark ashen shade. Also present in it was a series of structures providing outbuildings and dwellings made of mammoth bones.

The complexity of the structure of each of the cultural layers at the site was determined by various factors in the conditions of the micro-relief in the relevant section of the site, anthropogenic factors dating from the time when the site was functioning and by later deformations of the deposits within it. One of the main special features of the Yudinovo site is the complicated structure of the cultural layers: it has

слоев, представляющих на исследованных участках выдержанные сочетания двух уровней обитания. Разделяющий их интервал был достаточным для погребения нижнего культурного слоя.

ВОЗРАСТ СТОЯНКИ

Для стоянки Юдиново получена большая серия радиоуглеродных датировок (табл. 2), которые соотносятся с результатами стратиграфического и литологических исследований. Определение абсолютного возраста верхнего и нижнего культурных слоев Юдиновской стоянки осуществлено по костям мамонта. Даты, полученные для верхнего культурного слоя, указывают на его более поздний возраст — $12\,200 \pm 200$ л. н. SPb-105, $12\,350 \pm 80$ л. н. SPb-107, $12\,500 \pm 95$ л. н. SPb-106 — по отношению к нижнему слою — $13\,980 \pm 180$ л. н. ИГАН-1266, $14\,010 \pm 230$ л. н. ИГАН-1270, $14\,480 \pm 80$ л. н. Beta-199779.

Таблица 2. Радиоуглеродные датировки стоянки Юдиново

Стоянка Юдиново			
№ п/п	Индекс	Материал, контекст	^{14}C дата, л. н.
<i>Верхний культурный слой</i>			
1	SPb-2855	Зуб мамонта	$12\,060 \pm 135$
2	SPb-2913	Зуб мамонта	$12\,070 \pm 120$
3	SPb-2912	Зуб мамонта	$12\,157 \pm 120$

been demonstrated that there are two well-defined habitation levels in the sections of the site which have been investigated so far. The interval separating them was large enough for the Lower Cultural Layer to have been buried.

AGE OF THE SITE

A large series of radio-carbon dates has been obtained for the Yudinovo site (Table 2), which correspond to the results obtained through stratigraphic and lithologic investigations. The absolute age of the upper and lower cultural layers at the Yudinovo site was established with reference to mammoth bones. The dates obtained for the Upper Cultural Layer point to a later age: — $12\,200 \pm 200$ years ago. SPb-105, $12\,350 \pm 80$ years ago. SPb-107, $12\,500 \pm 95$ years ago. SPb-106 regarding the lower layer — $13\,980 \pm 180$ years ago ИГАН-1266, $14\,010 \pm 230$ years ago ИГАН-1270, $14\,480 \pm 80$ years ago Beta-199779.

Table No. 2. Radiocarbon dates from the Yudinovo site

Yudinovo Site			
№	Index	Material/context	^{14}C date, years ago
<i>Upper Cultural Layer</i>			
1	SPb-2855	Mammoth tooth	$12\,060 \pm 135$
2	SPb-2913	Mammoth tooth	$12\,070 \pm 120$
3	SPb-2912	Mammoth tooth	$12\,157 \pm 120$

4	SPb-2893	Зуб мамонта	12 200±100
5	SPb-573	Кость мамонта	12 240±100
6	SPb-107	Кость мамонта	12 350±80
7	SPb-537	Кость мамонта	12 239±100
8	SPb-106	Кость мамонта	12 500±95
9	SPb-105	Кость мамонта	12 200±200
10	OxA-696	Костный уголь	12 300±200
<i>Нижний культурный слой</i>			
11	SPb-103	Кость мамонта	12 943±140
12	SPb-1768	Кость мамонта	12 950±140
13	SPb-104	Кость мамонта	12 900±200
14	SPb-1768	Кость мамонта	12 943±100
15	ЛЕ-5518	Костный уголь	12 850±200
16	ЛЕ-3401	Костный уголь	12 980±320
17	ЛЕ-5519	Костный уголь	13 200±200
18	OxA-695	Костный уголь	13 300±200
19	ЛЕ-3303	Кость	13 380±160
20	ЛУ-153	Костный уголь	13 650±200
21	SPb-1770	Кость	13 720±120
22	SPb-1769	Кость	13 835±100
23	ЛУ-103	Костный уголь	13 830±850
24	SPb-1769	Зуб мамонта	13 835±100
25	ISGS-2085	Кость мамонта	13 980±110
26	ИГАН-1266	Костный уголь	13 980±180
27	ИГАН-1270	Зуб мамонта	14 010±230
28	ISGS-2084	Костный уголь	14 300±110
29	AA-4801	Кость	14 470±160
30	Beta-199779	Костный уголь	14 480±80
31	ГИН-5588	Костный уголь	14 500±200
32	ГИН-5661	Костный уголь	14 610±60
33	AA-4802	Кость	14 650±105
34	OxA-21004	Кость мамонта	14 715±65
35	SPb-777	Кость мамонта	14 800±120

4	SPb-2893	Mammoth tooth	12200±100
5	SPb-573	Mammoth bone	12240±100
6	SPb-107	Mammoth bone	12350±80
7	SPb-537	Mammoth bone	12239±100
8	SPb-106	Mammoth bone	12500±95
9	SPb-105	Mammoth bone	12200±200
10	OxA-696	Bone charcoal	12300±200
<i>Lower Cultural Layer</i>			
11	SPb-103	Mammoth bone	12943±140
12	SPb-1768	Mammoth bone	12950±140
13	SPb-104	Mammoth bone	12900±200
14	SPb-1768	Mammoth bone	12943±100
15	ЛЕ-5518	Bone charcoal	12850±200
16	ЛЕ-3401	Bone charcoal	12980±320
17	ЛЕ-5519	Bone charcoal	13200±200
18	OxA-695	Bone charcoal	13300±200
19	ЛЕ-3303	Bone	13380±160
20	ЛУ-153	Bone charcoal	13650±200
21	SPb-1770	Bone	13720±120
22	SPb-1769	Bone	13835±100
23	ЛУ-103	Bone charcoal	13830±850
24	SPb-1769	Mammoth tooth	13835±100
25	ISGS-2085	Mammoth bone	13980±110
26	ИГАН-1266	Bone charcoal	13980±180
27	ИГАН-1270	Mammoth tooth	14010±230
28	ISGS-2084	Bone charcoal	14300±110
29	AA-4801	Bone	14470±160
30	Beta-199779	Bone charcoal	14480±80
31	ГИН-5588	Bone charcoal	14500±200
32	ГИН-5661	Bone charcoal	14610±60
33	AA-4802	Bone	14650±105
34	OxA-21004	Mammoth bone	14715±65
35	SPb-777	Mammoth bone	14800±120

36	OxA-21033	Фрагмент зуба мамонта	14 820 ±60
37	OxA-21005	Фрагмент зуба мамонта	14 840 ±65
38	ЛЕ-3835	Зуб мамонта	14 870±150
39	OxA-21006	Фрагмент зуба мамонта	14 910±65
40	OxA-21007	Фрагмент зуба мамонта	14 955 ±65
41	ЛЕ-3302	Зуб мамонта	14 980±110
42	ЛУ-127	Кость мамонта	15 660±180
43	ЛЕ-3301	Кость	15 790±320
44	ЛЕ-3302	Костный уголь	17 800±810

36	OxA-21033	Mammoth tooth fragment	14820 ±60
37	OxA-21005	Mammoth tooth fragment	14840 ±65
38	ЛЕ-3835	Mammoth tooth	14870±150
39	OxA-21006	Mammoth tooth fragment	14910±65
40	OxA-21007	Mammoth tooth fragment	14955 ±65
41	ЛЕ-3302	Mammoth tooth	14980±110
42	ЛУ-127	Mammoth bone	15660±180
43	ЛЕ-3301	Bone	15790±320
44	ЛЕ-3302	Bone charcoal	17800±810

ПАЛИНОЛОГИЧЕСКИЕ ДАННЫЕ

Разновременность верхнего и нижнего слоев Юдиновской стоянки подтверждается палинологическими данными, полученными Т.В. Сапелко при изучении разреза западных стен раскопов 2007–2008 гг. (траншея 2009 г.) (Хлопачев, Грибченко 2012; Сапелко 2014). Построенная палинологическая колонка (образцы отбирались одной колонкой через каждые 5 см) содержит шесть палинозон (рис. 39). Нижнему культурному слою Юдиновской стоянки (табл. 1, сл. 10) соответствует палинозона 2. Для нее характерно увеличение концентрации пыльцы, возрастание (до 10%) количества пыльцы древесных пород. В небольших количествах встречается пыльца сосны (*Pinus*), ольхи (*Alnus*), ольховника (*Duschekia*), появляется

PALYNOLOGICAL DATA

The difference in the dates for the upper and lower cultural layer at the Yudinovo site is confirmed by the palynological data obtained by T.V. Sapelko while studying the section in the western walls excavated in 2007–2008 (2009 trench) (Khlopachov, Gribchenko 2012; Sapelko 2014). The palynological column duly compiled (samples were selected from a column at 5cms intervals) contains 6 palynozones (Fig. 7). The Lower Cultural Layer at the Yudinovo site (geological level 10 in Table 1) corresponds to palynozone 2. Characteristic of this zone is an increased concentration of pollen, an increase (of up to 10%) in the amount of pollen from tree species. Pollen from pines (*Pinus*), alders (*Alnus*) and alder forest (*Duschekia*) is found in small quantities, and sometimes from birch

Рис. 39. Юдиново 1. Спорово-пыльцевая диаграмма стоянки. 7-6-1 — номера слоев.
(сост. Т.В. Сапелко)

Fig. 39. Yudinovo 1. Pollen diagram of the site. 7-6-1 – layer numbers (compiled by T.V.Salelko)

пыльца березы (*Betula*). Единично отмечена пыльца вересковых (*Ericaceae*). Имеется также небольшое число спор. В основном это папоротники — многожковые (*Polypodiaceae*) и гроздовник (*Botrychium*). Доминирует пыльца трав, среди которых преобладают злаки (*Poaceae*), осоковые (*Cyperaceae*) и цикориевые (*Cichoriaceae*). Процент пыльцы цикориевых на протяжении зоны колеблется от 30% до почти нулевых значений. Количество пыльцы маревых (*Chenopodiaceae*) резко снижается. Увеличивается присутствие гречишных (*Polygonaceae*) — до 18%. Постоянно отмечается присутствие рудеральных видов. Появляется пыльца астровых

(*Betula*). Isolated samples of heathers (*Ericaceae*) have also been found. There is always a small quantity of spores. In the main these are from ferns — polypodies (*Polypodiaceae*) and grape ferns (*Botrychium*). Pollen from grasses is encountered most often and, among those, cereals (*Poaceae*), sedges (*Cyperaceae*) and chicories (*Cichoriaceae*) predominate. The percentage of chicory pollen throughout the zone fluctuates from only just above zero to 30%. The amount of goosefoot (*Chenopodiaceae*) pollen falls rapidly, while the presence of buckwheat (*Polygonaceae*) pollen increases — up to 18%. A constant presence of ruderal species is to be observed. Pollen from the aster family (*Asteraceae*) and also the

(*Asteraceae*), а также полыни (*Artemisia*), которая встречается почти постоянно по всей зоне в небольших количествах, очень много разнотравья. Определена пыльца двулестника (*Circaea lutetiana*). Отмечается пыльца водных растений. На протяжении всей зоны встречаются водоросли, грибы, остатки фауны. Помимо микроводоросли *Botryococcus braunii* появляются и другие зеленые водоросли — мезосапробы *Pediastrum angulosum* и *Coelastrum microporum*. Таким образом, по мнению Т.В. Сапелко, в этот период при широком распространении открытых ландшафтов существует частичная облесенность окружающей территории. Происходит осушение территории и образование почвенного покрова, на котором произрастали в основном кустарники, и на некотором отдалении, вероятно, хвойные породы деревьев. Распространяются рудеральные виды, связанные с появлением человека.

Верхнему культурному слою Юдиновской стоянки (табл. 1, сл. 8) соответствует уже палинозона 3. Она также характеризуется высокой концентрацией пыльцы. В начале зоны отмечена небольшая аридизация климата. Наблюдается практически полное исчезновение пыльцы древесных пород и спор. Среди пыльцы трав увеличивается пыльца ксерофитов. Появляется хвойник, или эфедра (*Ephedra*). Отсутствует пыльца водных, которая к середине зоны единично возникает вновь. Процент пыльцы осок также очень низок в начале зоны и резко

daisy family (*Artemisia*) is to be found almost always in the palynozone in small quantities: the diversity of herbs and grasses is very wide. Pollen from Enchanter's Nightshade (*Circaea lutetiana*) has been identified. Pollen of water plants has also been found. Throughout the whole zone algae, mushrooms and faunal remains are to be found. Apart from the microalgae *Botryococcus braunii*, other green algae are also found: the mezosaprobites *Pediastrum angulosum* and *Coelastrum microporum*. This means — in the opinion of T.V. Sapelko — that in this period characterized by a wide spread of open landscapes the surrounding territory was only partly covered by forest. Soil drainage was taking place. The territory was becoming dryer and the soil cover was taking shape, on which mainly bushes and shrubs were growing, and at some distance further away coniferous tree species. Ruderal plant species were also spreading, which were associated with the appearance of man.

Palynozone 3 is the one which corresponds to the Upper Cultural Layer at the Yudinovo site (geological level 8 in Table 1) and in it there is also a wide concentration of pollen. In the early stage of the zone there was minor aridization of the climate to be observed. Pollen from tree species and spores virtually disappeared altogether. Pollen of xerophytes came to account for a larger proportion of the pollen from grasses. Coniferous plants or *Ephedra* began to appear. There was no pollen from water plants, which began to appear once again in the middle of the zone in isolated cases. The percentage of sedge pollen was

возрастает к середине зоны, после чего осоки становятся одной из доминант растительного покрова. Также на протяжении всей зоны преобладает пыльца злаков и цикориевых, постоянно присутствуют астровые и полынь. Снижается процентное содержание (но кривые также практически непрерывны) пыльцы гречишных (3–9%) и маревых (5–16%). К середине зоны вновь появляются пыльца древесных (2–10%) и споры. Среди древесных отмечается пыльца хвойных пород, березы, ольхи. Постоянно присутствие с середины и до конца зоны ольховника. Отмечена пыльца рудеральных видов. Культурные остатки залегают в литологическом слое, расположенном в первой половине палинозоны 3. Для нее характерно исчезновение древесной растительности, осушение прибрежных территорий и образование открытых пространств, зараставших травянистым покровом. Вероятно, во время формирования культурного слоя граница лесной зоны была на более значительном расстоянии от места стоянки, чем во время формирования нижнего культурного слоя.

ФАУНА СТОЯНКИ

Фаунистическую коллекцию Юдиновской стоянки в разное время изучали многие палеозологи: В.И. Громов,

also very low at the beginning of the zone, but increased rapidly by the middle of it, after which sedges became one of the dominant features of the plant cover. Throughout the zone cereal and chicory pollen predominated and pollen from plants of the aster family and sedge-brush were constantly present. Although the percentages might be decreasing, there are virtually no gaps in the graphs: buckwheat pollen remains at 3%-9% and those of the goosefoot family at 5–16%. By the middle of the zone pollen from tree species appears again (2–10%) and spores as well. Among the tree species pollen from coniferous trees, birch and alder is noted. Alder-forest pollen is almost always present by the end of the zone. Pollen from ruderal plants is also noted. Cultural remains are found in the lithologic level in the first half of Palynozone 3. A characteristic feature of it is the disappearance of vegetation consisting of trees, soil drainage in land on river banks and the formation of open spaces overgrown with grass cover. It is likely that, during the time when the cultural layer was taking shape, the edge of the forest zone was at a greater distance from the site than it had been at the time when the Lower Cultural Layer had been taking shape.

THE FAUNA AT THE SITE

The collection of faunal remains from the Yudinovo site has at various times been studied by many palaeo-zoologists: V.I. Gromov,

Н.К. Верещагин, В.Е. Гарутт, И.Е. Кузьмина, М.В. Саблин, Н.Д. Бурова. Все исследователи единодушно отмечали преобладание костей мамонта (*Mammuthus primigenius*) и песца (*Alopex lagopus rossicus*), находки остатков других животных на памятнике во все годы раскопок были немногочисленны. В результате повторного изучения остеологических коллекций из раскопок Юдиновской стоянки 1947 г., 1960-х годов, 1981–2009 гг. М.В. Саблиным был уточнен список фауны (табл. 3).

N.K. Vereshchagin, V.E. Garutt, I.E. Kuzmina, M.V. Sablin and N.D. Burova. All the scholars unanimously noted the predominance among them of mammoth bones (*Mammuthus primigenius*) and bones of arctic fox (*Alopex lagopus rossicus*); finds of the bones of other animals at the site throughout all the years of excavations were not numerous. As a result of the resumed study of osteological collections from the excavations of 1947, the 1960s and 1981–2009 at the Yudinovo site, M.V. Sablin compiled a precise list of the relevant fauna (Table 3).

Таблица 3. Список видов со стоянки Юдиново
(составлен М.В. Саблиным)

Виды	Особь	
Pisces indet.— рыба	1 ad	1
<i>Astacus</i> sp.— речной рак	1 ad	1
<i>Всего</i>	2	2
<i>Cygnus bewickii</i> — малый лебедь	1 ad	1
<i>Anser fabalis</i> — гусь гуменник	1 ad	1
<i>Branta bernicla</i> — черная казарка	1 ad	1
<i>Lagopus lagopus</i> — белая куропатка	1 ad	1
<i>Lagopus mutus</i> — тундряная куропатка	1 ad	1
<i>Larus argentatus</i> — серебристая чайка	1 ad	1
<i>Nyctea scandiaca</i> — белая сова	2 ad 1 juv	3
<i>Всего птиц</i>	8 ad 1 juv	9
<i>Lepus</i> sp.— заяц	1 ad	1
<i>Marmota bobak</i> — сурок	1ad 1 sad 1 juv	4
<i>Mammuthus primigenius</i> — мамонт	88 ad 12 sad 9 juv	109
<i>Alopex lagopus rossicus</i> — песец	172 ad 7 juv	179
<i>Vulpes vulpes</i> — лисица	1 ad	1
<i>Canis lupus</i> — волк	3 ad 1 juv	4
<i>Ursus arctos</i> — бурый медведь	1 ad 1 juv	2

<i>Panthera spelaea</i> — пещерный лев	1 ad	1
<i>Equus latipes</i> — ширококопалая лошадь	1 ad 1 juv	2
<i>Rangifer tarandus</i> — северный олень	2 ad 2 juv	4
<i>Saiga borealis</i> — сайга	1 ad	1
<i>Ovibos pallantis</i> — овцебык	3 ad 3 sad 1 juv	5
<i>Всего млекопитающих</i>	<i>276 ad 16 sad 23 juv</i>	<i>315</i>

Table № 3. List of species from the Yudinovo site
(compiled by M.V. Sablin)

Species	Individuals	
Piscesindet.— fish	1 ad	1
<i>Astacus</i> sp.— crayfish	1 ad	1
<i>Total</i>	2	2
<i>Cygnus bewickii</i> — Bewick's swan	1 ad	1
<i>Anser fabalis</i> — bean goose	1 ad	1
<i>Branta bernicla</i> — Brent goose	1 ad	1
<i>Lagopus lagopus</i> — willow ptarmigan	1 ad	1
<i>Lagopus mutus</i> — rock ptarmigan	1 ad	1
<i>Larus argentatus</i> — herring gull	1 ad	1
<i>Nyctea candiaca</i> — snowy owl	2 ad 1 juv	3
<i>Bird total</i>	<i>8 ad 1 juv</i>	<i>9</i>
<i>Lepus</i> sp.— hare	1 ad	1
<i>Marmota bobak</i> — common bobak	1ad 1 sad 1 juv	4
<i>Mammuthus primigenius</i> - mammoth	88 ad 12 sad 9 juv	109
<i>Alopex lagopus rossicus</i> - Arctic fox	172 ad 7 juv	179
<i>Vulpes vulpes</i> - red fox	1 ad	1
<i>Canis lupus</i> — grey wolf	3 ad 1 juv	4
<i>Ursus arctos</i> - brown bear	1 ad 1 juv	2
<i>Panthera spelaea</i> - European cave lion	1 ad	1
<i>Equus latipes</i> - broad-footed horse	1 ad 1 juv	2
<i>Rangifer tarandus</i> — reindeer	2 ad 2 juv	4
<i>Saiga borealis</i> - saiga antelope	1 ad	1
<i>Ovibos pallantis</i> - musk ox	3 ad 3 sad 1 juv	5
<i>Mammals total</i>	<i>276 ad 16 sad 23 juv</i>	<i>315</i>

Несколько видов животных — бобр, бизон, корсак — были из списка исключены, добавлены три новых для Юдиновской стоянки вида млекопитающих — донской заяц (*Lepus sp.*), обыкновенная лисица (*Vulpes vulpes*) и антилопа сайга (*Saiga borealis*). Впервые в культурном слое зафиксированы остатки обитателей пресноводного водоема — рака (*Astacus sp.*) и рыбы (*Pisces indet.*). Уточнен состав орнитофауны. Мелкие грызуны представлены в основном копытным леммингом *Dicrostonyx guilielmi* — 59,8% костей, узкочерепной полевкой *Microtus gregalis* — 33,0%, сибирским леммингом *Lemmus sibiricus* — 6,1% (Маркова, 1995).

Видовой состав нижнего культурного слоя более разнообразен. В фаунистической коллекции верхнего культурного слоя представлены только мамонт (*Mammuthus primigenius*), песец (*Alopex lagopus rossicus*) и волк (*Canis lupus*).

АРХЕОЛОГИЧЕСКИЕ МАТЕРИАЛЫ И ДАННЫЕ

По степени изученности поселение нижнего культурного слоя Юдиновской стоянки стоит в одном ряду с такими поселениями-гигантами верхнего палеолита Верхнего и Среднего Поднепровья, как Мезин, Тимоновка 1, Елисеевичи 1, Межиричи, Добраничевка, Гонцы. В настоящее время на ней вскрыта площадь более 1000 кв. м, на которой обнаружены остатки

Several animal species — such as beaver, bison or corsac fox, were not included in the list, while three new species of mammal were added for the Yudinovo site — the Don hare (*Lepus sp.*), the common red fox (*Vulpes vulpes*) and the saiga antelope (*Saiga borealis*). For the first time the remains of freshwater fish were recorded in the cultural layer — crayfish (*Astacus sp.*) and Piscesindet. The list of birds was made more precise (Table 3). Small rodents were represented mainly by the hoofed lemming *Dicrostonyx guilielmi* — 59.8% of the bones, narrow-skulled vole *Microtus gregalis* — 33% and the Siberian brown lemming *Lemmus sibiricus* — 6.1% (Markova, 1995).

The range of species in the Lower Cultural Layer was wider. The fauna collection from the Upper Cultural Layer only included mammoths (*Mammuthus primigenius*), Arctic fox (*Alopex lagopus rossicus*) and wolf (*Canis lupus*).

ARCHAEOLOGICAL MATERIALS AND DATA

When it comes to the degree to which this site has been the object of detailed study, the settlement from the Lower Cultural Layer at the Yudinovo site is on a par with such giant settlements of the Upper Palaeolithic and Middle Palaeolithic as Mezin, Timonovka 1, Elisyevichi 1, Mezhirichi, Dobranichovka and Gontsy. At the present time an area of more than 1,000

пяти жилищ аносовско-мезинского типа — жилых конструкций округлой формы из костей мамонта. Самое крупное жилище, раскопанное К.М. Поликарповичем в 1947 г., имело размер 9,5×9 м, другие конструкции были размером поменьше — 3,4×5, 5×6, 5×5 и 5×5 м. При сооружении их стен использовались крупные кости мамонта: черепа, часть которых устанавливались альвеолами вниз, лобными костями внутрь жилища, а также бивни, плечевые, бедренные, большие и малые берцовые кости. Наиболее крупные хозяйственные ямы и обширные и мощные зольники находятся рядом с жилищами, с южной стороны (рис. 38). Данные по изучению микростратиграфии культурного слоя на участке Юдиновского поселения, где располагалось жилище № 5, указывают на то, что образование зольников на стоянке предшествовало сооружению расположенных рядом с ними жилищ и крупных хозяйственных ям.

На вскрытой площади обнаружено свыше 200 000 кремневых изделий: чешуек, отщепов, сколов, нуклеусов, пластин, пластинок, микропластин, орудий, краевых и резцовых сколов.

Юдиновская стоянка находилась далеко от источников кремневого сырья. Нуклеусы в ее каменном инвентаре немногочисленны. Первичное расщепление кремня было ориентировано на получение пластин и пластинок. Для их скалывания использовались одно- и двуплощадочные (в том числе бипродольные, бипродольные смежные) подпризматические, призма-

square metres has been cleared, in which five dwellings of the Anosovsko-Mezin type have been discovered — round structures made out of mammoth bones. The largest dwelling, excavated by K.M. Polikarpovich in 1947, measured 9.5 x 9 metres, while the other structures were of smaller dimensions — 3.4 x 5 metres, 5 x 6 metres, 5 x 5 metres and 5 x 5 metres. For building the walls of these structures, large mammoth bones were used: skulls, some of which were arranged with their teeth-ridges at the bottom and with their frontal bones facing into the dwelling and also tusks, humeri, femurs, tibias. The largest of the working pits and the extensive ash-pits were found beside the dwellings, on their south side (Fig. 6). Data relating to the study of the micro-stratigraphy of the cultural layer in the section of the Yudinovo settlement, where Dwelling № 5 stood, indicate that the ash-pit took shape at the site before the dwellings next to it appeared or the large working pits.

Over 20,000 flint items were found within the cleared area: chips, flakes, cores, blades, micro-blades, tools, edge and side flakes.

The Yudinovo site was situated a long way from sources of flint raw material. There were only a few cores in its stone inventory. The initial knapping of flint was aimed at obtaining blades and bladelets. For this knapping, cores with both single and double platforms, (including bidirectional core and bidirectional adjacent core ones) sub-prismatic, prismatic and edge-faceted cores were used. The average

тические и торцевые нуклеусы. В среднем длина целых пластин составляла 4–7 см, пластинок — 3–4 см, а микропластин — 1,5–3 см. Лишь отдельные, самые крупные пластины достигали длины 9–10 см. Преобладают изделия с небольшими гладкими редуцированными площадками. Изделия со вторичной обработкой составляют около 13% от общего количества кремневых изделий. Наиболее многочисленными категориями орудий являлись резцы и скребки (рис. 40, 1–16). В коллекции преобладают различные формы ретушных резцов, изготовленных на пластинах и пластинках (рис. 40, 1–11). Разнообразна группа скребков (рис. 40, 12–16). Имеются концевые, округлые, двойные, укороченные, ногтевидные скребки. Большое количество скребков изготовлено на отщепках. Богат формами комплекс вкладышей для метательного оружия — пластины, пластинки, микропластины с притупленным краем, а также прямоугольники (рис. 40, 17–22). В меньшем количестве в каменном инвентаре представлены пластины и пластинки с усеченными концами, скошенные острия, проколки.

Каменный инвентарь стоянки Юдиново из нижнего и верхнего культурных слоев обнаруживает высокую степень схожести форм основных массовых групп орудий. Однако особенностью каменного инвентаря нижнего слоя является присутствие в его материалах целого ряда форм орудий, которые отсутствуют в верхнем культурном слое и одновременно нетипичны для эпиграветтийских

length of whole blades was 4–7 cms, that of bladelets — 3–4 cms and that of micro-blades 1.5–3 cms. Only a few blades — the very largest — had a length of 9–10 cms. The artefacts which predominated were those with small and smooth reduced butts. Artefacts with traces of secondary working made up approximately 13% of the total amount of flint items. The most numerous categories of tools were burins and end-scrapers (Fig. 8, 1–16). The tools which predominate in the collection are retouched burins made from blades and bladelets and of various shapes (Fig. 8, 1–11). The group of end-scrapers is also varied (Fig. 8, 12–16). It contains end-scrapers, circular, double, shortened and thumb-nail end-scrapers. A large number of end-scrapers had been made using flakes. The assemblage of insets for throwing weapons was rich in its variety of shapes: blades, bladelets, micro-blades with a blunted edge and also rectangular ones (Fig. 8, 17–22). Blades and bladelets with truncated edges, slanted points and borers are less well represented in the stone inventory.

The stone inventory from the Yudinovo site from both the lower and upper cultural layers reveals the high degree of similarity between the shapes found in the main mass-scale groups of tools. A special feature of the stone inventory from the Lower Cultural Layer is the presence within its materials of a whole range of tool shapes, which are not to be found in the Upper Cultural Layer but which, at the same time, are not

Рис. 40. Юдиново 1. Кремневый инвентарь нижнего культурного слоя стоянки.
1–11 — ретушные резцы; 12–16 — скребки; 17–22 — вкладыши метательного оружия

Fig. 40. Yudinovo 1. Flint inventory from the lower cultural layer of the site
1-11 – retouched burins; 12-16 – scrapers; 17-22 – inserts for throwing weapons

памятников Восточной Европы, — пластины более крупных пропорций, скошенные острия с притупленным краем, оформленным вертикальной встречной ретушью, орудие на пластине с подтеской на конце и др. (рис. 41).

По технике первичного расщепления и категориальному набору ведущих форм орудия стоянки верхнего и нижнего культурных слоев Юдиновского поселения обнаруживают высокую степень сходства как между собой, так и с каменными индустриями памятников тимоновско-юдиновской культурной группы Подесенья, особенно с памятниками Бугорок (Пушкари IX, верхний слой) и Чулатово II (Рабочий ров).

В ходе раскопок стоянки нижнего культурного слоя Юдиновского поселения собрана большая коллекция костяных изделий, находящихся прямые аналогии в костяных индустриях Тимоновских стоянок — одного из эпонимных памятников тимоновско-юдиновской культурной традиции. Коллекция включает как предметы, связанные с первичной обработкой бивня и кости (бивневые нуклеусы, отщепы, пластинчатые сколы, куски кости со следами расщепления и резания), так и предметы вооружения (наконечники стрел и дротиков) и орудия труда (землекопные орудия из ребер мамонта, шилья, острия, иглы, игольники из трубчатых костей пещера). Многочисленны и разнообразны найденные на стоянке украшения — подвески, «фибулы», диадемы, тысячи мельчайших

типичных для Epigravettian sites Восточной Европы: blades of larger proportions, slanted points with a blunted edge, shaped with an abrupt reflected retouch, and a tool made from a blade with trimming at the end *et al.* (Fig. 9).

Regarding the technique used for initial knapping and the range of categories for the key tool shapes at the Yudinovo site with its upper and lower cultural layers, this particular settlement reveals a high degree of similarity both between the two and also with the stone industries of sites from the Timonovka-Yudinovo cultural group in the Desna valley, particularly with the sites Bugarok (Pushkari IX, upper level) and Chulatovo II (Rabochii Rov).

In the course of excavations carried out in the Lower Cultural Layer at the Yudinovo settlement, a large collection of bone artefacts was assembled, for which there were direct parallels in the bone industries of the Timonovka sites — one of the eponymous sites in the Timonovsko-Yudinovo cultural tradition. The objects it includes associated with the primary working of tusks and bones (tusk cores, flakes, lamellar flakes, pieces of bone bearing traces of knapping and cutting), and also objects used for weaponry (arrowheads and dart-heads) and for tools (digging tools made from mammoth ribs, awls, points, needles, needle-containers made from arctic foxes' long bones). The jewellery items found at the site are numerous and diverse: pendants, 'fibulae', diadems and thousands of tiny beads made from mammoth tusks and

Рис. 41. Юдиново 1. Кремневый инвентарь из объектов на материке нижнего культурного слоя стоянки. 1 — пластинка с выемкой у основания; 2, 5, 8 — ретушный и двугранные резцы на скошенных остриях, оформленных вертикальной встречной ретушью; 3, 6 — орудия с подтеской на конце; 4 — скошенное острие, оформленное вертикальной встречной ретушью; 7 — косо-ретушный резец с целиком ретушированными краями; 9 — прямо-ретушный резец с выемкой на крае

Fig. 41. Yudinovo 1. Flint inventory from features on the natural soil under the lower cultural layer at the site. 1 — Bladelet with a notch at the base; 2, 5, 8 — retouched and dihedral burins made from tapered points, shaped using vertical reflected retouching; 7 — burin on oblique retouched truncation with all edges retouched; 9 — burin on straight retouched truncation with a notch at the edge

бус-нашивок из бивня мамонта, раковины морских (*Nassarius*, *Cyclope*, *Cerithium*, *Cerastoderma*, *Nucula*) (рис. 42, 1) и солоноватоводных моллюсков (*Theodoxus*) с отверстиями для подвешивания. Часто на поверхности изделий из бивня, кости и рога с помощью резания наносился сложный геометрический орнамент в виде ромбической сетки (рис. 42, 2, 3).

sea shells (*Nassarius*, *Cyclope*, *Cerithium*, *Cerastoderma*, *Nucula*) (Fig. 10, 1) and sub-saline molluscs (*Theodoxus*) containing holes from which they can be suspended. Intricate geometric patterns consisting of a network of rhombi and made by cutting would frequently be found on the surface of these items fashioned from tusks, bones or horns (Fig. 10, 2, 3).

Рис. 42. Юдиново 1. Предметы искусства и украшения из нижнего культурного слоя стоянки.
1 — раковины морских моллюсков с отверстиями для подвешивания; 2 — массивный стержень со сложным геометрическим орнаментом на поверхности (бивень мамонта); 3 — «фибула» со сложным геометрическим орнаментом на поверхности (бивень мамонта)

Fig. 42. Yudinovo 1. Art and jewellery objects from the lower cultural layer at the site:
1 — shells of marine molluscs with openings for hanging; 2 — large bar with intricate geometric pattern on the surface (mammoth tusk); 3 — 'fibula' with an intricate geometric pattern on the surface (mammoth tusk)

Юдиновское верхнепалеолитическое поселение представляет собой многослойный памятник, нижний слой которого соответствует периоду 15–13,5 тыс. л. н., когда на территории Подесенья существовали «поселения-гиганты», подобные Мезинской и Елисеевической стоянкам, а верхний — 12,5–12,0 тыс. л. н. — близок по времени верхнему культурному горизонту стоянки Бугорок (Пушкари IX, верхний слой). Структура и палеогеографические особенности расположения нижнего культурного слоя Юдиновской стоянки говорят о том, что она функционировала длительное время и имела циклический характер заселения. Периоды ее обитания могли иметь разную продолжительность и происходить в различные сезоны, которые, по-видимому, были связаны с охотой на мамонтов на одном из их миграционных путей, а также с охотой на других животных в районе традиционного места их водопоя или переправы на другой берег реки.

The Yudinovo Upper-Palaeolithic settlement is a multi-level site, in which the lower level dates from the period between 15,000 and 13,500 years ago, when “giant sites” existed in the Desna valley, like those at Mezin and Elishevichi, and the upper level dates from 12,500 to 12,000 years ago, close to the period of the Upper Cultural Layer at the site of Bugorok (Pushkari IX, upper level). The structure and palaeo-geographic features of the Lower Cultural Layer at Yudinovo would indicate that it functioned for a long time and that its settlement was of a cyclical nature. The periods during which it was inhabited could have been of varying length and at different seasons, which were evidently connected with the hunting of mammoths on one of their migration routes and also with hunting for other animals near their traditional watering holes or at points where they were able to cross the river to the opposite bank.

**ФЁДОР МИХАЙЛОВИЧ
ЗАВЕРНЯЕВ
(1919–1994)
БИОГРАФИЯ ИССЛЕДОВАТЕЛЯ**

В отечественной археологии заметное место занимают труды Фёдора Михайловича Заверняева, исследовавшего территорию Брянской области в археологическом отношении в 1940-х — 1980-х гг. В это время традиционная археология постепенно восстанавливала свои права: на смену непродуктивным социологическим схемам, характерным для предыдущих лет, пришли полноценные публикации источников. Развивалась исследовательская работа в провинциальных центрах. В этот процесс вписаны работы Ф.М. Заверняева.

Ф.М. Заверняев родился в Почепе в 1919 г. в многодетной семье сапожника. После 7 класса юный историк стал пионервожатым, создал в Почепе краеведческий кружок. В областной газете «Юный пионер» он опубликовал свою первую заметку «Раскопки на болоте», после чего на кружок школьников обратил внимание белорусский археолог К.М. Поликарпович. Знакомство с ним стало судьбоносным событием в жизни будущего учёного. У Заверняева возник серьёзный интерес к работе археолога, стал накапливаться опыт участия в археологических

**FYODOR MIKHAILOVICH
ZAVERNYAEV
(1919–1994)
A SCHOLAR'S LIFE**

The works of Fyodor Mikhailovich Zavernyaev occupy a prominent place in the archaeology of his homeland after the four decades (1940s — 1980s) he spent investigating the territory of the Bryansk Region in connection with its archaeology. At that time, traditional archaeology was gradually reasserting itself: the non-productive, sociological approach of the pre-war period was giving way to reliable and valuable source-based publications. Research work was developing on a wide scale in provincial centres. The works of Fyodor Zavernyaev were part of that process.

Zavernyaev was born in Pochep in 1919 into the large family of a local cobbler. The young historian became a leader for the Young Pioneers organization at the age of 14 and he set up a local-history group in Pochep. It was in a regional newspaper — *Young Pioneer* — that he published his first short article, entitled *Excavations in a Swamp*, which attracted the attention of the Byelorussian archaeologist, K.M. Polikarpovich. Zavernyaev's meeting with Polikarpovich was to prove a landmark event in the life of the future scholar. Zavernyaev began to take a serious interest in the prospect of working as an archaeologist and he began taking part in archaeological excavations. He started out

Сотрудники Брянского областного краеведческого музея (1961–1964 гг.).

Ф.М. Заверняев — крайний справа. Брянск, 1 мая 1961 г.

The staff of the Bryansk Museum of Regional History (1961–1964)
with Fyodor Zavernyaev on the far right. Bryansk — May 1, 1961

раскопках. На работу он устроился в заново созданный почепский краеведческий музей.

В 1939 г. Ф.М. Заверняев был призван в армию, осенью 1941 г. под Полтавой впервые участвовал в боевых действиях. Потом он попал в окружение и оказался в немецком плену, откуда был освобождён американскими войсками. После пребы-

working in the newly created museum of local history in Pochep.

In 1939, Zavernyaev was called up for army service and in the autumn of 1941 he experienced military action for the first time near Poltava. He found himself surrounded and was taken prisoner by the Wehrmacht. Zavernyaev was later freed from captivity by American troops. After spending some time

вания в советском фильтрационном лагере лейтенант Ф.М. Заверняев в 1946 г. оказался дома.

Но офицерское звание, полученное в ходе боевых действий, не спасало Ф.М. Заверняева от преград, вставших на его жизненном пути в послевоенные годы. Работать в почепском музее он не мог — путь в это учреждение был закрыт для узника немецкого лагеря. Пришлось трудиться кочегаром на местном хлебокомбинате.

Ф.М. Заверняев стремился получить профессиональную подготовку в области археологии. Такое образование мог дать исторический факультет МГУ. Однако и туда попасть человеку, побывавшему в немецком плену, было невозможно. Своему ученику очень помог К.М. Поликарпович. В 1948 г. он добился того, чтобы Ф.М. Заверняев получил в Академии Наук разрешение на самостоятельные археологические работы. Его приняли на работу в Брянский областной краеведческий музей, где для научной деятельности молодого исследователя возникли новые возможности. Из самоучки он стал превращаться в настоящего исследователя. Только в 1960-е гг., после XX съезда КПСС, Ф.М. Заверняев смог поступить в Московский университет и получить высшее образование.

Уже в 1950-х гг. в печати стали появляться труды Ф.М. Заверняева с освещением результатов его раскопок. Начало самостоятельной работы положили экспедиции по тщательному изучению долин

in a Soviet screening camp, Lt. Zavernyaev made his way home again in 1946.

His officer's rank — which had been conferred on him in the course of military action — did not spare Fyodor Zavernyaev from the obstacles which appeared on his path through life after the war. He was unable to resume work in the Pochep Museum: access to that institution was closed to someone who had been a prisoner in a Nazist concentration camp. He was reduced to working as a stoker in the local bread factory.

Zavernyaev was keen to have professional training in archaeology. Education of that kind was available at the history faculty of Moscow State University. Yet entry to that institution was also out of reach for someone who had been a prisoner of the Nazist. Meanwhile, K.M. Polikarpovich went out of his way to help his former pupil. In 1948, he enabled Zavernyaev to gain a permit from the Academy of Sciences allowing him to work as an independent archaeologist. Zavernyaev was taken on by the Regional History Museum in Bryansk, where the young researcher had new opportunities to engage in academic work. The self-taught archaeologist was gradually turning into a serious academic. It was not until the XX Congress of the Communist Party of the Soviet Union that Fyodor Zavernyaev was able to take up a place at Moscow University and embark upon his higher education.

As early as the 1950s, articles by Zavernyaev started being published, which made public the results of his research. Expeditions involving thorough study of the river valleys within the territory of the Bryansk Region

рек, протекавших по территории Брянской области. Работая в музее, он открыл и в 1955–1959 гг. исследовал почепскую археологическую культуру, представленную селищами I–II вв. н. э. Это была одна из праславянских культур, которая возникла благодаря контактам носителей зарубинецкой и юхновской культур. В эти же годы Ф.М. Заверняев исследовал славянские селища и поселения бронзового века на реках Десна и Судость, селище раннего железного века в устье Гасомы, древнерусский город Мглин, курганные могильники времён Киевской Руси. В результате постоянных обследований территории Брянской области он обнаружил несколько сотен археологических памятников.

В конце 1950-х гг. внимание Ф.М. Заверняева привлекла местность в районе села Хотылёво. Здесь в 1958 году он открыл и исследовал один из древнейших памятников археологии в центре Русской равнины, получивший название Хотылёво I. По последним данным, возраст этого многослойного памятника может составлять от 100 до 60 тыс. лет. Это самое северное из известных в пору работ Ф.М. Заверняева поселение периода среднего палеолита. Учёным были найдены многочисленные кремнёвые орудия (ножи, скрёбла, остроконечники), следы их производства, кости ископаемых животных. Протяжённость этого местонахождения составляла свыше 1 км вдоль Десны. В 1961 г. в Брянске Ф.М. Заверняев

had been the first stage in his independent work. While working in the Bryansk Museum, Fyodor Zavernyaev had discovered the Pochep archaeological culture, represented by large settlements dating from the 1st and 2nd centuries AD, and in the second half of the 1950s he made it the subject of detailed study. It had been one of the proto-Slavonic archaeological cultures, which came into being thanks to contacts between the Zarubine-tskaya and Yukhnovskaya Cultures. During those years, Zavernyaev investigated large Slavonic settlements and Bronze-Age settlements along the Desna and Sudost rivers, a large settlement of the Early Iron Age at the mouth of the Gasoma river, the medieval Russian town of Mglin and burial-grounds consisting of burial-mounds dating from the era of Kievan Rus. Thanks to his many surveys undertaken in the territory of the Bryansk Region, Fyodor Zavernyaev was able to locate several hundred archaeological sites.

At the end of the 1950s, Zavernyaev's attention was attracted by an area near the village of Khotylevo. In 1958 he discovered and then investigated one of the earliest of the ancient archaeological sites in the centre of the Russian Plain, which came to be known as Khotylevo I. According to the latest data, the age of this multi-level site is between 60,000 and 100,000 years. It was the northernmost settlement of the Middle Palaeolithic period known at the time, when Fyodor Zavernyaev was working in archaeology. He found numerous flint tools there (knives, scrapers, points), traces of their pro-

Участники экспедиции по реке Десне от райцентра Екимовичи Смоленской области до Брянска, 1958 г. Крайний справа — начальник экспедиции Ф.М. Заверняев
 Members of an archaeological team working along the River Desna from the district centre of Ekimovichi in the Smolensk Region as far as Bryansk 1958.
 Fyodor Zavernyaev — leader of the expedition — is on the far right

издал брошюру «Хотылёвское нижнепалеолитическое местонахождение».

Там же, в районе Хотылёва, в 1968 г. он обнаружил верхнепалеолитическую стоянку, которая получила наименование Хотылёво 2. Около 12 лет заняло изучение этой стоянки. Тут встречались древнейшие произведения искусства — женские

production and fossilized animal bones. This site stretched for over a kilometre along the Desna river. In 1961 Zavernyaev published a brochure in Bryansk entitled *The Khotylevo Lower Palaeolithic site*.

It was there, in the Khotylevo area, that Zavernyaev discovered an Upper Palaeolithic encampment, which was assigned the name

статуэтки. Здесь же были найдены остатки жилищ, очагов, хозяйственных ям, кремнёвые орудия (ножи, скребки, резцы, наконечники), костяные изделия (шилья, наконечники, лопаточки из рёбер, заготовки орудий и поделок, украшения).

В 1978 г. в Ленинграде была опубликована фундаментальная монография Ф.М. Заверняева «Хотылёвское палеолитическое местонахождение», посвящённая Хотылёво I. Работа получила широкую известность, она используется археологами разных стран.

В конце 1970-х гг. Ф.М. Заверняев производил раскопки в районе урочища Чашин Курган в Брянске. Благодаря этой работе удалось установить время рождения города — X век и отметить его 1000-летие.

Долгие годы — до 1985-го — Ф.М. Заверняев проработал сотрудником Брянского областного краеведческого музея. В результате командировок для археологических разведок, в архивы Москвы и Ленинграда, он собрал большое количество экспонатов и по мере роста музея создал экспозиции последовательно в трёх его зданиях, а также разработал тематико-экспозиционные планы новых музеев в Красном Роге (музей усадьба А.К. Толстого), Севске, Почепе и Клетне.

С сообщениями об итогах своих полевых исследований Ф.М. Заверняев неоднократно выступал на археологических конференциях в Москве, Ленинграде, Киеве, Минске, Львове, Одессе. В 1967 г. он участвовал в международном рабочем со-

Khotylevo 2. The study of this encampment involved 12 years' research work. It yielded up art work as well as finds — female figurines. Remains of dwellings were also found, hearths, pits containing production waste, flint tools (knives, scrapers, burins, points) and bone items (awls, terminals, small spades made from ribs of, blanks for tools, and items of jewellery).

In 1978, a detailed monograph was published by Zavernyaev entitled *The Khotylevo Palaeolithic Site*, which was devoted to Khotylevo I. The work attracted a wide readership and was used by archaeologists from a range of other countries.

At the end of the 1970s, Fyodor Zavernyaev embarked on excavations near Chashin Kurgan in Bryansk. This work made it possible to establish the time when the town first came into being — the 10th century — and subsequently to celebrate the thousandth anniversary of its founding.

For many years — until 1985 — Fyodor Zavernyaev worked on the staff of the Bryansk Museum of Regional History. As a result of his work assignments undertaken for further reconnaissance work and visits to archives in Moscow and Leningrad, Zavernyaev was able to assemble a large number of exhibits. As the Museum grew he created — one after another — special displays in three separate buildings of the Museum and also drew up plans for exhibitions focused on specific themes in the new museums opened in Krasnyi Rog (the former estate of the writer Alexei Tolstoy), Sevsk, Pochep and Kletno.

Раскопки Хотылёво I, Ф.М. Заверняев у западной стенки Раскопа 5, 1963 г.
Excavations at Khotylevo I with Fyodor Zavernyaev at the west wall of Trench 5, in 1963

вещании «Лёсс-перигляциал-палеолит», а в сентябре 1981 г. был одним из организаторов совместного советско-французского полевого семинара по теме «Динамика взаимодействия между естественной средой и доисторическими обществами на Русской равнине». Участников семинара Ф.М. Заверняев принимал на раскопах в Хотылёво.

Труд Ф.М. Заверняева был отмечен дипломами и почетными грамотами центральных и областных учреждений и организаций /всего 23 диплома и грамоты/. В 1969 г. Министерство культуры СССР наградило учёного значком «За отличную работу», а Указом Президиума Верховного Совета РСФСР от 7 мая 1985 года ему присвоено почетное звание «Заслуженный работник культуры РСФСР». Как участник войны Ф.М. Заверняев в 1985 г. был награжден орденом Отечественной войны 2-й степени, в разные годы 6-ю юбилейными медалями Министерства обороны СССР.

В 1994 г. Ф.М. Заверняев скончался. Он оставил после себя не только монографии, но и множество статей по истории Брянского края. Неопубликованными по сей день остаются книги «Хотылёвская верхнепалеолитическая стоянка» (1993 г.), «Геологические условия залегания Хотылёвского палеолита», «Познание родного края», мемуары учёного в пяти книгах. Настоящее признание пришло к Фёдору Михайловичу после кончины. По отношению к ряду важных исследовательских тем

Fyodor Zavernyaev delivered reports on the findings of his field research on several occasions at archaeological conferences in Moscow, Leningrad, Kiev, Minsk, Lvov and Odessa. In 1967 he took part in an international workshop entitled *Loess-Perglacial-Palaeolithic* and in September 1981 he helped organize a joint Soviet-French field seminar on the subject, *The Dynamics of Interaction between the Natural Environment and Prehistoric Societies on the Russian Plain*. Zavernyaev also received the scholars attending the seminar at his excavation base in Khotylevo.

Zavernyaev's work was singled out for diplomas and special certificates (23 in total) by national and regional institutions and organizations. In 1969 the Ministry of Culture of the USSR awarded the scholar a special badge "For Excellent Work" and later, on May 7, 1985 the title "Honoured Cultural Worker of the RSFSR" in accordance with a Decree of the Presidium of the Supreme Soviet of the Russian Soviet Federative Socialist Republic. As a war veteran, Fyodor Zavernyaev was awarded an Order of the Great Patriotic War (2nd Degree) and he received six different jubilee medals from the Ministry of Defence of the USSR.

In 1994, when Fyodor Zavernyaev died, he left behind him not only monographs, but also many articles on the history of the Bryansk Region. Still unpublished to this day are books entitled *The Khotylevo Upper Palaeolithic Encampment* (1993), *The Geological Conditions shaping the Khotylyovlo Palaeolithic*,

Экспедиция по реке Десне от райцентра Екимовичи Смоленской области до Брянска.

Брянский район, 1958 г. С. Хотылёво. Мустьерская стоянка.

У открытой линзы — Ф.М. Заверняев

The expedition on the River Desna from the district centre of Ekimovichi in the Smolensk Region as far as Bryansk. Bryansk District, 1958. Mousterian site at the village of Khotylevo with Fyodor Zavernyaev next to an exposed stratum in the excavations

в отечественной археологии, которыми занимался Фёдор Михайлович Заверняев, о нём с полным правом можно сказать: первооткрыватель, основатель, подвижник.

Exploring Your Home Region, and his memoirs (5 volumes). It was only after his death that Fyodor Zavernyaev received the recognition he deserved. His contributions to a number of research topics studied in his home country mean that he can truly be regarded as a trail-blazer, pioneer and hero-archaeologist.

ЛИТЕРАТУРА И АРХИВНЫЕ МАТЕРИАЛЫ

Абрамова З.А. Верхнепалеолитическое поселение Юдиново. Вып. 1. СПб.: ИИМК РАН, 1995. 149 с.

Абрамова З.А., Григорьева Г.В., Кристенсен М. Верхнепалеолитическое поселение Юдиново. Вып. 2. СПб.: ИИМК РАН, 1997. 162 с.

Абрамова З.А., Григорьева Г.В. Верхнепалеолитическое поселение Юдиново. Вып. 3. СПб.: ИИМК РАН, 1997. 149 с.

Беляева В.И. Палеолитическая стоянка Пушкари I. СПб.: изд. СПбГУ, 2002. 155 с.

Беляева В.И., Грибченко Ю.Н., Кулаковская Л.В., Усик В.И. Мосолов ров — стоянка эпохи среднего палеолита на Десне // Труды исторического факультета Санкт-Петербургского университета. 2014. № 18. С. 31–42.

Борисова О.К., Зеликсон Э.М., Новенко Е.Ю. Условия обитания прзднепалеолитического человека в Центральных районах Русской равнины (по палинологическим данным) // Развитие области многолетней мерзлоты и перигляциальной зоны Сев. Евразии и условия расселения древнего человека. М.: ИГ РАН, 1996. С. 73–85.

Будько В.Д. Верхний палеолит северо-запада Русской равнины // Древности Белоруссии. Материалы Конф.

BIBLIOGRAPHY

Z.A. Abramova. The Upper-Palaeolithic Settlement of Yudinovo, Saint Petersburg, Institute for the History of Material Culture affiliated to the Russian Academy of Sciences, 1995, First Issue, 149 pages.

Z.A. Abramova, G.V. Grigorieva, Kristensen M., The Upper-Palaeolithic Settlement of Yudinovo, Saint Petersburg, Institute for the History of Material Culture affiliated to the Russian Academy of Sciences, 1997, Second issue, 162 pages.

Z.A. Abramova, G.V. Grigorieva, Upper-Palaeolithic Settlement of Yudinovo, Saint Petersburg, Institute for the History of Material Culture affiliated to the Russian Academy of Sciences, 1997, Third issue, 149 pages.

V.I. Belyaeva, The Palaeolithic Site of Pushkari I, Saint Petersburg, SPB State University Publishers, 2002, 155 pages.

V.I. Belyaeva, Y.N. Gribchenko, L.V. Kulakovskaya, V.I. Usik, Mosolov Rov — a Middle-Palaeolithic Site on the River Desna, In: *Proceedings of the History Faculty of Saint Petersburg University*, 2014, № 18, pp. 31–42.

O.K. Borisova, E.M. Zelikson, E.Y. Novenko, Living Conditions for Late Palaeolithic Man in the Central Areas of the Russian Plain (based on palynological data)], In: *The Development of the Permafrost Region and the Periglacial Zone in Northern Eurasia and Conditions for the Spread of Settlement by Ancient Man*, Moscow, Geography Institute

по археологии Белоруссии и смежных территорий. Минск: Институт истории АН БССР, 1966. С. 6–21.

Величко А.А. Геологический возраст верхнего палеолита Центральных районов Русской равнины. М., 1961. 296 с.

Величко А.А. Природный процесс в плейстоцене. М.: Наука, 1973. 255 с.

Velichko A.A. Geocology of the Mousterian in Eastern Europe and the adjacent areas // *L'Homme de Neandertal*. Liege, 1988. Vol. 2. P. 181–206.

Величко А.А., Грибченко Ю.Н., Маркова А.К., Ударцев В.П., О возрасте и условиях обитания стоянки Хотылёво II на Десне // Палеоэкология древнего человека. М.: Наука, 1977. С. 40–50.

Величко А.А., Грехова Л.В., Грибченко Ю.Н., Куренкова Е.И. Первобытный человек в экстремальных условиях среды. Стоянка Елисеевичи. М.: ИГ РАН, 1997. С. 192.

Величко А.А., Грибченко Ю.Н., Куренкова Е.И. Природные условия первичного расселения первобытного человека в перигляциальной зоне Восточной Европы // Развитие области многолетней мерзлоты и перигляциальной зоны Северной Евразии и условия расселения древнего человека. М., 1996. С. 23–73.

Величко А.А., Грибченко Ю.Н., Куренкова Е.И., Новенко Е.Ю. Геохронология палеолита Восточно-Европейской равнины // Ландшафтно-климатические изменения, животный мир и человек в позднем плейстоцене и голоцена. М., 1999. С. 19–50.

of the Russian Academy of Sciences, 1996, pp.73–85.

V.D. Budko. The Upper Palaeolithic in the North-West of the Russian Plain In: *Antiquities of Byelorussia: Materials for a Conference on the Archaeology of Byelorussia and adjoining territories*, Minsk: Institute of History affiliated to the BSSR Academy of Sciences, 1966, pages 6–21. 335 pages.

A.A. Velichko, The Geological Age of the Upper Palaeolithic in the Central Areas of the Russian Plain, Moscow, 1961, 296 pages.

A.A. Velichko, Natural Processes in the Pleistocene, Moscow, “Nauka” Publishers, 1973, 255 pages.

A.A. Velichko Geocology of the Mousterian in Eastern Europe and the adjacent areas // *L'Homme de Neandertal*. Liege, 1988. Vol. 2. P. 181–206.

A.A. Velichko, Y.N. Gribchenko, A.K. Markova, V.P. Udartsev, About the age and living conditions on the Khotylevo II site, Desna river // *Paleoecology of ancient man*. Moscow, Nauka Publishers, 1977, pp. 40–50

A.A. Velichko, L.V. Grekhova, Y.N. Gribchenko, E.I. Kurenkova, Primitive Man in Extreme Environmental Conditions. The Yeliseyevichi Site, Moscow, Geography Institute of the Russian Academy of Sciences, 1997. 192 pages.

A.A. Velichko, Y.N. Gribchenko, E.I. Kurenkova, Natural Conditions for the Primary Settlement of Primitive Man in the Periglacial Zone of Eastern Europe, In: *The Development of the Permafrost Region and the Periglacial Zone in Northern Eurasia and*

Воскресенская Е.В. Комплекс Хотылевских среднепалеолитических стоянок: палеогеография и хронология // Пути эволюционной географии: Материалы Всероссийской научной конференции, посвященной памяти профессора А.А. Величко (Москва, 23–25 ноября 2016 г.). М.: Институт географии РАН, 2016. с. 653–657.

Воскресенская Е.В., Вишняцкий Л.Б., Зюганова И.С., Новенко Е.Ю., Очередной А.К. Новые данные об условиях формирования и возрасте отложений среднепалеолитического памятника Хотылёво I (бассейн р. Десна) // Мат-лы 7-го Всерос. совещ. по изучению четвертичного периода «Квартер во всем его многообразии: фундаментальные проблемы, итоги изучения и основные направления дальнейших исследований» / Отв. ред. О.П. Корсакова, В.В. Колька. Апатиты: Геологический ин-т КНЦ РАН, 2011. С. 116–119.

Воскресенская Е.В., Гаврилов К.Н., Первый памятник ранней поры верхнего палеолита в Верхнем Подесенье // Российская Археология. 2014, № 3. С. 5–18.

Воскресенская Е.В., Гаврилов К.Н. Исследования стоянки Хотылёво 2 — пункт Д в 2013 г. // Археологические исследования в Еврорегионе «Днепр» в 2013 г.: Научный ежегодник. Ред. Е.А. Шинаков. Брянск: РИО БГУ им. Академика И.Г. Петровского, 2015. С. 45–51.

Воскресенская Е.В., Гаврилов К.Н., Зарецкая Н.Е., Панин А.В. О периодизации памятников верхнего палеолита

Conditions for the Spread of Settlement by Ancient Man, Moscow, 1996, pp. 23–73.

A.A. Velichko, Y.N. Gribchenko, E.I. Kurenkova, E.Y. Novenko, The Geochronology of the Palaeolithic in the East European Plain, In: Landscape and Climatic Change, the Animal World and Man in the Late Pleistocene and Holocene, Moscow 1999, pp. 19–50.

E.V. Voskresenskaya, Group of Khotylevo Middle Palaeolithic Sites: Palaeogeography and Chronology, In: Ways of evolutionary geography: Proceedings of the all-Russian scientific conference dedicated to the memory of Professor A.A. Velichko (Moscow, 23–25 of November 2016), Moscow, Geography Institute of the Russian Academy of Sciences, 2008, pp. 653–657.

E.V. Voskresenskaya, L.B. Vishnyatsky, I.S. Zyuganova, E.Y. Novenko, A.K. Ocherednoy, New Data on the conditions for the formation and age of deposits at the Middle Palaeolithic Site of Khotylevo I (Basin of the River Desna) In: *Materials for the 7th All-Russian Conference on the study of the Quaternary Period “Quarter in all its Diversity: fundamental questions, research results and the main directions in further investigations”*, Editors-in-chief, O.P. Korsakova, V.V. Kolk. Apatity (Murmansk Region): Geology Institute of the Kolskii Scientific Centre affiliated to the Russian Academy of Sciences, 2011, pp. 116–119.

E.V. Voskresenskaya, K.N. Gavriloв Research of the Khotylevo 2 site — point D in 2013 // Archaeological research in the Euroregion Dnieper in 2013: Scientific Yearbook. Ed. E.A. Shinakov. Bryansk: RIO BSU Academician I.G. Petrovsky, 2015, pp. 45–51.

в окрестностях с. Хотылево // «Русский сборник». Брянск, 2016. С. 33–43.

Воскресенская Е.В., Гаврилов К.Н., Мащенко Е.Н. Стоянка Хотылёво 2, пункт Д: предварительные итоги раскопок 2010 и 2012 гг. // Деснинские древности — VII. Материалы межгосударственной научной конференции, посвящённой памяти Ф.М. Заверняева. Брянск: Группа компаний «Десяточка», 2012. С. 8–20.

Воскресенская Е.В., Маркова А.К. Позднеплейстоценовые отложения и фауна мелких млекопитающих среднепалеолитической стоянки Бетово (бассейна Десны) // Известия РАН. Сер. Географическая. № 1, 2019. С. 86–98.

Воскресенская Е.В., Морозова Т.Д. Микростроение культурного слоя и особенности почвообразования в районе верхнепалеолитической стоянки Хотылево 2. // Труды V Международной конференции «Эволюция почвенного покрова: история идей и методы, голоценовая эволюция, прогнозы». Пущино, 2009. С. 227–228

Гаврилов К.Н. Верхнепалеолитическая стоянка Хотылево 2. М.: Таус, 2008. 256 с.

Гаврилов К.Н. Стоянка Хотылёво 6 (сл. 3): предварительные итоги раскопок 2004 г. // Палеолит и Мезолит Восточной Европы: сб. ст. в честь 60-летия Хизри Амирхановича Амирханова / Учреждение Российской акад. наук, Ин-т археологии РАН; отв. ред. К.Н. Гаврилов. М.: Ин-т археологии РАН: Таус, 2011а. С. 169–184.

E.V. Voskresenskaya, K.N. Gavrilo, N.E. Zaretskaya, A.V. Panin, On the Periodization of Upper Palaeolithic Sites in the environs of the Village of Khotylevo], In: Russian Bryansk Collection, 2016, pp. 33–43.

E.V. Voskresenskaya, K.N. Gavrilo, E.N. Mashchenko, Khotylevo 2 site, point D: preliminary results of excavations in 2010 and 2012 // Desna antiquities — VII. Materials of the interstate scientific conference dedicated to the memory of F.M. Zavernyaev. Bryansk: “Desyatochka” Publishers, 2012, pp. 8–20.

E.V. Voskresenskaya, A.K. Markova, Late Pleistocene Deposits and Fauna (small mammals) at the Middle Palaeolithic Site of Betovo in the Desna Basin, In: Bulletin of the Russian Academy of Sciences, Geography Series, № 1, 2019, pp. 86–98.

E.V. Voskresenskaya, T.D. Morozova, Microstructure of the cultural layer and special features of soil formation in the Upper-Palaeolithic site of Khotylevo 2 region // Proceedings of the V International Conference “Evolution of Soils: History of Ideas and Methods, Holocene Evolution, Forecasts”. Pushchino, 2009, pp.227–228.

K.N. Gavrilo, The Upper Palaeolithic Site, Khotylevo 2, Moscow: TAUS Publishers, 2008, 256 pages.

K.N. Gavrilo, The site of Khotylevo 6 (3rd layer): preliminary results of excavations in 2004. In: Paleolithic and Mesolithic of Eastern Europe: collection of articles in honor of the 60th anniversary of Khizri Amirkhanovich Amirkhanov. K.N. Gavrilo ed. M.: Taus Publishers, 2011a. pp. 169–184.

Гаврилов К.Н. Новые произведения искусства малых форм из раскопок стоянки Хотылёво 2 (пункт В) // Краткие сообщения Института археологии. М.: Языки славянской культуры, 2011б. Вып. 225. С. 231–239.

Гаврилов К.Н. Археологический контекст новых радиоуглеродных датировок стоянки Хотылёво 2, пункт В // Древние культуры Восточной Европы: эталонные памятники и опорные комплексы в контексте современных археологических исследований. Г.А. Хлопачев (отв. Ред.) СПб.: МАЭ РАН, 2015. (Замятнинский сборник. Вып. 4). С. 103–112.

Гаврилов К.Н. Второй культурный слой стоянки Хотылёво 6 // Проблемы археологии эпохи камня: к 70-летию Валентины Ивановны Беляевой: Сборник научных статей. СПб.: Издательство С.-Петерб. гос. ун-та, 2014. (Труды исторического факультета С.-Петерб. гос. ун-та. Т. 18.). С. 105–119.

Гаврилов К.Н. Миграция, диффузия... развитие? К вопросу о происхождении восточного граветта на Русской равнине // *Stratum plus*. № 1, 2016а. С. 29–50.

Гаврилов К.Н. Верхний палеолит бассейна Десны. Преемственность и вариативность в развитии материальной культуры. М.; СПб.: Нестор-История, 2016б. 132 с., илл.

Гаврилов К.Н., Боескоров Г.Г., Машченко Е.Н. Подвеска из клыка медведя из раскопок Хотылёво 2 // Краткие сообщения Института археологии. М.: Языки

K.N. Gavrilo New works of portable art from the excavations of the site of Khotylevo 2 (point V) // Short Reports of the Institute of Archaeology. M.: Languages of the Slavic culture Publishers, 2011b. Issue. 225. pp. 231–239.

K.N. Gavrilo The archaeological context of radiocarbon Dating of the site of Khotylevo 2, point V. In: The Ancient Culture of Eastern Europe: key sites and complexes in the context of modern archaeological research, G.A. Khlopachev Ed. Saint Petersburg: Museum of Anthropology and Ethnography affiliated to the Russian Academy of Sciences, 2015. (Zamyatnin collection. Vol. 4). pp. 103–112.

K.N. Gavrilo, Second cultural layer of the site of Khotylevo 6. In: Problems of Archaeology of the Stone Age: the 70th anniversary of Valentina Belyaeva: Collection of scientific articles. SPb.: Publishing House of S.— Petersburg. State University, 2014. (Proceedings of the Historical Faculty of St. Petersburg. State University. Vol. 18.). pp. 105–119.

K.N. Gavrilo Migration, diffusion ... development? On the question of the origin of Eastern Gravettian on the Russian plain // *Stratum plus*. № 1, 2016а. pp. 29–50.

K.N. Gavrilo Upper Palaeolithic of the Desna Basin. Continuity and variability in the development of material culture. M.; SPb.: Nestor-Istoriya Publishers, 2016b. 132 p.

K.N. Gavrilo, G.G. Boyeskorov, E.N. Mashchenko Pendant of the fang of a bear from the excavations of Khotylevo 2 // Short Reports of

славянской культуры, 2013. Вып. 230. С. 275–286.

Гаврилов К.Н., Воскресенская Е.В. Новый комплекс верхнепалеолитической стоянки Хотылёво 2: пространственная структура и стратиграфия культурного слоя. // Краткие сообщения Института археологии. М.: Языки славянской культуры, 2012а. Вып. 227. С. 70–82.

Гаврилов К.Н., Воскресенская Е.В. Некоторые итоги изучения памятников верхнего палеолита в окрестностях с.Хотылёво // Археологические исследования в Еврорегионе «Днепр» в 2011 г. Научный ежегодник.— Чернигов: Десна Полиграф, 2012б. С. 113–116.

Гаврилов К.Н., Воскресенская Е.В. Первый памятник ранней поры верхнего палеолита в Верхнем Подесенье // Российская археология. 2014, № 3. С. 5–18.

Гаврилов К.Н., Воскресенская Е.В., Мащенко Е.Н. Новый памятник эпохи палеолита у с. Хотылёво: раскопки 2010 и 2012 гг. // Археологические исследования в Еврорегионе «Днепр» в 2012 г.: Научный ежегодник. Гомель: ГГУ им. Ф. Скорины, 2013. С. 118–124.

Gavrilov Konstantin N., Voskresenskaya Ekaterina V., Maschenko Evgeny N., Douka Katerina. East Gravettian Khotylevo 2 site: Stratigraphy, archeozoology, and spatial organization of the cultural layer at the newly explored area of the site // *Quaternary International* 359–360 (2015), 335–346.

Гаврилов К.Н., Лев С.Ю. Палеолитическая Даная: шедевр из раскопок Хо-

the Institute of Archaeology. M.: Languages of the Slavic culture Publishers, 2013. Issue. 230, pp. 275–286.

K.N. Gavrilov, E.V. Voskresenskaya, New Complex at the Upper Palaeolithic Site Khotylevo 2: Spatial Structure and Stratigraphy of the Cultural Layer // Short Reports of the Institute of Archaeology. M.: Languages of the Slavic culture Publishers, Issue 227, 2012a, pp.71–83.

K.N. Gavrilov, E.V. Voskresenskaya Some results of the study of Upper-Palaeolithic Sites in the Khotylevo area // Archaeological research in the Euroregion “Dnieper” in 2011. Scientific Yearbook.— Chernihiv: Desna Polygraph Publishers, 2012b, pp.113–116.

K.N. Gavrilov, E.V. Voskresenskaya The first site of the Early Upper Palaeolithic in the Upper Desna region // Russian Archaeology 3, 2014, pp. 5–18.

K.N. Gavrilov, E.V. Voskresenskaya, E.N. Mashchenko A new Palaeolithic site near Khotylevo village: excavations 2010 and 2012 // Archaeological research in the Euroregion “Dnieper” in 2012: Scientific Yearbook. Gomel: GSU named after F. Skorina, 2013, pp. 118–124.

Gavrilov Konstantin N., Voskresenskaya Ekaterina V., Maschenko Evgeny N., Douka Katerina. East Gravettian Khotylevo 2 site: Stratigraphy, archeozoology, and spatial organization of the cultural layer at the newly explored area of the site // *Quaternary International* 359–360 (2015), 335–346.

Gavrilov K.N., Lev S.Y. The palaeolithic Danae: masterwork from the Khotylevo 2 site, 2016

тылёво 2, 2016 г. // Краткие сообщения Института археологии. М.: Языки славянской культуры. Вып. 249, 2017, С. 42–49.

Горецкий Г.И. Аллювиальная летопись великого Пра-Днепра / АН СССР. Комис. по изучению четвертичного периода. М.: Наука, 1970. 491 с.

Грибченко Ю.Н. Динамические особенности среднеплейстоценовых ледниковых покровов на территории Русской равнины (по литолог. данным) // Известия РАН. 1994, № 4 (серия геогр.). С. 91–99.

Громов В.И. Палеонтологическое и археологическое обоснование стратиграфии континентальных отложений четвертичного периода на территории СССР // Труды Института географии АН СССР. 1948. Вып. 64 (серия геол. № 17). 524 с.

Жермонпре М., Саблин М.В., Хлопачев Г.А., Григорьева Г.В. Палеолитическая стоянка Юдиново: свидетельства в пользу гипотезы охоты на мамонтов // Хронология, периодизация и кросс-культурные связи в каменном веке. Замятинский сборник. Вып. 1. СПб.: Наука, 2008. С. 91–112.

Заверняев Ф.М. Отчет об археологических исследованиях Хотылёвского нижнепалеолитического местонахождения в 1960 году. Архив БГКМ. 14 с.

Заверняев Ф.М. Отчет об археологических исследованиях Хотылёвского нижнепалеолитического местонахождения в 1963 году. Архив БГКМ. 12 с.

Заверняев Ф.М. Хотылевское нижнепалеолитическое местонахождение. Брянск. Брянский рабочий, 1961. 28 с.

excavation // Short Reports of the Institute of Archaeology. M.: Languages of the Slavic culture Publishers, 2017, Issue. 249 pp. 42–49.

G.I. Goretskii, Alluvial Chronicle of the Great Ancient-Dnieper, Moscow, “Nauka” Publishers, 1970, 491 pages.

Y.N. Gribchenko, Dynamic features of the Middle-Pleistocene Ice Sheets within the territory of the Russian Plain (using lithological data), In: Bulletin of the Russian Academy of Sciences], 1994, № 4, (Geography series), pp. 91–99.

V.I. Gromov, The Palaeontological and Archaeological Basis for the Stratigraphy of Continental Deposits in the Quaternary Period within the territory of the USSR, In: Proceedings of the Institute of Geological Sciences of the USSR Academy of Sciences, 1948, Issue 64 (Geology Series, № 17), 524 pages.

M. Germonpré, M.V. Sablin, G.A. Khlopachev and G.V. Grigorieva, The Palaeolithic Site at Yudinovo: evidence supporting the hypothesis that mammoths were hunted. In: Chronology, Period Definitions and Cross-cultural Connections in the Stone Age, Zamyatnin Collection, Issue 1, Saint Petersburg, “Nauka” Publishers, 2008, pp. 91–112.

F.M. Zavernyaev, Report on the archaeological investigations of the Khotylevo Lower-Palaeolithic Site in 1960, *Archive of the Bryansk State Museum of Regional History*, 14 pages.

F.M. Zavernyaev, Report on the archaeological investigations of the Khotylevo Lower-Palaeolithic Site in 1963, *Archive of the Bryansk State Museum of Regional History*, 12 pages.

Заверняев Ф.М. Нижнепалеолитическое местонахождение у с. Хотылево на Десне // Материалы и исследования по археологии СССР. 1971. № 173. С. 173-178.

Заверняев Ф.М. Памятники каменного века в районе с. Хотылево на Десне // Бюллетень комиссии по изучению четвертичного периода. М., 1972. № 39. С. 90-97.

Заверняев Ф.М. Новая верхнепалеолитическая стоянка на р. Десне // Советская археология. 1974, № 4. С. 142-161.

Заверняев Ф.М. Кремняні заготовки середньопалеолітичного місцезнаходження Хотильове // Археологія. 1977, № 23. С. 36-47.

Заверняев Ф.М. Хотылевское палеолитическое местонахождение. Л., Наука. 1978а. 128 с.

Заверняев Ф.М. Антропоморфная скульптура Хотылёвской верхнепалеолитической стоянки // Советская археология. 1978б, № 4. С. 145-161.

Заверняев Ф.М. Гравировка на кости и камне Хотылёвской верхнепалеолитической стоянки // Советская археология. 1981, № 4. С. 141-158.

Заверняев Ф.М. Кремнёвый инвентарь Хотылёвской верхнепалеолитической стоянки // Советская археология. 1991, № 4. С. 164-181.

Заверняев Ф.М. Остатки жилищно-бытового и хозяйственного комплексов на Хотылевской верхнепалеолитической стоянке // Российская археология. 2000, № 3. С. 69-87.

F.M. Zavernyaev, The Khotylevo Lower-Palaeolithic Site, Bryansk: Bryanskii rabochii Publishers, 1961. 28 pages.

F.M. Zavernyaev, The Lower-Palaeolithic Site at the village of Khotylevo on the Desna, In: *Materials and Research on Archaeology*, 1971, № 173. pp. 173-178.

F.M. Zavernyaev, Stone Age Sites in the vicinity of Khotylevo on the River Desna // Bulletin of the Commission for the study of the Quaternary period, Moscow, 1972, № 39, pp. 90-97.

Zavernyaev F.M. A new Upper-Palaeolithic site on the Desna river // Soviet Archaeology 4, 1974, pp. 142-161.

F.M. Zavernyaev, Flint Blanks from the Middle-Palaeolithic Site of Khotylevo", in the journal, *Arkheologiya*, № 23, 1977. pp. 36-47.

F.M. Zavernyaev, The Khotylovo Palaeolithic Site, Leningrad, "Nauka" Publishers, 1978а. 128 pages.

Zavernyaev F.M. Anthropomorphic sculpture from the Khotylevo Upper-Palaeolithic site // Soviet Archaeology 4, 1978b, pp. 145-161.

Zavernyaev F.M. Engraving on the bone and stone artefacts of the Khotylevo Upper-Palaeolithic site // Soviet Archaeology 4, 1981, pp. 141-158.

Zavernyaev F.M. Flint assemblage from the Khotylevo Upper-Palaeolithic site // Soviet Archaeology 4. 1991, pp. 164-181.

Zavernyaev F.M. Remains of the dwelling and household complexes the Khotylevo Upper-Palaeolithic site // Russian Archeology 3, 2000, pp. 69-87.

Левенок В.П. Юдиново, 1947. Чертежи 3. Архив ИИ НАНБ. Д. 48.

Маркова А.К. Остатки грызунов из позднепалеолитической стоянки Юдиново // Первое международное мамонтовое совещание: тез. докладов. СПб: ЗИН РАН, 1995. С. 626–627.

Морозова Т.Д. Развитие почвенного покрова Европы в позднем плейстоцене. М.: Наука, 1981. 281 с.

Морозова Т.Д., Нечаев В.П. Валдайская перигляциальная зона Восточно-Европейской равнины как область древнего холодного почвообразования // Пути эволюционной географии (итоги и перспективы) / Ред. И.И. Спасская. М.: Наука, 2002. С. 93–107.

Очердной А.К., Воскресенская Е.В. Условия залегания среднепалеолитических памятников бассейна Верхней Десны // Археология, этнография и антропология Евразии, № 2 (28), Новосибирск, 2009. С. 28–36.

Очердной А.К., Воскресенская Е.В. Особенности позднеплейстоценового осадконакопления и состояние культурного слоя на восточном участке среднепалеолитической стоянки Бетово // “Деснинские древности”: Материалы межгосударственной науч. конф. “История и археология Подесенья”, посвященной памяти Ф.М. Заверняева. Брянск: Группа компаний “Десяточка”, 2012. С. 66–79.

Очердной А.К., Воскресенская Е.В., Вишняцкий Л.Б., Степанова К.Н., Ларионова А.В., Блохин Е.К., Диннис Р.,

V.P. Levenok, *Yudinovo*, 1947. Drawing 3. Archive of the Institute of History of the National Academy of Sciences of Belarus, Dossier 48.

A.K. Markova, Abstract: Rodent Remains from the Late Palaeolithic Site of Yudinovo, In: First International Mammoth Conference: Abstracts for Papers, 1995, pp. 626–627.

Morozova T.D. The development of the soils of Europe in the Late Pleistocene. M.: Nauka, 1981. 281 p.

Morozova T.D., Nechaev V.P. Valdai periglacial zone of the East European Plain as an area of cold soil formation // Paths of evolutionary geography (results and prospects) / Ed. I.I. Spasskaya. M.: Nauka Publishers, 2002, pp. 93–107.

A.K. Ocherednoy, E.V. Voskresenskaya, Conditions pertaining to the Embedding of the Middle-Palaeolithic Sites in the basin of the Upper Desna, // Archaeology, Ethnography and Anthropology of Eurasia, № 2(28), Novosibirsk, 2009, pp. 28–36.

Ocherednoy A.K., Voskresenskaya E.V., Late-Pleistocene Sedimentation and the state of the cultural layer in the eastern part of the Middle-Palaeolithic site of Betovo. In: “Desna Antiquities”, *Proceedings of the Interstate Academic Conference “History and Archaeology of the Desna Region”, dedicated to the memory of F.M. Zavernyaev*. Bryansk: “Desyatochka” Publishers, 2012, pp. 66–79.

Ocherednoy A.K., Voskresenskaya E.V., Vishnyatsky L.B., Stepanova K.N., Larionova A.V., Blokhin E.K., Dinnis P., Reynolds N., Nekhoroshev P.E. The Late Middle-Palaeolithic

Рейнольдс Н., Нехорошев П.Е. Памятник позднего среднего палеолита Бетово. Археологические исследования в Центральном Черноземье. Липецк-Воронеж: Полиграфическое предприятие «Новый взгляд», 2016. С. 20–25

Очердной А.К., Воскресенская Е.В., Степанова К.Н., Вишняцкий Л.Б., Нехорошев П.Е., Ларионова А.В., Зарецкая Н.Е., Блохин Е.К., Колесник А.В. Комплексные геоархеологические исследования среднепалеолитических памятников Русской равнины // Записки ИИМК РАН. 2018, № 17. С. 74–84.

Поликарпович К.М. Палеолит Среднего Поднепровья. Минск.: Наука и техника, 1968. 204 с.

Сапелко Т.В. Палинология позднепалеолитических памятников Десны // Эпиграветтские памятники Среднего Поднепровья. Археологический альманах. № 31. Киев, 2014. С. 117–132.

Смирнов А.С. Отчёт о разведках Деснинского левобережного отряда в 1974 г. // Архив ИА РАН. Д. № 5291.

Тарасов Л.М. Мустьерская стоянка Бетово и ее природное окружение // Палеоэкология древнего человека. М.: Наука, 1977. С. 18–31.

Тарасов Л.М. Периодизация палеолита бассейна Верхней Десны // Четвертичный период. Палеонтология и археология. Кишинев: Штиинца, 1989. С. 166–175.

Тарасов Л.М. Мустьерские стоянки Верхней Десны // «Деснинские древности», Материалы межгосударственной

Site of Betovo. In: *Archaeological research in the Central Chernozem Region*, 2016. Lipetsk-Voronezh. pp. 20–25.

A.K. Otcherednoy, E.V. Voskresenskaya, K.N. Stepanova, L.B. Vishnyatsky, P.E. Nekhoroshev, A.V. Larionova, N.E. Zaretskaya, E.K. Blokhin, A.V. Kolesnik, Multi-disciplinary Geo-archaeological Studies of Middle-Palaeolithic Sites in the Russian Plain, In: Notes from the IHMC RAS, 2018, № 17, pp. 74–84.

K.M. Polikarpovich, The Palaeolithic in the Middle Reaches of the Dnieper, Minsk: “Nauka i Tekhnika” Publishers, 1968. 204 pages.

T.V. Sapelko The Palynology of the Late Palaeolithic Sites in the Desna Valley // *Epigravettian Sites in the Middle Reaches of the Dnieper*. Archaeological Almanac, № 31, Kiev, 2014, pp. 117–132.

A.S. Smirnov, Report of the archaeological reconnaissance field-works of the Desna left Bank group in 1974. // Archive of IA RAS. Dossier 5291.

L.M. Tarasov [The Mousterian site of Betovo and its Natural Environment]. In: Palaeo-ecology of Ancient Man. Moscow: “Nauka” Publishers, 1977, pp. 18–31.

L.M. Tarasov, Periodization of the Palaeolithic in the basin of the Upper Desna, In: The Quaternary Period. Palaeontology and Archaeology, Kishinev, 1989, pp. 166–175.

L.M. Tarasov, Mousterian Sites in the Upper Desna region. In: “Desna Antiquities”, Proceedings of the Interstate Academic Conference, “History and Archaeology of the Desna Region”, dedicated to the memory

науч. конф. “История и археология Подесенья”, посвященной памяти Ф.М. Заверняева. Брянск: Группа компаний “Десяточка”, 1995. С. 15–18.

Тарасов Л.М. О переходе от мустье к позднему палеолиту // «Археология Центрального Черноземья и сопредельных территорий». Тезисы докладов научной конференции. Липецк, Липецкий государственный педагогический институт, 1999. С. 26–31.

Хлопачев Г.А. Бивневые индустрии верхнего палеолита Восточной Европы. СПб.: Наука, 2006. 262 с.

Хлопачев Г.А. Юдиновская верхнепалеолитическая стоянка и ее значение для изучения поздней поры верхнего палеолита бассейна р. Десны // Древние культуры Восточной Европы: эталонные памятники и опорные комплексы в контексте современных археологических исследований. СПб.: МАЭ РАН, 2015. С. 128–149.

Хлопачев Г.А. Опыт реконструкции плана и некоторые особенности структуры Юдиновского верхнепалеолитического поселения // Записки Института истории материальной культуры РАН. № 17. СПб.: ИИМК РАН, 2018. С. 97–106.

Хлопачев Г.А., Грибченко Ю.Н. Возраст и этапы заселения Юдиновского верхнепалеолитического поселения // Краткие сообщения Института археологии. М.: Языки славянской культуры, 2012. Вып. 227. С. 135–146.

Хлопачев Г.А., Саблин М.В, Пантелев А.В. Сезонность обитания Юдиновской

of F.M. Zavernyaev. Bryansk: “Desyatochka” Publishers, 1995, pp. 15–18.

L.M. Tarasov, On the Transition from the Mousterian to the Late Palaeolithic // *The Archaeology of the Central Chernozem and adjacent territories*. Abstracts of Reports for an academic conference. Lipetsk, Lipetsk State Pedagogical Institute, 1999, pp. 26–31.

G.A. Khlopachov, Tusk Industries in the Upper Palaeolithic of Eastern Europe, Saint Petersburg: “Nauka” Publishers, 2006, 262 pages.

G.A. Khlopachov, The Yudonovo Upper-Palaeolithic Site and its importance for research into the late period of the Upper Palaeolithic in the basin of the River Desna. In: *The Ancient Culture of Eastern Europe: key sites and complexes in the context of modern archaeological research*, Saint Petersburg: Museum of Anthropology and Ethnography affiliated to the Russian Academy of Sciences, 2015, pp. 128–149.

G.A. Khlopachov, Experiment to reconstruct the plan and certain features of the structure of the Upper-Palaeolithic settlement at Yudinovo // *Notes from the Institute for the History of Material Culture affiliated to the Russian Academy of Sciences*, № 17 Saint Petersburg, IHMC of the RAS, 2018 pp. 97–106.

G.A. Khlopachov, Y.N. Gribchenko, The Age and Stages of Settlement in the Yudinovo Upper-Palaeolithic Site // *Short Reports of the Institute of Archaeology*. M.: Languages of the Slavic culture, Moscow, 2012, Issue 227, pp. 135–146.

верхнепалеолитической стоянки: археологические и палеонтологические данные // Радловский сборник. Научные исследования и музейные проекты МАЭ РАН в 2011 г. СПб.: МАЭ РАН, 2012. С. 70–78.

Чубур А.А., 2003. Мамонт *Mammuthus primigenius* (Blumenbach) с палеолитической стоянки Хотылево 2 // Труды Государственного дарвиновского музея. Выпуск VI. С. 226–237.

Чубур А.А. Новые исследования раннепалеолитического местонахождения Хотылево 1 // Деснинские древности. Вып. IV. Брянск. 2006. С. 63–70.

Чубур А.А. Териофауна палеолитического местонахождения Хотылёво 1 (Брянская область) // International journal of applied and fundamental research № 3, 2013, p. 122–124.

Шик С.М. Верхнее Приднепровье // Московский ледниковый покров Восточной Европы. М. Наука, 1982. С. 60–70.

Шмидт Е.А., Заверняев Ф.М. Археологические памятники бассейна Верхней Десны // Материалы по изучению Смоленской области. Вып. 3. Смоленское книжное издательство, 1959. С. 186–219.

G.A. Khlopachov, M.V. Sablin, A.V. Panteleyev, The Seasonal Nature of Habitation at the Yudinovo Upper-Palaeolithic Site, In: *Academic Research and Museum Projects of the Museum of Anthropology and Ethnography affiliated to the Russian Academy of Sciences* in 2011: Radlovskii Collection, Saint Petersburg, 2012 pp. 70–78.

Chubur A.A. A Mammoth *Mammuthus primigenius* (Blumenbach) from the Palaeolithic site Khotylevo 2 // Proceedings of the State Darwin Museum. Issue VI, pp. 226–237.

A.A. Chubur, New Research at the Early Palaeolithic Site of Khotylevo 1], *Desninskie drevnosti* In: Desna Antiquities, Issue IV, Bryansk: “Desyatochka” Publishers, 2006. pp. 63–70.

A.A. Chubur, Theriofauna from the Palaeolithic Site of Khotylevo 1 (Bryansk Region) // *International Journal of applied and fundamental research*, № 3, 2013, pp. 122–124.

S.M. Shik, Upper Reaches of the Dnieper River, In: Moscow Ice Sheet covering Eastern Europe, Moscow, “Nauka” Publishers, 1982, pp. 60–70.

Shmidt E.A., Zavernyaev F.M. Archaeological sites of the Upper Desna Basin // Materials on the Smolensk region investigations. Issue 3. Smolensk Book Publishing House, 1959. pp. 186–219.

СОДЕРЖАНИЕ / TABLE OF CONTENTS

Предисловие (<i>К.Н. Гаврилов, А.К. Очередной, Г.А. Хлопачев</i>).....	5
Preface (<i>K.N. Gavrilov, A.K. Otcherednoy, G.A. Khlopachev</i>)	
К вопросу о палеогеографических особенностях распространения крупных стоянок палеолита в бассейне реки Десны (<i>Ю.Н. Грибченко, Е.И. Куренкова, Е.В. Воскресенская</i>).....	12
On the Question of Palaeographic Features relating to the distribution of Large Sites of the Palaeolithic in the basin of the River Desna (<i>Y.N. Gribchenko, E.I. Kurenkova, E.V. Voskresenskaya</i>)	
Хотылёво I (<i>А.К. Очередной, Е.В. Воскресенская, Л.Б. Вишняцкий, К.Н. Степанова, Н.Е. Зарецкая, Д.Ф. Хоффекер</i>).....	34
Khotylevo I (<i>A.K. Otcherednoy, E.V. Voskresenskaya, L.B. Vishnyatsky, K.N. Stepanova, N.E. Zaretskaya, J. F. Hoffecker</i>)	
Бетово (<i>А.К. Очередной, Е.В. Воскресенская, К.Н. Степанова, Л.Б. Вишняцкий, М. Фруэн, Т. Хайм</i>).....	59
Betovo (<i>A.K. Otcherednoy, E.V. Voskresenskaya, K.N. Stepanova, L.B. Vishnyatsky, M. Frouin, T. Higham</i>)	
Верхнепалеолитические стоянки в окрестностях с. Хотылёво (<i>К.Н. Гаврилов, Е.В. Воскресенская, Е.Н. Мащенко</i>).....	80
Upper-Palaeolithic Sites in the vicinity of the village of Khotylevo (<i>K.N. Gavrilov, E.V. Voskresenskaya, E.N. Mashchenko</i>)	
Юдиновская верхнепалеолитическая стоянка (<i>Г.А. Хлопачев</i>).....	147
The Upper Palaeolithic Site at Yudinovo (<i>G.A. Khlopachev</i>)	
Фёдор Михайлович Заверняев (1919–1994). Биография исследователя (<i>А.М. Дубровский, С.А. Никулина</i>).....	181
Fyodor Mikhailovich Zavernyaev (1919–1994). A Scholar's Life (<i>A.M. Dubrovskij, S.A. Nikulina</i>)	
Литература и архивные материалы	191
Bibliography	

Монография

**Л.Б. Вишняцкий, Е.В. Воскресенская, Н.Е. Зарецкая,
К.Н. Гаврилов, Ю.Н. Грибченко, Е.И. Куренкова,
Е.Н. Машенко, А.К. Очередной, К.Н. Степанова,
Г.А. Хлопачев, J.F. Hoffecker, M. Frouin, T. Higham**

**КУЛЬТУРНАЯ ГЕОГРАФИЯ ПАЛЕОЛИТА
ВОСТОЧНО-ЕВРОПЕЙСКОЙ РАВНИНЫ:
ОТ МИКОКА ДО ЭПИГРАВЕТТА**

Путеводитель конференции — полевого семинара

Редакторы: *К.Н. Гаврилов, А.К. Очередной, М.Н. Желтова*
Перевод: *Katharine R. Judelson*

Оригинал-макет *М. А. Гунькин*

Подписано в печать 03.09.2019
Уч.-изд. л. 14,2. Тираж 500 экз.

Отпечатано
ГУП МО «Коломенская типография»
140400, г. Коломна, ул. III Интернационала, д. 2а.
Моб. тел: 8-910-443-26-20
Тел.: 8(496)618-69-33
<http://www.kolomna-print.ru>

ISBN 978-5-94375-295-7

9 785943 752957