RESEARCH ARTICLE

REVIEW ON STATUS OF LARGE CARDAMOM (*AMOMUM SUBULATUM* ROXB.) PRODUCTION AND MARKETING IN NEPAL

Pratibha Bist*, Prashant Bhatt

Agriculture and Forestry University, Chitwan, Nepal

*Corresponding author e-mail: pratibhabist12@gmail.com

This is an open access article distributed under the Creative Commons Attribution License CC BY 4.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

ARTICLE DETAILS

Article History:

Received 10 June 2021

Accepted 15 July 2021

Available online 19 July 2021

ABSTRACT

Large cardamom is the major spices crop and an export potential high value crop. Nepal is the largest producer of large cardamom. The review study focuses on the status of the production, marketing, exports and constraints in the large cardamom cultivation in Nepal. The production of the large cardamom is found to be increasing but the productivity was in decreasing trend. The varieties are under the process of registration. The most of the marketing channel is the exporting channel and India is the primary market of export. Some of the value addition processes are missing during processing of the crop. Price volatility and lack of proper technical knowledge are the major constraints observed in the production and trade. Other problems like improper planting material, traditional curing process, susceptible to viral diseases, high custom tariffs and trade taxes in some countries are also the observed problems. Producing of the product with quality standard through technical training and workshop from public and private sector can help in uplifting the large cardamom status of the country.

KEYWORDS

Spices, cardamom, production, marketing

1. INTRODUCTION

Cardamom is the major spices crop native to the tropical and subtropical Asia belongs to the genera *Elettaria* (small) and *Amomum* (Large) in the family Zingiberaceae (Wikipedia, 2021). Large cardamom is also known as Black Cardamom or Nepal cardamom and small cardamom is called as Green Cardamom (Chempakam and Sindhu, 2008; Varadarasan and Biswas, 2002; Bhaswant, et al., 2015). Large cardamom (*Amomum subulatum* Roxb.) is tall, perennial, evergreen, herbaceous monocot plant (Kumar et al., 2012). Rhizomes are dull red colored underground part with flower buds emerging from the base. Flowering occurs in the spring season with short peduncle and bud encased in tight red bract (Gautam et al., 2016). Plants are generally grown at an altitude of 765 to 1675 meter above sea level in the humid, moist and shaded parts of the slopy hills (Kumar et al., 2012).

The origin of the large cardamom is vivid but it seems to be originated in Sikkim region of India due to the presence of the wild species of the variety and multiple variability occurring among the cultivated varieties. It has been cultivated since time unknown and later on the cultivation is spread to the different region of India, Bhutan and Nepal (Varadarasan and Biswas, 2002). The pleasant aroma of the fruit makes it an essential ingredient in mixed spices for flavoring the many food preparations in the industrial area as well as in culinary and medicinal purposes (Gudade et al., 2013). According to the study, large cardamom also shows the pesticidal properties (Satyal et al., 2012). The components of the seed oil like 1,8-cineole show nematocidal and insecticidal properties towards fruit fly activity.

Nepal is among the top five highest producer of the cardamom, along with nutmeg and mace, for the last two decades (FAO, 2020). It is the largest producer of large cardamom covering 55 percent of the average annual world production (MoF, 2020; ITC and GoN, 2016). Nepal and Bhutan are

the major producer as well as exporter accounting about 90 percent of the exported product. A study showed that there was shift in the cultivation of the high value crops like cardamom from the traditional cereal crop by the Nepalese farmers between 1995 and 2010 (Thapa et al., 2017). This diversification created a positive impact on the rural poverty and monthly per capita consumption expenditure. Even though large cardamom only covers 10 % volume of the total spices exported, it has the highest share of 86% by value of among the spices produced and is the major agricultural export commodity of Nepal (Thapa and Dhimal, 2017). So, large cardamom has been prioritized as agro-based potential export crops and value chain development programs are also aimed in the production of cardamom (MoC, 2016; MoAD, 2015).

2. MATERIALS AND METHODS

The secondary data about the large cardamom from its production and marketing were collected by reviewing multiple published and unpublished articles, conference proceedings, reports, books from national and international authorities like Ministry of Agriculture and Livestock Development (MoALD), International Trade Centre (ITC), Food and Agriculture Organization (FAO), etc. and previous works from peer reviewed journals. The reference materials taken during the process of reviewing were cited properly in the article.

3. RESULT AND DISCUSSION

3.1 Area, Production and Varieties

Large cardamom cultivation is spread over 52 districts of the country mostly covering the hilly and mountain region of the province 1 (MoALD, 2020). Taplejung, Sankhuwasabha, Panthar, Illam and Khotang are the major districts producing large cardamom (ITC and GoN, 2016). The productive area, production and productivity of large cardamom in the

Quick Response Code

Access this article online

Website:

www.fair.com.my

DOI:

[10.26480/faer.02.2021.121.123](https://doi.org/10.26480/faer.02.2021.121.123)

fiscal year 2018/19 was 15055 ha, 7954 Mt. and 0.53 Mt./ha respectively (MoALD, 2020). According to the CAGR analysis from 1994/95-2016/17 shows that there is a significant increase in the area of cultivation and production whereas decreasing trend on the productivity (Shrestha, 2018). Similar result was observed by with annual growth rate of productivity of -3.4% (Pokharel, 2019). The trend of large cardamom production of Nepal is given below.

Table 1: Area, Production and Yield of Large Cardamom

Large Cardamom	Total area	Productive area	Production	Yield
2011/12	14206	11665	6026	.52
2012/13	14687	11434	5753	.50
2013/14	14847	11501	5225	.45
2014/15	16043	12485	5166	.41
2015/16	15700	12120	6439	.531
2016/17	17002	12508	6521	.521
2017/18	17004	N/A	6849	N/A
2018/19	18273	15055	7954	.53

(Statistical information on Nepalese Agriculture 2011-2019)

Suitable and popular local varieties of large cardamom found in Himalayan regions are Ramsai, Golsai, Chibesai, Dambersai, Saune, Kantidar, Salakpure, Varlange and Jirmale (Kattel et al., 2020; MoICS, 2021). Among them, Ramsai (235.5kg/ha), Golsai (196.5kg/ha) and Chibesai (225.97kg/ha) are widely distributed in Nepal (Shrestha et al., 2018). According to a report from large cardamom Development Center in Ilam, there are 14 varieties of large cardamom being cultivated in Nepal and 5 varieties (Ramsai, Golsai, Dambersai, Jirmale and Varlange) are under registration process (Gautam, 2021).

3.2 Value Chain and Marketing trend

Marketing of the large cardamom involves multiple actors playing their role in between the producers and consumers. Growers, collectors, traders and exporters are the major actors who performs processing steps like curing, tail cutting and grading for value addition of the produce (Singh and Pothula, 2013; Shrestha, et al., 2018). But some of the value addition processes are skipped or are done by using traditional methods. According to the farmers, an extra charge is added while performing the tail cutting using machine or scissors (Singh and Pothula, 2013). So, majority of the farmers perform it in the traditional way of massaging the produce (Kalauni and Joshi, 2020).

Kalauni and Joshi also observed that the famers in the region of study area were not performing the grading and polishing value adding steps (Kalauni and Joshi, 2020). Curing is also an important step for large cardamom processing and it is usually done using traditional *bhattis* made by locally available materials requiring no scientific knowledge (Singh and Pothula, 2013; Bhutia and Sharangi, 2018). Multiple marketing channels are observed but most of the Nepalese cardamom produced is sold either directly from home to the local collectors or sold through the district level collector (Kalauni and Joshi, 2020; Kalauni and Joshi, 2019; Bhandari and Bhandari, 2018). In the case of export of the produce in the international market the marketing channel via India and low-quality standards has created barrier in the bargaining power and reduced the potential value in the foreign market (Gadtaula, 2019).

Figure 1: Marketing channel of large cardamom in Nepal (Shrestha, et al., 2018)

3.3 Export Status

The export statistics of the large cardamom produced shows that 90% of the produce is exported to the international market (Poudel and Chen, 2012). India is the major export market of Nepal and 50 % of the produce

exported is moved to other countries, particularly Pakistan, through India (Shrestha et al., 2018). A studied the Revealed Comparative Advantage (RCA) of large cardamom among top exporters which determines the comparative advantage or disadvantage in the trade flows (Ghimire et al., 2018). Nepal showed comparative advantage and highest RCA value globally from 2013 to 2017. According to the Annual FTS 2018/19, the annual export of the large cardamom was 5,013 metric ton worth of 4.02 billion Nepali rupees. From the table below, we can observe that the share in total export of the major export potential crop is in decreasing trend.

Table 2: Export trend of Large Cardamom

Large Cardamom	Export quantity (Kg)	export value ('000 NRs.)	Share in total export (%)
2014/15	2930339	3839811	4.43
2015/16	3438353	4614612	6.49
2016/17	3429302	3875750	5.3
2017/18	5402011	4849155	5.96
2018/19	5240329	4284199	4.41
2019/20	5013000	4020000	4.11

(Annual FTS 2014-2020)

Beside the export, Nepal also annually imports about USD 4,244 of large cardamom from India and China (Ghimire et al., 2018).

3.4 Constraints in Production and Marketing

Besides being the largest producer, the productivity of the larger cardamom production is decreasing since 2010 and many cardamom orchards have been collapsed due to viral diseases and wilting (Pun, 2019). Similarly, according to the productivity is decreasing mainly due to the plantation of very old plantation orchard with aged plants accompanied by devastating diseases like *chhirkey*, *furkey* and clump/rhizome rot (Pathak et al., 2014). there is limited supply of virus free tissue culture saplings as well as disease free seedlings. Therefore, farmers were forced to use suckers separated from old mother bushes for planting new plantation which might favor transmission of diseases (Shrestha, 2018). Some of the cultivars of the large cardamom like Jirmale and Salakpure were cultivated in lower altitudes due to the drought tolerance but the cultivars are more susceptible to viral diseases *chhirkey* and *furkey* in the lower altitudes due to high movement of vector (Aphid) (Chaudhary and Subedi, 2014; Shrestha, 2018).

As a constraint in the post-harvest process the use of the traditional *bhattis* in the curing process decline the quality of produce. Smoke and fire from the *bhattis* deteriorate the capsule in direct contact rather than oven-drying them (Kalauni and Joshi, 2020; Poudel and Chen, 2012). This makes the exported produce fail to meet the international standards. According to high price fluctuation and lack of technical knowledge of farmers on orchard management were the major weakness in the large cardamom enterprise in Nepal (Shrestha, 2018; Acharya, 2019). India is the largest market for large cardamom of Nepal and also the top producer of cardamom which decreases the chance of getting higher export incentives due to low price in India.

Thus, the price volatility of the large cardamom is majorly influenced by production and market of India (Poudel and Chen, 2012). A study stated that there are limited number of exporters of the large cardamom and many risks are associated while exporting the large cardamom from Nepal (Shrestha et al., 2018). Nepalese traders fail to compete in the Indian market due to informal costs, unpreparedness for the risk. Similarly, provision of 4.5 % state movement tax on the value rather than specific or imposed by quantity. The Custom tariffs in Bangladesh is more than 54% for Nepal while waived for Bhutanese product. This discourages the Nepalese export traders to trade in abroad.

4. CONCLUSION

The study shows Nepal as a much higher potential country in large cardamom production and trade. There is a significant influence of large cardamom production in the export trade of the country. The cultivation of the cardamom is expanding over districts which can create multiple opportunities to the farmers of the region. Varieties are under the process of registration by the government. This will authenticate the varieties and will help the promotion of Nepalese cardamom in the international market. Meanwhile, the productivity of the large cardamom is decreasing due to multiple factors. Government has failed to supply the required amount of the proper planting material and proper technical knowledge

in the cultivation of large cardamom commercially. The study also concluded trade and marketing issues of cardamom due to monopoly of the Indian market as a major constraint in the cardamom production. Thus, public and private sector should focus much more in developing the large cardamom production and marketing sector for the betterment of the farmers and economic growth of the country. Production of the high-quality cardamom with international standard-maintained product is must for competing of the Nepalese cardamom in the overseas market.

REFERENCES

- Acharya, M., 2019. A review on status and profitability of large cardamom production in Nepal. *International Journal of Financial, Accounting, and Management (IJFAM)*, 1 (1). Doi: <https://doi.org/10.35912/ijfam.v1i1.53>
- Bhandari, N., Bhandari, T., 2018. Marketing and Socioeconomics Aspects of Large Cardamom Production in Tehrathum, Nepal. *Journal of Nepal Agricultural Research Council*, 4, Pp. 79-85. doi: <http://dx.doi.org/10.3126/jnarc.v4i1.19693>
- Bhaswant, M., Poudyal, H., Mathai, M., Ward, L., Mouatt, P., Brown, L., 2015. Green and Black Cardamom in a Diet Induced Rat Model of Metabolic Syndrome. *Nutrients*.
- Bhutia, E.H., Sharangi, A., 2018. Post-harvest and value chain management of large cardamom in hills and uplands. *International Journal of Chemical Studies*, 6 (1).
- Chaudhary, R., Subedi, M., 2014. Distribution of Large Cardamom Cultivars in Eastern Hills of Nepal. 11th National Outreach Workshop. Lumle, Kaski: Regional Agricultural Research Workshop.
- Chempakam, B., Sindhu, S., 2008. Large Cardamom. In V. Parthasarathy, B. Chempakam, & T. Zachariah, *Chemistry of Spices*, Pp. 59-69. Cambridge, USA: CAB International.
- FAO. 2020. FAO. Retrieved from FAOSTAT: <http://www.fao.org/faostat/en/#data/QC/visualize>
- Gadtaula, M., 2019. A Study on the Production of Cardamom Farming of Ilam District, Nepal. Kathmandu, Nepal: Central Department of Economics, Tribhuvan University.
- Gautam, A., 2021. Retrieved from <https://kathmandupost.com/money/2021/02/20/nepal-begins-process-to-registering-five-species-of-large-cardamom-grown-in-the-country>
- Gautam, N., Bhattarai, R.R., Sharma Khanal, B.K., Oli, P., 2016. Technology, Chemistry and Bioactive Properties of Large Cardamom (*Amomum subulatum* Roxb.): an overview. *International Journal of Applied Sciences and Biotechnology*, 4 (2), Pp. 139-149.
- Ghimire, A., Zhuang, P., Weiwei, F., Nicole, N.A., Toai, D.B., 2018. Evaluation of Nepalese Large Cardamom in the Global Market. The Annual Conference and Academic Seminar of China Foreign Agricultural Economic Research 2018. Fuzhou, China.
- Gudade, B., Chhetri, P., Deka, T., Gupta, U., Vijayan, A., 2013. Large Cardamom (*Amomum subulatum* Roxb.). *Indian Journal of Arecanut, Spices & Medicinal Plants*, 15 (4).
- ITC, GoN. 2016. National Sector Export Strategy Large Cardamom. Geneva, Switzerland: International Trade Centre.
- Kalauni, D., Joshi, A., 2019. Production economics, marketing and critical success factors of Large Cardamom in Bhojpur, Nepal. *Cogent Food and Agriculture*, 5 (1). doi:<https://doi.org/10.1080/23311932.2019.1701358>
- Kalauni, D., Joshi, A., 2020. Value chain analysis of Large Cardamom (*Amomum subulatum* Roxburg) in Bhojpur, Nepal. *Journal of Agriculture and Natural Resources*, 3(1), 95-116. doi:<https://doi.org/10.3126/janr.v3i1.27102>
- Kattel, R.R., Regmi, P.P., Sharma, M.D., Thapa, Y.B., 2020. Consumers' Preference and Willingness to Pay for Nepalese Large Cardamom in the Global Market. *International Journal of Social Sciences and Management*, 7 (2). doi:<https://doi.org/10.3126/ijssm.v7i2.28598>
- Kumar, G., Chauhan, B., Ali, M., 2012. *Amomum subulatum* roxb: an overview in all aspects. *International Research Journal of Pharmacy*, 3 (7).
- MoAD. 2015. Agriculture Development Strategy (ADS) 2015 to 2035. Singhdurbar, Kathmandu: Government of Nepal.
- MoALD. 2020. Statistical Information on Nepalese Agriculture 2018/19. Singha durbar, Kathmandu: Government of Nepal.
- MoC. 2016. National Trade Integration Strategy (NTIS) 2016. Singha Durbar, Kathmandu: Government of Nepal.
- MoF. 2020. Nepal Foreign Trade Statistics Fiscal Year 2019/20. Tripureshwor: Ministry of Finance.
- MoICS. 2021. Ministry of Industry, Commerce and Supplies. Retrieved from Large Cardamom Agro: https://moics.gov.np/np/product_detail/12
- Pathak, A., Rai, J.K., Chapagain, S., 2014. Value Chain Analysis of Forest products of Koshi Hill districts of Nepal: Challenges & Opportunities. Kathmandu, Nepal: Forest Action Nepal and Rural Reconstruction Nepal (RRN).
- Pokharel, C., 2019. Agricultural Diversification in Nepal. *Agricultural Transformation in Nepal*, Pp. 323-384.
- Poudel, M.P., Chen, S.E., 2012. Effect of Production on Large Cardamom Price Variability in Nepal. *Journal of International Agricultural Trade and Development*, 8 (1).
- Pun, A.B., 2019. A Review on Different Factors of Large Cardamom Decline in Nepal. *Asian Journal of Research in Crop Science*, 2 (4), Pp. 1-6. doi:[doi:10.9734/AJRCS/2018/46732](https://doi.org/10.9734/AJRCS/2018/46732)
- Saty, P., Dosoky, N., Kincer, B., Setzer, W., 2012. Chemical Compositions and Biological Activities of *Amomum subulatum* Essential Oils from Nepal. *National Product Communications*, 7.
- Shrestha, J., Timilsina, K.P., Pokhrel, D., Prasai, H.K., Poudel, K., Yadav, M.P., 2018. Large Cardamom in Nepal: Production practice and economics, Processing and Marketing. Pakhribas, Dhankuta, Nepal: Nepal Agricultural Research Council.
- Shrestha, K., 2018. Growth Trend Analysis of Large Cardamom in Nepal. *Nepalese Horticulture*, 13 (1), Pp. 59-69.
- Shrestha, K.P., 2018. SWOT Analysis of Large Cardamom in Ilam District, Nepal. *Asian Journal of Research in Agriculture and Forestry*, 2 (2). doi:<https://doi.org/10.9734/AJRAF/2018/46009>
- Singh, A.I., Pothula, A.K., 2013. Postharvest Processing of Large Cardamom in the Eastern Himalaya. *Mountain Research and Development*, 33 (4), Pp. 453-462. doi: <https://doi.org/10.1659/MRD-JOURNAL-D-12-00069.1>
- Thapa, G., Kumar, A., Joshi, P., 2017. Agricultural Diversification in Nepal: Status, Determinants, and Impact on Rural Poverty. New Delhi, India: International Food Policy Research Institute.
- Thapa, M.B., Dhimal, S., 2017. Horticulture Development in Nepal: Prospects, Challenges and Strategies. *Universal Journal of Agricultural Research*, 5 (3), Pp. 177-189. doi:[10.13189/ujar.2017.050301](https://doi.org/10.13189/ujar.2017.050301)
- Varadarasan, S., Biswas, A., 2002. Large cardamom (*Amomum subulatum* Roxb.). In P. Ravindran, & K. Madhusoodanan, *Cardamom The genus Elettaria*. London and New York: CRC Press Taylor and Francis.
- Wikipedia. 2021. Wikipedia. Retrieved from <https://en.wikipedia.org/wiki/Cardamom>