APPENDIX 10

New Biomass Equations

i-Tree tree biomass allometric equations are found in appendix 6 (see also Nowak 1994c and Nowak et al. 2002b). Various biomass equations in Table 27 will be added to i-Tree in 2020 from [GlobAllomeTree \(2017\)](#) to improve carbon estimates. These equations estimate either aboveground dry weight biomass or total tree dry weight biomass.

Table 27.—New biomass equations and variables, by species, from GlobAllomeTree 2017. Where multiple equations exist, the average results from all equations are used. AGB = aboveground dry weight biomass; TB = total tree dry weight biomass; x = d.b.h.

Species	Equation form	B	B1	B2	Units (x)	Output (Y)
<i>Acacia auriculaeformis</i>	$Y = 10^{(B+(B1*\log(x)))}$	-1.29248	2.305227		(cm)	AGB (kg)
<i>Acacia auriculaeformis</i>	$Y = 10^{(B+(B1*\log(x)))}$	-1.57926	2.436945		(cm)	AGB (kg)
<i>Acacia auriculaeformis</i>	$Y = 10^{(B+(B1*\log(x)))}$	-1.3577	2.4177		(cm)	TB (kg)
<i>Acacia nilotica</i>	$Y = B+B1*x^2$	-21.4868	0.5797		(cm)	AGB (kg)
<i>Acer rubrum</i>	$Y = B*((x^2)^{B1})$	2.62288	1.21132		(in ²)	AGB (lb)
<i>Acer saccharum</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.2151	2.4209		(cm)	TB (g)
<i>Adinandra glischrolomavar</i>	$Y = B*x^{B1}$	0.1142	2.4451		(cm)	AGB (kg)
<i>Alnus sp.</i>	$Y = (B*x^2)-B1$	0.2896	5.5963		(cm ²)	AGB (kg)
<i>Alogus nepalensis</i>	$Y = B*x^{B1}$	1.089	1.6481		(cm)	AGB (kg)
<i>Alogus nepalensis</i>	$Y = B*x^{B1}$	1.5776	1.6071		(cm)	TB (kg)
<i>Artocarpus lakoocha</i>	$Y = B*x^{B1}$	0.1245	2.4163		(cm)	AGB (kg)
<i>Avicennia germinans</i>	$Y = 10^{B*x^{B1}}$	-0.395	1.934		(cm)	AGB (kg)
<i>Bambusa balcooa</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.149	2.284		(cm)	AGB (g)
<i>Bambusa balcooa</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.368	2.214		(cm)	AGB (g)
<i>Bambusa balcooa</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.199	2.353		(cm)	AGB (g)
<i>Bambusa cacharensis</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.134	2.268		(cm)	AGB (g)
<i>Bambusa cacharensis</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.184	2.178		(cm)	AGB (g)
<i>Bambusa cacharensis</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.078	2.14		(cm)	AGB (g)
<i>Bambusa cacharensis</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.174	2.306		(cm)	AGB (g)
<i>Bambusa vulgaris</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.281	2.149		(cm)	AGB (g)
<i>Bambusa vulgaris</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.554	1.956		(cm)	AGB (g)
<i>Bambusa vulgaris</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.386	2.079		(cm)	AGB (g)
<i>Bambusa vulgaris</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.548	1.97		(cm)	AGB (g)
<i>Betula alleghaniensis</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.2264	2.415		(cm)	TB (g)
<i>Buddleia megalocephala</i>	$Y = (B*x^2)-B1$	0.2696	3.067		(cm ²)	AGB (kg)
<i>Carya spp.</i>	$Y = B*((x^2)^{B1})$	2.96561	1.19764		(in ²)	AGB (lb)
<i>Carya spp.</i>	$Y = B*((x^2)^{B1})$	3.06011	1.19138		(in ²)	AGB (lb)

continued

Species	Equation form	B	B1	B2	Units (x)	Output (Y)
<i>Carya spp.</i>	$Y = B * ((x^2)^{B1})$	2.86238	1.20634		(in ²)	AGB (lb)
<i>Cassia siamea</i>	$Y = 10^{(B+(B1*\log(x)))}$	-1.5851	2.4855		(cm)	TB (kg)
<i>Cecropia schreberiana</i>	$Y = B * x^{B1}$	0.16502	2.3351		(cm)	AGB (kg)
<i>Ceiba pentandra</i>	$Y = B * x^{B1}$	0.16502	2.3351		(cm)	AGB (kg)
<i>Cercocarpus ledifolius</i>	$Y = B * x^{B1}$	0.0104	2.7105		(cm)	AGB (kg)
<i>Cinnamomum camphora</i>	$Y = 10^{(B+(B1*\log(x)))}$	-0.85	2.41		(cm)	AGB (kg)
<i>Cornus florida</i>	$Y = B * ((x^2)^{B1})$	2.73676	1.21095		(in ²)	AGB (lb)
<i>Cornus florida</i>	$Y = B * ((x^2)^{B1})$	3.08355	1.14915		(in ²)	AGB (lb)
<i>Cornus florida</i>	$Y = B * ((x^2)^{B1})$	3.37156	1.10056		(in ²)	AGB (lb)
<i>Cupressus macrocarpa</i>	$Y = B - (B1 * x) + (B2 * x^2)$	34.63	9.89	0.887	(cm)	AGB (kg)
<i>Cupressus macrocarpa</i>	$Y = B * x^{B1}$	1.089	1.6481		(cm)	AGB (kg)
<i>Cupressus macrocarpa</i>	$Y = 10^{(B+(B1*\log(x)))}$	-0.435	2.12		(cm)	AGB (kg)
<i>Cupressus macrocarpa</i>	$Y = B * x^{B1}$	1.5776	1.6071		(cm)	TB (kg)
<i>Dalbergia sissoo</i>	$Y = B * x^{B1}$	0.667	1.832		(cm)	AGB (kg)
<i>Dalbergia sissoo</i>	$Y = B * x^{B1}$	0.611	1.752		(cm)	AGB (kg)
<i>Daniellia thurifera</i>	$Y = B * x^{B1}$	0.16502	2.3351		(cm)	AGB (kg)
<i>Eucalyptus brassiana</i>	$Y = 10^{((B*\log(x))-B1)}$	2.39602	1.3933		(cm)	TB (kg)
<i>Eucalyptus camaldulensis</i>	$Y = 10^{((B*\log(x))-B1)}$	2.39602	1.3933		(cm)	TB (kg)
<i>Eucalyptus hybrid</i>	$Y = B * x^{B1}$	0.135336	2.416484		(cm)	AGB (kg)
<i>Eucalyptus tereticornis</i>	$Y = 10^{((B*\log(x))-B1)}$	2.39602	1.3933		(cm)	TB (kg)
<i>Fagus grandifolia</i>	$Y = 10^{(B+(B1*\log(x)))}$	2.2916	2.3916		(cm)	TB (g)
<i>Hopea odorata</i>	$Y = B * x^{B1}$	0.1277	2.3944		(cm)	AGB (kg)
<i>Juniperus virginiana</i>	$Y = B * x^{B1}$	0.1632	2.2454		(cm)	AGB (kg)
<i>Lagerstroemia calyculata</i>	$Y = B * x^{B1}$	0.1277	2.3943		(cm)	AGB (kg)
<i>Laguncularia racemosa</i>	$Y = 10^{B * x^{B1}}$	0.112	1.731		(cm)	AGB (kg)
<i>Liquidambar styraciflua</i>	$Y = B * ((x^2)^{B1})$	1.67422	1.17677		(in ²)	AGB (lb)
<i>Liriodendron tulipifera</i>	$Y = B * ((x^2)^{B1})$	1.79951	1.22938		(in ²)	AGB (lb)
<i>Liriodendron tulipifera</i>	$Y = B * ((x^2)^{B1})$	1.76621	1.21948		(in ²)	AGB (lb)
<i>Mangifera minitifolia</i>	$Y = B * (x^{B1})$	0.14	2.31		(cm)	AGB (kg)
<i>Nauclea diderrichii</i>	$Y = B * (x^{B1})$	0.16502	2.3351		(cm)	AGB (kg)
<i>Nyssa sylvatica</i>	$Y = B * ((x^2)^{B1})$	2.56795	1.18685		(in ²)	AGB (lb)
<i>Olneya tesota</i>	$Y = B * ((x^2)^{B1})$	2.50008	1.19431		(in ²)	AGB (lb)
<i>Oxydendrum arboreum</i>	$Y = B * ((x^2)^{B1})$	2.37722	1.21022		(in ²)	AGB (lb)
<i>Picea abies</i>	$Y = B - (B1 * x) + (B2 * x^2)$	19.018	4.806	0.565	(cm)	AGB (kg)
<i>Picea rubens</i>	$Y = 10^{B * x^{B1} / 1,000,000}$	2.1735	2.1936		(cm)	AGB (Mg)
<i>Pinus banksiana</i>	$Y = B * x^{B1}$	1.265	2.273		(in)	TB (kg)
<i>Pinus caribaea</i>	$Y = B * x^{B1}$	0.07035	2.56		(cm)	AGB (kg)
<i>Pinus sylvestris</i>	$Y = B - (B1 * x) + (B2 * x^2)$	7.041	1.279	0.201	(cm)	AGB (kg)
<i>Pinus sylvestris</i>	$Y = B - (B1 * x) + (B2 * x^2)$	18.779	4.328	0.506	(cm)	AGB (kg)
<i>Populus deltoides</i>	$Y = 10^{(B+(B1*\log(x)))}$	-1.0922	2.4875		(cm)	AGB (kg)

continued

Species	Equation form	B	B1	B2	Units (x)	Output (Y)
<i>Populus deltoides</i>	$Y = 10^{(B+(B1*\log(x)))}$	-1.0387	2.4967		(cm)	TB (kg)
<i>Quercus alba</i>	$Y = 10^{(B+(B1*\log(x)))}$	-1.266	2.613		(cm)	AGB (kg)
<i>Quercus alba</i>	$Y = B*((x^2)^{B1})$	2.54413	1.1859		(in ²)	AGB (lb)
<i>Quercus alba</i>	$Y = B*((x^2)^{B1})$	2.49773	1.19895		(in ²)	AGB (lb)
<i>Quercus alba</i>	$Y = B*((x^2)^{B1})$	2.50124	1.19431		(in ²)	AGB (lb)
<i>Quercus ilex</i>	$Y = B*x^{B1}$	0.2306	2.2791		(cm)	AGB (kg)
<i>Quercus ilex</i>	$Y = B*x^{B1}$	0.2313	2.2662		(cm)	AGB (kg)
<i>Quercus prinus</i>	$Y = B*((x^2)^{B1})$	2.93819	1.19746		(in ²)	AGB (lb)
<i>Quercus sp.</i>	$Y = B*x^2+B1$	0.6048	4.3198		(cm ²)	AGB (kg)
<i>Quercus stellata</i>	$Y = B*((x^2)^{B1})$	2.23774	1.21527		(in ²)	AGB (lb)
<i>Quercus velutina</i>	$Y = 10^{(B+(B1*\log(x)))}$	1.00005	2.10621		(in)	TB (lb)
<i>Rhizophora mangle</i>	$Y = 10^{B*x^{B1}}$	-0.441	1.93		(cm)	AGB (kg)
<i>Tectona grandis</i>	$Y = B*x^{B1}$	0.202	2.353		(cm)	TB (kg)
<i>Terminalia superba</i>	$Y = B*x^{B1}$	0.066	2.565		(cm)	TB (kg)
<i>Thuja occidentalis</i>	$Y = 10^{(B+(B1*\log(x)))}$	1.3294	1.919		(in)	TB (lb)
<i>Vitellaria paradoxa</i>	$Y = B*x^{B1}$	0.08	2.46		(cm)	TB (kg)