38. CARBON AND CARBONATE ANALYSES, LEG 11

R. E. Boyce, Scripps Institution of Oceanography,
La Jolla, California

The results of the carbon and calcium carbonate analyses are graphically shown in the Site Reports and are presented in the following table. The carbon-carbonate data were determined by an induction Leco furnace combined with a Leco acid-base Semi Automatic Carbon Determinator. Normally, the more precise 70-second analyzer is used in place of the semi-automatic carbon determinator, but it could not be used for these samples because it was being modified at the time these samples were run.

The sample was burned at 1600°C, and the liberated carbon dioxide and oxygen volumetrically measured in a solution of dilute sulfuric acid and methyl red. This gas was then passed through a potassium hydroxide solution, which preferentially absorbs carbon dioxide, and the volume of the gas was measured a second time. The volume of carbon dioxide gas is the difference of the two volumetric measurements. Corrections are made to standard temperature and pressure.

The system has been empirically calibrated with reagent grade calcium carbonate and 0 to 80 per cent calcium-carbonate sediment standards. The standards were checked by independent commercial laboratories, and confirmed at the DSDP by gravimetric determinations of carbon dioxide evolved from the "standard"

sample after treatment with perchloric acid. The Leco methods are discussed in Volumes IV and IX of the *Initial Reports of the Deep Sea Drilling Project*.

Total carbon and organic carbon (carbon remaining after treatment with the hydrochloric acid) are determined in terms of percentage by weight, and the theoretical percentage of calcium carbonate is calculated as follows:

$$(\% \text{ total C} - \% \text{ C after acidification}) \times 8.33 = \% \text{ calcium carbonate (CaCO}_3\text{)}.$$

However carbonate sediments may also include magnesium, iron, or other carbonates; this may result in "calcium" carbonate values greater than the actual content of calcium carbonate. In our determinations, all carbonate is assumed to be calcium carbonate.

Precision of the determinations is as follows:

Total carbon (within 1.2 to 12%)	= ±0.3% absolute
Total carbon (within 0 to 1.2%)	= ±0.06% absolute
Organic carbon	= ±0.06% absolute
Calcium carbonate (within 10-100%)	= ±3.0% absolute
Calcium carbonate (within 0-10%)	= ±1.0% absolute.

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
98	1	1	30.0	0.3	11.8	0.4	95
98	1	2	11.0	1.6	9.5	0.2	77
98	1	3	73.0	3.7	10.7	0.1	89
98	1	4	29.0	4.8	2.1	0.1	17
98	1	5	18.0	6.2	9.9	0.2	82
98	1	6	15.0	7.7	11.1	0.1	92
98	2	1	33.0	9.3	10.9	0.2	89
98	2	2	13.0	10.6	10.6	0.2	87
98	2	2	60.0	11.1	10.7	0.2	88
98	2	3	9.0	12.1	10.4	0.3	84
98	2	4	11.0	13.6	10.9	0.2	89
98	2	5	6.0	15.1	10.6	0.2	87
98	2	6	17.0	16.7	11.0	0.3	89
98	3	1	27.0	18.3	11.0	0.2	90
98	3	2	27.0	19.8	10.8	0.2	89
98	3	3	20.0	21.2	10.9	0.2	89
98	3	4	13.0	22.6	10.1	0.2	83
98	3	5	11.0	24.1	9.2	0.3	74
98	3	6	10.0	25.6	10.9	0.2	89
98	4	1	9.0	55.1	10.7	0.2	87
98	4	2	10.0	56.6	10.7	0.2	87
98	4	3	10.0	58.1	10.7	0.2	88
98	4	4	10.0	59.6	9.2	0.2	75
98	4	5	14.0	61.1	10.6	0.2	86
98	4	6	13.0	62.6	10.2	0.2	84
98	5	1	70.0	91.7	10.1	0.2	83
98	5	2	21.0	92.7	9.9	0.2	81
98	5	3	8.0	94.1	9.8	0.2	80
98	5	4	9.0	95.6	9.9	0.2	81
98	6	1	11.0	130.1	10.6	0.1	87
98	6	2	15.0	131.6	10.9	0.0	90
98	6	3	9.0	133.1	12.1	0.1	100
98	6	4	7.0	134.6	10.8	0.3	87
98	6	5	9.0	136.1	3.5	0.1	29
98	6	6	7.0	137.6	10.7	0.1	88
98	7	1	10.0	167.1	6.2	0.0	52
98	7	2	20.0	168.7	11.5	0.1	95
98	7	3	19.0	170.2	11.4	0.1	95
98	7	4	11.0	171.6	11.2	0.1	93

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
98	7	5	9.0	173.1	11.5	0.1	95
98	7	6	9.0	174.6	11.6	0.1	96
98	8	1	30.0	207.3	9.6	0.1	79
98	8	2	10.0	208.6	9.9	0.1	82
98	8	3	18.0	210.2	9.4	0.1	78
98	9	1	81.0	216.8	9.5	0.1	78
98	9	2	13.0	217.6	9.4	0.1	78
98	10	1	82.0	222.8	10.9	0.1	90
98	11	1	118.0	232.2	10.4	0.1	86
98	11	2	9.0	232.6	10.6	0.1	88
98	12	1	70.0	240.7	10.0	0.1	82
98	13	1	139.0	273.4	11.7	0.0	97
98	13	2	59.0	274.1	11.1	0.1	92
98	14	1	63.0	311.6	12.2	0.1	101
98	15	1	69.0	348.7	11.1	0.1	92
99A	1	1	34.0	0.3	4.9	0.2	39
99A	1	2	2.0	1.5	4.0	0.1	33
99A	1	3	3.0	3.0	3.5	0.1	29
99A	1	4	5.0	4.6	3.5	0.1	28
99A	1	5	2.0	6.0	3.1	0.1	25
99A	2	1	92.0	15.9	1.1	0.2	8
99A	2	2	4.0	16.5	2.4	0.2	18
99A	2	3	23.0	18.2	1.7	0.2	13
99A	2	4	8.0	19.6	5.2	0.2	42
99A	2	5	10.0	21.1	2.8	0.2	22
99A	2	6	20.0	22.7	4.0	0.2	31
99A	8	1	102.0	95.0	10.5	0.1	87
99A	9	1	98.0	132.0	11.7	0.1	96
99A	9	6	140.0	139.9	11.4	1.2	85
100	1	1	114.0	204.1	10.7	0.1	88
100	1	2	10.0	204.6	11.6	0.1	96
100	1	3	12.0	206.1	11.6	0.1	96
100	1	4	14.0	207.6	7.7	0.1	64
100	1	5	9.0	209.1	11.7	0.1	97
100	5	2	23.0	262.7	2.2	0.2	17
100	6	1	10.0	267.1	3.6	0.2	29
100	7	2	6.0	277.6	8.8	0.2	71
100	8	1	138.0	287.4	6.6	0.3	52
100	8	2	50.0	288.0	10.4	0.2	85

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
100	8	3	14.0	289.1	8.9	0.3	71
100	9	1	140.0	303.4	7.9	0.2	64
100	9	2	34.0	303.8	7.1	0.4	56
100	10	1	118.0	312.2	8.6	0.3	69
100	10	2	43.0	312.9	7.1	0.3	57
101	1	1	8.0	32.1	1.6	0.6	8
101	1	2	6.0	33.6	2.3	0.5	14
101	1	3	10.0	35.1	2.0	0.8	10
101	1	4	10.0	36.6	2.1	0.7	12
101	1	5	10.0	38.1	2.3	0.7	13
101	1	6	10.0	39.6	2.4	0.7	14
101	2	1	85.0	67.8	2.3	0.8	12
101	2	2	19.0	68.7	1.0	0.6	3
101	2	3	20.0	70.2	1.4	0.9	4
101	2	4	3.0	71.5	3.3	0.8	21
101	2	5	9.0	73.1	1.7	0.6	9
101A	1	1	75.0	115.8	1.1	0.6	4
101A	1	2	11.0	116.6	1.0	0.6	3
101A	1	3	20.0	118.2	1.9	0.6	11
101A	2	1	10.0	156.1	4.1	0.5	30
101A	2	2	12.0	157.6	3.9	0.4	30
101A	2	3	14.0	159.1	1.4	0.4	8
101A	2	4	10.0	160.6	1.0	0.5	4
101A	2	5	10.0	162.1	1.9	0.8	9
101A	2	6	10.0	163.6	2.6	0.7	16
101A	3	1	113.0	195.1	2.0	0.6	11
101A	3	2	10.0	195.6	1.8	0.7	9
101A	4	1	27.0	250.3	0.7	0.4	3
101A	5	1	20.0	308.2	1.6	0.9	6
101A	5	2	45.0	310.0	0.9	0.9	Trace
101A	6	1	90.0	380.9	1.9	0.3	14
101A	7	1	84.0	460.8	0.4	0.4	Trace
101A	8	1	40.0	534.4	2.2	1.3	7
101A	8	2	9.0	535.6	0.8	0.8	Trace
102	1	1	15.0	0.1	4.4	0.4	33
102	1	2	5.0	1.5	2.0	0.6	11
102	1	3	15.0	3.2	2.0	0.5	13
102	1	4	15.0	4.7	1.1	0.5	5
102	1	5	15.0	6.2	2.2	0.6	14

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
102	1	6	15.0	7.7	2.2	0.5	14
102	2	1	53.0	18.5	2.6	0.6	17
102	2	2	17.0	19.7	1.8	0.5	10
102	2	3	15.0	21.1	1.4	0.5	8
102	2	4	15.0	22.6	1.4	0.5	8
102	2	5	15.0	24.1	1.4	0.6	7
102	2	6	15.0	25.6	2.1	0.7	12
102	3	1	130.0	59.3	4.5	0.3	35
102	3	2	15.0	59.7	2.3	0.5	16
102	4	1	97.0	97.0	4.6	0.4	35
102	4	2	15.0	97.7	1.7	0.5	10
102	4	3	15.0	99.2	1.7	0.6	9
102	4	4	15.0	100.7	1.2	0.7	5
102	5	2	23.0	134.7	1.8	0.4	11
102	5	3	53.0	136.5	1.8	0.4	12
102	5	4	31.0	137.8	2.7	0.3	20
102	5	5	14.0	139.1	3.5	0.3	27
102	5	6	18.0	140.7	3.4	0.3	26
102	6	1	18.0	172.2	4.9	0.5	37
102	6	2	12.0	173.6	5.4	0.2	44
102	6	3	8.0	175.1	4.0	0.3	31
102	6	4	19.0	176.7	2.5	0.3	18
102	6	5	18.0	178.2	3.7	0.5	27
102	6	6	12.0	179.6	1.9	0.7	10
102	7	1	21.0	181.2	2.4	0.5	16
102	7	2	15.0	182.6	2.7	0.6	18
102	7	3	7.0	184.1	1.7	0.5	10
102	7	4	19.0	185.7	5.3	0.4	41
102	7	5	15.0	187.1	3.1	0.4	22
102	7	6	13.0	188.6	1.5	0.3	9
102	8	1	5.0	219.1	2.4	0.7	15
102	8	2	100.0	221.5	2.3	0.6	14
102	8	3	78.0	222.8	2.7	0.6	18
102	8	4	20.0	223.7	2.2	0.6	13
102	8	5	20.0	225.2	2.0	0.5	12
102	8	6	95.0	227.4	2.8	0.6	18
102	9	1	15.0	266.1	2.8	0.4	20
102	9	2	15.0	267.6	4.8	0.5	36
102	9	3	15.0	269.1	3.4	0.5	25

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
102	9	4	16.0	270.7	4.4	0.4	33
102	9	5	13.0	272.1	4.5	0.7	31
102	9	6	60.0	274.1	2.3	0.4	16
102	10	1	29.0	306.3	3.0	0.5	21
102	10	2	20.0	307.7	2.8	0.7	18
102	10	3	45.0	309.5	2.0	0.5	13
102	10	4	9.0	310.6	2.0	0.3	14
102	10	5	11.0	312.1	1.6	0.6	9
102	10	6	7.0	313.6	2.0	0.8	10
102	11	1	54.0	353.5	2.9	0.8	17
102	11	2	48.0	355.0	3.3	0.8	20
102	11	3	21.0	356.2	3.0	0.7	19
102	12	1	24.0	419.2	3.2	0.6	21
102	12	2	11.0	420.6	3.4	0.7	22
102	12	3	20.0	422.2	3.5	0.8	23
102	12	4	15.0	423.6	2.7	0.6	18
102	13	1	18.0	473.2	2.9	0.6	19
102	13	2	37.0	474.9	2.8	0.8	17
102	13	3	36.0	476.4	2.5	0.8	14
102	13	4	8.0	477.6	2.4	0.8	13
102	14	1	45.0	512.5	3.1	0.7	20
102	14	2	97.0	514.5	3.0	0.7	18
102	15	1	50.0	548.5	3.1	0.7	21
102	16	1	8.0	584.1	2.2	0.7	13
102	17	1	17.0	618.2	2.9	1.3	14
102	18	1	59.0	634.6	2.3	0.6	14
102	18	1	71.0	634.7	1.6	0.7	8
102	18	2	18.0	635.7	2.2	0.7	13
102	18	3	20.0	637.2	2.7	0.7	17
102	18	4	29.0	638.8	2.6	0.6	17
102	18	5	64.0	640.6	2.5	0.7	16
102	19	1	38.0	659.4	2.2	0.6	13
102	19	1	56.0	659.6	2.4	1.3	9
103	1	1	15.0	0.1	4.3	0.1	35
103	1	2	16.0	1.7	4.0	0.1	33
103	1	3	75.0	3.8	2.6	0.4	18
103	1	4	115.0	5.7	1.6	0.3	11
103	1	5	15.0	6.2	1.5	0.4	10
103	1	6	15.0	7.7	3.2	0.3	23

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
103	2	1	15.0	39.2	2.5	0.4	17
103	2	2	15.0	40.7	2.2	0.3	16
103	2	3	15.0	42.2	2.8	0.6	18
103	2	4	15.0	43.7	1.3	0.4	8
103	2	5	15.0	45.2	0.9	0.3	4
103	2	6	15.0	46.7	7.1	0.2	57
103	3	1	15.0	94.2	1.0	0.6	4
103	3	2	15.0	95.7	1.0	0.6	3
103	3	3	15.0	97.2	1.1	0.7	3
103	3	4	20.0	98.7	1.4	0.8	5
103	3	5	15.0	100.2	1.1	0.6	4
103	3	6	15.0	101.7	1.2	0.6	4
103	4	2	13.0	171.6	1.6	0.7	7
103	4	3	18.0	173.2	2.1	0.7	12
103	4	4	15.0	174.6	1.1	0.7	4
103	4	5	21.0	176.2	1.7	0.7	8
103	5	1	16.0	247.2	4.7	0.3	36
103	5	2	16.0	248.7	3.0	0.3	22
103	5	3	25.0	250.3	2.7	0.5	18
103	6	1	15.0	343.1	2.3	0.9	12
104	1	1	15.0	0.1	7.3	0.2	59
104	1	2	15.0	1.6	1.3	0.5	7
104	1	3	14.0	3.1	0.4	0.1	2
104	1	4	30.0	4.8	4.5	0.5	33
104	1	5	15.0	6.2	1.0	0.6	3
104	1	6	15.0	7.7	1.1	0.6	4
104	2	1	60.0	36.6	1.5	0.5	9
104	2	2	15.0	37.7	1.5	0.4	9
104	2	3	15.0	39.2	1.8	0.4	11
104	2	4	15.0	40.7	2.2	0.4	15
104	2	5	15.0	42.2	2.3	0.4	16
104	2	6	15.0	43.7	1.9	0.3	14
104	3	1	15.0	62.2	2.4	0.9	13
104	3	2	15.0	63.7	2.0	0.8	10
104	3	3	2.0	65.0	2.0	0.9	9
104	3	4	15.0	66.7	2.2	0.8	11
104	3	5	15.0	68.2	1.9	0.8	9
104	3	6	15.0	69.7	2.7	0.7	16
104	4	1	14.0	133.1	3.3	0.7	21

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
104	4	1	100.0	134.0	1.5	0.5	8
104	4	3	15.0	136.1	1.0	0.4	5
104	4	4	15.0	137.6	1.4	0.5	8
104	4	5	15.0	139.1	1.3	0.5	7
104	4	6	15.0	140.6	1.4	0.6	7
104	6	1	15.0	219.1	2.4	0.8	13
104	6	2	8.0	220.6	2.3	0.8	12
104	6	3	28.0	222.3	2.3	0.8	12
104	6	4	15.0	223.6	2.6	0.8	15
104	6	5	23.0	225.2	2.4	0.7	15
104	6	6	15.0	226.6	2.7	0.6	17
104	7	1	21.0	306.2	2.3	0.4	16
104	7	2	15.0	307.6	2.9	0.7	18
104	7	3	43.0	309.4	3.5	0.8	22
104	7	4	15.0	310.6	3.9	0.8	26
104	8	1	133.0	402.3	3.2	1.1	17
104	8	2	15.0	402.6	3.5	0.8	22
104	8	3	13.0	404.1	3.4	1.8	14
104	8	4	104.0	406.5	3.3	0.7	22
104	8	5	3.0	407.0	3.9	0.6	27
104	9	1	12.0	495.1	3.6	0.7	25
104	9	2	20.0	496.7	3.1	0.8	19
104	9	3	3.0	498.0	3.4	0.8	22
105	2	1	50.0	31.5	3.1	0.2	24
105	2	2	12.0	32.6	3.1	0.1	25
105	2	3	15.0	34.2	3.4	0.1	27
105	3	1	15.0	91.2	0.7	0.1	5
105	3	2	15.0	92.7	0.9	0.3	6
105	3	3	14.0	94.1	2.1	0.2	16
105	3	4	15.0	95.7	1.6	0.2	11
105	4	1	15.0	184.1	0.5	0.3	1
105	4	2	15.0	185.6	0.4	0.2	1
105	4	3	15.0	187.1	0.5	0.2	2
105	4	4	14.0	188.6	0.4	0.2	1
105	4	5	0.0	190.0	0.4	0.3	1
105	4	6	15.0	191.6	0.4	0.4	1
105	5	1	74.0	241.7	0.2	0.1	Trace
105	5	2	15.0	242.6	0.1	0.1	—
105	5	3	15.0	244.1	0.1	0.1	—

Total Carbon, Organic Carbon and "CaCO₃" Determination, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
105	6	1	70.0	250.7	0.1	0.1	—
105	6	2	15.0	251.6	0.1	0.1	—
105	7	1	125.0	260.3	0.1	—	—
105	7	2	15.0	260.6	0.2	0.1	Trace
105	7	3	15.0	262.1	0.1	0.1	—
105	7	4	15.0	263.6	0.1	0.1	Trace
105	7	5	52.0	265.5	0.1	0.1	—
105	7	6	7.0	266.6	0.1	0.1	—
105	8	1	15.0	268.1	0.1	0.1	—
105	8	2	5.0	269.5	0.1	0.1	—
105	8	3	15.0	271.1	0.1	0.1	—
105	8	4	15.0	272.6	0.1	0.1	Trace
105	8	5	13.0	274.1	0.1	0.1	—
105	8	6	22.0	275.7	0.1	0.1	—
105	9	1	15.0	286.1	0.1	0.1	—
105	2	2	12.0	32.6	0.1	0.1	—
105	9	3	15.0	289.1	0.1	0.1	—
105	9	4	15.0	290.6	15.3	14.8	4
105	9	5	15.0	292.1	5.1	4.8	2
105	9	6	15.0	293.6	0.2	0.2	—
105	10	1	22.0	295.2	0.2	0.1	Trace
105	10	2	15.0	296.6	0.2	0.1	Trace
105	11	1	19.0	304.2	0.3	0.2	1
105	11	2	15.0	305.6	5.7	3.6	18
105	11	3	15.0	307.1	7.6	2.7	41
105	11	4	15.0	308.6	7.2	3.1	34
105	11	5	15.0	310.1	1.2	1.0	2
105	12	1	75.0	313.8	4.1	1.9	19
105	12	2	15.0	314.6	3.5	0.8	22
105	12	3	26.0	316.3	4.1	0.8	27
105	12	4	15.0	317.6	1.0	0.9	1
105	13	1	17.0	322.2	0.9	0.8	1
105	13	2	13.0	323.6	2.8	0.8	17
105	13	3	15.0	325.1	0.4	0.3	1
105	13	4	5.0	326.5	1.0	0.8	2
105	13	5	53.0	328.5	2.6	0.7	16
105	13	6	108.0	330.6	1.0	0.7	3
105	14	1	99.0	349.0	1.0	1.0	—
105	15	1	99.0	267.0	1.7	1.4	2

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
105	15	2	85.0	268.4	1.3	1.3	—
105	15	3	15.0	269.1	1.7	1.6	Trace
105	15	4	15.0	270.6	0.9	0.9	Trace
105	15	5	15.0	272.1	1.1	1.1	Trace
105	15	6	15.0	273.6	1.0	0.9	1
105	16	1	89.0	385.9	1.7	1.6	1
105	16	2	15.0	386.6	4.3	4.3	—
105	17	1	32.0	403.3	7.6	0.4	60
105	17	2	15.0	404.6	11.2	3.3	66
105	17	3	70.0	406.7	11.6	1.2	86
105	18	1	21.0	421.2	10.9	2.7	68
105	18	2	17.0	422.7	8.1	0.3	65
105	18	3	1.0	424.0	10.2	1.3	74
105	18	4	1.0	425.5	8.4	0.9	62
105	18	5	12.0	427.1	9.3	1.7	64
105	18	6	10.0	428.6	9.6	1.6	67
105	19	2	56.0	432.1	1.7	1.5	2
105	19	3	94.0	433.9	2.4	2.2	2
105	19	4	130.0	435.8	3.2	3.0	2
105	21	1	40.0	448.4	8.8	0.2	72
105	22	2	16.0	458.7	11.3	0.1	93
105	23	1	87.0	466.9	8.1	0.6	62
105	23	1	108.0	467.1	11.1	0.1	92
105	23	2	2.0	467.5	9.6	1.1	71
105	24	1	77.0	475.8	10.3	0.3	84
105	24	2	149.0	478.0	10.2	0.1	84
105	25	1	16.0	484.2	10.8	0.2	88
105	25	2	1.0	485.5	10.8	0.9	83
105	25	3	24.0	487.2	10.7	0.2	87
105	26	1	1.0	493.0	7.2	0.4	57
105	26	2	10.0	494.6	9.3	1.2	67
105	27	1	22.0	502.2	9.3	0.3	76
105	27	2	143.0	504.9	6.3	0.3	50
105	27	3	9.0	505.1	7.3	0.2	59
105	28	1	12.0	511.1	7.2	0.1	59
105	28	2	7.0	512.6	9.1	0.7	70
105	28	3	90.0	514.9	7.9	0.1	65
105	28	4	63.0	516.1	9.8	0.1	81
105	28	5	28.0	517.3	8.4	0.1	69

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
105	28	6	69.0	519.2	10.3	0.1	85
105	29	1	138.0	523.4	7.9	0.3	63
105	29	2	29.0	523.8	8.2	0.5	64
105	29	3	139.0	526.4	8.0	0.2	65
105	30	1	146.0	532.5	8.8	0.1	73
105	30	2	14.0	532.6	8.3	0.1	68
105	32	2	111.0	551.6	8.3	0.1	68
105	33	1	69.0	558.7	10.2	0.1	84
105	33	2	24.0	559.7	6.6	0.1	54
105	33	3	4.0	561.0	5.0	0.1	41
105	33	4	1.0	562.5	5.8	0.1	48
105	33	5	145.0	565.5	6.5	0.1	53
105	34	1	130.0	568.3	3.0	0.1	24
105	34	2	146.0	570.3	5.9	0.1	48
105	34	3	30.0	570.3	3.1	0.1	24
105	34	4	3.0	571.5	2.7	0.1	22
105	34	5	7.0	573.1	1.5	0.1	12
105	35	1	114.0	577.1	3.4	0.1	28
105	35	2	19.0	577.7	4.6	—	38
105	35	3	11.0	579.1	2.6	0.1	21
105	35	4	138.0	581.9	3.9	0.1	32
105	36	2	14.0	586.6	2.2	0.3	15
105	36	3	117.0	589.2	6.9	0.1	57
105	37	1	19.0	594.2	5.1	0.1	42
105	37	2	2.0	595.5	3.0	0.1	24
105	37	3	3.0	597.0	4.0	0.1	32
105	37	4	0.0	598.5	3.0	0.2	24
105	37	5	1.0	600.0	3.6	0.1	30
105	37	6	40.0	601.9	2.1	0.2	16
105	38	2	41.0	604.9	2.4	0.1	19
105	38	3	0.0	606.0	1.7	0.1	14
105	38	4	66.0	608.2	2.5	0.1	20
105	38	5	0.0	609.0	2.5	0.1	20
105	38	6	21.0	610.7	2.6	0.1	20
105	39	1	5.0	612.0	2.5	0.1	20
105	39	2	1.0	613.5	2.3	0.1	18
106	1	1	79.0	0.8	4.1	0.4	31
106	1	2	15.0	1.6	1.0	0.6	3
106	1	3	15.0	3.2	1.2	0.4	7

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
106	1	4	13.0	4.6	4.8	0.2	38
106	1	5	20.0	6.2	1.3	0.4	8
106	2	1	100.0	46.0	1.3	0.3	8
106	3	2	126.0	112.8	2.5	0.2	20
106	3	3	5.0	113.1	0.5	0.2	3
106	3	4	23.0	114.7	1.1	0.2	7
106	3	5	15.0	116.2	2.0	1.0	9
106	3	6	109.0	118.6	0.9	0.3	5
106	5	1	99.0	264.0	2.0	0.6	11
106	5	2	9.0	264.6	4.7	0.3	37
106	5	3	18.0	266.2	2.2	0.3	16
106	6	1	15.0	340.1	2.3	0.8	13
106	6	2	15.0	341.6	2.3	0.8	13
106	6	3	16.0	343.2	3.9	0.3	30
106B	1	1	32.0	366.3	1.3	0.6	6
106B	1	2	9.0	367.6	1.8	0.4	12
106B	1	3	10.0	369.1	2.2	0.5	14
106B	2	1	79.0	451.8	1.8	0.4	11
106B	2	2	15.0	452.6	0.9	0.5	3
106B	2	3	1.0	454.0	1.7	0.5	10
106B	2	4	3.0	455.5	1.6	0.4	10
106B	3	1	0.0	553.0	1.3	0.4	7
106B	3	1	25.0	553.3	1.7	0.2	12
106B	3	2	9.0	554.6	1.5	0.4	9
106B	3	3	4.0	556.0	0.8	0.4	3
106B	3	4	0.0	557.5	1.8	0.5	11
106B	3	5	3.0	559.0	0.9	0.5	3
106B	3	6	0.0	560.5	1.0	0.6	4
106B	4	1	100.0	755.0	0.9	0.7	2
106B	4	2	2.0	755.5	1.0	0.6	4
106B	4	3	0.0	757.0	0.9	0.5	4
106B	4	4	3.0	758.5	0.8	0.5	3
106B	5	1	10.0	935.1	0.9	0.7	3
106B	5	2	13.0	936.6	0.6	0.5	1
106B	5	3	0.0	938.0	1.4	0.7	6
106B	5	4	0.0	939.5	1.1	0.6	4
106B	5	5	0.0	941.0	1.0	0.7	3
106B	5	6	0.0	942.5	1.0	0.6	3
106B	6	1	0.0	954.0	0.7	0.7	Trace

Total Carbon, Organic Carbon and "CaCO₃" Determinations, DSDP Leg 11—Continued

Hole	Core	Section	Depth in Section Top Interval (cm)	Depth Below Sea Floor (m)	% Total Carbon	% Organic Carbon	% CaCO ₃
106B	6	2	1.0	955.5	0.6	0.6	—
106B	6	3	3.0	957.0	0.8	0.7	Trace
106B	7	1	5.0	1012.0	0.2	0.2	Trace
108	1	1	7.0	39.1	6.7	0.1	55
108	1	2	21.0	40.7	7.3	0.2	59
108	1	3	80.0	42.8	6.3	0.2	51
108	1	4	7.0	43.6	6.4	0.1	52
108	1	5	46.0	45.5	7.1	0.1	58
108	2	1	14.0	57.1	1.0	0.3	5