BLOOD DONATION: BELIEFS & PERCEPTIONS AMONG INDIAN YOUTH**Shiwani Verma¹, Rajesh Kumar Sharma², Mugdha Sharma³ and Sanchita Pugazhendhi⁴**¹Nursing Tutor, Himalayan College of Nursing, Swami Rama Himalayan University, Dehradun, India²Associate Professor, Himalayan College of Nursing, Swami Rama Himalayan University, Dehradun, India³Assistant Professor, Sir H.N Hospital & RC College of Nursing, Mumbai⁴Principal & Dean, Himalayan College of Nursing, Swami Rama Himalayan University, Dehradun, India**Corresponding email – rajeshsharma.hcn@gmail.com****Abstract**

Background: There has been immense need of voluntary blood donors to donate blood, So that blood should be available in blood banks to confront the emergencies. Thus qualitative study was aimed to assess the views and experiences of adult population regarding voluntary blood donation.

Methods: The study was framed by using theory of planned behavior (TPB). This approach enables the investigator to examine the views and experiences in terms of behavioral beliefs, control beliefs and normative beliefs. A qualitative approach was used to conduct the study. Total 21 sample were recruited by using convenient sampling from previous study of attitude and practice regarding voluntary blood donation. Semi-structured interview was conducted to collect the data. Data analysis was done by using a framework approach.

Results: Blood donation is often viewed as a life saving procedure. In this study commonly highlighted motivators to donate blood were habitual nature, satisfaction, feeling of proud and improved blood circulation. A wide range of barriers to blood donation were also highlighted in terms of internal barrier (physical) and external barrier (fear, pain, family setup, working hours). The study participants also highlighted lack of information related to eligibility criteria, location and timings of blood banks.

Conclusion: Despite of various ongoing efforts, voluntary blood donation is quite lacking. In India people usually donate for their relatives or as a paid donor. Investigator suggest a need of an interventional program focused on awareness and motivation in relation to voluntary blood donation.

Key words: Blood Donation, Beliefs, Perceptions, attitude, experience

INTRODUCTION

Even with all of today's technology, there is no single substitute for human blood. Despite ongoing efforts, it will take many years so that artificial blood substitutes can widely replace the human blood. In our total life span, one out of every three person will need blood. Every two seconds, someone in India needs blood. The blood donation rate in high-income countries is 33.1 donations per 1000 people; 11.7 donations in middle-income countries and 4.6 donations in low-income countries. A country can meet all its need for blood if only 1% to 3% of its eligible population donate. On an average country have 50 per cent of eligible donors..

In developing countries people are commonly anemic, high risk for traumatic injuries and obstetrics complication. Blood transfusion in these setting can be lifesaving. In developing countries like India, about

80% of maternal deaths are due to obstetric complication of pregnancy. The obstetric hemorrhage (25%) generally occurring during the postpartum period, which can lead to death very rapidly in the absence of prompt lifesaving care, one of which is blood transfusion.

There is shortage of blood donors to meet the increased demands of blood. The shortage of safe blood can also impacts thalassemia patients, victims of road traffic accidents and trauma, cancer patients and those undergoing major scheduled surgeries. If eligible people donate blood regularly and voluntarily basis a significant number of deaths can be averted.

Material and method

The study was conducted by using a theory of planned behavior. The Theory of planned behavior has been used successfully to predict and explain a wide range of

health behaviors and intentions. The Theory of planned behavior states that behavioral achievement depends on both motivation that is intention and ability that is behavioral control. It differentiates between three types of beliefs – 1. Behavioral belief i.e attitude based on perceived benefit and harm 2. Normative i.e our belief which is control by perception of others and 3. Control belief i.e the degree to which a person can control his/her behavior.

Total 21 sample were recruited by Convenient Sampling technique to assess the attitude and practice of adult population regarding voluntary blood donation in rural community setting of Dehradun district, Uttarakhand.

Tools which were used to collect data were as follow:

1. Socio-demographic Performa
2. Semi structured interview schedule

After obtaining the permission from research committee and ethical committee, informed written consent was obtained from all participants prior to data collection. Inclusion criteria for such study were: 1. Adults between 18-60 years. 2. Adults who are able to read and write Hindi and English. 3. Adults who are willing to participate in the study. 4. Adults who are residing in Doiwala, Dehradun.

Data collection and analysis

Semi structured interview was held in their own setting. A questionnaire addressing socio-demographic data and interview script addressing interview script and practice checklist to assess practice were applied, information was collected and transcribed for data analysis.

The collected data were organized, transcribed and interpreted using descriptive statistic and attitude and practice was analyzed using theoretical approach to manage and describe the data. The interview transcript were indexed and reorganize according to theme i.e behavioral beliefs, control beliefs and normative beliefs.

RESULTS

The findings of research study were presented according to following categories: 1. Behavioral belief 2. Normative 3. Control belief. The verbatim quotes state by the respondent were tagged in terms of their age and type of blood donation such as voluntary blood

donor (VBD), replacement blood donor (RBD), paid blood donor (PBD) and non blood donor (NBD).

1. Behavioral beliefs/attitude

Respondents were aware regarding the blood donation and its importance.

Only God has a power to give life to everyone. But the act of blood donation can save a life to one, who is dying because of blood loss. (RBD)

you are giving most precious gift to one who is in need.....Blood collected in blood bank can be transfuse to person in emergency condition. (VBD)

It is always a personal choice to donate blood, one person is donating blood to save life and another is donating for money. Way of blood donation doesn't matter; the fact is that blood donation should be there. (PBD)

Several blood donors describe the blood donation as a habitual nature of their commitment to donate regularly.

It's healthy and really satisfies a lot. After donating blood we gain mental satisfaction and believe it's totally different healthy feeling. (VBD)

Being active blood donor, it's a great achievement for me.....blood donation gives me proud feeling. (VBD)

I don't mind, if I have to donate blood to my relatives and friends. (RBD)

I'm a regular blood donor.....I usually like to donate blood twice or thrice per year or even when, I get a call. (VBD)

Other perceived health benefits related to blood donation were also cited

After blood donation, you may feel more alive as blood donation would allow you to renew your blood cells. (VBD)

This is a good time when, I'm feeling much healthier and lighter. It all goes to blood donation.....Blood donation improve blood circulation. (PBD)

Donating blood has lots of health benefits.....I think blood donation help especially male in losing extra iron on regular basis. Thus help in reducing the chance of infection. (VBD)

2. Control beliefs

The study respondent quoted several perceived internal and external barrier to voluntary blood donation. Personal health problems associated with voluntary

blood donation were commonly cited "internal barrier" to the voluntary blood donation. Such barrier includes weakness, fear related to infection, procedural pain, sickness and feeling uncomfortable.

My doctor won't allow to donate blood....it's because, I have low blood in my body (anemia).(NBD)

I met one person, who diagnose with Hepatitis after few month of blood donation. Blood donation might be a cause of disease. Therefore if you are donating blood, you are more prone to such kind of infections.(NBD)

I've been unable to donate blood for others.....due to fear of needle prick and procedural pain. (NBD)

Respondent with children and joint family quoted barrier to blood donation.

Being mother, I'm quite busy with my kids and don't have sphere of time to donate blood.(NBD)

My parent won't allow me to donate blood, as per them I'm in a growth age where my body requires much more. So how can I donate blood.(NBD)

The most common external barrier cited by the participants were their working hours and change in personal circumstances.

It is not possible to rush out and give blood.....it's just that busy schedule like location of job, working situation.(NBD)

I love to donate blood.....But now I'm pregnant and I can't do so.(VBD)

I think after marriage, it's quite hard to donate blood.....may be your partner and in-laws won't like it.(RBD)

3. Normative beliefs

The study participants often highlighted the lack of proper information related to blood donation such as eligibility criteria and blood banks.

I think, it's not easy to donate blood for females.....as they gone through the monthly blood loss 'menstrual bleeding'. (NBD)

I strongly agree that old person shouldn't donate blood; it's because of age related changes..... They don't have an ability to renew their blood cells. (RBD)

Ones we donate blood, we have to hold off all activities for next 24 hours. (NBD)

The major source of information cited by the participants was television followed by friends and family.

I came to know about blood donation, when I was in college.....some of my friends were going to donate blood in blood donation camp.(PBD)

DISCUSSION

This paper has explored views and experience of adult population regarding voluntary blood donation. Researcher has used theory of planned behavior to highlight the range of behavioral beliefs, control beliefs and normative beliefs which impact on intention of adult population. During interpreting the findings of the study, it is necessary to mention limitation of study. The sample size was small and derived from adults of selected community area.

The main perceived beliefs of being blood donor shown by the study participants were to gain mental satisfaction and to improve their blood circulation. The finding of the study suggested that participants were dedicated to the habitual nature of their commitment to donate blood and also shows positive motivation towards blood donation. A similar research study conducted by AbdelGalil, Gader M Abdel, Osman A Abdel Moniem A, GahtaniFurgah H Al, Farghali N Mohamed , Ramadan B Ali, Kareem M Al-MomenAbdel (2012) shows that 99% of the respondents showed positive attitude toward blood donations.

In relation to control belief, study participants show response related to large numbers of barriers to donate blood. These were both internal and external barriers. It was seen that, factors such as feeling of weakness after donating blood, harmful effects on donor, fear about needle pricks, anemia, prevalent beliefs, customs, lifestyle fear and hesitation could be some of the reasons for lack of participation in blood donation. In another similar conducted by Singh B, Pandey RM, D'Souza, India, done among the residents of a slum area, the most common reason for not donating was the perception of a harmful effect of donation on the body (50%) and 25% said that they had never felt a reason to give blood. Beside physical or health problems other barriers needs to address by an intervention such as motivational program, which effectively overcome these barriers.

In a view of normative beliefs arising from the findings of the study shows that the major source of information was mass media and friends. In similar study conducted

by AnjuDubey, AtulSonker, Rahul Chaurasia, Rajendra Chaudhary, it was found that television (45.2%) was found to be most influential medium in encouraging people to give blood. Participants of the study also highlighted lack of information related to blood donation process such as eligibility criteria, location of blood bank

CONCLUSION

Based on findings, it seems that although participants believes in act of blood donation, but due to some barriers such as lack of information regarding eligibility criteria, location of blood bank, job schedule, fear and pain related to needle prick, anemia, beliefs and blood borne infection, they feel hesitation to donate blood. Such intentions need to be targeted to through communication and awareness to promote blood donation.

REFERENCE

- I Blood safety and availability Fact sheet. 2016.[cited on March 2014] Available from file:///G:/WHO%20_%20Blood%20safety%20and%20availability.html
- II Facts about blood donation. [cited on March 2014]. Available from http://www.who.int/features/2008/blood_journey/en
- III Shenga N, pal R,sengupta S, pal s.correlates of voluntary blood donation among people in a hill capital in india. International journal of green pharmacy.2009; 3(2):167-174.
- IV Benedict N, Usimenahon A, Alexander NI, Isi A. Knowledge, attitude and practice of voluntary blood donation among physicians in a tertiary health facility of a developing country. International Journal of Blood Transfusion and Immunohematology 2012;2:4-10
- V NjambiNjuguna. Factors influencing blood donation at selected sites in Nairobi, Kenya, JKUAT Abstracts of PostGraduate Thesis (Online) February 2012. Available from; http://elearning.jkuat.ac.ke/journals/ojs/index.php/pgthesis_abs/article/view/210/174.
- VI Abdel Gader AM, Osman AA, Al Gahtani FH, Farghali MN, Ramadan AH, Al-Momen AM. Attitude to blood donation in Saudi Arabia. Asian J TransfusSci 2011; [cited on May 2017]; 5(2):121-6. Available from <http://www.ajts.org/text.asp>
- VII Singh B, Pandey RM, D'Souza N, et al. Knowledge, attitudes and socio-demographic factors differentiating blood donors from non-donors in an urban slum of Delhi. Indian Journal of Community Medicine 2002; p.27: 118.
- VIII Dubey A, Sonker A, Chaurasia Rahul, Chaudhary R.Knowledge, attitude and beliefs of people in North India regarding blood donation. Blood Transfus. 2014 January[cited on May 2017]; volume 12(Suppl 1): s21–s27.Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3934261/>