International Journal of Computer Science and Mobile Computing

A Monthly Journal of Computer Science and Information Technology

ISSN 2320-088X

IMPACT FACTOR: 7.056

IJCSMC, Vol. 11, Issue. 1, January 2022, pg.146 – 152

BRAIN TUMOR DETECTION USING MACHINE LEARNING

Dr. Mohammed Mahaboob Basha, Balla Aneesh; Bijani Raghunandan; Bollam Mithil

Associate Professor, Department of Electronics and Communication Engineering, Sreenidhi Institute of Science & Technology, Hyderabad, Telangana, India

Department of Electronics and Communication Engineering, Sreenidhi Institute of Science and Technology, Hyderabad, Telangana, India

Department of Electronics and Communication Engineering, Sreenidhi Institute of Science and Technology, Hyderabad, Telangana, India

Department of Electronics and Communication Engineering, Sreenidhi Institute of Science and Technology, Hyderabad, Telangana, India

aneesh.balla23@gmail.com, raghunandan.bng@gmail.com, bollammithil546@gmail.com

DOI: 10.47760/ijcsmc.2022.v11i01.018

ABSTRACT: The brain tumors, are the most widely recognized and forceful illness, prompting an exceptionally short future in their most elevated grade. Subsequently, treatment arranging is a vital stage to work on the personal satisfaction of patients. For the most part, different picture procedures like Computed Tomography (CT), Magnetic Resonance Imaging (MRI) and ultrasound picture are utilized to assess the growth in a cerebrum, lung, liver, bosom, prostate and so forth Particularly, in this work MRI pictures are utilized to analyze growth in the cerebrum. Anyway the immense measure of information produced by MRI examine frustrates manual characterization of growth versus non-cancer in a specific time. Yet, it having some impediment (i.e.) exact quantitative estimations is accommodated predetermined number of pictures. Thus trusted and programmed order plot are fundamental to forestall the passing pace of human. The programmed mind growth characterization is extremely difficult undertaking in huge spatial and primary inconstancy of encompassing area of cerebrum cancer. In this work, programmed cerebrum cancer recognition is proposed by utilizing Convolutional Neural Networks (CNN) arrangement. The further engineering configuration is performed by utilizing little parts. The heaviness of the neuron is given as little. Exploratory outcomes show that the CNN chronicles pace of 97.5% precision with low intricacy and contrasted and the any remaining condition of expressions strategies.

Keywords: Magnetic Resonance Imaging (MRI), Convolutional Neural Networks (CNN), kernels, ultrasound

I. INTRODUCTION

Brain is one of the fundamental organs in the human body, which comprises of billions of cells. The unusual gathering of cell is framed from the uncontrolled division of cells, which is additionally called as cancer. Cerebrum cancer are separated into two kinds such poor quality (grade1 and grade2) and high grade (grade3 and grade4) growth. Poor quality mind cancer is called as harmless. Additionally, the high grade cancer is likewise called as harmful. Harmless growth isn't carcinogenic cancer. Consequently it doesn't spread different pieces of the cerebrums. Anyway the dangerous growth is a malignant cancer. So it spreads quickly with endless limits to other area of the body without any problem. It prompts quick demise

A. Brain

The brain is largest and most complex organ in human body that serves as the centre of the nervous system[1]. It is located in the head usually it is close to the sensory organ for senses such as vision.

B. Tumor

A tumor is tissue that is growing where it should not be. Another name of tumor is neoplasm[1]. A tumor is usually form as lump or mass. Tumors are either malignant (harmful) or benign(safe) tumors. Cancer for examples is malignant and sometime spreads to other places on body. Tumor can occur in many different parts of the brain, and it may be classified as primary tumor or secondary tumor.

C. Brain Tumor

A brain tumor occurs when abnormal cells from within the body. There are main two types of tumors are malignant(cancerous) and benign(non cancerous). The Cancerous or malignant tumors are divided into primary tumors, which starts within the brain, and the secondary tumors, which have spread from elsewhere, known as brain metastasis tumors. All types of brain tumors may produce more than one symptoms that vary depending on the part of brain involved. These symptoms may include headaches, seizures, problems with vision, vomiting and mental changes.

Irritability, drowsiness, apathy are some of the early signs of brain tumor. Sometimes people with brain tumor may suffer from vision changes, nausea, hearing loss and memory problems.

Fig1. Brain Tumor

D. Machine Learning

Machine Learning is a field of Artificial Intelligence, which instructs PCs on the most proficient method to perform complex errand. With AI programming applications can figure out how to expand their exactness of anticipated results. AI is a calculations and models that plays out a particular errands. The principle objective of AI calculation is to study, engineer and improve or assembles a numerical model dependent on example information, known as "preparing information". AI applications in regular day to day existence are Amazon proposal framework, self-driving vehicle, Web Search, Computer Vision, Drug Design. Types of AI calculations are regulated learning, solo learning, semi managed learning and support learning calculations.

Profound Learning is particular type of AI. Profound learning is an Artificial Intelligence work. In profound learning, grouping can be performed straightforwardly from a dataset of pictures, sound or text. It can accomplish great exactness when contrasted with human execution. Profound learning model necessities enormous measure of marked information and many layered neural organization engineering. Profound learning involves numerous neural organization layers for cutting edge include acknowledgment and forecast. So it is also called as deep neural learning or profound neural network. The profound neural network(DNN) is a counterfeit neural network(ANN) with different layers between the information and result layers each numerical control as such is considered a layer, and complex DNN structure have many layers, consequently the name "profound" networks. DNN can display complex non-straight relationships. The uses of profound learning are malignant growth identification and discourse interpretation.

Fig2. CNN

II. RELATED WORKS

Gao et al. [4] studies for the Alzheimer's disease early detection, this disease destroy the mental function of the brain. They have used two CNN models, 2D and 3D, and these models were trained by using the 2D and 3D Computerized Tomography images and the result is declared by combining the output of these two models. Pereira et al. [5] have used magnetic resonance images to train the CNN model, in the proposed algorithm, for the segmentation of the brain tumor, they have investigated intensity normalization and augmentation. Devkotaa B et.al. proposes the CAD approach which helps to detecting the brain tumors. Authors have used Mathematical morphological Reconstruction in their study. They have studied various number of brain images, which are preprocessed to find the regions of the brain tumor. Once the preprocessing is completed then segregated images are classified to find the type of the tumor, benign or malignant. UmitIlhan & AhmetIlhan "Brain tumor segmentation based on a new threshold approach".

- Median filter.
- Threshold based segmentation.
- Tumor detection with limited number of parameters. Bhavana Ghotekar & K. J. Mahajan “Brain Tumor Detection and Classification using SVM”.
- Masking is not properly done used for threshold.
- Support vector machine is used for classification.
- Less accuracy was achieved about 86%. Heba Mohsen et al “Classification using deep learning neural networks for brain tumors”
- Deep learning used.

III. PROPOSED METHODOLOGY

A. Image Acquisition

The mind cancer MRIs dataset obtaining has been utilized to carry out the proposed methods[10]. This technique is utilized to intended for extraction of growths with exactness and made number out of stages are including picture catching, edge discovery, and order of cancer.

B. Image Pre-Processing

In this module, we are playing out some essential procedure on picture to get appropriate picture for handling. In this module, we are play out specific activity like dark scale transformation, sifting, honing, smoothing, edging, and picture division to get legitimate and clean picture. Pre-processing step upgrades the nature of the pictures by taking out commotion. The Gray scale pictures, a sort of highly contrasting or dim monochrome pictures, are made solely out of shades of dim. Dim scale pictures can be estimating the force of light at every pixel. The Filtering activity is performed on the picture to expand the perfection, sharpness just as edge upgrade. In honing channel is utilized to improvement the pictures in honing and to upgrade detail that has been blurred. Smoothing channel is utilized to diminish the commotion. It has utilized a wide range of algorithms. Edging is a strategy of finding and distinguishing sharpness introduced in a picture.

C. Image Segmentation

Picture Segmentation is a significant stage in space of PC vision dependent on arising applications including clinical imaging, video reconnaissance and some more. The picture division is a stage of handling which is utilized limit strategy to section the MRI(Magnetic Resonance Imaging) picture dim level to twofold image[11]. Division implies dividing the advanced pictures into different pieces of fragments or articles. Division is a course of collection the pixels that have comparable properties. Is utilized to find the articles and limits in pictures. Fundamentally, the division cycle performed to remove significant elements from the picture for additional investigation.

D. Feature Extraction

In this module, we are playing out some more procedure on portioned picture. In this module we will perform highlight extraction activity to get all definite data about mind picture. Include Extraction and decrease has been assuming a fundamental part for growth district into their significant classes in the field of PC vision and machine learning[12]. The significant issue behind highlight extraction is to figure the most dynamic or hearty elements for characterization, which delivered an effective exhibition. The Feature extraction is utilized connected with dimensionality decrease.

Fig3. Feature extraction

E. Classification

In this module, we are performing arrangement procedures with assistance of profound learning calculation to decide mind condition. The Brain cancer characterization is the last advance of the proposed approach, that is utilized to recognize the sort of mind growth typical or unusual. After highlights are removed and chosen the grouping step utilizing CNN is performed on the came about include vector. Arrangement is performed by utilizing preparing stage and testing period of CNN structure.

F. Convolutional Neural Network

The name of "Convolutional Neural Network" plays out the numerical activity called convolution. Convolution is a particular sort of direct activity. In profound learning, a convolutional neural organization (CNN, or ConvNet) is a class of profound neural organizations, Convolutional networks are just neural organizations that utilization convolution in lattice increase in something like one of their layers. ConvNets have been fruitful in Identifying faces, objects, diseases location. A convolutional neural organization comprises of an information layer, yield layer, just as different secret layers .CNN which is feed forward neural organization and is generally utilized for picture recognition and classification. The Convolutional neural layers convolve the information and pass its result to the following layer. CNNs are regularized forms of multi-facet perceptrons. The Multilayer perceptrons are the completely associated networks every one neuron is associated with any remaining neurons in next layer. The "completely associated" network implies overfitting information.

G. ALGORITHM

- 1) Apply convolutional filter in first layer
- 2) The sensitivity of filter is reduced by smoothing the convolution filter i.e. subsampling
- 3) The signal transfers from one layer to another layer is controlled by activation layer
- 4) Fasten the training period by using rectified linear unit(RELU)
- 5) The neurons in proceeding layer is connected to every neuron in subsequent layer
- 6) During training loss layer is added at the end to give a feedback to neural network

IV. RESULTS

Our dataset contains growth and non-cancer MRI pictures which were gathered from various web-based assets like Kaggle. In this work, productive programmed cerebrum cancer location is performed by utilizing convolution neural organization. Reproduction is performed by python language. The exactness is determined and contrasted and any remaining strategies. The preparation exactness, approval precision and approval misfortune are determined to observe the productivity of proposed cerebrum growth characterization plot. In the current strategy, the Support Vector Machine (SVM) based order is performed for cerebrum growth identification. It needs include extraction yield. In light of component esteem, the characterization yield is produced and exactness is determined. The calculation time is high and precision is low in SVM based growth and non-cancer location.

In the proposed CNN based characterization doesn't need highlight extraction steps independently. The component esteem is taken from CNN itself. The figure shows the grouped consequence of cancer and non-growth cerebrum picture. Thus, the intricacy and calculation time is low and exactness is high. The result of cerebrum growth order is given the figure. At long last, the characterization results as cancer cerebrum or non-growth mind dependent on the likelihood score esteem. Cancer mind has most elevated likelihood score esteem, when contrasted with ordinary and growth cerebrum.

Figure 2: CNN based classified results.

Fig4. Classification

V. CONCLUSIONS

The primary objective of this task is to plan productive programmed cerebrum growth characterization with high precision, execution and low intricacy. In the ordinary mind growth arrangement is performed by utilizing Fuzzy C Means (FCM) based division, surface and shape include extraction and SVM and DNN based characterization are completed. The intricacy is low. Be that as it may, the calculation time is high in the interim precision is low. Further to work on the precision and to decrease the calculation time, a convolutional neural organization based order is presented. CNN is one of the profound learning techniques, which contains grouping of feed forward layers. Likewise python language is utilized. Picture net information base is utilized for arrangement. It is one of the pre-prepared models. Along these lines, the preparation is performed for just last layer. Likewise crude pixel esteem with profundity, width and stature highlight esteem are removed from CNN. At last, the slope respectable based misfortune work is applied to accomplish high exactness. The preparation exactness, approval misfortune are determined. The preparation exactness is 97.5%. Essentially, the approval precision is high and approval misfortune low.

Fig5. Accuracy

ACKNOWLEDGEMENT

It gives us great pleasure in presenting the preliminary project report on 'BRAIN TUMOR DETECTION USING MACHINE LEARNING'.

REFERENCES

- [1]. T. M. ShahriarSazzad, MisbahUIHoque, MahmudaRahman, "Development of Automated Brain Tumor Identification Using MRI Images", 2019International Conference on Electrical, Computer and Communication Engineering (ECCE), 7-9 February, 2019.
- [2]. HussnaElnoor Mohammed Abdalla, M. Y. Esmail, "Brain Tumor Detection by using Artificial Neural Network "2018 International Conference on Computer, Control, Electrical, and Electronics Engineering (ICCCEEE).
- [3]. SadafNaz&Nitesh Kumar, "An Efficient Brain Tumor Detection system using Automatic segmentation with Convolution Neural Network", International Research Journal of Engineering and Technology (IRJET), Volume: 06 Issue: 04 Apr 2019 ISO 9001:2008 Certified Journal e-ISSN: 2395-0056.
- [4]. Muhammad A. Khan, Ikram U. Lali, AmjadRehman, MubasharIshaq, Muhammad Sharif, TanzilaSaba, SalihaZahoor TallhaAkram, "Brain tumor detection and classification: A framework of marker-based watershed algorithm and multilevel priority features selection " DOI: 10.1002/jemt.23238.
- [5]. AbduGumaei, Mohammad Mehedi Hassan, MdRafiul Hassan, AbdulhameedAlelaiwi, Giancarlo Fortino, "A Hybrid Feature Extraction Method with Regularized Extreme Learning Machine for Brain Tumor Classification", VOLUME XX, 2019.