Contents lists available at bostonsciencepublishing.us

International Journal Of Medicine And Healthcare Reports

A Case Report On Leptospirosis with secondary Steven Johnson Syndrome

Boompagu Benjamin Samuel¹, Gaggera Balaji², Talari Sreenivasulu³

Pharma D Intern, Santhiram college of Pharmacy, NH-44, Nandyal-518501

ARTICLE INFO

Article history:

Received 27 February 2021

Accepted 05 March 2021

Revised 10 March 2021

Available online 20 March 2021

Keywords:

SJS

Leptospirosis

Mucocutaneous

Hypersensitivity

Hyperpigmentation

Corticosteroids

ABSTRACT

Leptospirosis is a bacterial infection caused by *Leptospira* interrogans which may cause fever, muscle tenderness, jaundice, skin rashes, abdominal pain. Steven Johnson Syndrome is a dermatological reaction of the skin & mucosa resulted in serious clinical outcomes. In this case most frequent cutaneous reactions are observed. It is also termed as life threatening mucocutaneous disease. In this case (we are reporting that) the patient developed drug induced SJS due to usage of drugs like Cefuroxime & Paracetamol/Acetaminophen. It is one of the most severe adverse drug reactions seen in this reporting case. We are reporting that the patient developed rashes & fluid filled lesions on skin all over the body like face, trunk, upper & lower limbs including Genital region within 3 days. These lesions got ruptured to form erosions with ulcers at the site. In this case the patient was treated with systemic steroidal therapy, Antibiotics, supportive care treatment along with some of the topical creams.

© 2021, . Samuel BB. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited

1. Introduction

Leptospirosis is a bacterial infection caused by *Leptospira* species also called as Zoonotic infection as it is transmitted by Infectious carrier animals, it mainly contracted through skin abrasions and the mucosa of the nose, mouth and eyes [1,2]. SJS is the dermatological reaction of the skin mucocutaneous diseases. In which the fluid filled lesions are developed extensively leading to severe complications. It mainly caused due to the medication which are having more than 220 drugs [3,4]. The one of the most triggering factor explained in TEN was delayed hypersensitivity reactions like Keratinocyte apoptosis which occurs due to the activation of immunopathological mechanism [5] where as excess release of inflammatory mediators like cytokines & synthesis of granulysin by T-Lymphocytes & NK cells [6,7] Certain therapeutic interventions should be followed regularly to reduce the risk of complications. It is one of the severe ADR that mainly affects the skin & mucous membranes. The patient with an eruption resembling scalding of the skin called TEN [8]. It is mainly induced by the drugs or infection, environment chemicals, radiation & immunisation or sometimes it can be an idiopathic [9]. We report that the patient with Leptospirosis with SJS was treated with systemic steroidal therapy, Antibiotics, systemic supportive care & some topical creams for healing the fluid filled lesions on all over the body.

2. Case Report

A 40 yrs old male patient was brought to Emergency department with Semiconscious condition presented with the complaints of Multi-

ple Skin lesions & erosions associated with severe Itching all over the body, Intermittent fever, abdominal pain, Pitting type Pedal edema and Seizures for which he was got treated with injection Febril 500 mg, injection Avil 45 mg, injection Eptoin 50 mg, injection Meftal spas 10 mg, injection Pantop 40 mg, injection Lasix 10 mg and injection Hydrocortisone 100 mg where patient got stabilized and shifted for ICU management; after 3 hrs he retained fever with chills & rigors, severe Abdominal pain with 2 episodes of vomiting, Burning micturition associated with yellowish discoloration of Urine and Mucopurulent (Pus like) discharge from the skin lesions all over the body; the next day he developed Mouth Ulceration, yellowish discoloration & Purulent discharge from the eyes, tenderness at the joints and Blood in stools. Patient has the history of Seizures from childhood and using Ayurvedic medications; Smoker & Alcoholic from 15 yrs (Chronic); Patient undergone for Appendectomy 4 yrs back, also had a history of Jaundice, Seizures and Paraplegia 2 months ago and on treatment of Tablets: Estuol, Gabapentin, Ceftoprim, Dolo, Ecosprin.

Patient was apparently normal 4 months back where he developed fever with chills & rigors and abdominal pain for 2 days to which he got treated with unspecified medication injection & infusions given at the nearer local hospital for which he developed contusion at the site of injection/infusion (left upper limb) after 10 minutes he got numbness at left upper limb then followed by GTCS type of Seizures associated with mouth drooping & drooling 5-6 episodes for 15 minutes resulted left side Hemiparesis and Postictal state of confusion, later patient complained of itching all over the body after 5 minutes he developed multiple skin lesions & erosions all over the body, for which he was referred to Santhiram Superspeciality Hospitals, Nandyal; for further management.

* Corresponding author.

Boompagu Benjamin Samuel, Pharm D Intern student, Department of Pharmacy Practice, Santhiram College of Pharmacy in association with Santhiram Medical College and General Hospitals, Nandyal-518501.

Mobile No: +919182754726

E-mail address: benju.samuel12@gmail.com

On Examination Patient has Scaly Plaques all over the body including Genitals where Erosions & ulcers seen all over the Penis & Scrotum and Greenish discharge was observed, Oral Candidiasis presented with secondary infection and Conjunctivitis of both Eyes and the laboratory findings shown decreased levels of Hemoglobin, Platelet count, Lymphocytes, Total Red Blood Cells, Packed Cell Volume, Total Proteins, Serum Albumin and Increased levels of Polymorphs, Erythrocyte Sedimentation Rate, Mean Corpuscular hemoglobin Concentration, Total & Direct Bilirubin, Serum Glutamic Pyruvic Transaminase, Serum Glutamic Oxaloacetic Transaminase/Aspartate aminotransferase, Alkaline Phosphatase, Alanine aminotransferase. Igm Antibodies are found increased. Patient got treated with Hepatoprotective, Antihistamines, Antiaphthous, Antibiotics, Steroids & Corticosteroids, Vitamins, Nutrients & Mineral Supplements and Soothing agents.

3. Discussion

Leptospirosis is a bacterial infection caused by *Leptospirae* species also called as Zoonotic infection as it is transmitted by Infectious carrier animals, it mainly contracted through skin abrasions and the mucosa of the nose, mouth and eyes [1,2]. SJS is the dermatological mucocutaneous diseases due to drug reactions. It is usually a reaction to a medication like Cefuroxime & Paracetamol/Acetaminophen. These two diseases combination may also caused due to the infection but in rare cases. It causes severe mucocutaneous hypersensitivity reactions. Clinically it is different from Erythema Multiforme major & it also occurs due to infection in most of the cases [10-12]. The mucocutaneous fluid filled lesions present on all over the body (the trunk, face, oral cavity, upper-lower limbs & Genitals) which is considered as an ADR. In drug induced necrolysis these fluid filled lesions when ruptured to form erosions & that blister fluid was responsible for detachment of epidermis [13-15].

In this case the patient was treated with systemic corticosteroid therapy, Antibiotics, supportive systemic care & same topical creams. For Leptospirosis Doxycycline 200 mg was given, to treat Jaundice Hepamerz 100 mg given. The systemic corticosteroids like injection Methyl Prednisolone 2CC in IV form was given for 20 days. It is mainly used to treat pain & swelling that occurs with erosions which were ulcerated. There is an exacerbation of fluid filled lesions over the eyes with continuous discharge & redness of the eyes was observed to cure it Moxvel topical eye drops, Lacrygel & Moxicipointment was given which is used to relieve Infection, Inflammation & irritation of the eye. In chronic condition of ophthalmic pathogenic process can lead to vision impairment & loss [16]. The lesions which are developed on ocular region due to pathological condition resulting from a disease or injury [17]. Supportive systemic care like continuous IV infusion of normal saline was provided for maintenance of electrolyte balance & application of some topical creams like Fucidid, Mucopin which is a Steroid for topical erosions. Multiple fluid filled lesions over the oral cavity gets ruptured & forms erosions which are very painful & causing severe complications [16] like impairing speech & feeding. For mucocutaneous oral lesions, Tess gel was given which is a Steroid & used as a topical pain reliever. For severe mucocutaneous hypersensitivity reactions, Pheniraminemalease was given in an i.m form. The patient has nutrient deficiency because she was unable to feed through oral cavity as there is a mucocutaneous oral lesion to treat this, the nutrient supplement like Astymin administered which contains Amino acids and other nutrients like tryptophan which is a stress reliever/reducer was given along with Continuous i.v saline infusions. The patient condition got randomized by providing with the above treatment like Steroidal therapy, supportive systemic care and some topical creams for healing the mucocutaneous oral & skin lesions.

Figure: Demonstrating Multiple Skin Erosions All over the body, a) Both Hands, b) Left limb, c) Right limb, d) Face & Scalp region e) Back region, f) Trunk & Chest region

4. Conclusion

We are reporting that this exploratory clinical study proves the safety & efficacy of systemic steroidal therapy, Antibiotics, supportive systemic care & topical creams. The most commonly used drugs in the management of Leptospirosis & SJS were corticosteroids & selective antibiotic therapy. The fluid filled vesicles & bullae with erosions all over the body (face, mouth, trunk & both upper-lower limbs, Genitals) was got healed and the patient condition was randomized the results need to be further confirmed in a large randomized controlled clinical trials which is an ongoing in our tertiary care teaching hospital.

Conflict of Interest

The authors declare no conflict of interests with respect to authorship & publication of the case.

Acknowledgement

Authors want to thank the dean, teaching and non-teaching staff/faculty of the Santhiram medical college & hospital for their support to our observational studies. Also we thank Santhiram college of Pharmacy for providing the hospital facility & Speciality features.

References

1. Paul N Levett, et al. NCBI, PMC; U.S National library of medicine; National institutes of Health American Society for Microbiology-Clinical Microbiology reviews leptospirosis: *clinMicrobiol Rev* 2001 April; 14 (2): 296-326. Doi: 10.1128/CMR.14.2.296-329. 2001.
2. World Health Organisation; Zoonoses&Veterinary Public Health; Diseases – Leptospirosis [serial in Internet] [cited on 26 February 2021]
3. Chave TA, Mortimer NJ, Sladden MJ, Hall AP, Hutchinson PE. Toxic epidermal necrolysis: Current evidence, practical management and future directions. *Br J Dermatol*. 2005;153:241-253.
4. Lissa M, Mulas P, Bulla A, Rubino C. Toxic epidermal necrolysis (Lyell's disease) *Burns*. 2010;36:152-163.
5. Abe, R., Shimizu, T., Shibaki, A., Nakamura, H., Watanabe, H. and Shimizu, H. Toxic epidermal necrolysis and Stevens-Johnson syndrome are induced by soluble Fasligand. *The American journal of Pathology*. 2003;162(5);1515-1520.
6. Nassif A, Moslehi H, Le Gouvello S, Bagot M, Lyonnet L, Michel L. Evaluation of the potential role of cytokines in toxic epidermal necrolysis. *J Invest Dermatol*. 2004;123:850-855.
7. Chung WH, Hung SI, Yang JY, Su SC, Huang SP, Wei CY. Granulysin is a key mediator for disseminated Keratinocyte death in Stevens-Johnson syndrome and toxic epidermal necrolysis. *Nat Med*. 2008;14:1343-1350.
8. Lyell A. Toxic epidermal necrolysis: an eruption resembling scalding of the skin. *Br J Dermatol*. 1956;68:355-61.
9. Nagy N, McGrath JA. Blistering skin disease: a bridge between dermatopathology and molecular biology. *Histopathology*. 2010 Jan;56(1):91-9.
10. Assier H, Bastuji-Garin S, Revuz J, Roujeau J-C. Erythema multiforme with mucous membrane involvement and Steven-Johnson syndrome are clinically different disorders with distinct causes. *Arch. Derm*. 1995;131:539-543.
11. Bastuji-Garin S, Rzany B, Stern RS, Shear NH, Naldi L, Roujeau J-C. Clinical classification of the cases of toxic epidermal necrolysis, Steven Johnson syndrome, and erythema multiforme. *Arch. Dermatol*. 1993;129:92-96.
12. Auquier-Dunant A, Mockenhaupt M, Naldi L, Correia O, Schroder W, Roujeau JC. Correlations between clinical patterns and causes of erythema multiforme/major, Steven-Johnson syndrome, and toxic epidermal necrolysis: results of an international prospective study. *Arch. Dermatol*. 2002;138:1019-1024.
13. Morel E, Escamochero S, Cabanas R, Diaz R, Fiandor A, Bellon T. CD94/NKG2C is a killer effector molecule in patients with Stevens-Johnson syndrome and toxic epidermal necrolysis. *J Allergy Clin Immunol*. 2010;125:703-710.
14. Nassif A, Moslehi H, Le Gouvello S, Bagot M, Lyonnet L, Michel L, Bournselle L, Bensussan A, Roujeau JC. Evaluation of the potential role of cytokines in toxic epidermal necrolysis. *J Invest Dermatol*. 2004;123:850-855.
15. Gaultier F, Ejeil AL, Igondjo-Tchens, Dohan D, Dridi SM, Maman L, Wierzbica CB, Stanica D, Pellat B, Lafont A, Godeau G, Gogly B. Possible. Toxic Epidermal Necrolysis Management issues PMID: 22928157. *Int J Burns Trauma*. 2011;1(1):42-50. Published online 2011 Sep 3.
16. Lee HY, Walsh SA, Creamer D. Long-term complications of Stevens-Johnson syndrome/toxic epidermal necrolysis (SJS/TEN): the spectrum of chronic problems in patients who survive an episode of SJS/TEN necessitates multidisciplinary follow-up. *Br J Dermatol*. 2017 Oct;177(4):924-935
17. Chan F, Benson MD, Plemel DJA, Mahmood MN, Chan SM. A diagnosis of Stevens - Johnson syndrome (SJS) in a patient presenting with superficial keratitis. *Am J Ophthalmol Case Rep*. 2018.

Submit your manuscript to Boston science publishing journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your manuscript at [boston-science-publishing.com](https://www.boston-science-publishing.com)