## The Fires, Asian, and Stratospheric Transport-Las Vegas Ozone Study (FAST-LVOS)

- Andrew O. Langford<sup>1</sup>, Christoph J. Senff<sup>1,2</sup>, Raul J. Alvarez II<sup>1</sup>, Ken C. Aikin<sup>1,2</sup>, Sunil Baidar<sup>1,2</sup>, 5 Timothy A. Bonin<sup>1,2\*</sup>, W. Alan Brewer<sup>1</sup>, Jerome Brioude<sup>3</sup>, Steven S. Brown<sup>1,4</sup>, Joel D. Burley<sup>5</sup>, Dani J. Caputi<sup>6</sup>, Stephen A. Conley<sup>7</sup>, Patrick D. Cullis<sup>2,8</sup>, Zachary Decker<sup>1,2</sup>, Stéphanie Evan<sup>3</sup>, Guillaume Kirgis<sup>1,2§</sup>, Meiyun Lin<sup>9,10</sup>, Mariusz Pagowski<sup>2,11</sup>, Jeff Peischl<sup>1,2</sup>, Irina Petropavlovskikh<sup>2,8</sup>, R. Bradley Pierce<sup>12</sup>, Thomas B. Ryerson<sup>1,7</sup>, Scott P. Sandberg<sup>1</sup>, Chance W.
- Sterling<sup>2,8¶</sup>, Ann M. Weickmann<sup>1,2</sup>, Li Zhang<sup>9,10†</sup> 10

<sup>1</sup>NOAA Chemical Sciences Laboratory, Boulder, CO, USA. <sup>2</sup>Cooperative Institute for Research in Environmental Sciences, University of Colorado, Boulder, CO. USA. <sup>3</sup>Laboratoire de l'Atmosphere et des Cyclones (LACy), UMR 8105, CNRS, Université de La Réunion, Météo-France, Saint-Denis, La Reunion, France.

<sup>4</sup>Department of Chemistry, University of Colorado, Boulder, CO, USA.

<sup>5</sup>Department of Chemistry, St. Mary's College of California, Moraga, CA, USA.

<sup>6</sup>Department of Land, Air, and Water Resources, University of California, Davis, CA, USA.

<sup>7</sup>Scientific Aviation, Inc., Boulder, Colorado, USA.

20 <sup>8</sup>NOAA Global Monitoring Laboratory, Boulder, CO, USA.

<sup>9</sup>Program in Atmospheric and Oceanic Sciences, Princeton University, NJ, USA. <sup>10</sup>NOAA Geophysical Fluid Dynamics Laboratory, Princeton, NJ, USA. <sup>11</sup>NOAA Global Systems Laboratory, Boulder, CO, USA. <sup>12</sup>NOAA/NESDIS Center for Satellite Applications and Research, Cooperative Institute for Meteorological Satellite Studies, Madison, WI, USA.

\* Now at: MIT Lincoln Laboratory, Lexington MA, USA. § Now at: 2210 Kirby Ave, Chattanooga, TN, USA. ¶ Now at: C&D Technologies Inc., Philadelphia, PA, USA.

30 <sup>†</sup> Now at: Department of Meteorology and Atmospheric Science, The Pennsylvania State University, University Park, PA, USA

*Correspondence to: Andrew O. Langford (andrew.o.langford@noaa.gov)* 

25




Figure S1. (a) Time series of the 1-min (a) pressure, (b) temperature, (c) dewpoint, (d) wind speed, and (e) wind direction measurements from the weather stations in the TOPAZ truck (black) and mobile laboratory (red). The red axes on the right in (a) and (b) show the pressure and temperature measurements from the mobile laboratory. The gray points at the beginnings of the plots are from the KVGT tower. (f) Solar radiation from the Henderson F0069 station (black) and the SMYC (red). (g) Boundary layer heights from the micro-Doppler lidar at the NLVA; the dashed line shows the elevation of Angel Peak. The gray bands show the four *FAST*-LVOS IOPs. There was no measurable rainfall during the 6-week campaign.




Figure S2. GOES-13 4-km 6.9 µm (mid-tropospheric) water vapor imagery for (a) 00UT 18 May, (b) 12UT 25 May, (c) 06UT 02 June, (d) 12UT 12 June, (e) 12UT 18 June, and (f) 06UT 29 June. Cooler colors show lower temperatures and high cloud tops. Warmer colors correspond to higher temperatures. During winter and spring this corresponds to deeper levels of the atmosphere which is an indication of drier air aloft. The deep red areas in the lower panels show warmer tropical air associated with the subtropical ridge. Images courtesy of D. Watson (NOAA/NESDIS/STAR/RAMMB CIRA/Colorado State University).




Figure S3. Water vapor mixing ratios measured by the ozonesonde and aircraft during the outgoing (left) and returning (right) flights on: (a), (b) 25 May, (c), (d) 2 June, (e), (f) 12 June, and (g), (h) 28 June. The horizontal dashed lines show the boundary layer height inferred from the NLVA Doppler lidar measurements.




Figure S4. Methane mixing ratios measured by Scientific Aviation aircraft during the outgoing (left) and returning (right) flights on: (a), (b) 25 May, (c), (d) 2 June, (e), (f) 12 June, and (g), (h) 28 June. The horizontal dashed lines show the boundary layer height inferred from the NLVA Doppler lidar measurements.