Supplement of

Sensitivity of simulated CO₂ concentration to sub-annual variations in fossil fuel CO₂ emissions

X. Zhang et al.

Correspondence to: X. Zhang (tyouxia@gmail.com)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.

Figure SI.1. Normalized diurnal cycle of FFCO₂ emissions over three large source regions (US: solid gray, Western Europe: solid blue; China: solid orange) and the normalized diurnal cycle of biospheric fluxes for the tropics and northern middle latitude (20°S~ 50°N) (solid green). Also plotted are the normalized diurnal cycle of planetary boundary layer height for the three LSRs (US: dashed gray; Western Europe: dashed blue; China: dashed orange) and that for the region of biospheric fluxes (dashed green).

Figure SI.2. Daily FFCO₂ emissions for each day of the week: a) for Monday, b) for Tuesday, c) for Wednesday, d) for Thursday, e) for Friday, f) for Saturday and g) for Sunday.

Figure SI.3. Normalized monthly FFCO₂ emissions for three large source regions (US: solid gray, Western Europe: solid blue and China: solid orange) and normalized monthly biospheric fluxes for the tropics and northern middle latitude (20°S~ 50°N) (solid green).

Figure SI.4. Annual mean surface FFCO₂ concentration difference between the WCE and FE FFCO₂ emission fields.

Figure SI.5. Annual mean surface CO₂ concentration difference between the biospheric fluxes and the 350 ppmv initial condition.

Figure SI.6. Difference in diurnal peak-to-peak amplitude of surface FFCO₂ concentration between diurnal FFCO₂ simulation and biospheric simulation (FFCO₂ minus biospheric CO₂). In the figure, a) for January and b) for July.

Figure SI.7. Maximum and minimum of seasonal surface FFCO₂ concentration difference between monthly cycle emissions (MCE) and flat emissions (FE) (MCE minus FE). a) seasonal maximum; b) seasonal minimum.

Figure SI.8. Timing of seasonal maximum and minimum of surface FFCO₂ concentration difference between monthly FFCO₂ emissions (MCE) and flat FFCO₂ emissions (FE). In the figure, a) maximum; b) minimum.

Figure SI.9. Column-averaged annual mean FFCO₂ concentration difference between cyclic FFCO₂ emissions and flat emissions. In the figure, a) for alltime cycle emissions (ACE); b) for monthly emissions (MCE); c) for diurnal cycle emissions (DCE) and d) for weekly cycle emissions (WCE).