Supplementary Information

Assessing the sources of particles at an urban background site using both regulatory instruments and low-cost sensors – A comparative study

Dimitrios Bousiotis¹, Ajit Singh¹, Molly Haugen³, David C.S. Beddows¹, Sebastián Diez², Pete M. Edwards², Adam Boies³, Roy M. Harrison¹ and Francis D. Pope¹

¹ Division of Environmental Health and Risk Management
School of Geography, Earth and Environmental Sciences
University of Birmingham, Edgbaston, Birmingham B15 2TT, United Kingdom

² Wolfson Atmospheric Chemistry Laboratories, Department of Chemistry, University of York, Heslington, York YO10 5DD, United Kingdom

³ Department of Engineering, University of Cambridge, Trumpington Street, Cambridge, CB2 1PZ, United Kingdom

Table S1: Conditions for the simultaneous occurrence of the clusters from the OPC and SMPS datasets

NO₂ (ppb)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	14.27	22.59	3.98	14.49	17.80	14.86	18.56
OPC.2	12.60	9.10	NA	10.14	NA	8.17	9.64
OPC.3	NA	NA	NA	13.10	NA	NA	13.10
OPC.4	13.64	14.42	4.30	11.44	2.50	10.25	11.50
OPC.5	23.40	17.24	5.32	21.17	30.99	17.58	18.30
OPC.6	8.68	10.84	3.03	8.80	NA	8.17	8.58
Avg. SMPS	16.03	16.80	4.38	14.26	29.83	13.20	

BC (ng m⁻³)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	351.1	602.6	82.2	392.5	370.1	357.3	554.6
OPC.2	237.8	223.8	NA	261.0	NA	190.6	232.9
OPC.3	NA	NA	NA	278.0	NA	NA	278.0
OPC.4	295.4	278.5	85.7	329.5	29.4	261.6	280.6
OPC.5	1029.7	481.7	94.4	849.1	1448.5	510.3	659.3
OPC.6	194.8	189.5	83.2	240.9	NA	198.2	197.5
Avg. SMPS	485.5	405.7	88.1	451.7	1389.1	340.1	

O₃ (ppb)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	32.5	28.7	42.1	33.8	26.6	35.0	31.9
OPC.2	38.4	39.3	NA	38.3	NA	38.7	38.6
OPC.3	NA	NA	NA	37.6	NA	NA	37.6
OPC.4	33.4	34.2	41.2	37.6	44.2	37.2	36.5
OPC.5	28.4	33.0	40.2	32.3	15.0	33.3	31.5
OPC.6	40.2	37.0	44.0	40.6	NA	40.4	40.0
Avg. SMPS	32.2	32.9	41.6	35.6	16.1	36.0	

PM₁ (µg m⁻³)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	2.88	3.28	2.40	3.43	4.60	2.53	4.32
OPC.2	1.30	1.95	NA	3.10	NA	2.50	2.56
OPC.3	NA	NA	NA	2.95	NA	NA	2.95
OPC.4	2.42	1.97	2.42	3.20	0.30	2.33	2.51
OPC.5	5.63	3.16	2.78	5.38	18.72	3.14	6.27
OPC.6	2.25	2.31	2.73	3.23	NA	3.04	2.85
Avg. SMPS	3.35	2.70	2.64	3.77	17.95	2.68	

PM₁₀ (µg m⁻³)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	6.97	9.77	8.95	9.23	8.60	7.98	9.97
OPC.2	5.90	8.75	NA	11.46	NA	12.17	10.65
OPC.3	NA	NA	NA	9.70	NA	NA	9.70
OPC.4	7.32	6.54	7.97	11.11	0.90	7.66	8.33
OPC.5	17.26	10.48	10.18	13.98	26.11	10.81	13.30
OPC.6	8.32	8.84	8.66	11.16	NA	11.62	10.31
Avg. SMPS	9.52	8.91	9.26	11.12	25.09	9.12	

Organic (µg m⁻³)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	0.201	0.219	0.061	0.293	0.603	0.230	0.254
OPC.2	0.012	0.183	NA	0.191	NA	0.076	0.142
OPC.3	NA	0.145	NA	0.088	0.738	0.116	0.241
OPC.4	0.127	0.074	0.051	0.168	0.747	0.121	0.192
OPC.5	0.373	0.115	0.041	0.396	1.425	0.170	0.338
OPC.6	0.118	0.094	0.110	0.102	0.739	0.081	0.116
Avg. SMPS	0.215	0.132	0.062	0.249	1.066	0.164	

NO₃⁻ (µg m⁻³)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	0.055	0.037	0.057	0.084	0.323	0.065	0.089
OPC.2	0.003	0.019	NA	0.018	NA	0.016	0.016
OPC.3	NA	0.030	NA	0.008	0.350	0.032	0.084
OPC.4	0.026	0.013	0.015	0.092	0.642	0.026	0.108
OPC.5	0.097	0.029	0.008	0.119	0.641	0.028	0.131
OPC.6	0.016	0.020	0.011	0.018	0.639	0.013	0.036
Avg. SMPS	0.055	0.026	0.021	0.081	0.574	0.039	

SO₄²⁻ (µg m⁻³)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	0.034	0.013	0.045	0.057	0.099	0.033	0.041
OPC.2	0.004	-0.013	NA	0.058	NA	0.020	0.030
OPC.3	NA	0.058	NA	-0.007	0.154	0.037	0.067
OPC.4	0.020	0.020	0.081	0.042	0.163	0.026	0.045
OPC.5	0.037	0.028	0.003	0.050	0.139	0.031	0.041
OPC.6	0.027	0.027	0.065	0.026	0.205	0.024	0.035
Avg. SMPS	0.031	0.025	0.037	0.047	0.141	0.029	

RH (%)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	86.5	80.5	79.3	82.0	98.3	83.5	83.9
OPC.2	70.8	67.8	NA	68.3	NA	55.1	65.1
OPC.3	NA	92.4	NA	69.6	99.0	94.5	91.8
OPC.4	86.3	84.0	79.7	79.8	94.4	82.3	83.4
OPC.5	83.4	78.1	79.0	78.2	91.6	77.4	82.6
OPC.6	79.7	88.5	83.8	75.5	98.3	78.0	80.8
Avg. SMPS	85.1	83.2	80.1	79.3	93.9	80.9	

WS (m s⁻¹)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	4.24	3.55	6.38	4.81	2.36	4.97	4.16
OPC.2	6.30	6.90	NA	7.07	NA	7.62	7.10
OPC.3	NA	3.44	NA	5.90	2.09	4.07	3.47
OPC.4	4.01	3.68	6.98	4.28	3.97	5.13	4.46
OPC.5	3.33	4.16	7.13	4.55	2.06	4.04	4.38
OPC.6	5.78	3.27	8.38	5.41	2.76	4.76	4.99
Avg. SMPS	4.10	3.74	7.19	4.77	2.60	4.83	

T (°C)	SMPS.1	SMPS.2	SMPS.3	SMPS.4	SMPS.5	SMPS.6	Avg. OPC
OPC.1	5.17	4.15	5.48	5.99	5.28	5.76	5.20
OPC.2	5.44	6.64	NA	7.06	NA	8.42	7.16
OPC.3	NA	4.10	NA	7.47	5.50	3.73	4.60
OPC.4	5.42	4.24	6.19	7.24	6.84	6.55	6.26
OPC.5	5.73	6.76	8.10	7.56	3.72	6.20	6.68
OPC.6	7.72	3.16	9.11	8.18	5.80	5.79	6.42
Avg. SMPS	5.53	4.64	7.43	6.97	4.90	6.10	NA

Table S2: Weekly conditions for the time of the study (week number refers to weeks from the start of the year 2020)

Week	NO ₂ (ppb)	BC (ng m ⁻³)	PM ₁ (mg m ⁻³)	PM _{2.5} (mg m ⁻³)	PM ₁₀ (mg m ⁻³)	O ₃ (ppb)	NH ₄ ⁺ (μg m ⁻³)	Org (μg m ⁻³)	SO ₄ ²⁻ (μg m ⁻³)	NO ₃ ⁻ (μg m ⁻³)	RH (%)	WS (m s ⁻¹)	T (°C)
4	NA	NA	NA	NA	NA	NA	0.223	0.663	0.149	0.547	97.3	2.43	5.41
5	8.11	208	3.63	7.65	12.8	39.0	0.067	0.315	0.068	0.131	89.7	4.21	6.81
6	21.3	865	8.27	12.2	18.1	28.0	0.081	0.570	0.070	0.212	82.6	3.30	5.96
7	10.0	210	2.27	4.67	8.02	37.2	0.005	0.073	0.016	0.010	79.1	6.68	5.40
8	7.34	189	2.71	5.32	8.45	42.0	0.010	0.102	0.038	0.012	77.1	7.27	9.17
9	14.6	360	2.18	3.58	6.05	34.2	0.019	0.183	0.037	0.036	83.0	4.61	5.41
10	22.2	711	6.40	8.93	12.9	30.6	0.029	0.156	0.018	0.072	83.0	2.96	4.38
11	9.49	232	2.28	4.46	7.68	38.5	0.004	0.035	0.009	0.006	79.1	5.74	8.34

Figure S1: Polar plots of the average conditions and wind rose for the period studied

Figure S2: Average particle concentration and volume profiles for the OPC clusters

1 Frequency of counts by wind direction (%) **2** Frequency of counts by wind direction (%)

3 Frequency of counts by wind direction (%) **4** Frequency of counts by wind direction (%)

5 Frequency of counts by wind direction (%) **6** Frequency of counts by wind direction (%)

Figure S3: Wind direction profiles for the OPC clusters

NOAA HYSPLIT MODEL
Backward trajectories ending at 1400 UTC 12 Mar 20
GDAS Meteorological Data

Figure S4: Particle size distribution on the 12th of March 2020 as found by the

Figure S5: Average particle concentration and volume profiles for the SMPS clusters

0 to 2 2 to 4 4 to 6 to 10.882
(m s⁻¹)

1 Frequency of counts by wind direction (%) **2** Frequency of counts by wind direction (%)

0 to 2 2 to 4 4 to 6 to 11.205
(m s⁻¹)

0 to 2 2 to 4 4 to 6 to 13.011
(m s⁻¹)

0 to 2 2 to 4 4 to 6 to 10.785
(m s⁻¹)

3 Frequency of counts by wind direction (%) **4** Frequency of counts by wind direction (%)

0 to 2 2 to 4 4 to 6 to 8.968
(m s⁻¹)

0 to 2 2 to 4 4 to 6 to 11.33
(m s⁻¹)

5 Frequency of counts by wind direction (%) **6** Frequency of counts by wind direction (%)

Figure S6: Wind direction profiles for the SMPS clusters

Figure S7: PM_{10} polar plots of the clusters formed by the SMPS data