

Geochemical zones and environmental gradients for soils from the Central Transantarctic Mountains, Antarctica

Melisa A. Diaz^{1,2†*}, Christopher B. Gardner^{1,2}, Susan A. Welch^{1,2}, W. Andrew Jackson³, Byron J. Adams⁴, Diana H. Wall⁵, Ian D. Hogg^{6,7}, Noah Fierer⁸, W. Berry Lyons^{1,2}

¹School of Earth Sciences, The Ohio State University, Columbus, OH, USA

²Byrd Polar and Climate Research Center, The Ohio State University, Columbus, OH, USA

³Department of Civil, Environmental, & Construction Engineering, Texas Tech University, Lubbock, TX, USA

⁴Department of Biology, Evolutionary Ecology Laboratories, and Monte L. Bean Museum, Brigham Young University, Provo, UT, USA

⁵Department of Biology and School of Global Environmental Sustainability, Colorado State University, Fort Collins, CO, USA

⁶Canadian High Arctic Research Station, Polar Knowledge Canada, Cambridge Bay, Nunavut, Canada

⁷School of Science, University of Waikato, Hamilton, New Zealand

⁸Department of Ecology and Evolutionary Biology and Cooperative Institute for Research in Environmental Science, University of Colorado Boulder, Boulder, CO, USA


[†]Now at Departments of Geology and Geophysics and Applied Ocean Physics and Engineering, Woods Hole Oceanographic Institution, Woods Hole, MA, USA

Correspondence to: Melisa A. Diaz (mdiaz@whoi.edu)

21 **Supplementary materials:**

22

23 **Figure S1:** Images of black lichen (a), green lichen (b), collembola (c), and multiple lichen species (d) at Mt. Speed and Mt.
24 Wasko.
25



26

27 **Table S1:** Analytical precision and accuracy for water-soluble salts.

28

29 **Table S2:** Water-soluble ion concentrations from 1:5 soil to water leaches (Salts).

30

31 **Table S3:** Random forest model imputed training dataset (RFSalts_Train).

32

33 **Table S4:** Random forest model imputed testing dataset (RFSalts_Test).

34