Corrigendum to The Cryosphere, 12, 3409–3418, 2018 https://doi.org/10.5194/tc-12-3409-2018-corrigendum © Author(s) 2018. This work is distributed under the Creative Commons Attribution 4.0 License.





Corrigendum to

"Brief communication: Impact of the recent atmospheric circulation change in summer on the future surface mass balance of the Greenland Ice Sheet" published in The Cryosphere, 12, 3409–3418, 2018

Alison Delhasse¹, Xavier Fettweis¹, Christoph Kittel¹, Charles Amory¹, and Cécile Agosta^{1,2}

Correspondence: Alison Delhasse (alison.delhasse@uliege.be)

Published: 13 December 2018

In the mentioned paper, values of integrated anomalies of summer shortwave fluxes (W m $^{-2}$) in Table 3 were incorrect. The correct table is as follows with corrected values (-4.2 and -5.8) in bold italics.

¹Laboratory of Climatology, Department of Geography, University of Liège, Liège, Belgium

²Laboratoire des Sciences du Climat et de l'Environnement, Gif-sur-Yvette, France

Table 3. Mean GrIS integrated anomalies of summer energy fluxes (W m $^{-2}$) and summer surface 2 m temperature ($^{\circ}$ C) compared to 1980–1999. Anomalies from GCM-forced simulations are given as averaged. Anomalies greater than the 1980–1999 standard deviation (i.e. greater than the inter-annual variability) of the simulation of MAR forced by unaltered ERA-Interim are shown in bold.

	Temperature increase (°C)	ERA-Interim 1980–1999 (MARera)	Forcing ERA-Interim 2000–2016 (MARera2k)	Mean of the 3 GCMs
JJA mean SWD (W m ⁻²)	+0	0.0	3.7	0.0
	+1	-2.7	0.9	-0.7
	+1.5	- 4.2	-0.6	-2.4
	+2	- 5.8	-2.2	-3.9
JJA mean LWD (W m ⁻²)	+0	0.0	3.2	0.0
	+1	4.8	8.1	4.5
	+1.5	7.2	10.6	7.3
	+2	9.7	13.2	9.4
JJA mean absorbed SWD (W m ⁻²)	+0	0.0	5.4	0.0
	+1	1.9	7.5	2.0
	+1.5	3.0	8.8	2.8
	+2	4.0	10.0	3.9
JJA mean T2m (°C)	+0	0.00	1.24	0.00
	+1	0.97	2.20	1.07
	+1.5	1.45	2.68	1.62
	+2	1.93	3.15	2.01