Supplementary Information for:

Brief communication: Organochlorine pesticides in an archived ice core from Law Dome, East Antarctica

Marie Bigot^{*1}, Mark A.J. Curran^{2,3}, Andrew D. Moy^{2,3}, Derek C.G. Muir⁴, Darryl W. Hawker⁵, Roger Cropp⁵, Camilla F. Teixeira⁴ and Susan Bengtson Nash¹

¹ Environmental Futures Research Institute, Griffith University, 170 Kessels Rd, Nathan, QLD 4111, Australia

² Australian Antarctic Division, 203 Channel Highway, Kingston, TAS 7050, Australia

³ Antarctic Climate and Ecosystems Cooperative Research Centre, University of Tasmania, Private Bag 80, Hobart TAS 7001, Australia.

⁴ Aquatic Contaminants Research Division, Environment Canada, 867 Lakeshore Rd, Burlington ON, L7R 4A6 Canada

⁵ School of Environment, Griffith University, 170 Kessels Rd, Nathan, QLD 4111, Australia

Correspondence to: Marie Bigot (marie.bigot@griffithuni.edu.au)

Table 1: Surrogate standard recoveries for ice core sample A and B (in %)

Sampling material	XAD (dissolved compounds)		Glass fibre filter (particles)	
	A	B	A	B
Sample #				
Hexachlorobenzene, ¹³C₆-	15	18	17	6
α-HCH, ¹³C₆-	46	53	47	50
γ-HCH-D6	30	39	48	51
Heptachlor, ¹³C₁₀-	130	128	77	80
Oxychlorane, ¹³C₁₀-	49	56	64	64
trans-Nonachlor, ¹³C₁₀-	63	66	51	59
Dieldrin, ¹³C₁₂-	47	55	52	58
Endrin, ¹³C₁₂-	49	67	72	82
Endosulfan II, ¹³C₉-	22	34	43	49
4,4'-DDE, ¹³C₁₂-	36	42	43	46
4,4'-DDD, ¹³C₁₂-	14	21	42	42
4,4'-DDT, ¹³C₁₂-	8	11	40	36
Methoxychlor-D6	102	168	37	36
Mirex, ¹³C₁₀-	5	5	21	18
Mirex, ¹³C₈-*	7	6	30	28
δ-HCH*	135	67	96	110

Notes: * indicates surrogate standards added prior to sampling (XAD) or prior to extraction (filters)