SEP 7 1960

CRPL-F192 PART A

FOR OFFICIAL USE

Reference book not to be
taken from the library.

PART A
IONOSPHERIC DATA

ISSUED
AUGUST 1960

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

CRPL-F 192
PART A

NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

Issued
22 Aug. 1960

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions	ii
World-Wide Sources of Ionospheric Data.	v
Tabulations of Electron Density Data.	viii
Tables of Ionospheric Data.	1
Graphs of Ionospheric Data.	13
Index of Tables and Graphs of Ionospheric Data in CRPL-F192 (Part A).	49

SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

In the Second Report of the Special Committee on World-Wide Ionospheric Soundings of the URSI/AGI Committee, May 1957, a new descriptive letter was introduced:

- M Measurement questionable because the ordinary and extraordinary components are not distinguishable.

There was an expansion in meaning of the following:

- Z (1) (qualifying letter) Measurement deduced from the third magnetoionic component.
(2) (descriptive letter) Third magnetoionic component present.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

- a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N or R are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'f (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

B for fEs is counted on the low side when there is a numerical value of a higher layer characteristic; otherwise it is omitted from the median count.

S for fEs is counted on the low side at night; during the day it is omitted from the median count (beginning with data for November 1957).

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with CRPL-F188, Part A, issued April 1960, the count is given for foF2 in the tables of medians. It is regretted that space limitations prevent including detailed counts for other characteristics.

To indicate further in a general manner the relative reliability of the data, for the F2 layer, h'F or foEs, if the count is from five to nine, or, for all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is enclosed in parentheses. Medians are computed for less than five values for foF2 only.

Ordinarily, a blank space in the fEs or foEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE. Blank spaces at the beginning and end of columns of h'F2 or h'F1, foF1, h'E, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of h'F1 and foF1 is usually the result of seasonal effects.

There is no indication on the graphs of the relative reliability of the observed data; it is necessary to consult the tables for such information.

The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

The latest available information follows concerning the smoothed observed Zürich numbers beginning with the minimum of April 1954. Final numbers are listed through June 1959.

Smoothed Observed Sunspot Number

[illegible]

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 144 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Republica Argentina, Ministerio de Marina:

Buenos Aires, Argentina
La Quiaca, Argentina
Trelew, Argentina
Tucuman, Argentina
Ushuaia, Argentina

Commonwealth of Australia, Ionospheric Prediction Service of the Commonwealth Observatory:

Brisbane, Australia
Canberra, Australia
Hobart, Tasmania
Townsville, Australia

Australian Department of Supply and Shipping, Bureau of Mineral Resources, Geology and Geophysics:
Mundaring, Western Australia

Meteorological Service of the Belgian Congo and Ruanda-Urundi:

Bunia, Belgian Congo
Elisabethville, Belgian Congo
Leopoldville, Belgian Congo

Belgian Royal Meteorological Institute:

Dourbes, Belgium
Lwiro (Central African Institute for Scientific Research)

Escola Politecnica, University of Sao Paulo:

Sao Paulo, Brazil

British Department of Scientific and Industrial Research, Radio Research Board:

Inverness, Scotland
Port Lockroy
Slough, England

Defence Research Board, Canada:

Churchill, Canada
Eureka, Canada
Frobisher, Canada
Meanook, Canada
Ottawa, Canada
Resolute Bay, Canada
St. John's, Newfoundland
Victoria, Canada
Winnipeg, Canada
Yellowknife, Canada

Instituto Geofisico de Los Andes Colombianos:

Bogota, Colombia

Danish National Committee of URSI:

Narsarssuak, Greenland

General Direction of Posts and Telegraphs, Helsinki, Finland:

Nurmijarvi, Finland

The Finnish Academy of Sciences and Letters:

Sodankyla, Finland

French National Center for Telecommunications Studies:

Djibouti, French Somaliland
Tananarive, Madagascar

Heinrich Hertz Institute, German Academy of Sciences, Berlin:

Juliusruh/Rügen, Germany

Institute for Ionospheric Research, Lindau Über Northeim, Hannover,
Germany:

Lindau/Harz, Germany

Ionospheric Institute, Breisach, Germany:

Freiburg, Germany

The Royal Netherlands Meteorological Institute:

Paramaribo, Surinam

Geophysical and Geodetic Institute, Genoa, Italy:

Genoa (Monte Capellino), Italy

National Institute of Geophysics, City University, Rome, Italy:

Rome, Italy

Norwegian Defence Research Establishment, Kjeller per Lillestrom,
Norway:
Tromso, Norway

Telecommunication Administration, Oslo, Norway:
Svalbard, Norway

Rhodes University, Union of South Africa:
Grahamstown, Union of South Africa

Research Institute of National Defence, Stockholm, Sweden:
Lycksele, Sweden

Royal Board of Swedish Telegraphs, Radio Department, Stockholm, Sweden:
Lulea, Sweden

Post, Telephone and Telegraph Administration, Berne, Switzerland:
Sottens, Switzerland

United States Army Signal Corps:
Adak, Alaska

National Bureau of Standards (Central Radio Propagation Laboratory):
Boulder, Colorado
Byrd Station, Antarctica
Maui, Hawaii

TABULATIONS OF ELECTRON DENSITY DATA

Reduction of hourly ionospheric vertical soundings to electron density profiles has become a part of the systematic ionospheric data program of the Central Radio Propagation Laboratory, National Bureau of Standards. Scalings of ionograms for this purpose are being provided by ionosphere stations operated by CRPL and the U. S. Army Signal Corps. For the present, the hourly profile data from one CRPL station, Puerto Rico, are appearing in the monthly CRPL-F Reports, Part A. These data are in place of the standard ionogram reductions formerly provided by this Station. The very considerable task of scaling the ionograms for this purpose is being undertaken by T. R. Gilliland, Engineer in Charge, Puerto Rico Ionosphere Sounding Station; the computations are performed at the NBS Boulder Laboratories by a group headed by J. W. Wright. Basic conversion of virtual to true heights uses the well-known matrix method developed by K. G. Budden of the Cavendish Laboratory, Cambridge University, programmed for an IBM 704 computer.

The tabulations provide the following basic electron density profile data for each hour of each day of the month:

<u>Quantity</u>	<u>Units</u>	<u>Remarks</u>
Electron Density (N)	$\times 10^3 = \text{electrons/cm}^3$	Body of table; given at each 10 km of height.
NMAX	$\times 10^3 = \text{electrons/cm}^3$	Always the highest value of N at each hour. To maintain this rule, the electron density at the next 10 km increment above HMAX is always given as exactly equal to NMAX (unless HMAX coincides with a 10 km level).
QUALification	(Alphabetic)	A standard scaling letter qualifying the observation when necessary.
HMIN	Kilometers	The height of zero or very low electron density, obtained by linear extrapolation of the electron density vs. height curve.
SCAT	Kilometers	One half of the half-thickness of the parabola best fitting the upper portion of the F region profile. Approximates the scale height near the level HMAX.
HMAX	Kilometers	The height of maximum electron density, determined by fitting a parabola to the upper portion of the profile.
SHMAX	$\times 10^{10} = \text{electrons/cm}^2$ column.	Obtained by integration of the profile between the limits HMIN and HMAX.

Tabulations of the average electron densities each hour, at each 10 km level, for the quiet ionosphere, are also given. These averages include the profiles obtained when the magnetic character figure Kp is less than 4+. The number of profiles entering the average for each hour is given by CNT. The other parameters of the layer, HMIN, SCAT, HMAX, SHMAX, are averaged in a similar way.

Before the averaging process, the individual profiles are extrapolated above HMAX by a Chapman distribution of 100 km scale height. This assumed model seems to agree well with the few published measurements dealing with the topside profile of the F-region.* Extrapolation is necessary in order to calculate homogeneous averages near HMAX and the average profiles are, in fact, given up to 950 km. Also given are the average estimated integrated electron densities to infinity, SHINF (same units as SHMAX); this is an approximation to the total electron content in a column of the ionosphere.

*See Wright, J.W. "A Model of the F-Region Above HMAX F2" J.Geophys.Res. V.65 pp 185-191.

ELECTRON DENSITY

	PUERTO RICO					60 W				1 APR 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
QUAL	F	F	F	J	J			B		B	B	B	
HMIN	199	202	459	414	276	394	477		110				
SCAT	32*6	56*7	56+4	90*3	61+0	82+2	72*6		273				
HMAXF	289	337	589	598	410	560	621		518				
SHMAX	565	266	369	573	382	431			785				
KM													
630							257						
620							257						
610							255						
600				477			251						
590			446	476			245						
580			443	472			235						
570			433	465		389	225						
560			417	455		389	212						
550			389	441		387	196						
540			358	424		383	176						
530			325	405		376	153						
520			289	385		366	127		240				
510			252	362		352	94*6		240				
500			213	335		336	66*1		240				
490			169	308		318	45*2		239				
480			121	273		257	12*4		239				
470			75+3	237		272			238				
460			12+4	194		246			237				
450				143		219			236				
440				97*2		186			235				
430				60+0		150			234				
420				33+5	461	114			232				
410					461	79+4			231				
400					459	45+6			229				
390					450				227				
380					431				225				
370					409				223				
360					383				220				
350					351				217				
340			329		310				212				
330			328		262				208				
320			322		213				204				
310			311		157				200				
300			294		100				195				
290	1240	273			60+0				191				
280	1215	247			23*7				186				
270	1131	215							182				
260	986	182							178				
250	754	148							175				
240	508	116							172				
230	286	86+0							169				
220		143	57+5						166				
210	71+4	35+0							163				
200	12+4								159				
190									154				
180									149				
170									144				
160									136				
150									128				
140									122				
130									117				
120									112				
110									12+4				

ELECTRON DENSITY

	PUERTO RICO				60 W				1 APR 1960				
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
DUAL		8	8			A		B		A		S	
HMIN				110	110	110	111	199	179	247	223	248	194
SCAT				153	96.8	66.3	65.5	59.6	63.2	66.0	64.0	51.6	64.0
HMAXF				425	369	326	219	744	311	419	283	381	314
SHMAX				1935	1670	1530	1233	1279	1005	553	568	413	355
				KM									
430				949									
420				949						565			
410				947						562			
400				943						553			
390				937						537	634	565	
380				929						514	634	565	
370				919	1119					485	628	558	
360				905	1117					452	614	540	
350				890	1108			1528		414	591	513	
340				875	1093			1526		373	564	477	
330				857	1069	1460		1506		328	527	423	
320				839	1044	1457	1143	1464	1215	280	480	362	446
310				816	1013	1439	1137	1394	1215	232	424	290	446
300				791	975	1405	1115	1309	1205	187	362	222	441
290				754	929	1354	1095	1205	1181	146	300	157	430
280				711	875	1287	1039	1039	1143	108	240	106	414
270				662	819	1206	981	960	1068	731	175	71.4	393
260				612	754	1102	917	794	1016	484	21	46.5	367
250				561	693	990	846	608	923	12.4	83.8	7.6	335
240				515	632	865	771	446	807		55.7		286
230				477	573	742	695	310	668		30.5		219
220				444	524	623	614	179	576				219
210				419	477	517	529	834.8	389				76.2
200				397	433	428	446	12.4	240				40.2
190				373	389	355	374		112				
180				346	346	299	304		12.4				
170				314	302	254	243						
160				280	262	215	196						
150				245	227	182	165						
140				216	198	156	143						
130				195	176	140	126						
120				182	164	133	116						
110				49.6	12.4	60.0							

ELECTRON DENSITY

	PUERTO RICO				60 W				2 APR 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
OVAL		A	A	A				B		A		B
HMIN		288	259	242	283	329	326	197	110	116	110	111
SCAT		57.1	46.7	60.0	69.6	63.6	50.1	59.9	64.0	61.3	77.2	48.0
HMAXF		431	351	372	452	471	421	341	327	348	323	289
SHMAX		237	226	215	273	277	231	393	816	1353	1629	1493
KM												
480						316						
470						316						
460					274	314						
450					274	308						
440		286			272	298						
430		286			267	284	355					
420		283			259	266	355					
410		276			248	245	351					
400		264			235	219	339					
390		247			219	187	321					
380		227		262	201	153	297					
370		203		262	179	121	262					
360		175	375	260	157	90.6	219					
350		145	375	253	133	63.7	166	454		1143		
340		116	370	244	110	42.8	106	454		1138		
330		89.5	356	230	88.5	3.8	44.7	450	735	1117	1446	
320		68.2	337	214	68.9			437	733	1080	1446	
310		51.8	305	193	53.9			420	722	1029	1436	
300		36.8	257	166	42.2			397	703	965	1414	
290		6.3	195	136	17.9			369	673	901	1381	1937
280			132	106				335	634	842	1336	1921
270			71.4	77.9				300	589	788	1277	1856
260			12.4	54.5				258	540	734	1211	1777
250				32.7				215	487	674	1126	1625
240								173	431	608	1013	1420
230								130	376	532	875	1143
220								83.8	326	463	729	875
210								53.1	288	402	598	679
200								17.7	259	353	501	540
190									234	314	428	457
180									209	279	373	397
170									181	242	327	347
160									152	205	286	301
150									129	168	246	252
140									114	142	208	198
130									106	131	177	174
120									100	49.6	158	161
110									60.2		60.3	

ELECTRON DENSITY[illegible]

ELECTRON DENSITY

	PUERTO RICO				60 W				3 APR 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL	A											
HMIN	109	109	109	109	110	109	205	204	197	253	245	287
SCAT	101	57.8	73.5	61.7	47.4	67.4	45.4	52.6	64.2	55.8	73.1	58.8
HMAX	332	287	279	271	252	275	310	320	356	388	409	420
SKM	801	723	681	643	506	544	381	385	417	340	386	382
430												389
420												389
410											389	386
400											387	378
390										432	382	364
380										430	373	344
370										421	360	320
360									454	405	345	289
350										453	382	327
340	492							548	436	316	272	158
330	492											112
320	490						625	548	419	272	235	118
310	486						625	544	395	224	198	75.0
300	480						617	529	368	175	158	48.2
290	469	652					592	505	335	127	127	12.4
280	458	650	590	634		540	555	477	299	8.3	91.7	
270	445	638	588	634		539	501	426	259	58.0	66.2	
260	427	618	581	629	608	534	424	367	215	31.0	46.9	
250	409	586	567	615	607	522	328	298	170		19.9	
240	389	545	549	593	598	503	219	212	130			
230	373	497	526	565	576	480	131	135	95.4			
220	357	449	496	524	537	452	71.4	76.5	66.2			
210	343	410	461	477	488	415	34.0	40.2	45.9			
200	333	380	425	424	434	370			12.4			
190	327	359	391	378	380	323						
180	321	346	362	340	330	277						
170	315	332	338	306	286	233						
160	308	312	313	277	250	198						
150	272	281	286	253	217	169						
140	226	244	237	219	190	145						
130	196	205	202	183	167	126						
120	184	189	186	168	150	116						
110	49.6	143	127	127	49.6	40.2						

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

ELECTRON DENSITY

	PUERTO RICO												60 W												7 APR 1960											
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100																								
QUAL													A												A											
HMIN	240	235	222	187	195	192	237	199	111	109	110	112																								
SCAT	54.9	58.2	47.2	64.5	61.8	75.5	54.3	62.0	45.9	54.1	61.8	48.9																								
HMAXF	357	362	323	367	341	366	352	325	279	300	319	308																								
SHMAX	896	803	543	668	532	481	333	686	986	1529	1941	1841																								
KM																																				
370	1072												688												461											
360	1290												1072												686											
350	1285												1060												676											
340	1260												1033												658											
330	1213												989												896											
320	1143												933												895											
310	1059												851												879											
300	932												746												843											
290	754												619												789											
280	540												477												702											
270	310												286												585											
260	138												143												436											
250	67.3												71.4												286											
240	35.0												143												179											
230													60.0												137											
220																									100											
210																									97.2											
200																									69.7											
190																									60.0											
180																									54.9											
170																									32.2											
160																									29.6											
150																									17.4											
140																									56.7											
130																									17.4											
120																									97.9											
110																									97.2											

PUERTO RICO					60 W					7 APR 1960				
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
QUAL														
HMIN	111	109	109	A		A		A						
SCAT	65.5	63.1	65.3	66.3	61.1	66.8	61.5	57.4	56.7	55.3	49.4	57.6		
HMAXF	343	337	351	349	349		354	354	334	355	381			
SMAXF	2518	2484	2362	2186	2160	2239	1749	1303	1012	894	789	921		
KM														
400														
390														
380														
370														
360														
350	2294	2144		2016	2096	2159	2159		1167	1143				
340	2292	2465	2129	2007	2084	2137	2134	1693	1148	1050	931	1104		
330	2271	2457	2089	1976	2044	2091	2080	1681	1113	896	769	938		
320	2242	2418	2021	1922	1963	2019	1997	1658	1057	794	540	810		
310	2148	2348	1925	1840	1868	1923	1907	1609	986	665	389	661		
300	2051	2247	1812	1742	1750	1808	1754	1533	903	540	240	496		
290	1923	2125	1669	1618	1605	1669	1572	1446	808	417	127	310		
280	1766	1956	1513	1478	1446	1499	1362	1312	705	286	65.9	172		
270	1599	1742	1341	1325	1261	1313	1143	1156	599	179	14.9	83.8		
260	1430	1508	1194	1143	996	1143	834	981	499	97.2		43.7		
250	1265	1278	1050	980	931	938	508	781	401	52.6				
240	1118	1079	935	834	794	754	240	540	305					
230	970	875	754	703	662	598	97.2	310	219					
220	834	673	643	596	554	477	12.4	143	137					
210	705	563	540	508	466	389		12.4	87.6					
200	594	477	463	436	398	319			53.7					
190	494	417	405	382	342	268			12.4					
180	407	377	357	341	292	227								
170	352	344	314	305	248	192								
160	313	317	276	268	207	163								
150	277	290	242	227	179	142								
140	237	248	221	194	163	129								
130	203	210	198	176	154	121								
120	184	188	185	166	147	114								
110	97.2	97.2	97.2	83.8	49.6									

ELECTRON DENSITY

ELECTRON DENSITY

PUERTO RICO													60 W													11 APR 1960																																																																																																																																																												
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	TIME	2300	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100																																																																																																																																																
QUAL	A													R													A																																																																																																																																																											
HMIN	228	219	220	244	247	216	220	199	108	109	108	109	HMIN	108	109	109	109	110	110	110	110	110	110	110	HMIN	108	109	109	109	110	110	110	110	110	110	110	110	110	110	110																																																																																																																																														
SCAT	63.0	56.1	62.1	54.8	54.2	60.0	52.1	47.4	77.1	55.8	78.1	59.1	SCAT	68.9	52.9	60.6	60.4	68.7	58.5	68.9	52.9	60.6	60.4	68.7	SCAT	68.9	52.9	60.6	60.4	68.7	58.5	68.9	52.9	60.6	60.4	68.7	58.5	68.9	52.9	60.6	60.4	68.7																																																																																																																																												
HMAXF	350	329	367	376	381	347	327	304	312	314	340	325	HMAXF	336	322	334	329	334	323	336	322	334	329	334	HMAXF	336	322	334	329	334	323	336	322	334	329	334	323	336	322	334	329	334																																																																																																																																												
SHMAX	1156	816	700	550	674	600	620	654	1322	1725	2104	2237	SHMAX	2502	2250	2361	2178	2039	1505	2502	2250	2361	2178	2039	SHMAX	2502	2250	2361	2178	2039	1505	2502	2250	2361	2178	2039	1505	2502	2250	2361	2178	2039																																																																																																																																												
KM																																																																																																																																																																																						
390														844																																																																																																																																																																								
380														716													844																																																																																																																																																											
370														824													714													836																																																																																																																																														
360	1446													821													701													814																																																																																																																																														
350	1466													808													675													776													754																																																																																																																																	
340	1438													785													638													727													732																																																																																																																																	
330	1411													1167													750													589													659													759													774																																																																																																							
320	1367													1159													705													529													573													716													771																																																																																																							
310	1301													1133													650													461													471													679													754													1050													1227													1873													1705													2326																																						
300	1227													1087													582													379													367													636													723													1048													1270													1845													1651													2323																																						
290	1125													1015													502													296													240													580													679													1027													1203													1788													1583													2215																																						
280	989													940													412													207													150													503													619													980													1176													1699													1503													2080																																						
270	825													819													316													127													94.7													474													535													917													1137													1581													1411													1907																																						
260	626													665													219													71.4													56.7													335													833													1039													1446													1305													1669																																																			
250	401													477													143													40.2													18.7													228													307													707													1032													1255													1175													1418																																						
240	161													251													83.8																																																				127													167													563													952													1070													1039													1215																									
230	30.0													97.2													49.6																																																				71.4													71.4													389													855													875													904													902																									
220														12.4																																																																	27.5																										198													744													728													776													702																									
210																																																																																												83.8													629													597													652													564																																						
200																																																																																												12.4													616													500													540													470																																						
190																																																																																																																						408													422													458													405																									
180																																																																																																																																			323													357													389													353												
170																																																																																																																																			259													303													330													310												
160																																																																																																																																			210													259													286													268												
150																																																																																																																																			175													222													247													233												
140																																																																																																																																			149													192													215													177												
130																																																																																																																																			130													168													185													177												
120																																																																																																																																			118													151													170													168												
110																																																																																																																																			89.1													97.2													127													141												

PUERTO RICO												60 W												11 APR 1960															
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
OVAL					A								OVAL							A			A	A	A	OVAL									A	A	A	A	
HMIN	108	109	109	109	109	110	110	110	187	206	227	255	254	HMIN	108	109	109	109	109	110	110	187	206	227	255	254	HMIN	108	109	109	109	109	110	110	187	206	227	255	254
SCAT	68.9	52.9	60.6	60.4	68.7	58.5	59.7	65.6	63.6	55.4	53.4	53.4	SCAT	68.9	52.9	60.6	60.4	68.7	58.5	59.7	65.6	63.6	55.4	53.4	53.4	SCAT	68.9	52.9	60.6	60.4	68.7	58.5	59.7	65.6	63.6	55.4	53.4	53.4	
HMAXF	336	322	334	329	334	323	343	391	399	406	386	386	HMAXF	336	322	334	329	334	323	343	391	399	406	386	386	HMAXF	336	322	334	329	334	323	343	391	399	406	386	386	
SHMAX	2602	2250	2361	2178	2039	1505	1083	981	934	786	828	828	SHMAX	2602	2250	2361	2178	2039	1505	1083	981	934	786	828	828	SHMAX	2602	2250	2361	2178	2039	1505	1083	981	934	786	828	828	
KM													KM													KM													
410													410													410													
400													400													400													
390													390													390													
380													380													380													
370													370													370													
360													360													360													
350													350													350													
340	2448		2396		1907				1240	935	893	748	1012	340	2448		2396		1907						1240	935	893	748	1012										
330	2443	2500	2393	2310	1905	1612			1225	811	726	518	817	330	2443	2500	2393	2310	1905	1612					1225	811	726	518	817										
320	2413	2499	2364	2298	1888	1610			1194	731	621	395	679	320	2413	2499	2364	2298	1888	1610					1194	731	621	395	679										
310	2358	2466	2303	2254	1850	1591			1143	643	508	280	527	310	2358	2466	2303	2254	1850	1591					1143	643	508	280	527										
300	2276	2326	2209	2178	1792	1546			1077	560	399	187	374	300	2276	2326	2209	2178	1792	1546					1077	560	399	187	374										
290	2144	2266	2082	2071	1714	1386			994	446	302	124	232	290	2144	2266	2082	2071	1714	1386					994	446	302	124	232										
280	2045	2098	1925	1937	1613	1386			898	344	172	82.0	234	280	2045	2098	1925	1937	1613	1386					898	344	172	82.0	234										
270	1877	1887	1781	1759	1496	1274			794	253	147	53.5	74.0	270	1877	1887	1781	1759	1496	1274					794	253	147	53.5	74.0										
260	1679	1637	1500	1555	1358	1133			689	182	104	22.3	40.2	260	1679	1637	1500	1555	1358	1133					689	182	104	22.3	40.2										
250	1463	1387	1263	1311	1212	1004			573	133	71.4			250	1463	1387	1263	1311	1212	1004					573	133	71.4												
240	1240	1129	1063	1050	1066	864			454	95.1	46.7			240	1240	1129	1063	1050	1066	864					454	95.1	46.7												
230	990	917	875	834	917	726			335	66.9	12.4			230	990	917	875	834	917	726					335	66.9	12.4												
220	810	716	643	734	596				219	46.5				220	810	716	643	734	596						219	46.5													
210	669	608	573	608	469				127	16.4				210	669	608	573	608	469						127	16.4													
200	560	521	494	434	483	362			67.5					200	560	521	494	434	483	362					67.5														
190	477	455	432	375	389	279			20.3					190	477	455	432	375	389	279					20.3														
180	417	406	381	327	328	219								180	417	406	381	327	328	219																			
170	372	362	338	282	278	173								170	372	362	338	282	278	173																			
160	335	325	299	240	240	141								160	335	325	299	240	240	141																			
150	301	291	260	209	207	123								150	301	291	260	209	207	123																			
140	265	257	219	189	182	112								140	265	257	219	189	182	112																			
130	232	227	195	175	175	106								130	232	227	195	175	175	106																			
120	209	207	185	166	150	101								120	209	207	185	166	150	101																			
110	143	97.2	83.8	83.8	97.2	60.0								110	143	97.2	83.8	83.8	97.2	60.0																			

ELECTRON DENSITY

	PUERTO RICO				60 W				13 APR 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OUAL	A					A	A	A	A		F	F
HMIN	112	107	109	109						268	261	269
SCAT	51.4	67.4	71.9	68.5						43.9	67.3	49.3
HMAXF	311	331	348	341						385	413	386
SHMAX	2258	2565	2425	2248						687	1057	767
KM												
420											1215	
410											1215	
400											1205	
390										1050	1181	1155
380										1046	1144	1151
370										1020	1096	1125
360										960	1029	1075
350			2096	2032						883	952	1004
340		2430	2089	2037						794	855	908
330		2430	2064	2019						687	730	794
320	2790	2413	2017	1984						563	573	643
310	2790	2369	1951	1924						417	389	446
300	2759	2299	1863	1845						275	248	248
290	2676	2201	1763	1747						150	143	127
280	2538	2081	1631	1629						76.1	76.6	66.0
270	2356	1926	1480	1488						20.7	45.4	12.4
260	2105	1742	1316	1328								
250	1786	1545	1143	1175								
240	1422	1341	971	1004								
230	1050	1116	894	848								
220	794	917	716	716								
210	591	746	614	608								
200	485	608	535	516								
190	417	516	473	443								
180	375	440	424	385								
170	343	383	380	335								
160	313	339	340	298								
150	280	297	302	262								
140	244	258	264	234								
130	214	227	226	208								
120	201	208	204	188								
110		161	87.8	83.8								

ELECTRON DENSITY

PUERTO RICO				60 W				14 APR 1960				
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL				S		A	B				A	B
HMIN	115	111			110	109	109	200	216	230	278	269
SCAT	54.0	55.9			66.2	74.1	63.1	67.0	61.2	65.4	57.2	61.1
HMAX	314	328			348	351	344	356	365	379	405	406
SHMAX	2280	2211			2469	2342	1866	1401	1174	1062	952	1052
KM												
410											1265	1328
400											1262	1326
390											1242	1307
380												
370											1252	1196
360										1420	1247	1150
350					2048			1583	1419	1220	1067	1143
340					2260	2047	1786	1580	1403	1184	960	1050
330	2430				2251	2036	1784	1561	1368	1148	823	917
320	2387	2310			2217	2006	1764	1514	1313	1081	679	766
310	2389	2299			2156	1957	1722	1464	1250	991	508	593
300	2310	2252			2069	1888	1656	1397	1156	875	323	389
290	2187	2168			1960	1803	1567	1311	1033	743	171	247
280	2032	2044			1821	1701	1458	1196	892	608	83.8	127
270	1821	1806			1669	1576	1337	1050	770	446	23.0	61.2
260	1588	1701			1487	1421	1200	888	560	286		12.4
250	1341	1495			1108	1250	1066	716	389	179		
240	1124	1285			1013	1069	917	508	240	97.2		
230	917	1081			969	904	780	326	134	52.1		
220	762	904			813	754	658	188	71.4			
210	643	754			679	634	548	102	27.5			
200	567	625			579	533	466	52.9				
190	508	524			495	455	378					
180	451	446			427	393	315					
170	395	393			370	344	262					
160	346	348			322	303	219					
150	308	313			283	268	186					
140	279	286			255	238	159					
130	246	254			233	211	138					
120	215	219			210	186	124					
110	179	198			185	168	116					
100					49.6	97.						

ELECTRON DENSITY

	PUERTO RICO				60 W				15 APR 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OUAL				S	S	S		A				
HMIN	110	110		110	111	110		203	233	248	248	245
SCAT	74.3	63.7		64.2	67.4	70.5		64.5	56.3	54.3	63.4	50.6
HMAXF	344	345		341	344	345		361	377	376	380	361
SHMAX	2763	2576		2412	2282	2108		1318	1053	1057	1155	880
KH											1446	
300									1361	1460	1446	
380									1500	1336	1455	1436
370									1500	1312	1417	1409
360									1489	1266	1365	1363
350	2500	2430		2310	2128	1937		1460	1196	1294	1297	1256
340	2499	2426		2310	2126	1935		1408	1112	1196	1222	1187
330	2479	2396		2294	2015	1917		1352	997	1058	1120	1096
320	2436	2335		2233	2060	1867		1265	857	875	969	960
310	2370	2240		2172	1988	1809		1161	716	679	780	803
300	2304	2124		2072	1907	1732		1037	563	487	559	608
290	2190	2174		1943	1786	1638		893	417	310	335	389
280	2032	1786		1766	1648	1531		733	271	161	161	207
270	1854	1599		1604	1491	1404		562	151	77.0	80.2	93.4
260	1635	1398		1405	1320	1257		389	83.8	21.2	21.7	43.1
250	1411	1184		1206	1151	1110		232	43.1			
240	1169	981		1024	977	944		140				
230	960	819		853	815	782		79.7				
220	778	690		710	679	643		42.9				
210	643	593		588	556	522						
200	540	521		493	460	417						
190	469	463		422	389	339						
180	411	414		368	327	279						
170	365	370		325	279	231						
160	326	329		288	240	194						
150	290	291		257	210	164						
140	254	255		229	181	142						
130	220	224		204	160	126						
120	204	206		186	149	116						
110	60.0	83.8		83.8		60.0						

ELECTRON DENSITY

	PUERTO RICO				60 W				16 APR 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
QUAL	S	S	A	S	S		A	A		A		
HMIN	109	108		110	109	110	105	198	240	211	239	228
SCAT	65.1	72.0		61.0	65.0	72.0	78.9	69.2	62.8	55.1	52.4	66.0
HMAXF	346	371		345	339	349	372	372	380	356	369	370
SHMAX	2225	2853		2697	2481	2259	2045	1527	1372	1172	1120	1140
KM									1683			
390							1741	1626	1693			1354
380		2448					1741	1625	1672		1569	1354
370		2448										
360		2434					1730	1614	1630	1528	1559	1346
350	2000	2384		2716		2032	1706	1586	1586	1523	1520	1315
340	1996	2303		2711	2413	2023	1669	1538	1526	1495	1453	1278
330	1969	2259		2673	2401	1996	1614	1477	1430	1441	1355	1240
320	1920	2145		2598	2360	1948	1560	1407	1287	1362	1240	1168
310	1836	2006		2482	2294	1878	1473	1304	1121	1258	1075	1074
300	1737	1831		2338	2189	1796	1374	1186	917	1131	875	949
290	1621	1622		2161	2064	1689	1263	1050	700	977	679	794
280	1489	1404		1924	1907	1562	1160	890	477	794	446	630
270	1341	1213		1669	1727	1420	1034	716	286	608	262	446
260	1185	1050		1427	1521	1266	895	529	143	417	127	262
250	1021	898		1193	1307	1121	754	362	66.45	246	60.0	127
240	875	766		974	1116	960	627	225		143	4.5	60.0
230	743	661		794	917	804	508	143		83.8		12.4
220	636	581		649	754	664	198	89.2		47.5		
210	553	523		545	608	540	310	53.1				
200	490	477		469	499	435	240	12.4				
190	442	439		410	412	350	179					
180	405	399		362	346	281	140					
170	370	357		321	295	231	110					
160	333	317		286	254	193	90.5					
150	293	274		250	219	165	74.4					
140	252	233		219	189	143	70.6					
130	219	204		197	166	127	67.1					
120	204	188		182	151	116	63.7					
110	143	143		12.4	97.2	12.4	60.2					

ELECTRON DENSITY

PUERTO RICO													60 W													23 APR 1960												
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	TIME	2300	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
QUAL		A			A					A		A	QUAL							S					QUAL													F
HMIN	238	244	220	210	198	204	198	111		110	109	112	HMIN	117	109	109	108	109	110	110	224	247	312	289	298	HMIN	117	109	109	108	109	110	110	224	247	312	289	298
SCAT	45.6	48.0	48.3	59.4	57.1	51.6	69.7	62.1		62.3	59.2	61.8	SCAT	63.3	56.0	60.9	64.7	64.2	64.5	67.6	69.5	58.8	53.6	52.4	48.4	SCAT	63.3	56.0	60.9	64.7	64.2	64.5	67.6	69.5	58.8	53.6	52.4	48.4
HMAXF	352	360	333	343	334	321	350	296		328	326	345	HMAXF	348	330	337	348	344	341	361	390	396	434	409	419	HMAXF	348	330	337	348	344	341	361	390	396	434	409	419
SHMAX	747	731	651	655	563	408	490	753		1731	1935	2349	SHMAX	2585	2343	2366	2432	2292	2067	1867	1689	1572	1862	1795	1704	SHMAX	2585	2343	2366	2432	2292	2067	1867	1689	1572	1862	1795	1704
KM													KM													KM												
370		1119											440												2571	440											2571	
360	1191	1119					532						430												2567	430											2567	
350	1190	1106		824			532						420												2526	420											2526	
340	1169	1069	1016	823	726		529						410												2536	410											2536	
330	1119	1004	1015	814	725	599	521			1683	1907	2260	400												2526	400											2526	
320	1043	917	999	793	714	599	507			1676	1902	2200	390												2526	390											2526	
310	933	807	960	760	693	592	489			1649	1873	2105	380												2526	380											2526	
300	794	679	900	716	660	573	467	854		1599	1816	1987	370												2526	370											2526	
290	624	508	818	660	618	547	434	852		1526	1727	1838	360												2526	360											2526	
280	446	335	700	589	560	508	389	840		1438	1617	1651	350	2536											2526	350	2536									2526		
270	262	179	556	500	486	446	339	817		1319	1481	1446	340	2525	2536	2361	2285	2224	2031	1742	1555	1497	608	1383	340	2525	2536	2361	2285	2224	2031	1742	1555	1497	608	1383		
260	127	83.8	389	399	397	369	286	787		1194	1331	1240	330	2484	2536	2354	2251	2200	2016	1691	1446	1321	310	1029	330	2484	2536	2354	2251	2200	2016	1691	1446	1321	310	1029	330	
250	65.0	40.2	731	296	310	280	225	738		1062	1180	1050	320	2411	2515	2317	2189	2148	1975	1615	1332	1120	83.8	643	286	320	2411	2515	2317	2189	2148	1975	1615	1332	1120	83.8	643	286
240	12.4		117	198	219	186	169	679		917	1029	875	310	2306	2453	2248	2095	2069	1911	1527	1195	902		286	310	2306	2453	2248	2095	2069	1911	1527	1195	902		286	310	
230			60.0	103	148	112	118	608		782	885	728	300	2176	2343	2145	1982	1962	1816	1419	1040	679		112	300	2176	2343	2145	1982	1962	1816	1419	1040	679		112	300	
220				52.6	88.5	66.7	78.2	508		660	747	608	290	2008	2206	2009	1837	1852	1703	1290	859	435		12.4	290	2008	2206	2009	1837	1852	1703	1290	859	435		12.4	290	
210					52.9	40.8	49.6	389		555	630	525	280	1786	2032	1846	1669	1669	1569	1160	660	262			280	1786	2032	1846	1669	1669	1569	1160	660	262			280	
200					12.4		12.4			291	464	532	270	1555	1786	1653	1470	1485	1413	1004	477	136			270	1555	1786	1653	1470	1485	1413	1004	477	136			270	
190								212		389	455	412	260	1319	1529	1430	1270	1286	1240	857	294	68.3			260	1319	1529	1430	1270	1286	1240	857	294	68.3			260	
180								163		335	393	369	250	1073	1273	1196	1071	1096	1096	716	161	19.9			250	1073	1273	1196	1071	1096	1096	716	161	19.9			250	
170								131		286	342	329	240	875	1017	974	886	905	917	583	80.3				240	875	1017	974	886	905	917	583	80.3			240		
160								108		243	300	290	230	716	794	807	734	735	754	466	40.2				230	716	794	807	734	735	754	466	40.2			230		
150										207	262	250	220	590	643	668	608	596	599	372					220	590	643	668	608	596	599	372			220			
140										179	231	213	210	504	533	564	520	494	465	290					210	504	533	564	520	494	465	290			210			
130										160	202	193	200	446	465	491	455	417	362	224					200	446	465	491	455	417	362	224			200			
120										148	185	182	190	403	417	437	404	362	298	175					190	403	417	437	404	362	298	175			190			
110										49.6	112		180	369	382	394	362	318	252	140					180	369	382	394	362	318	252	140			180			

ELECTRON DENSITY

PUERTO RICO												60 W												24 APR 1960																		
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100		TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
QUAL		A	A	A	F	A	A	A	A	A		A	QUAL													QUAL																
HMIN	258	259	219	198		276				109	108		HMIN	113	110	109										218	284	228	HMIN	113	110	109								218	284	228
SCAT	58.5	61.1	49.7	64.7		49.9				60.5	55.5		SCAT	67.4	62.4	66.2									71.3	59.8	77.4	SCAT	67.4	62.4	66.2								71.3	59.8	77.4	
HMAXF	403	406	339	375		397				331	314		HMAXF	357	337	339									395	42		HMAXF	357	337	339								395	42		
SHMAX	1654	1768	1400	1151		646				1996	1781		SHMAX	1444	1344	1344									1444	1344	1344	SHMAX	1444	1344	1344								1444	1344	1344	
KM													KM														KM															
410	2032	2161											410	2032	2161												410	2032	2161													
400	2031	2156				917							400	2031	2156				917								400	2031	2156													
390	2008	2126				913							390	2008	2126				913								390	2008	2126													
380	1956	2066		1191		891							380	1956	2066		1191		891							380	1956	2066		1191												
370	1868	1975		1189		847							370	1868	1975		1189		847							370	1868	1975		1189												
360	1753	1862		1175		790							360	1753	1862		1175		790							360	1753	1862		1175												
350	1616	1714		1146		716							350	1616	1714		1146		716							350	1616	1714		1146												
340	1446	1537	2032	1104		629				2048			340	1446	1537	2032	1104		629							340	1446	1537	2032	1104												
330	1260	1323	2014	1050		526				2047			330	1260	1323	2014	1050		526							330	1260	1323	2014	1050												
320	1050	1050	1955	975		399				2032	1969		320	1050	1050	1955	975		399							320	1050	1050	1955	975												
310	812	794	1851	892		278				1989	1966		310	812	794	1851	892		278							310	812	794	1851	892												
300	573	508	1716	801		179				1917	1938		300	573	508	1716	801		179							300	573	508	1716	801												
290	362	262	1531	708		88.6				1816	1867		290	362	262	1531	708		88.6							290	362	262	1531	708												
280	187	127	105	613		40.2				1691	1710		280	187	127	105	613		40.2							280	187	127	105	613												
270	83.8	65.6	1050	508						1535	1653		270	83.8	65.6	1050	508									270	83.8	65.6	1050	508												
260	23.0	12.4	794	417						1353	1505		260	23.0	12.4	794	417									260	23.0	12.4	794	417												
250			508	330						1156	1327		250			508	330									250			508	330												
240			276	240							960	1143		240			276	240								240			276	240												
230			112	161							794	934		230			112	161								230			112	161												
220			12.4	102							643	754		220			12.4	102								220			12.4	102												
210				64.7							520	587		210				64.7								210				64.7												
200				21.2							434	472		200				21.2								200				21.2												
190											373	397		190												190																
180											323	343		180												180																
170											282	300		170												170																
160											244	260		160												160																
150											211	224		150												150																
140											181	191		140												140																
130											158	166		130												130																
120											144	153		120												120																
110											112	127		110												110																

ELECTRON DENSITY

PUERTO RICO

60 W

27 APR 1960

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
OVAL	F								A	A	E	A
HMIN	250	227	188	249	238	239	229	209				
SCAT	41.5	52.0	50.5	48.7	56.6	58.9	41.7	40.5				
HMAXF	357	345	321	351	359	356	309	281				
SHMAX	572	630	473	323	334	272	213	298				
KM												
360	960			492	446	348						
350	953	906		492	444	347						
340	917	904		486	434	342						
330	853	887	661	469	417	331						
320	769	853	661	442	396	316						
310	667	804	653	407	366	297	389					
300	540	736	632	357	325	270	385					
290	389	643	598	293	271	238	369	608				
280	219	520	552	219	214	201	344	608				
270	117	389	492	149	147	157	310	596				
260	60.0	271	417	87.2	94.9	112	253	566				
250		161	327	12.4	56.0	60.0	190	521				
240		78.1	240		12.4	12.4	112	446				
230		29.1	165				12.4	322				
220			116					112				
210			79.0					12.4				
200			49.6									
190			12.4									

ELECTRON DENSITY

PUERTO RICO

60 W

27 APR 1960

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OVAL	A	A	A	A	A	A	A	A	F	F	F	
HMIN									278	308		
SCAT									60.6	62.8		
HMAXF									401	462		
SHMAX									1277	1985		
KM												
470										2327		
460										2327		
450										2307		
440										2258		
430										2179		
420										2072		
410										1612	1937	
400										1611	1763	
390										1599	1555	
380										1565	1315	
370										1508	1068	
360										1430	794	
350										1341	508	
340										1212	286	
330										1050	143	
320										875	71.4	
310										643	20.7	
300										404		
290										198		
280										40.2		

ELECTRON DENSITY

PUERTO RICO

60 W

28 APR 1960

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
OVAL	A	F			J			S		G	A	
HMIN	229		239	224	208	278	336		107	110		109
SCAT	55.8		66.4	69.6	57.2	76.5	101		91.2	44.2		62.4
HMAXF	361		373	387	332	436	496		313	196		198
SHMAX	1447		1137	1238	636	299	200		433	153		198
KM												
500												161
490												161
480												160
470												158
460												156
450												153
440							86	149				
430							285	144				
420							283	138				
410							278	132				
400							270	126				
390					1328		260	118				
380				1354	1325		247	109				
370	1907			1353	1309		232	98.4				
360	1906			1341	1279		216	85.9				
350	1888			1313	1235		196	70.0				
340	1839			1270	1177	875	175	40.2				
330	1754			1210	1107	875	152					
320	1641			1143	1021	866	127					
310	1504			1050	917	844	101					
300	1341			917	794	807	78.1					
290	1126			754	655	760	55.4					
280	894			585	500	695	12.4					
270	658			389	362	608						
260	389			198	219	491						
250	179			91.0	127	350						
240	83.8			12.4	71.4	191						
230	12.4				40.2	102						
220						58.2						
210						12.4						
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON DENSITY

PUERTO RICO

60 W

28 APR 1960

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
OVAL	B		A					A				
HMIN	110	110		110	109	108			259	288	308	288
SCAT	48.0	166		112	99.3	106			67.3	69.2	50.3	69.0
HMAXF	176	318		369	371	410			406	441	431	443
SHMAX	150	584		710	745	831			384	406	324	586
KM												
450												634
440												634
430												628
420												616
410						439						557
400						439						556
390						438						551
380						435						541
370						430						524
360						424						502
350						423						502
340						413						477
330						402						441
320						390						398
310						374						346
300						359						290
290						340						234
280						321						174
270						302						124
260						284						83.8
250						268						60.0
240						254						41.0
230						242						
220						233						
210						225						
200						217						
190						211						
180						205						
170						199						
160						190						
150						180						
140						170						
130						166						
120						151						
110						142						

ELECTRON DENSITY

	PUERTO RICO					60 W				29 APR 1960			
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
OUAL													
HMIN	293	280	227	228	299	308	249	113	109	109	110	110	
SCAT	53.6	57.8	46.7	49.7	65.8	59.0	59.1	66.2	59.9	59.4	57.4	66.5	
HMAXF	433	414	328	337	433	431	365	325	313	305	330	338	
SHMAX	366	425	400	302	299	297	306	727	1236	1095	1701	2057	
KM													
440	461				335	375							
430	461				335	375							
420	454	540			332	372							
410	437	540			325	363							
400	414	533			314	348							
390	384	518			299	331							
380	348	494			282	305							
370	304	465			259	273	389						
360	258	425			232	235	388						
350	213	371			200	190	383						
340	168	310		454	167	140	372						
330	122	245	670	452	134	172	355	670			1697	1984	
320	86.0	179	665	440	99.1	61.8	335	669	1303		1685	1947	
310	56.5	119	644	420	63.4	12.4	307	661	1302	1167	1647	1896	
300	31.0	74.2	612	392	12.4		271	646	1287	1164	1583	1821	
290		46.0	559	353			231	621	1253	1147	1488	1726	
280			477	300			187	591	1197	1114	1371	1613	
270			372	240			143	554	1134	1061	1240	1464	
260			240	161			91.4	504	1044	997	1096	1279	
250			127	97.2			12.4	446	937	917	936	1050	
240			60.7	56.0				403	819	810	787	875	
230			20.3	12.4				362	698	688	666	716	
220								323	583	560	567	584	
210								283	477	446	491	492	
200								244	389	373	435	426	
190								206	314	322	392	379	
180								169	251	281	354	341	
170								135	198	242	317	304	
160								110	166	202	280	265	
150								94.6	138	161	245	225	
140								83.8	117	134	215	192	
130								78.2	107	123	190	174	
120								72.3	101	117	167	164	
110									71.4	97.2	40.2	40.4	

ELECTRON DENSITY

	PUERTO RICO							60 W			29 APR 1960			
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
OJAL														
HMIN	A	A	A	A	A	A	A	A						
SCAT								229	201	237	262	249		
HMAX								60.5	52.2	55.1	54.5	51.7		
SHMAX								354	371	377	389	383		
KM								1050	915	876	877	799		
390														
380											1191	1096		
370									1119	1143	1183	1095		
360									1119	1138	1154	1078		
350									1316	1106	1116	1106	1039	
340									1314	1073	1075	1039	981	
330									1297	1016	1015	948	904	
320									1262	943	937	834	810	
310									1210	856	840	696	697	
300									1143	754	726	540	565	
290									1050	654	595	378	417	
280									937	548	446	240	276	
270									804	446	301	112	161	
260									643	335	179	53.0	97.2	
250									477	247	105		54.6	
240									286	175	60.0		5.5	
230									143	121	19.0			
220									12.4	83.8				
210										58.9				
										50.2				

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

[illegible]

AVERAGE ELECTRON DENSITY										KP BELOW 4.5										APR 1960														
PUERTO RICO										60 W										APR 1960														
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000			
COUNT	16	16	20	20	20	20	22	20	15	17	15	15	15	111	110	110	110	110	207	213	214	243	252	256	256	4.9	4.9	4.9	4.9	4.9	4.9	4.9		
HMIN	245	233	219	222	230	237	240	174	109	109	110	110	110	3.8	3.9	3.8	3.8	3.8	3.7	4.8	4.5	4.2	4.6	4.7	4.9	5.4	5.4	5.4	5.4	5.4	5.4			
RATIO	5.4	5.2	5.0	4.6	4.6	4.4	4.8	5.2	4.2	3.8	3.6	3.7	3.7	63.1	60.0	62.5	62.3	63.8	69.7	57.1	60.9	63.4	56.3	57.4	55.4	49.3	51.7	54.1	57.1	58.0	62.1			
SCAT	4.9	5.1	5.7	5.1	5.7	5.3	5.4	5.8	6.1	7.4	7.8	7.0	7.7	21.6	21.0	20.7	20.6	20.1	19.0	15.7	16.2	13.5	12.8	11.8	11.6	11.7	11.6	10.8	10.5	10.2	10.0			
NMAX	1176	1083	859	710	656	598	593	907	1335	1505	1765	2039	2039	333	329	332	335	333	339	339	339	339	339	339	339	339	339	339	339	339	339	339		
HMAXF	359	350	340	357	365	376	362	309	308	321	336	340	340	2166	2180	2087	2061	1905	1579	1620	1355	1228	1198	1198	1167	1167	1167	1167	1167	1167	1167			
SHMAX	763	729	611	554	508	479	445	692	1190	1497	1862	2099	2099	2169	2176	2117	2123	1980	1656	1263	1104	1077	932	952	848	848	848	848	848	848	848	848		
SHINF	4081	3784	3035	2556	2360	2137	2117	3251	4954	5742	6840	7853	7853	8280	8326	8006	7937	7353	6110	5832	4926	4540	4310	4496	4141	4141	4141	4141	4141	4141	4141	4141		
KM	950	99.8	87.9	67.0	60.4	58.5	54.7	51.1	62.1	87.0	104	131	156	164	164	161	160	148	123	129	110	114	116	123	112	112	112	112	112	112	112	112		
900	128	113	85.8	77.5	75.0	70.1	65.6	79.6	112	133	168	200	200	210	210	206	206	190	158	165	142	146	149	158	143	143	143	143	143	143	143	143	143	
850	164	145	110	99.4	96.2	89.9	84.1	102	143	170	216	257	257	346	346	339	338	311	259	271	234	239	244	259	235	235	235	235	235	235	235	235	235	
800	210	185	141	127	123	115	108	131	193	219	277	329	329	443	443	433	432	399	332	347	299	306	312	330	300	300	300	300	300	300	300	300	300	
750	269	237	181	163	157	147	138	168	235	280	354	421	421	566	566	553	552	509	424	443	382	389	397	420	382	382	382	382	382	382	382	382	382	
700	343	302	230	208	201	187	175	214	300	358	452	538	538	720	720	704	703	648	539	563	485	494	503	532	484	484	484	484	484	484	484	484	484	
650	436	384	293	264	255	237	222	273	383	456	576	684	684	600	600	591	589	520	427	462	382	382	421	461	408	408	408	408	408	408	408	408	408	
600	549	486	371	332	320	297	280	346	487	578	729	866	866	550	550	544	544	487	402	435	354	354	402	435	354	354	354	354	354	354	354	354	354	
550	685	607	464	414	398	366	348	436	614	728	914	1086	1086	500	500	500	500	436	354	354	354	354	402	435	354	354	354	354	354	354	354	354	354	
500	838	745	572	507	484	442	424	542	765	905	1131	1340	1340	490	490	490	490	436	354	354	354	354	402	435	354	354	354	354	354	354	354	354	354	
490	870	774	595	526	501	457	439	565	798	944	1177	1394	1394	1471	1474	1435	1429	1318	1093	1140	977	967	975	1026	941	941	941	941	941	941	941	941	941	
480	902	803	618	545	519	471	454	588	832	983	1224	1449	1449	1529	1532	1532	1532	1485	1369	1135	1184	1014	1000	1006	1059	971	971	971	971	971	971	971	971	
470	933	832	641	564	536	485	469	612	867	1022	1271	1504	1504	1587	1591	1591	1591	1541	1420	1178	1227	1050	1032	1037	1090	1001	1001	1001	1001	1001	1001	1001	1001	1001
460	964	861	664	582	552	499	484	636	902	1062	1318	1559	1559	1646	1650	1650	1650	1596	1472	1220	1271	1086	1063	1066	1120	1030	1030	1030	1030	1030	1030	1030	1030	1030
450	994	889	686	600	568	511	498	660	937	1103	1365	1613	1613	1704	1709	1709	1709	1652	1523	1261	1314	1122	1092	1093	1148	1057	1057	1057	1057	1057	1057	1057	1057	1057
440	1023	917	708	618	584	523	512	684	972	1143	1412	1667	1667	1818	1825	1825	1825	1768	1622	1342	1396	1150	1145	1141	1196	1104	1104	1104	1104	1104	1104	1104	1104	1104
430	1051	943	730	634	598	533	525	708	1008	1183	1458	1720	1720	1924	1933	1933	1933	1869	1713	1416	1471	1251	1187	1176	1229	1139	1139	1139	1139	1139	1139	1139	1139	1139
420	1077	968	751	650	610	542	536	732	1043	1223	1503	1770	1770	2017	2028	2028	2028	1957	1754	1449	1504	1277	1203	1187	1238	1150	1150	1150	1150	1150	1150	1150	1150	1150
410	1100	992	770	663	621	548	546	755	1078	1262	1546	1819	1819	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
400	1121	1013	788	675	630	553	554	777	1113	1300	1588	1864	1864	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
390	1138	1031	805	685	636	554	561	799	1146	1336	1626	1906	1906	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
380	1149	1046	819	693	639	551	564	819	1178	1370	1661	1943	1943	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
370	1154	1057	829	697	638	545	564	837	1208	1401	1692	1974	1974	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
360	1152	1063	836	696	631	535	561	853	1235	1429	1717	1999	1999	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
350	1159	1062	837	689	618	520	554	866	1260	1454	1737	2016	2016	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
340	1169	1051	833	674	597	503	541	883	1282	1473	1750	2024	2024	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
330	1199	1027	821	651	567	481	521	893	1299	1488	1754	2016	2016	2136	2143	2143	2143	2068	1871	1541	1593	1341	1201	1136	1173	1111	1111	1111	1111	1111	1111	1111	1111	1111
320	1207	986	800	617	527	451	493	885	1312	1495																								

TABLES OF IONOSPHERIC DATA

March 1960 - January 1963

Table 1

Adak, Alaska (51.9° N, 176.6° W)										March 1960	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2			
00		3.85 24	305		---	---		2.62			
01		3.65 22	305		---	---		2.65			
02		>3.65 26	320					2.60			
03		3.6 23	315					2.60			
04		3.6 25	320					2.55			
05		3.4 24	325					2.50			
06		4.1 28	270		134	1.75		2.78			
07	---	6.0 31	240	---	115	2.25		3.00			
08	---	7.0 31	235	---	110	2.70		3.15			
09	---	8.3 31	225	---	106	3.00		3.10			
10	(350)	9.3 31	215	---	105	3.25		3.10			
11	(310)	9.95 30	215	---	107	3.30	>3.3	3.05			
12	(300)	10.6 31	215	---	107	3.38		3.05			
13	---	10.6 31	215	---	105	3.30		3.10			
14	---	10.5 31	220	---	109	3.20		3.15			
15	---	10.0 31	225	---	110	3.00		3.20			
16	---	9.3 31	230	---	114	2.65		3.20			
17	---	8.7 31	230	---	118	2.20		3.25			
18		7.7 31	220		145	1.60		3.20			
19		6.7 31	225		---	---		3.15			
20		5.6 31	225					3.10			
21		4.7 30	240					3.00			
22		4.3 27	260					2.85			
23		4.0 27	295					2.75			

Time: 100.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 2

Boulder, Colorado (40.0° N, 105.3° W)										March 1960	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2			
00		4.4 24	290					2.70			
01		4.4 25	300					2.70			
02		4.5 25	295					2.70			
03		4.4 25	300					2.65			
04		4.2 24	300					2.70			
05		4.1 25	275					2.75			
06		4.6 25	260					2.99			
07	---	4.7 24	255	---	149	1.65	3.0	3.22			
08	(275)	6.0 24	220	---	163	2.75		3.18			
09	(270)	5.5 25	219	---	161	3.10		3.05			
10	(310)	9.55 26	209	---	131	3.52		2.95			
11	290	10.3 25	200	---	101	3.50		2.90			
12	300	10.9 25	205	---	101	3.60		2.90			
13	285	10.95 26	205	---	102	3.60		2.90			
14	285	10.85 26	215	---	103	3.50		2.88			
15	(300)	10.6 29	210	---	105	3.40		2.90			
16	---	10.4 26	225	---	105	2.95		3.00			
17	---	10.1 26	230	---	109	2.50		2.65			
18		9.6 26	228		110	1.65		3.15			
19		8.2 27	210					3.05			
20		6.95 26	220					3.05			
21		5.75 26	225					3.00			
22		4.8 26	250					2.65			
23		4.5 24	260					2.82			

Time: 105.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 3

Maui, Hawaii (20.0° N, 156.5° W)										March 1960	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2			
00		7.15 30	235					3.20			
01		6.35 30	235					3.15			
02		5.35 30	240					3.10			
03		4.5 31	<245					3.10			
04		3.7 31	(265)					2.80			
05		3.6 31	300					2.70			
06		3.6 31	320					2.70			
07		7.0 31	250		123	2.15		3.20			
08		9.8 31	240		113	2.90		3.20			
09	---	11.0 31	230		109	3.30		3.10			
10	---	12.4 31	220		107	3.60	3.7	3.00			
11	(270)	12.9 31	210	---	107	3.80		3.00			
12	(295)	13.5 31	210		107	3.85		2.90			
13	---	14.1 31	205		107	3.90	3.9	2.90			
14	(320)	14.1 31	210	---	(107)	3.80	3.9	2.85			
15	(305)	14.4 31	220		109	3.65		2.90			
16	(290)	14.0 31	225		(109)	3.40	3.7	2.95			
17		13.5 31	240		(113)	2.90	3.2	3.00			
18		13.3 31	245		(121)	2.20	2.5	3.10			
19		12.9 31	235				2.6	3.15			
20		11.7 31	225				1.6	3.15			
21		10.9 31	220					3.10			
22		9.3 31	230					3.00			
23		8.45 30	245					3.10			

Time: 150.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 4

Resolute Bay, Canada (74.7° N, 94.9° W)										January 1960	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2			
00		4.8 31	270		---	---		2.50			
01		4.2 31	280		---	---		2.60			
02		4.1 31	290					2.55			
03		3.7 31	300					2.50			
04		4.4 31	290					2.50			
05		3.9 31	300					2.50			
06		3.8 31	300					2.50			
07		4.2 31	295					2.60			
08		4.8 31	280					2.50			
09		4.5 31	280					2.50			
10		5.5 31	260					2.55			
11		5.4 31	260					2.60			
12		6.1 31	250					2.60			
13		6.8 31	250					2.70			
14		6.2 31	250					2.50			
15		6.6 31	260					2.60			
16		6.3 31	250					2.60			
17		5.5 31	280					2.50			
18		6.0 31	260					2.50			
19		6.1 31	270					2.60			
20		5.8 31	280					2.60			
21		5.2 31	275					2.50			
22		5.3 31	260					2.70			
23		4.6 30	270					2.60			

Time: 90.0°W.
Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 5

Lulea, Sweden (65.6° N, 22.1° E)										January 1960	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2			
00		(4.1)	16	350			(2.0)	(2.6)			
01		(3.9)	21	350			1.4	(2.7)			
02		4.2	14	330				2.7			
03		4.3	17	310				2.7			
04		4.0	22	300				2.8			
05		3.8	21	290				2.8			
06		3.8	22	275				2.9			
07		3.6	22	260				2.9			
08		4.5	25	250	---	---		3.0			
09		6.3	25	250	---	1.6		3.0			
10		6.3	20	245	---	2.0		3.1			
11	---	10.0	26	240	---	2.0		3.2			
12		11.3	27	240	---	2.0		3.1			
13		10.4	24	240	---	2.0		3.2			
14		10.2	24	235	---	1.6		3.2			
15		9.0	24	225	---	---		3.2			
16		6.0	26	230	---	---		3.1			
17		5.0	25	240				3.1			
18		3.6	22	250				3.1			
19		3.0	21	275				3.0			
20		2.9	21	200				2.8			
21		3.1	19	300	---	---		2.0			
22		(2.5)	7	330			2.0	(2.7)			
23		3.0	14	330			1.9	2.6			

Time: 15.0°E.
Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 6

Greenwich, Greenland (61.2° N, 45.4° W)										January 1960	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2			
00		(5.05)	19				5.2	(2.65)			
01		(3.7)	19				4.3	(2.7)			
02		(4.7)	13				4.0	(2.35)			
03		(5.0)	13				4.0	(2.75)			
04		(6.3)	9				4.7	(2.75)			
05		(4.3)	21				3.7	(2.65)			
06		(4.25)	22				3.6	(2.65)			
07		(3.95)	16				2.4	(2.65)			
08		(2.8)	25					(2.88)			
09		6.6	30					3.10			
10		6.7	31				135 (2.30)	3.15			
11		11.6	31				<129 (2.35)	3.15			

Table 7

Churchill, Canada (58.8° N, 94.2° W)

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	4.6	23	295				5.0	----
01	4.3	27	300				5.0	----
02	4.2	28	310		----	3.6	----	----
03	4.4	22	305		----	3.1	----	----
04	4.0	25	310		----	3.0	----	----
05	4.0	25	350		----	3.2	----	----
06	4.4	22	310		----	3.4	----	----
07	---	4.6	22	310	----	4.4	----	----
08	---	4.0	23	300	----	>3.7	----	----
09	---	6.1	29	205	----	(2.05)	2.6	(3.10)
10	---	7.4	30	270	---	125	2.50	3.10
11	---	0.8	31	260	---	130	2.60	3.10
12	---	10.6	31	250	---	<125	2.60	3.10
13	---	11.6	30	250	---	130	2.60	3.10
14	---	12.0	30	240	---	125	2.60	3.10
15	---	12.0	29	240	---	115	2.35	3.10
16	---	11.6	30	240	---	130	2.00	3.05
17	---	9.7	20	250	---	---	1.8	----
18	---	7.1	27	270	---	---	2.6	----
19	---	6.0	26	290	---	---	2.9	----
20	---	5.6	25	300	---	---	3.2	----
21	---	5.3	29	295	---	---	3.3	----
22	---	4.7	25	290	---	---	4.2	----
23	---	4.5	23	300	---	---	4.0	----

Time: 90.0°W.

Sweep: 1.0 Mc to 17.0 Mc in 16 seconds.

Table 9

Slough, England (51.5° N, 0.6° W)

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	3.6	27	290				<1.3	2.55
01	3.6	26	<300				<1.1	2.60
02	3.5	27	300				<1.0	2.50
03	3.2	25	<295				<1.0	2.60
04	3.0	29	<275				<1.2	2.70
05	3.1	20	250				<1.6	2.00
06	3.0	27	<250				<1.6	2.80
07	3.2	27	<245		<1.60		<1.6	2.70
08	6.4	29	230	160	1.00		1.8	3.10
09	9.4	27	230	125	2.35			3.25
10	>11.4	30	225	115	2.70			3.20
11	12.5	29	225	115	2.95		2.9	3.20
12	12.5	29	225	120	2.95		3.1	3.10
13	12.5	29	225	120	2.90		2.9	3.10
14	12.0	29	230	120	2.75		2.0	3.10
15	>11.6	28	225	125	2.60			3.10
16	>10.0	30	225	---	<2.10		2.2	3.15
17	>9.5	20	215	---	<1.60		1.0	3.20
18	7.7	30	215			<1.6		3.10
19	5.8	28	220			<1.6		3.10
20	4.9	20	<230			<1.6		2.85
21	4.4	29	<245			<1.6		2.80
22	4.0	29	<255			<1.6		2.70
23	3.0	26	<280			<1.6		2.60

Time: 0.0°.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 11

St. John's, Newfoundland (47.6° N, 52.7° W)

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	4.3	29	300					2.70
01	4.6	28	300					2.65
02	4.5	26	300					2.75
03	4.4	28	279					2.80
04	4.0	29	278					2.75
05	4.0	31	269					2.75
06	3.7	31	263					2.90
07	5.0	31	250		150	>1.00		3.05
08	6.4	31	229		135	>2.40		3.20
09	11.2	31	230		125	2.80		3.20
10	12.2	31	229		122	3.00		3.15
11	12.9	31	225		120	3.10		3.15
12	12.7	31	228		120	3.20		3.10
13	12.9	31	230		120	3.00		3.05
14	12.6	31	231		120	2.90		3.05
15	12.2	31	232		120	2.60		3.05
16	11.0	31	230		(130)	2.10		3.05
17	10.2	30	228					3.00
18	9.2	29	232					3.00
19	0.1	20	239					2.90
20	6.9	29	250					2.90
21	6.1	29	264					2.05
22	5.5	27	270					2.80
23	4.7	27	280					2.75

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 8

Inverness, Scotland (57.4° N, 4.2° W)

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	2.8	28	300				<1.0	2.50
01	2.6	30	310				<1.0	2.40
02	2.4	29	340				<1.0	2.40
03	2.5	29	310				1.1	2.45
04	2.6	28	310				<1.1	2.50
05	2.8	28	300				<1.3	2.65
06	2.8	28	270				<1.6	2.65
07	2.7	27	295				<1.6	2.70
08	(3.8)	27	250				<1.6	2.75
09	6.7	28	240					3.00
10	9.0	28	240		120	1.90		3.05
11	11.1	28	230		125	2.55		3.10
12	12.3	28	230		125	2.65		3.10
13	12.6	28	230		125	2.60		3.10
14	12.0	28	230		125	2.50		3.10
15	11.4	28	230		130	2.30		3.10
16	>10.5	28	220		130	1.90		3.05
17	>8.2	28	215				<1.6	(3.10)
18	>6.7	28	220				<1.6	3.00
19	5.0	28	240				<1.6	2.85
20	4.2	27	255				<1.6	2.80
21	3.8	28	260				<1.6	2.70
22	3.4	29	285				<1.6	2.65
23	3.2	28	310				<1.6	2.50

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 10

Winnipeg, Canada (49.9° N, 97.4° W)

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	4.1	29	200					2.90
01	4.0	28	290					2.85
02	4.0	29	290					2.85
03	4.0	27	290					(2.95)
04	3.8	25	295					2.85
05	3.2	23	295					2.00
06	3.5	21	290					(3.00)
07	3.3	22	260					(3.00)
08	4.2	26	265		---	---		3.00
09	7.2	26	235		---	2.20		3.10
10	9.4	25	230		125	2.75		3.10
11	10.0	21	235		120	3.00		(3.05)
12	10.7	19	230		120	3.00		(2.95)
13	11.4	17	230		110	3.10		(2.90)
14	---	12.1	16	235	115	3.00		(2.90)
15	---	11.4	15	230	115	2.80		(2.90)
16	---	11.4	14	225	115	2.50		(2.90)
17	10.6	16	225		---	2.00		(2.90)
18	9.8	23	220					(2.95)
19	6.2	20	220					(3.00)
20	7.0	30	225					3.00
21	5.8	30	235					3.10
22	5.2	29	240					(3.00)
23	4.8	20	270					(2.80)

Time: 90.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 13.5 seconds.

Table 12

Sottens, Switzerland (46.6° N, 6.7° E)

Time	h'F2	foF2-Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00	260	4.0	27					
01	300	3.9	24					
02	300	3.8	23					
03	310	3.9	21					
04	300	3.0	25					
05	270	3.7	24					
06	260	3.5	21					
07	250	3.5	20					
08	220	5.8	18					
09	210	0.1	22		120	2.2		
10	220	9.2	23		100	2.8		
11	220	9.8	25		100	3.0		
12	220	9.0	24		100	3.2		
13	220	9.5	26		100	3.1		
14	220	9.3	24		100	3.0		
15	220	9.2	26		100	2.8		
16	220	0.8	25		110	2.6		
17	210	8.4	24		110	2.1		
18	210	7.4	22					
19	210	6.4	23					
20	220	5.1	24					
21	240	4.4	23					
22	270	4.3	25					
23	280	4.2	21					

Time: 15.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 13

Ottawa, Canada (45.4° N, 75.9° W) January 1960									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	4.7	29	290					(2.9)	
01	4.5	29	295					2.8	
02	4.4	30	290					(2.9)	
03	4.1	29	290					(2.9)	
04	4.0	30	290					(2.85)	
05	4.2	29	290					(2.9)	
06	4.0	20	280					---	
07	4.0	30	280					---	
08	7.0	30	235		115	2.0		3.2	
09	9.5	31	235		130	2.6		3.3	
10	11.4	30	230		115	3.0		3.2	
11	12.2	30	230		110	3.1		3.1	
12	12.4	30	225		110	3.1		3.1	
13	12.9	30	230		110	3.1		3.05	
14	12.8	31	235		110	3.0		3.0	
15	12.4	31	240		120	2.8		3.0	
16	12.0	30	235		125	2.3		3.0	
17	11.2	31	230		---	1.8		(3.1)	
18	10.0	31	230					(3.1)	
19	8.4	30	230					(3.1)	
20	7.0	29	230					3.05	
21	6.2	30	245					3.0	
22	5.9	29	250					3.0	
23	5.2	30	270					3.0	

Time: 75.0°W.
Sweep: 1.0 Mc to 20.0 Mc in 16 seconds.

Table 15

Lwiro, Belgian Congo (2.3° S, 28.8° E) January 1960									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	9.1	25	240					2.84	
01	0.5	24	260					2.90	
02	8.2	25	250					2.96	
03	7.6	25	235					3.06	
04	6.8	25	230					(1.5)	
05	6.0	25	230					3.10	
06	5.8	26	250		---	E		(1.6)	
07	255	8.2	26	240	---	119	2.60	3.24	
08	255	9.4	24	230	---	112	3.20	3.3	
09	260	9.9	25	220	---	111	3.70	2.70	
10	---	10.8	25	215	---	109	3.95	2.48	
11	(365)	11.9	25	210	---	109	4.10	2.44	
12	375	12.8	25	205	---	109	4.15	2.52	
13	390	13.0	25	200	---	109	4.10	2.54	
14	405	12.6	25	210	---	111	4.00	2.49	
15	400	12.8	24	220	---	111	3.80	2.53	
16	305	13.0	25	230	---	111	3.40	3.4	
17	370	12.7	26	240	---	113	2.90	(3.1)	
18	---	12.2	26	275	---	123	2.05	(2.7)	
19	12.3	26	340					(1.9)	
20	12.4	26	335					(1.9)	
21	12.9	25	280					(1.0)	
22	12.5	25	240					(1.6)	
23	10.3	23	220					3.00	

Time: 30.0°E.
Sweep: 1.25 Mc to 20.0 Mc in 3 minutes.

Table 17

Elisabethville, Belgian Congo (11.6° S, 27.5° E) January 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00	265	6.7	17					2.58	
01	260	6.2	16					2.60	
02	265	6.0	19					1.6	
03	260	5.1	19					1.6	
04	280	5.6	20	---	---	140	1.6	2.0	
05	265	7.5	17	250	---	120	2.6	3.1	
06	(295)	8.9	21	240	---	115	3.2		
07	300	9.6	20	235	---	110	3.7		
08	(345)	10.2	18	235	5.5	110	3.9		
09	390	10.5	16	230	5.6	110	4.0		
10	385	11.4	18	230	5.5	110	4.0		
11	380	11.4	20	230	5.5	110	4.0	4.7	
12	400	11.0	20	230	5.4	110	4.0		
13	400	11.0	18	(235)	5.4	110	3.9		
14	385	10.9	17	240	5.0	115	3.4	3.9	
15	350	10.4	15	260	---	115	3.0	3.0	
16	(300)	10.4	12	280	---	125	2.4	3.0	
17	300	10.2	10					2.2	
18	300	(10.8)	6					<2.48	
19	200	10.8	18					2.0	
20	260	10.0	18					1.6	
21	260	9.1	15					2.0	
22	270	8.0	16					2.0	
23	270	8.0	17					1.8	

Time: 0.0°.
Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 14

Dunja, Belgian Congo (1.5° N, 30.2° E) January 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00	250	9.0	20						2.68
01	240	8.7	23						2.83
02	230	7.0	22						2.09
03	230	5.0	23					1.6	2.97
04	250	4.6	24	---	---	---	---	2.7	<2.02
05	250	8.1	26	250	---	120	2.5	3.0	<2.03
06	---	9.6	26	240	---	110	3.2	3.6	2.65
07	---	10.0	24	230	---	110	3.6		2.32
08	---	10.6	22	230	---	110	4.0		2.08
09	---	11.8	16	230	---	110	4.0		2.16
10	(345)	11.9	23	220	5.1	110	4.0		2.18
11	---	12.2	23	230	---	110	4.0		2.13
12	(460)	12.0	23	250	---	110	4.0		<2.12
13	(410)	12.6	23	230	---	110	3.7		2.15
14	---	12.6	19	240	---	110	3.3		2.17
15	---	12.3	17	255	---	120	2.9	3.4	2.27
16	---	11.6	11	290	---	130	1.9	3.0	2.20
17	360	11.0	11					2.6	<2.16
18	370	(11.0)	0					1.8	(2.20)
19	310	(11.4)	9					1.0	<2.43
20	250	11.0	15					2.0	2.53
21	240	10.2	14						2.60
22	250	9.2	10						2.60
23	250	9.0	17					1.6	2.59

Time: 0.0°.
Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 16

Leopoldville, Belgian Congo (4.4° S, 15.2° E) January 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00	265	>8.5	7						(2.64)
01	250	7.0	13						2.57
02	250	7.0	18						2.62
03	240	6.4	25						2.74
04	245	5.5	25					1.6	2.76
05	260	5.8	25		(130)	1.7		2.1	2.05
06	(250)	0.0	18	250	---	120	2.7	3.2	2.84
07	---	9.0	21	240	---	110	3.3	3.0	2.67
08	---	>10.2	14	230	---	110	3.7		2.47
09	---	(11.2)	6	230	---	110	4.0	4.1	(2.24)
10	---	(13.3)	2	(235)	---	110	---		---
11	---	(13.0)	7	---	---	110	---		(2.30)
12	(430)	13.5	13	---	---	110	---		2.19
13	435	>12.7	24	245	---	110	4.0		<2.20
14	420	12.7	29	240	---	115	3.0		2.20
15	400	12.6	25	240	---	115	3.4		2.22
16	(370)	>12.6	17	255	---	120	2.9	3.0	2.27
17	290	(12.2)	8	290	---	(125)	2.0	2.6	<2.20
18	330	(14.0)	3					2.0	---
19	320	(13.3)	8						(2.40)
20	270	13.3	13						<2.70
21	240	13.5	11						2.72
22	230	>11.5	9						(2.57)
23	250	>8.8	8						<2.55

Time: 0.0°.
Sweep: 1.0 Mc to 20.0 Mc in 7 seconds.

Table 18

Mundaring, W. Australia (32.0° S, 116.2° E) January 1960									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00	(5.8)	4	275					3.2	---
01	6.3	11	285					>3.0	---
02	6.0	12	<300					>3.0	(2.90)
03	(5.5)	14	290					<1.3	(2.85)
04	>4.9	18	290					3.0	(2.90)
05	4.7	17	290				(1.50)		3.00
06	5.8	19	<260	---			<2.25	2.6	(3.15)
07	6.4	24	240	---			2.90	3.3	3.15
08	7.2	24	235	5.0			3.30	3.8	3.10
09	8.0	26	220	5.3			3.65	4.1	3.05
10	8.2	26	220	5.7			3.85	4.4	2.95
11	>8.5	27	200	5.8			4.00	4.4	2.90
12	>8.5	29	205	6.0			4.00	4.4	2.90
13	>8.5	27	215	5.8			4.00	>4.4	2.90
14	>8.5	27	215	5.9			4.00	4.4	2.90
15	>8.5	29	220	5.7			3.90	4.2	2.95
16	>8.5	30	225	5.4			3.70	4.0	2.95
17	8.0	25	<240	5.0			3.30	3.7	3.00
18	7.9	16	245	---			2.80	3.2	(2.95)
19	(7.0)	1	260						3.0
20	>7.0	1	260					>3.7	
21	---	0	275					>3.5	
22	---	0	290					<2.5	
23	---	0	290					>3.3	

Time: 120.0°E.
Sweep: 1.0 Mc to 16.0 Mc in 1 minute 45 seconds.

Table 19

Sodankylä, Finland (67.4° N, 26.6° E)									
December 1959									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		(5.1)	1	365			4.8	----	
01		(4.8)	2	380			4.9	----	
02		(5.0)	1	350			4.4	----	
03		(3.6)	1	360			4.3	----	
04		(3.9)	1	340			4.0	----	
05		(5.5)	4	315			3.4	----	
06		(4.3)	4	285			3.4	----	
07		(3.7)	3	265			3.5	----	
08		(3.2)	3	300			3.9	----	
09		(4.2)	9	270			3.6	(2.80)	
10		5.5	13	250			3.9	2.95	
11		7.8	25	240			4.2	2.95	
12		9.2	22	235			1.70	3.10	
13		9.5	20	225			1.85	3.10	
14		9.3	15	230			E	4.2	3.10
15		8.0	12	235			E	4.0	3.10
16		7.2	10	235			----	3.9	3.00
17		(7.0)	6	245			----	4.0	3.10
18		(4.7)	3	255			3.9	----	
19		(4.1)	3	275			3.9	----	
20		(3.9)	1	320			4.1	----	
21		(3.1)	1	325			4.2	----	
22		(3.3)	1	370			4.0	----	
23		(3.7)	1	350			4.1	----	

Time: 30.0°E.

Sweep: 1.4 Mc to 22.0 Mc in 8 minutes, automatic operation.

Table 21

Tromsø, Norway (69.7° N, 19.0° E)									
September 1959									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		(5.2)	6	----			4.3	----	
01		(4.9)	3	----			4.1	----	
02		(5.4)	7	----			4.1	(2.30)	
03		(4.3)	9	(380)			4.0	(2.40)	
04		(4.8)	9	(345)			4.0	(2.55)	
05		4.8	16	(295)			2.9	2.70	
06	(280)	5.4	14	(280)	----	120	2.25	2.75	
07	----	6.1	15	(250)	----	115	2.50	2.75	
08	----	6.3	17	250	----	125	2.70	(2.70)	
09	----	6.6	18	250	----	130	2.95	2.70	
10	(400)	6.8	24	245	4.50	120	2.90	2.60	
11	----	7.2	27	245	----	115	3.00	2.60	
12	(445)	7.2	29	245	----	115	3.05	2.70	
13	----	7.0	30	245	----	110	3.00	2.65	
14	----	7.0	27	250	----	120	3.00	2.70	
15	----	6.4	26	250	----	110	2.85	2.70	
16	----	6.4	22	265	----	115	2.70	3.0	2.70
17	----	6.2	24	280	----	110	2.30	3.4	2.80
18	----	5.7	21	280	----	125	2.15	3.2	2.80
19	----	5.4	20	(290)	----	----	3.7	2.65	
20	----	4.8	13	(305)	----	----	5.2	(2.45)	
21	----	4.5	13	(345)	----	----	5.4	(2.40)	
22	----	(4.5)	9	(345)	----	----	4.2	(2.30)	
23	----	(4.8)	8	----	----	----	4.2	(2.30)	

Time: 15.0°E.

Sweep: 0.7 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 23

Rome, Italy (41.8° N, 12.5° E)									
September 1959									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		6.6	22	340			2.4	2.45	
01		(6.4)	23	320				(2.50)	
02		(6.2)	22	320				(2.45)	
03		(6.2)	23	310				(2.45)	
04		(5.8)	23	300				(2.50)	
05		5.3	22	320				2.60	
06	----	5.8	22	260	----	160	1.8	2.85	
07	----	(7.9)	21	250	----	120	2.5	3.0	(3.05)
08	----	(8.2)	18	240	----	110	3.0		(3.10)
09	----	(9.2)	21	230	----	110	3.4		(3.10)
10	----	9.9	22	220	----	110	3.6	2.90	
11	----	(10.1)	23	220	----	110	3.8	(2.90)	
12		10.4	25	220			110	3.8	2.80
13		10.8	25	220			110	3.8	2.80
14		10.3	23	230			110	3.7	2.80
15		(10.2)	20	240			110	3.5	(2.80)
16		10.2	22	240			110	3.2	2.85
17		(10.2)	23	250			120	2.7	(2.95)
18		(9.9)	17	260			130	2.0	(2.95)
19		(9.6)	18	250				3.1	(3.00)
20		(8.8)	20	250				2.6	(2.90)
21		(8.0)	15	260				2.7	2.70
22		(6.8)	20	270				2.8	(2.60)
23		(6.7)	21	310				2.3	(2.50)

Time: 15.0°E.

Sweep: 1.4 Mc to 15.0 Mc in 5 minutes, automatic operation.

Table 20

Byrd Station (90.0° S, 120.0° W)									
October 1959									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	----	4.8	13	350	----	----	----	3.0	(2.55)
01	----	(4.75)	18	<400	----	120	----	3.2	(2.52)
02	----	4.85	12	(365)	----	119	----	3.2	2.60
03	----	5.95	14	300	----	123	----	4.0	2.75
04	----	5.8	17	(280)	----	122	2.15	2.85	
05	----	5.9	16	265	----	117	2.30	2.90	
06	----	6.1	17	260	----	119	2.45	3.00	
07	----	6.15	18	250	----	117	2.42	3.00	
08	----	6.4	19	255	----	115	2.65	3.00	
09	----	6.7	21	245	----	111	2.85	3.00	
10	(360)	7.0	25	250	----	113	2.85	3.00	
11	(360)	7.5	23	240	4.3	111	2.82	3.10	
12	(415)	8.0	23	<250	----	111	2.85	2.90	
13	370	8.2	25	(250)	4.2	111	2.85	2.85	
14	(500)	7.6	18	(260)	4.2	111	2.85	2.95	
15	----	7.1	24	250	----	113	2.72	2.95	
16	(435)	6.65	18	300	----	113	2.80	2.80	
17	----	(6.7)	18	<300	(4.0)	113	2.70	3.2	(2.65)
18	----	(6.5)	18	300	----	115	2.60	3.0	(2.30)
19	----	6.2	13	300	----	118	----	3.0	(2.60)
20	----	(6.4)	12	290	----	117	----	2.9	(2.70)
21	----	(6.75)	10	305	----	119	2.00	2.7	(2.70)
22	----	(5.3)	14	310	----	121	----	2.6	(2.62)
23	----	(4.9)	14	<330	----	121	----	2.6	(2.65)

Time: 120.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 22

Luleå, Sweden (65.6° N, 22.1° E)									
September 1959									
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		(4.5)	17	340			3.0	----	
01		(4.6)	19	355			2.5	----	
02		(4.2)	15	355			1.9	----	
03		(4.6)	15	320			----	----	
04		(4.4)	19	325			----	(2.4)	
05		4.9	18	280	----	----	2.0	2.85	
06	----	5.7	17	260	----	120	2.3	2.75	
07	----	6.2	18	250	----	120	2.5	2.8	
08	----	6.5	21	240	----	120	2.8	2.7	
09	(400)	6.8	27	230	4.4	110	3.0	2.7	
10	(530)	6.8	25	230	4.7	110	3.1	2.6	
11	(460)	7.1	27	230	4.8	110	3.2	2.7	
12	(435)	7.1	26	230	4.8	110	3.1	2.7	
13	(420)	7.3	29	230	4.8	110	3.1	2.7	
14	----	7.1	27	240	----	110	3.0	2.8	
15	----	7.2	28	240	----	120	2.8	2.8	
16	----	7.1	26	250	----	120	2.6	2.9	
17	----	6.8	28	255	----	120	2.3	2.8	
18	----	6.2	25	260	----	1.9	----	2.8	
19	----	(5.4)	22	270	----	----	2.2	(2.7)	
20	----	(5.4)	17	265	----	----	3.1	(2.6)	
21	----	(5.2)	14	275	----	----	3.1	----	
22	----	(5.3)	14	310	----	----	3.4	(2.4)	
23	----	(5.4)	14	350	----	----	3.1	----	

Time: 15.0°E.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 24

Bogotá, Colombia (4,5° N, 74,2° W)							September 1959	
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		10,3	25	240				3,12
01		9,0	24	220				3,20
02		6,7	24	235				3,00
03		5,6	23	230				3,05
04		5,1	23	240			1,7	2,90
05		4,05	24	<275			1,8	2,70
06		6,1	24	265		2,00	2,2	2,85
07		9,1	25	240	111	2,85	4,5	3,05
08		10,9	27	225	109	3,45	4,4	2,85
09		12,8	26	220	109	3,85	4,4	2,75
10	---	>13,1	26	215	---	111	4,05	4,5
11	---	13,05	26	215	---	109	4,20	4,6
12	---	15,1	25 (215)	---	---	110	4,20	4,8
13	(420)	15,6	25 (215)	---	---	109	4,20	4,7
14	395	16,1	25 (225)	---	---	109 (4,00)	4,8	2,65
15	(390)	15,9	26 (230)	---	---	109	3,78	4,6
16	(350)	15,0	25 235	---	---	109	3,40	4,7
17	---	15,4	25 250		110	2,65	4,0	2,65
18		15,5	26 270		---	(1,65)	4,2	2,65
19		16,1	25 290				2,5	2,70
20		16,6	25 260				2,2	2,75
21		>16,0	25 240					2,80
22		14,2	27 240					2,90
23		12,15	24 240					3,05

Table 25

Townsville, Australia (19.3° S, 146.7° E)							
September 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	>6.5	3	250				1.9
01	>8.0	8	250				
02	(6.6)	10	250				----
03	>5.7	8	270				----
04	(5.9)	11	300				----
05	>6.0	12	300				(2.75)
06	>6.2	2	200		<1.70		
07	>9.5	5	250		2.60		
08	>11.0	12	240		3.20		(3.15)
09	13.0	12	230		3.50	3.9	2.95
10	13.2	13	225		3.70	4.0	3.00
11	260 >13.1	12 (225)			3.90	4.5	2.90
12	12.5	13 (220)			(4.00)	4.2	2.00
13	12.0	15	220		(4.00)	4.3	2.65
14	11.8	15	220		(3.80)	4.2	2.70
15	11.5	13	230		3.55	4.1	(2.70)
16	11.4	11	240		3.30	3.0	(2.70)
17	>11.0	12	250		2.80	3.3	(2.85)
18	>10.2	8	270		(2.00)		----
19	>10.0	4	275				
20	>9.5	1	275				
21	>9.0	1	270				
22	>9.5	1	270				
23	(9.4)	3	265				

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 27

Nurmijarvi, Finland (60.5° N, 24.6° E)							
August 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	(5.8)	8					(2.65)
01	(5.7)	5					(2.55)
02	(5.4)	4					----
03	(4.6)	4					----
04	(4.4)	2					----
05	5.0	10				----	2.75
06	5.6	18				----	2.80
07	6.0	25		4.3		2.75	2.80
08	6.6	25		4.7		3.00	2.75
09	7.7	21		4.9		3.30	2.75
10	7.7	27		5.1		3.40	2.70
11	7.9	27		5.2		3.60	2.70
12	7.5	26		5.3		----	2.70
13	7.5	29		5.4		----	2.70
14	7.5	30		5.4		----	2.75
15	7.6	29		5.4		----	2.75
16	7.5	29		----		----	2.75
17	7.2	31		----		----	2.00
18	7.4	28		----		----	2.80
19	7.4	28		----		----	2.05
20	7.6	22		----		----	2.90
21	7.4	21		----		----	2.80
22	6.8	10		----		----	2.70
23	(5.9)	7					(2.60)

Time: 30.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 1 minute.

Table 29

Lycksele, Sweden (64.6° N, 18.8° E)							
July 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	---	6.0	25	320	---	1.40	4.0 2.5
01	---	5.7	23	330	---	1.60	3.5 2.5
02	(400)	5.8	21	320	2.6	2.00	3.6 2.5
03	390	5.7	21	300	3.2	2.10	3.6 2.5
04	400	6.0	20	250	3.8	2.20	4.4 2.4
05	395	6.0	24	250	4.1	105 2.55	5.0 2.5
06	400	6.0	22	235	4.5	105 2.70	4.9 2.6
07	450	6.2	24	230	4.7	105 3.00	4.6 2.5
08	450	6.4	24	230	4.8	105 3.30	5.0 2.5
09	455	6.6	26	225	5.0	100 3.40	5.4 2.5
10	460	6.7	25	220	(5.2)	105 3.50	5.5 2.5
11	445	6.6	25	220	(5.2)	105 3.50	6.0 2.5
12	440	6.6	26	220	(5.2)	100 3.60	5.6 2.5
13	440	6.6	25	220	(5.2)	105 3.50	6.0 2.6
14	450	6.5	24	215	(5.2)	105 3.40	5.4 2.5
15	400	6.4	25	220	(5.0)	100 3.35	6.0 2.6
16	410	6.5	25	225	5.0	105 3.25	5.1 2.6
17	370	6.5	26	230	4.8	105 3.00	4.9 2.7
18	330	6.4	24	245	4.5	110 2.60	4.8 2.7
19	320	6.4	24	255	4.0	110 2.35	4.4 2.7
20	---	6.5	25	275	---	1.95	3.4 2.7
21	---	6.0	24	290	---	1.70	3.4 2.7
22	5.9	24	300		115	1.40	3.6 2.6
23	6.0	22	315		---	1.30	3.2 2.5

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes, automatic operation. Occasionally, 1.4 Mc to 16.0 Mc in 6 minutes, automatic operation.

Table 26

Brisbane, Australia (27.5° S, 152.9° E)							
September 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	7.6	30	250				2.0 2.75
01	7.3	30	260				2.0 2.75
02	6.7	29	250				2.65
03	6.5	29	260				2.0 2.65
04	6.3	29	290				2.0 2.60
05	6.2	30	270				2.70
06	8.1	30	250			2.05	3.00
07	10.8	30	235			2.80	3.15
08	11.8	30	230			3.30	3.00
09	12.7	30	225			3.60	3.0 2.95
10	12.4	30	220			3.80	4.0 2.85
11	12.2	29	220			3.90	4.2 2.85
12	12.0	29	215			3.90	4.2 2.80
13	11.8	30	210			3.80	4.1 2.70
14	11.7	29	210			3.80	3.9 2.75
15	11.0	30	230			3.50	4.0 2.70
16	10.9	30	240			3.00	3.2 2.75
17	10.6	30	250			2.40	2.75
18	10.2	30	250			<1.60	2.75
19	9.5	29	250				2.75
20	9.2	29	260				2.70
21	9.0	30	260				2.75
22	8.5	29	260				2.75
23	8.2	30	260				2.80

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 20

Sodankylä, Finland (67.4° N, 26.0° E)							
July 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	(6.0)	8	360		---	----	4.2 (2.65)
01	(5.9)	7	350		---	----	4.2 (2.60)
02	5.6	11	365		---	----	4.3 2.55
03	6.0	11	355		---	----	4.2 2.60
04	6.1	12	300		---	----	4.4 2.60
05	6.1	12	260		---	110 2.60	4.6 2.52
06	6.2	17	240	4.2	115	2.85	4.6 2.50
07	6.2	17	240	4.3	115	3.10	4.4 2.55
08	6.5	15	230	4.6	110	3.25	4.3 2.50
09	6.6	18	235	4.3	110	3.45	4.6 2.45
10	6.6	21	225	5.0	110	3.40	4.6 2.40
11	6.8	20	220	5.1	110	3.50	4.4 2.45
12	6.6	20	220	5.1	110	3.50	4.1 2.50
13	6.7	20	220	5.1	110	3.60	4.2 2.55
14	6.5	21	220	5.1	115	3.50	4.1 2.55
15	6.4	21	225	---	115	3.40	2.60
16	6.4	19	220	---	110	3.30	4.4 2.60
17	6.4	18	230	---	115	3.20	4.4 2.72
18	6.5	20	240	---	110	3.00	4.2 2.75
19	6.5	19	250	---	115	2.70	4.2 2.80
20	6.6	17	270	---	115	2.70	4.1 2.80
21	6.4	14	310	---	---	----	4.2 2.72
22	6.2	14	305	---	---	----	4.0 2.90
23	(6.0)	8	320		---	----	4.6 (2.72)

Time: 30.0°E.

Sweep: 1.4 Mc to 22.0 Mc in 6 minutes, automatic operation.

Table 30

Canberra, Australia (35.3° S, 149.0° E)							
July 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	4.6	26	250				2.80
01	4.8	25	250				2.00
02	4.6	24	250				2.80
03	5.0	24	250				2.80
04	>4.5	24	240				2.95
05	4.0	23	200				3.00
06	3.7	23	210				2.90
07	5.4	23	220			<1.60	3.00
08	>8.5	22	200			2.50	(3.20)
09	>10.0	19	200			3.05	3.2
10	>10.5	17	200			3.30	3.6
11	>11.0	18	200			3.50	3.7
12	>10.0	19	200			3.65	3.7
13	>10.8	16	210			3.60	3.8
14	>11.0	21	200			3.30	3.8
15	11.0	21	210			3.10	3.8 (3.15)
16	>10.0	21	210			2.65	3.0
17	>9.5	25	210			1.90	2.1
18	>9.5	26	200				3.10
19	>7.5	26	200				3.00
20	>6.5	25	210				2.90
21	>5.5	26	210				2.80
22	5.3	26	230				2.80
23	5.0	26	240				2.60

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 31

Freiburg, Germany (48.1° N, 7.6° E)							
February 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		5.4 26	285				2.46
01		5.3 27	295				2.43
02		5.0 27	300				2.48
03		4.9 28	290				2.50
04		4.4 28	280				2.57
05		4.4 28	270				2.55
06		4.4 28	265				2.58
07		8.0 28	230		121	1.70	1.9
08		10.8 27	225		114	2.50	2.6
09		12.6 27	225		111	3.00	3.1
10	---	13.6 27	225	---	111	3.25	3.3
11	---	13.4 27	225	---	109	3.40	3.5
12		13.5 27	225	---	109	3.40	3.4
13		13.4 27	225		111	3.30	3.4
14		12.7 20	230		111	3.15	3.3
15		12.6 27	230		115	2.80	3.1
16		11.6 27	225		121	2.25	2.7
17		10.8 27	220		---	E	2.0
18		9.2 20	220				1.7
19		7.7 28	225				2.91
20		7.0 20	240				2.79
21		6.4 28	270				2.68
22		5.8 28	270				2.60
23		5.6 28	275				2.58

Time: 0.0°.

Sweep: 1.25 Mc to 30.0 Mc in 3 minutes.

Table 33

Svalbard, Norway (78.2° N, 15.7° E)							
January 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		(4.6) 5	255		---	E	1.4
01		(4.4) 8	290		---	---	1.7
02		(4.0) 7	260		---	---	2.3
03		(4.2) 9	310		---	---	3.1
04		4.0 10	290		---	---	2.8
05		(3.9) 9	300		---	1.70	3.2
06		4.2 10	290		---	1.70	3.2
07		(4.4) 14	300		---	2.05	3.0
08		4.2 12	300		---	---	2.9
09		(4.4) 14	290		---	(1.90)	2.0
10		4.0 12	280		---	---	2.7
11		(5.3) 8	275		---	(2.20)	2.9
12		4.0 15	285		---	---	3.2
13		4.0 14	265		130	(1.75)	3.2
14		(4.0) 5	260		125	2.15	3.3
15		(4.4) 9	260		130	2.20	3.3
16		(4.2) 7	260		135	1.70	3.1
17		(4.3) 9	270		---	---	3.2
18		(4.4) 11	260		---	---	2.6
19		(4.5) 4	250		---	E	2.6
20		(4.4) 3	250		---	E	1.4
21		(4.0) 2	250		---	E	---
22		(4.2) 4	250		---	E	---
23		(4.4) 6	250		---	E	1.4

Time: 15.0°E.

Sweep: 0.68 Mc to 24.6 Mc in 5 minutes, automatic operation.

Table 35

Yellowknife, Canada (62.4° N, 114.4° W)							
January 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		(4.8) 8	(310)		---	---	6.4
01		(5.0) 8	(320)		---	---	6.0
02		(4.4) 8	(300)		---	---	5.0
03		(4.1) 9	(300)		---	---	4.7
04		(4.2) 9	(310)		---	---	4.0
05		4.0 10	(330)		---	---	3.2
06		(4.4) 9	(380)		---	---	3.5
07		(4.4) 8	(300)		---	---	3.0
08		(4.4) 8	(350)		---	---	(3.1)
09		(6.2) 6	(310)		---	---	(3.6)
10		(6.8) 8	(290)		---	---	(3.0)
11		8.2 10	(280)		---	---	---
12		9.8 11	270		---	---	---
13		10.7 11	270		---	---	---
14		11.7 11	250		---	---	---
15		12.8 10	250		---	2.3	---
16		(12.9) 9	260		---	2.0	---
17		(10.5) 9	260		---	---	---
18		6.4 10	(280)		---	---	---
19		(5.8) 7	200		---	---	3.6
20		(6.9) 8	(300)		---	---	4.0
21		(5.2) 8	300		---	---	3.5
22		4.6 10	(300)		---	---	4.6
23		(4.5) 0	(300)		---	---	6.0

Time: 105.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 32

Lureka, Canada (60.0° N, 85.0° W)							
January 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		5.5 25	280				
01		5.9 30	200				
02		5.6 30	200				
03		5.2 20	280				
04		5.7 27	260				
05		5.2 25	270				
06		5.2 22	200				
07		4.7 26	270				
08		5.0 26	270				
09		5.3 25	270				
10		6.4 26	270				
11		6.6 30	260				
12		6.5 27	250				
13		6.7 26	250				
14		7.0 25	250				
15		6.6 26	260				
16		6.0 24	250				
17		6.3 25	270				
18		6.2 26	200				
19		6.2 30	260				
20		6.2 26	270				
21		6.2 24	270				
22		5.2 27	270				
23		5.2 26	290				

Time: 75.0°W.

Sweep: 1.9 Mc to 20.0 Mc in 15 seconds

Table 34

Frobisher, Canada (63.8° N, 68.6° W)							
January 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		5.1 20	200				
01		5.2 26	300				
02		5.1 27	290				
03		4.9 26	300				
04		4.5 22	200				
05		4.6 22	300				
06		4.5 10	290				
07		4.6 21	300				
08		5.6 23	290				3.0
09		7.7 22	270				
10		10.1 27	250				
11		12.0 25	250				
12		10.2 24	250				
13		8.2 26	260				2.1
14		8.1 25	280				
15		7.9 22	270				
16		7.0 22	270				
17		6.2 23	270				
18		5.6 10	270				3.8
19		6.2 24	270				3.6
20		5.2 23	270				4.2
21		5.1 27	290				3.8
22		5.2 26	280				
23		4.8 25	280				

Time: 75.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 36

Juliusruh/Rugen, Germany (54.6° N, 13.4° E)							
January 1959							
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		4.1 26	<300			E	2.50
01		3.9 26	<300			E	2.45
02		3.5 29	<310			E	2.45
03		3.2 27	<310			E	2.45
04		3.2 30	<300			E	2.55
05		3.3 29	<285			E	1.1
06		3.3 27	<270			E	1.0
07		3.3 27	(275)			---	2.70
08		6.7 25	260			1.70	2.85
09		10.5 27	230			2.35	3.10
10		12.5 25	230			2.70	3.10
11		13.6 21	230			3.00	3.00
12		14.0 26	230			---	2.95
13		14.2 24	240			---	2.95
14		14.1 25	230			---	2.95
15		13.2 26	225			2.45	2.90
16		12.6 28	230			1.85	2.90
17		10.7 27	225			---	2.90
18		8.8 27	220			---	2.90
19		6.9 29	(235)			---	2.90
20		6.0 28	(250)			---	2.75
21		5.1 29	<270			---	2.65
22		4.5 27	<300			---	2.60
23		4.4 27	<300			---	2.60

Time: 15.0°E.

Sweep: 0.5 Mc to 20.0 Mc in 20 seconds.

Table 37

Swanauk, Canada (51.6° N, 113.3° W) January 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	4.2	26	270	---	---	---	---	---
01	4.1	26	290	---	---	---	2.3	---
02	4.1	27	300	---	---	---	2.5	---
03	4.2	26	300	---	---	---	3.0	---
04	4.2	26	300	---	---	---	3.0	---
05	4.6	26	300	---	---	---	3.9	---
06	4.2	27	290	---	---	---	---	---
07	4.1	26	300	---	---	---	---	---
08	4.0	26	260	---	---	E	---	---
09	7.0	24	250	120	2.1	---	---	---
10	11.0	23	230	120	2.5	---	---	---
11	11.0	29	220	110	2.0	---	---	---
12	11.0	29	220	110	2.9	---	---	---
13	11.5	29	220	110	3.0	---	---	---
14	11.7	29	220	110	2.9	---	---	---
15	11.3	29	220	110	2.0	---	---	---
16	11.1	29	220	---	2.1	---	---	---
17	12.1	29	220	---	E	---	---	---
18	10.3	26	210	---	---	---	---	---
19	9.9	26	220	---	---	---	---	---
20	7.1	27	220	---	---	---	---	---
21	6.1	26	230	---	---	---	---	---
22	5.0	27	240	---	---	---	2.4	---
23	4.5	24	270	---	---	---	2.4	---

Time: 100.0°W.

Sweep: 1.0 Mc to 20.0 Mc in 15 seconds.

Table 39

Dourbes, Belgium (50.1° N, 4.6° E) January 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	4.0	27	290	---	---	---	1.4	2.55
01	3.7	27	300	---	---	---	---	2.45
02	3.8	26	310	---	---	---	---	2.45
03	3.6	27	300	---	---	---	---	2.50
04	3.6	27	290	---	---	---	<1.3	2.60
05	3.3	27	270	---	---	---	<1.0	2.70
06	3.3	27	265	---	---	---	<1.0	2.75
07	(4.7)	27	240	---	<1.00	<1.0	(2.75)	---
08	9.4	27	230	131	2.10	<2.2	(3.05)	---
09	12.2	22	230	121	2.60	---	3.10	---
10	---	13.0	26	230	117	2.95	3.10	---
11	---	13.4	27	225	117 (3.10)	<3.2	3.00	---
12	---	13.0	29	230	117 (3.10) (3.1)	2.90	2.90	---
13	13.0	20	235	<119	3.10	<3.0	2.90	---
14	13.0	20	235	117	2.80	<3.0	2.95	---
15	12.2	30	230	<121	2.55	---	2.05	---
16	11.3	29	230	<133	<1.60	---	1.7	2.90
17	9.8	28	225	---	---	---	<1.0	2.90
18	7.8	28	230	---	---	---	<1.0	(2.90)
19	(6.5)	27	240	---	---	---	<1.0	(2.00)
20	5.0	26	245	---	---	---	<1.0	2.70
21	(4.0)	27	260	---	---	---	<1.0	(2.70)
22	4.6	26	280	---	---	---	<1.0	2.60
23	(4.4)	27	290	---	---	---	<1.0	(2.60)

Time: 0.0°.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 41

Freiburg, Germany (48.1° N, 7.6° E) January 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	4.2	30	280	---	---	---	---	2.64
01	4.1	31	295	---	---	---	---	2.50
02	4.0	31	300	---	---	---	---	2.50
03	4.1	29	300	---	---	---	---	2.52
04	4.0	31	270	---	---	---	---	2.69
05	3.7	31	260	---	---	---	---	2.67
06	3.7	29	250	---	---	---	---	2.79
07	6.6	30	230	---	---	---	---	2.92
08	10.8	31	225	121	2.35	2.4	3.14	---
09	13.4	31	225	115	2.00	---	3.10	---
10	(13.7)	30	220	113	3.10	3.1	(3.04)	---
11	13.6	29	220	111	3.20	---	(2.94)	---
12	(13.6)	31	220	113	3.20	---	(2.08)	---
13	13.4	31	230	115	3.15	---	2.07	---
14	12.6	29	230	118	2.90	2.9	2.91	---
15	12.4	30	225	125	2.35	2.7	2.93	---
16	11.2	31	220	---	1.70	1.8	2.93	---
17	9.8	30	215	---	---	---	1.4	2.95
18	7.8	29	225	---	---	---	---	2.92
19	6.4	29	230	---	---	---	---	2.80
20	5.5	29	250	---	---	---	---	2.76
21	5.2	30	260	---	---	---	---	2.70
22	4.6	30	270	---	---	---	---	2.64
23	4.6	31	280	---	---	---	---	2.60

Time: 0.0°.

Sweep: 1.25 Mc to 20.0 Mc in 3 minutes.

Table 38

Lindau/Boz, Germany (51.6° N, 10.1° E) January 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	4.20	29	206	---	---	---	---	2.64
01	4.17	28	280	---	---	---	---	2.50
02	5.90	27	307	---	---	---	---	2.40
03	3.00	27	313	---	---	---	---	2.46
04	5.50	30	300	---	---	---	---	2.57
05	3.49	31	270	---	---	---	---	2.66
06	3.31	31	256	---	---	---	---	2.67
07	3.35	31	250	---	---	---	---	2.70
08	6.43	31	237	---	---	---	---	2.86
09	10.70	31	230	---	---	---	---	3.10
10	13.00	29	229	---	---	---	---	3.11
11	13.57	30	224	---	---	---	---	3.04
12	13.69	31	228	---	---	---	---	2.96
13	13.90	31	231	---	---	---	---	2.90
14	13.95	31	232	---	---	---	---	2.90
15	13.40	31	220	---	---	---	---	2.90
16	12.61	31	229	---	---	---	---	2.93
17	11.29	31	221	---	---	---	---	2.96
18	9.45	31	221	---	---	---	---	2.96
19	7.60	31	226	---	---	---	---	2.92
20	6.10	30	243	---	---	---	---	2.60
21	5.49	30	253	---	---	---	---	2.73
22	4.17	31	256	---	---	---	---	2.70
23	4.70	30	280	---	---	---	---	2.59

Time: 15.0°E.

Sweep: 1.0 Mc to 10.0 Mc in 4 minutes.

Table 40

Victoria, Canada (48.4° N, 123.4° W) January 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	3.9	29	300	---	---	---	---	---
01	3.5	30	300	---	---	---	---	---
02	3.5	30	310	---	---	---	---	---
03	3.3	30	320	---	---	---	---	---
04	3.3	29	330	---	---	---	---	---
05	3.3	27	310	---	---	---	---	---
06	3.3	26	310	---	---	---	---	---
07	3.5	27	300	---	---	---	---	---
08	6.4	28	240	---	---	2.2	---	---
09	9.8	22	230	---	---	2.7	---	---
10	12.3	22	230	---	120	3.0	---	---
11	13.1	21	230	---	110	3.1	---	---
12	13.6	22	220	---	110	3.1	---	---
13	13.2	22	220	---	110	3.2	---	---
14	13.5	23	230	---	110	3.1	---	---
15	13.1	21	230	---	110	2.9	---	---
16	(12.0)	14	220	---	---	2.5	---	---
17	11.5	16	230	---	---	---	---	---
18	10.1	19	220	---	---	---	---	---
19	8.9	28	220	---	---	---	---	---
20	7.2	30	220	---	---	---	---	---
21	5.8	30	230	---	---	---	---	---
22	4.4	30	250	---	---	---	---	---
23	4.1	30	270	---	---	---	---	---

Time: 120.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 42

Genova-Monie Capellino, Italy (44.6° N, 9.0° E) January 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	5.7	30	275	---	---	---	---	2.46
01	5.4	30	280	---	---	---	---	2.51
02	4.9	30	290	---	---	---	---	2.40
03	4.8	29	295	---	---	---	---	2.39
04	4.8	29	285	---	---	---	---	2.46
05	4.6	29	270	---	---	---	---	2.55
06	4.1	29	255	---	---	---	---	2.68
07	4.6	29	240	---	---	---	---	2.64
08	9.2	30	225	---	---	1.8	2.0	2.72
09	13.6	30	220	---	---	2.5	2.6	2.82
10	15.1	30	225	---	---	3.1	---	2.80
11	15.1	31	225	---	---	3.3	---	2.83
12	14.8	30	225	---	---	3.4	---	2.72
13	14.4	30	225	---	---	3.4	---	2.67
14	14.4	30	230	---	---	3.3	---	2.60
15	13.9	29	225	---	---	3.0	---	2.62
16	13.4	29	225	---	---	2.5	---	2.58
17	12.5	29	230	---	---	---	1.1	2.66
18	10.0	29	230	---	---	---	---	2.73
19	8.9	29	230	---	---	---	---	2.64
20	7.4	30	235	---	---	---	---	2.59
21	6.3	30	245	---	---	---	---	2.51
22	6.0	30	270	---	---	---	---	2.46
23	5.6	30	270	---	---	---	---	2.51

Time: 15.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 5 minutes, automatic operation.

Table 43

Djibouti, French Somaliland (11.6° N, 43.2° E) January 1959									
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2	
00	(9.3)	9	270				3.5	----	
01	(10.6)	13	260				3.5	(2.75)	
02	>9.1	20	250		---		2.2	(2.85)	
03	8.2	22	240		---	E	2.0	(3.00)	
04	7.8	24	230		---	E	2.0	3.05	
05	6.5	26	225		---	E	1.9	3.15	
06	4.9	25	225		---	E	1.9	3.25	
07	8.5	27	270		125	2.15	3.5	(3.00)	
08	(11.4)	24	250		115	3.05	3.6	2.90	
09	>13.3	13	240		---	3.60	6.7	(2.75)	
10	(13.0)	10	230		---	4.00	10.0	(2.35)	
11	---	>12.3	23	225	---	---	(4.20)	10.0	(2.15)
12	---	11.7	25	220	---	---	10.0	(2.10)	
13	---	11.7	23	<225	---	---	10.0	2.10	
14	---	>11.6	22	230	---	4.10	10.0	2.10	
15	---	>11.6	20	240	110	(3.85)	6.7	2.10	
16	---	11.6	10	250	110	3.40	6.8	(2.10)	
17	---	(11.4)	13	260	120	(2.90)	5.8	(2.10)	
18	---	>10.4	14	300	---	(1.70)	3.5	----	
19	---	9.3	15	305	---	E	2.00	----	
20	---	>9.5	9	(380)	---	----	----	----	
21	---	(9.3)	9	<310	---	----	2.0	----	
22	---	>9.0	8	295	---	----	3.5	----	
23	---	>9.0	8	<285	---	----	2.3	----	

Time: 45.0°E.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 45

Sao Paulo, Brazil (23.5° S, 46.5° W) January 1959									
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2	
00	13.5	15	295					2.80	
01	13.4	14	270					2.90	
02	11.1	20	245					2.80	
03	9.8	21	260					2.80	
04	0.2	22	235					2.90	
05	6.9	19	260					2.50	
06	7.7	21	250					2.75	
07	0.9	25	240			3.25		2.65	
08	9.6	22	230			----		2.50	
09	---	10.0	24	230	---	----		2.35	
10	---	(10.0)	22	<240	---	----		(2.30)	
11	---	(11.4)	22	---	6.8	----		(2.30)	
12	---	(11.8)	16	---	----	----		2.30	
13	495	12.0	16	---	6.6	----		2.35	
14	465	13.6	20	---	6.6	----		2.35	
15	465	13.5	20	(210)	6.4	----		2.30	
16	460	13.3	19	(235)	----	----		2.35	
17	(450)	(13.0)	21	240	----	----		2.40	
18	---	12.9	24	260	----	----		2.30	
19	---	13.0	25	325	----	----		2.35	
20	---	12.2	16	425	----	----		2.25	
21	---	(12.4)	5	300	----	----		----	
22	---	(13.5)	9	330	----	----		(2.50)	
23	---	>13.2	8	315	----	----		(2.60)	

Time: 45.0°W.

Sweep: 1.75 Mc to 20.0 Mc in 2 minutes 30 seconds.

Table 47

Buenos Aires, Argentina (34.5° S, 50.5° W) January 1959									
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2	
00	10.3	19	330				3.4	2.50	
01	9.6	10	300				2.6	2.60	
02	9.5	19	200					2.60	
03	8.8	19	300					<2.50	
04	8.4	17	300				1.8	2.40	
05	8.2	17	295		130	1.80	2.3	2.30	
06	9.0	17	250		115	----	3.4	2.50	
07	9.5	16	240		111	----	3.0	2.40	
08	---	(10.1)	13	230	---	----		(2.30)	
09	---	11.1	13	(225)	---	----		2.25	
10	(440)	(11.5)	15	(230)	---	----		2.30	
11	(435)	12.2	11	(240)	---	----		2.40	
12	440	12.8	14	(240)	6.4	----		2.40	
13	430	13.2	14	---	---	----		2.45	
14	400	13.1	14	---	---	----		2.50	
15	400	12.6	12	(230)	6.2	----		2.50	
16	400	12.1	14	230	---	----		2.55	
17	(370)	11.6	10	250	(111)	----	4.2	2.50	
18	---	11.0	19	270	(115)	----		2.55	
19	---	11.2	17	310	----	----		2.50	
20	---	(11.2)	17	360	---	----		2.40	
21	---	11.4	10	375	---	----		2.30	
22	---	>11.0	17	370	---	----		2.35	
23	---	11.0	14	350	---	----		2.40	

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 44

Tananarive, Madagascar (18.0° S, 47.5° E) January 1959									
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2	
00	8.0	24	280		---	E	2.4	2.60	
01	7.2	26	<280		---	----	2.4	2.60	
02	6.7	25	<285		---	E	2.3	2.60	
03	6.4	25	(280)		---	E	2.4	2.60	
04	5.7	25	(280)		---	E	2.4	2.55	
05	5.5	26	310		---	E	2.4	2.50	
06	7.0	24	260		---	120	2.30	2.70	
07	---	8.6	24	250	---	115	3.20	2.70	
08	(320)	(10.3)	17	245	---	115	3.60	(2.55)	
09	---	11.1	19	240	---	110	4.00	2.40	
10	440	11.6	16	---	---	115	4.20	(4.2)	2.40
11	430	12.1	17	---	---	---	----	2.35	
12	430	11.9	22	---	---	---	----	2.35	
13	425	11.9	21	---	(6.3)	---	----	2.35	
14	425	11.4	19	---	---	110	(4.25)	(5.0)	2.40
15	430	(10.0)	23	230	(6.0)	115	4.00	4.4	2.30
16	430	10.4	25	240	(5.6)	115	3.60	3.7	2.35
17	---	10.0	24	250	---	115	3.10	3.5	2.40
18	---	>9.4	24	285	---	125	2.30	3.0	(2.45)
19	---	10.0	24	300	---	----	3.2	2.50	
20	---	10.0	22	<305	---	----	2.7	2.50	
21	---	>9.2	23	300	---	----	2.7	2.55	
22	---	9.0	24	<300	---	----	2.5	2.55	
23	---	8.5	25	290	---	E	2.4	2.60	

Time: 45.0°E.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 46

Grahamstown, Union of S. Africa (33.3° S, 26.5° E) January 1959									
Time	h°F2	foF2-Count	h°F1	foF1	h°E	foE	foEs	(M3000)F2	
00	(5.70)	21					2.0	(2.8)	
01	(5.50)	19					<2.0	2.7	
02	(5.36)	20					2.2	(2.8)	
03	4.06	19					2.0	2.7	
04	4.46	19					<2.0	2.8	
05	(4.60)	18						(2.75)	
06	(6.60)	19				130	---	(3.3)	
07	(7.80)	8	---		(130)	(3.1)		(3.2)	
08	(9.10)	4	250		<135	(3.6)		---	
09	(10.80)	5	---		<135	---		---	
10	(11.00)	9	---		---	---		(2.7)	
11	(11.10)	11	---		---	---		(2.7)	
12	(11.30)	8	---		---	---		(2.7)	
13	(11.00)	7	---		---	---		(2.7)	
14	(11.00)	5	---		---	---		---	
15	(7.20)	4	---		---	---		---	
16	(7.20)	5	---		---	---		---	
17	(7.30)	5	250		---	(3.4)	3.0	(2.7)	
18	(7.32)	6	275		125	(2.9)		---	
19	(6.90)	4			130	---	1.9	---	
20	(6.00)	4					<2.0	---	
21	(6.90)	12						(2.95)	
22	(6.60)	18						(2.9)	
23	(6.00)	21					1.9	(2.8)	

Time: 30.0°E.

Sweep: 1.5 Mc to 15.0 Mc.

Table 48

Canberra, Australia (35.3° S, 149.0° E) January 1959									
Time	h°F2	foF2-Count	h°F	foF1	h°E	foE	foEs	(M3000)F2	
00	7.8	29	<260				3.6	(2.65)	
01	7.5	28	270				3.7	2.70	
02	7.1	29	270				3.2	2.70	
03	6.0	29	280				2.2	2.70	
04	---	6.5	29	270			2.2	2.70	
05	---	6.4	29	260	---	1.55	2.1	2.80	
06	---	(7.0)	29	240	---	2.60	3.0	2.90	
07	(420)	7.6	28	210	5.0	3.25	4.0	2.90	
08	395	7.8	20	210	5.6	3.60	4.3	2.80	
09	375	8.3	25	210	6.0	4.00	4.5	2.80	
10	400	8.3	27	210	6.2	4.10	4.5	2.70	
11	400	8.6	25	(215)	6.5	4.20	4.6	2.60	
12	405	0.6	27	(210)	6.4	4.20	4.5	2.60	
13	405	8.8	26	(210)	6.4	4.10	4.6	2.60	
14	420	0.6	23	210	6.4	4.10	4.5	2.55	
15	405	8.6	23	210	6.1	4.05	4.5	2.65	
16	390	0.5	21	200	6.0	3.80	4.3	2.65	
17	375	0.4	27	210	5.6	3.50	3.8	2.70	
18	---	7.9	27	230	---	2.85	3.6	2.75	
19	---	0.0	27	<260	---	2.05	3.6	2.75	
20	---	(7.6)	27	<200	---		3.3	(2.70)	
21	---	>0.0	29	<295	---		3.5	(2.65)	
22	---	(8.5)	29	275	---		3.7	(2.70)	
23	---	(0.2)	29	270	---		3.5	(2.75)	

Time: 150.0°E.

Table 49

Ushuaia, Argentina (54.0° S, 68.3° W)							
January 1959							
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	9.1	25	360	---	---	E	2.30
01	>9.0	24	340	---	---	E	3.1
02	9.1	25	350	---	---	E	2.8
03	9.2	25	350	---	---	E	2.30
04	---	>9.0	25	360	---	1.55	2.25
05	---	9.0	25	320	---	145	2.20
06	(425)	>9.2	25	205	---	119	3.00
07	(440)	(0.9)	25	270	---	111	3.40
08	(445)	(8.9)	22	(260)	---	109	---
09	420	9.0	17	---	---	109	---
10	(410)	(9.0)	9	---	---	104	---
11	---	>9.2	5	---	---	---	(7.0)
12	(400)	>8.7	6	---	---	---	---
13	(400)	>8.0	6	---	---	---	---
14	---	(8.2)	3	---	---	---	---
15	---	(6.3)	5	---	---	---	(5.3)
16	(440)	8.3	13	---	---	105	---
17	---	8.2	19	---	---	111	---
18	---	0.2	20	---	---	111	---
19	---	0.2	23	(290)	---	115	---
20	---	0.2	24	305	---	119	---
21	---	0.3	25	350	---	---	---
22	---	8.8	24	380	---	---	---
23	---	>9.0	25	375	---	E	3.3

Time: 60.0°W.

Sweep: 1.3 Mc to 18.0 Mc in 30 seconds.

Table 51

Yellowknife, Canada (62.4° N, 114.4° W)							
November 1958							
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	5.2	22	300	---	---	---	4.0
01	5.4	25	290	---	---	---	5.0
02	5.1	24	300	---	---	---	4.5
03	5.0	25	300	---	---	---	4.0
04	5.1	23	300	---	---	---	4.0
05	5.1	22	310	---	---	2.0	3.8
06	5.0	22	350	---	---	120	2.3
07	5.0	25	350	---	---	---	3.3
08	6.0	23	300	---	---	2.0	3.8
09	7.1	25	290	---	---	2.0	4.0
10	8.8	25	260	---	---	2.5	3.0
11	10.0	26	260	---	---	110	2.7
12	11.2	28	250	---	---	120	2.8
13	12.9	29	250	---	---	110	2.7
14	13.2	28	240	---	---	120	2.5
15	13.5	20	240	---	---	120	2.2
16	13.3	29	230	---	---	140	1.0
17	12.2	27	230	---	---	---	E
18	10.2	27	230	---	---	---	---
19	7.4	27	270	---	---	---	3.0
20	5.9	24	290	---	---	120	2.1
21	6.2	28	290	---	---	120	2.3
22	5.0	24	200	---	---	120	2.0
23	5.5	23	200	---	---	130	2.5

Time: 105.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 53

Tucuman, Argentina (26.9° S, 65.4° W)							
September 1958							
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	17.4	28	235	---	---	---	3.10
01	>17.0	28	235	---	---	---	3.20
02	14.6	28	220	---	---	---	3.30
03	>10.0	28	205	---	---	---	3.25
04	7.0	28	220	---	---	1.20	2.95
05	6.2	28	245	---	---	131	1.25
06	6.4	28	265	---	---	(135)	1.45
07	10.3	28	245	---	---	(115)	2.55
08	12.7	28	235	---	---	105	3.15
09	13.0	28	225	---	---	101	3.70
10	14.3	27	<225	---	---	101	4.00
11	---	14.4	28	<220	---	101	---
12	(400)	14.0	28	<215	---	101	---
13	455	15.2	27	<215	---	7.3	(101)
14	440	15.4	29	<215	---	7.2	(101)
15	445	15.7	29	<230	---	6.9	---
16	430	(15.6)	29	235	---	<107	3.50
17	430	(15.5)	28	250	---	115	2.90
18	---	>15.0	29	275	---	<150	2.00
19	---	(14.8)	29	350	---	---	(2.30)
20	---	(14.8)	29	350	---	---	(2.30)
21	---	>15.0	29	290	---	---	(2.55)
22	---	(15.7)	29	270	---	---	(2.70)
23	---	(17.3)	28	250	---	---	(2.95)

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 50

Port Lockroy (64.8° S, 63.5° W)							
January 1959							
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	10.0	31	335	---	---	---	1.9
01	10.4	31	335	---	---	---	1.9
02	10.5	30	<340	---	---	1.7	1.9
03	10.5	28	320	---	---	2.0	2.2
04	10.8	31	300	---	---	(2.2)	2.7
05	10.4	30	275	---	---	(2.6)	3.1
06	10.2	30	<260	---	---	(3.0)	3.4
07	9.7	29	(255)	---	---	---	3.0
08	9.0	31	(250)	---	---	(3.6)	4.3
09	8.6	30	<250	---	---	(3.7)	(5.2)
10	0.5	27	<250	---	---	(3.8)	5.6
11	8.1	29	<250	---	---	(4.0)	5.5
12	8.0	30	<250	---	---	(4.0)	5.8
13	7.5	29	(245)	---	---	(4.0)	(5.2)
14	7.6	30	<255	---	---	(3.9)	5.8
15	7.5	27	<250	---	---	(3.8)	5.3
16	7.4	28	<255	---	---	---	5.3
17	7.5	25	(265)	---	---	---	5.0
18	7.4	28	(265)	---	---	(3.3)	4.8
19	7.6	30	<275	---	---	(2.9)	4.1
20	7.9	27	(280)	---	---	(2.5)	4.0
21	8.4	29	(300)	---	---	1.9	2.6
22	8.9	29	(320)	---	---	---	2.6
23	9.6	27	<330	---	---	---	3.0

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 52

La Quiaca, Argentina (22.1° S, 65.6° W)							
September 1958							
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	>11.9	8	200	---	---	---	---
01	>10.0	11	200	---	---	---	---
02	>10.2	13	200	---	---	---	---
03	>8.2	12	200	---	---	---	(2.80)
04	6.8	12	215	---	---	---	(2.80)
05	>6.0	9	230	---	---	---	(2.90)
06	>6.0	8	250	---	---	---	(2.60)
07	>9.2	12	240	---	---	105	(2.40)
08	12.0	10	220	---	---	103	---
09	>12.0	11	205	---	---	103	---
10	>12.6	11	---	---	---	---	---
11	---	>12.2	10	---	---	---	---
12	---	>12.2	13	---	---	---	---
13	---	>12.0	13	---	---	---	---
14	---	>11.7	11	---	---	---	4.0
15	---	>12.0	12	---	---	---	---
16	---	>11.8	12	(210)	---	103	---
17	---	>9.8	13	240	---	103	(3.90)
18	>9.0	7	(275)	---	---	---	3.2
19	>8.4	3	---	---	---	---	---
20	>9.0	3	---	---	---	---	---
21	>10.4	3	---	---	---	---	---
22	>11.8	4	---	---	---	---	---
23	>11.9	8	210	---	---	---	---

Time: 60.0°W.

Sweep: 1.3 Mc to 18.0 Mc in 30 seconds.

Table 54

Ushuaia, Argentina (54.0° S, 68.3° W)							
September 1950							
Time	h°F2	foF2—Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00	7.8	25	335	---	---	---	2.35
01	7.7	26	340	---	---	---	2.30
02	7.2	26	320	---	---	---	2.35
03	7.4	25	310	---	---	---	2.40
04	7.0	24	300	---	---	E	2.40
05	6.6	24	<300	---	---	E	2.35
06	6.6	25	290	---	---	E	2.40
07	8.6	26	245	---	---	173	2.10
08	>9.6	21	230	---	---	109	2.90
09	>10.0	21	240	---	---	105	(3.15)
10	---	>10.0	18	230	---	105	---
11	---	>9.9	21	240	---	103	---
12	---	>10.0	21	240	---	103	---
13	---	>10.0	21	240	---	103	---
14	---	>9.0	19	250	---	103	---
15	---	>9.9	19	250	---	103	---
16	---	>9.7	19	250	---	105	(3.10)
17	---	>9.4	24	260	---	109	2.70
18	---	>9.4	21	260	---	113	2.00
19	---	(9.2)	19	250	---	E	---
20	---	(0.6)	22	265	---	---	(2.50)
21	---	(0.1)	25	<300	---	---	(2.40)
22	---	0.0	24	300	---	---	(2.35)
23	---	8.0	24	320	---	---	2.35

Time: 60.0°W.

Sweep: 1.3 Mc to 18.0 Mc in 30 seconds.

Table 55

Tucuman, Argentina (26.9° S, 65.4° W)									
August 1958									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		13.8	29	225				3.10	
01		12.5	29	225				3.30	
02		11.4	26	215				3.30	
03		8.6	26	215			1.1	3.35	
04		6.6	26	225			1.3	3.35	
05		5.6	26	235				3.20	
06		4.8	27	245				3.00	
07		7.4	24	260	(145)	1.95		3.15	
08		10.6	29	235	185	2.35		3.35	
09		12.4	29	235	181	3.35		3.10	
10		13.8	26	215	161	3.70		3.05	
11	(315)	13.8	26	21	161	3.60		2.90	
12		13.9	26	(2.9)	7.2	1.1	4.30	2.90	
13	365	14.3	29	235	6.7	1.1	3.15	2.75	
14	370	14.5	29	(20.0)	7.9	<1.5	3.90	2.70	
15	375	14.5	29	215		<1.5	3.70	2.65	
16	35	(14.7)	30	235		1.65	3.35	(2.75)	
17		>15.2	30	250		1.09	2.65	(2.75)	
18		>14.0	30	260		(141)	1.75	(2.90)	
19		(14.2)	30	270				(2.70)	2.1
20		(14.0)	30	260				(2.60)	
21		>14.0	30	240				(2.60)	
22		>14.3	30	225				3.30	
23		14.3	29	22				3.30	

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 57

La Quiaca, Argentina (22.1° S, 65.6° W)									
July 1958									
n Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		9.1	23	200				(3.15)	
01		8.8	20	200				(2.90)	
02		8.8	22	210				(2.90)	
03		>8.6	22	200				(3.10)	
04		6.0	21	<200				3.05	
05		(4.0)	19	210				2.90	
06		4.0	19	215				3.00	
07		>5.9	24	250		1.60		2.95	
08		>9.2	22	210	99	2.70	3.0	----	
09	---	>11.6	21	205	99	(3.15)		----	
10	---	>12.0	21	200	99	(3.50)		----	
11	---	>12.0	21	195	96	----		----	
12	---	>11.7	20	195	97	----		----	
13	(370)	>11.7	21	190	97	----		----	
14	---	(11.6)	23	190	5.7	97	(3.60)	----	
15	---	>11.4	23	(195)	97	----		----	
16	---	>11.3	23	200	99	(3.20)		----	
17	---	>11.2	26	225	99	2.55	3.1		
18		>9.1	23	255	--	----	3.0		
19		>8.8	19	260					
20		>9.0	17	230			2.6		
21		>9.0	19	215			2.2		
22		>9.1	24	200					
23		>9.1	22	200				----	

Time: 60.0°W.

Sweep: 1.3 Mc to 18.0 Mc in 30 seconds.

Table 59

Tucuman, Argentina (26.9° S, 65.4° W)									
July 1958									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		10.3	29	220			2.4	3.15	
01		9.6	30	230				3.10	
02		>9.0	30	240				3.10	
03		8.5	30	235			2.6	3.40	
04		6.8	30	210			1.1	3.50	
05		4.6	29	225				3.30	
06		4.4	29	<255				3.05	
07		6.0	30	270	153	1.55		3.10	
08		9.7	29	230	109	2.60		3.45	
09		11.3	30	230	101	3.15		3.40	
10	---	12.5	30	220	101	3.50		3.30	
11	260	12.5	30	210	---	101	3.65	3.10	
12	(325)	13.2	30	200	---	101	3.80	2.95	
13	350	13.6	30	200	6.4	101	3.70	2.90	
14	345	14.3	30	210	---	101	3.65	2.85	
15	350	14.8	30	210	---	<103	3.40	(2.80)	
16	(315)	14.5	30	240	---	105	3.10	(2.85)	
17	---	(14.5)	30	250	---	119	2.50	(2.80)	
18		13.6	30	245	---	----	2.6	(2.95)	
19		(12.6)	29	245			2.5	(2.90)	
20		(11.8)	29	<240			2.5	(2.85)	
21		12.6	30	230				2.90	
22		12.7	30	220				3.05	
23		12.2	30	220				3.20	

Time: 60.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 56

Grahamstown, Union of S. Africa (33.3° S, 26.5° E)									
August 1958									
Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2	
00		3.35	18					2.95	
01		3.40	20					2.9	
02		3.50	17					3.1	
03		3.35	17					3.15	
04		3.10	16					2.9	
05		3.00	15					3.0	
06		(3.05)	15					(3.0)	
07		(6.50)	15			185	(1.90)	(3.4)	
08		(10.50)	7			125	(2.70)	(3.5)	
09		(11.10)	10	(240)		<140	(3.30)	(3.5)	
10		(11.60)	13	245		<135	----	(3.3)	
11		(12.00)	13	<250		<140	----	(3.25)	
12		(12.00)	8	(250)		----	----	(3.1)	
13		(12.00)	12	(250)		----	----	(3.1)	
14		(12.40)	8	(250)		----	----	(3.0)	
15		(12.00)	8	250		----	(3.30)	(3.0)	
16		(11.70)	13	(245)		----	(3.00)	3.1	(3.0)
17		(11.50)	17			150	(2.40)	(3.2)	
18		(11.25)	11			----	<2.00	(3.25)	
19		(8.40)	11					1.9	(3.35)
20		(6.30)	13					(1.8)	(3.4)
21		(5.50)	19						(3.4)
22		(3.60)	19						(3.1)
23		3.25	16						3.0

Time: 30.0°E.

Sweep: 1.5 Mc to 15.0 Mc.

Table 58

Sao Paulo, Brazil (23.5° S, 46.5° W)									
July 1958									
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		8.7	19	240				2.9	
01		7.5	19	240				2.95	
02		7.0	18	250				2.95	
03		6.3	19	240				3.05	
04		4.9	21	250				2.85	
05		4.5	19	260				2.9	
06		3.7	17	280				2.85	
07		6.8	20	260				3.05	
08		9.9	21	255		2.75		2.15	
09		11.3	23	250		3.40		3.1	
10		11.4	25	240		3.60		3.05	
11		11.4	23	240		>3.85		2.9	
12	---	11.4	24	230	---	>3.80		2.75	
13	395	12.0	21	240	(6.8)	----		2.6	
14	400	12.8	23	240	6.0	3.60		2.6	
15	(390)	13.2	20	250	---	----		2.65	
16		13.9	22	260		----		2.7	
17		(13.8)	20	260				(2.8)	
18		(13.0)	19	250				(2.9)	
19		>11.4	22	240				2.95	
20		10.8	19	250				2.85	
21		10.2	20	255				2.7	
22		10.4	19	250				2.9	
23		10.1	17	235				2.95	

Time: 45.0°W.

Sweep: 1.75 Mc to 20.0 Mc in 2 minutes 30 seconds.

Table 60

Trelaw, Argentina (43.2° S, 65.3° W)								July 1958
Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	5.5	19	340					(2.45)
01	>5.1	21	330					2.50
02	5.0	21	310					2.50
03	>5.0	25	315					(2.55)
04	5.3	23	300					2.65
05	4.9	23	270					2.60
06	>4.6	22	320					2.50
07	>4.9	22	250				(1.80)	2.00
08	>7.6	21	220		155	2.60		----
09	>9.2	10	(210)		----	----		----
10	>9.4	4	----		----	----		----
11	>9.9	2	----		----	----		----
12	>10.2	1	----		----	----		----
13	>10.0	1	----		----	----		----
14	----	0	----		----	----		----
15	(10.3)	1	----		----	----		----
16	>9.6	9	(235)		----	----		----
17	>9.5	15	220		----	----		----
18	>9.0	14	210					----
19	>9.6	14	(225)					----
20	>9.8	13	240					----
21	(5.9)	17	235					(2.90)
22	>5.4	17	(270)					(2.60)
23	(5.4)	15	(320)					(2.55)

Table 61

Ushuaia, Argentina (54.0° S, 68.3° W)

July 1958

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	>3.2	11	(375)					(2.40)
01	3.2	10	(360)					(2.40)
02	3.2	10	<360					(2.40)
03	3.2	14	<355					2.40
04	3.1	15	<350					2.40
05	3.2	14	(320)					2.40
06	3.1	12	290					2.50
07	3.1	15	(290)					2.55
08	>4.0	14	245		---	E		2.65
09	>6.2	14	205		---	---	2.2	(2.75)
10	>7.3	10	210		---	---		---
11	(0.2)	9	(210)		---	---		(3.10)
12	>0.6	6	---		---	---		---
13	>0.0	5	---		---	---		---
14	>0.0	0	---		---	---		---
15	>0.0	5	(225)		---	---		---
16	>7.4	9	(210)		---	---		---
17	>6.0	8	(200)		---	---		---
18	(5.3)	5	(220)		---	---		---
19	>4.2	6	(210)		---	---		---
20	(3.5)	9	(250)		---	---		(2.70)
21	>3.3	10	<290		---	---		(2.60)
22	(3.1)	7	(335)		---	---		(2.50)
23	(3.1)	9	---		---	---		(2.30)

Time: 60.0°W.

Sweep: 1.3 Mc to 18.0 Mc in 30 seconds.

Table 62

Sao Paulo, Brazil (23.5° S, 46.5° W)

June 1958

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		9.3	23	240			<2.1	2.80
01		8.8	20	240			<2.2	3.00
02		0.3	24	240			<2.1	3.00
03		6.6	23	240			<2.1	2.95
04		5.5	25	260			<2.1	2.75
05		4.7	23	290			<2.1	2.80
06		4.2	22	290			<2.1	2.00
07		7.2	21	275			<2.20	2.95
08		10.2	26	250			2.90	3.00
09		12.2	27	250			3.25	3.00
10		13.4	20	240			3.55	2.95
11		13.0	20	230			3.80	2.85
12		(360)	13.1	27	235	---	3.75	2.70
13		(300)	13.4	24	230	6.8	3.80	2.70
14		(390)	13.4	25	240	6.4	3.65	2.65
15		(380)	13.8	23	250	---	3.40	2.65
16		---	14.0	23	260	---	2.90	2.70
17		>14.0	27	260			---	2.85
18		>13.5	24	240			2.7	2.40
19		11.2	25	240			2.8	2.85
20		11.4	23	250			<2.2	2.80
21		11.2	19	255			<2.2	2.95
22		11.0	23	240			<2.2	2.85
23		9.8	22	240			<2.1	2.85

Time: 45.0°W.

Sweep: 1.75 Mc to 20.0 Mc in 2 minutes 30 seconds.

Table 63

Hobart, Tasmania (42.0° S, 147.2° E)

May 1958

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		6.3	23	270				2.65
01		5.8	22	280				2.50
02		4.8	19	280				2.60
03		4.9	16	280			>1.8	2.70
04		(4.6)	18	270			1.8	2.75
05		(4.2)	18	250				2.85
06		(3.9)	17	240				2.70
07		5.8	19	260				2.90
08		>8.5	30	240	---	2.35		(3.10)
09		>10.6	30	230	120	2.85		3.10
10		>12.0	29	230	110	3.20		(2.90)
11		>12.5	27	230	120	3.40		(3.00)
12		>13.0	27	230	110	3.40		---
13		>13.0	26	230	110	3.55		---
14		>13.0	26	230	120	3.25		---
15		>12.0	27	230	110	3.00		---
16		>12.0	20	230	120	2.35		---
17		>11.0	30	230				---
18		>10.0	30	240				(2.80)
19		(8.8)	30	240				2.80
20		7.7	29	240				2.80
21		7.2	27	250				2.75
22		7.0	24	250				2.65
23		>6.3	20	260				2.65

Time: 150.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 65

Juliusruh/Rügen, Germany (54.6° N, 13.4° E)

February 1958

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		4.4	20	<325				2.35
01		4.4	21	<330				2.35
02		4.2	16	(315)				2.30
03		4.2	13	(315)				2.35
04		3.9	13	<320			1.0	2.40
05		3.7	15	310				2.45
06		3.6	18	<300		E		2.45
07		5.2	22	285		1.40		2.70
08		7.8	24	245		2.10		2.90
09		10.1	25	240		2.50		2.90
10		11.3	25	240		2.90		2.85
11		12.4	22	235		3.05		2.80
12		13.0	25	240		3.20		2.80
13		13.3	25	235		3.10		2.80
14		13.4	24	230		3.00		2.75
15		13.3	27	240		2.80		2.80
16		12.8	27	230		2.50		2.80
17		11.9	25	230		1.95		2.80
18		10.1	18	230		---		2.80
19		7.8	22	230				2.80
20		6.6	24	(250)				2.70
21		5.6	23	<270				2.55
22		4.8	23	<300				2.50
23		4.5	19	<330				2.35

Time: 15.0°E.

Sweep: 0.5 Mc to 20.0 Mc in 20 seconds.

Table 64

Svalbard, Norway (78.2° N, 15.7° E)

February 1958

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		(4.2)	8	275	---	---	1.7	(2.30)
01		4.2	12	285	---	E	1.4	(2.60)
02		4.2	15	325	---	---	2.9	2.40
03		3.8	16	360	---	1.95	3.1	2.25
04		(3.9)	19	310	120	---	2.9	(2.30)
05		4.1	19	340	---	---	3.0	2.35
06		3.5	15	360	---	---	3.2	(2.30)
07		(4.2)	15	345	---	---	3.0	(2.60)
08		4.4	14	340	125	1.85	2.9	2.45
09		(6.8)	12	300	120	---	3.0	(2.60)
10		6.5	19	265	125	2.00	3.1	2.80
11		(6.3)	13	275	125	2.15	3.0	2.75
12		(270)	(6.6)	12	290	---	1.80	3.0
13		265	(6.5)	9	270	---	2.10	2.8
14		(275)	5.8	10	270	---	1.80	3.0
15		---	(5.6)	13	275	---	2.15	3.2
16			(6.4)	15	260	125	---	4.1
17			(6.5)	16	260	---	---	4.8
18			(6.6)	13	250	---	---	5.7
19			(6.9)	10	260	---	---	3.6
20			(7.0)	9	250	---	---	3.1
21			(7.1)	5	250	---	---	2.2
22			(4.7)	7	250	---	E	2.3
23			(5.4)	10	270	---	---	1.9

Time: 15.0°E.

Sweep: 0.68 Mc to 24.6 Mc in 5 minutes, automatic operation.

Table 66

Eureka, Canada (80.0° N, 85.9° W)

January 1958

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		6.1	31	270				
01		6.0	31	270				
02		6.0	29	270				
03		6.0	29	260				
04		5.6	30	270				
05		5.1	30	260				
06		4.7	30	270				
07		5.3	30	260				
08		5.4	26	260				
09		6.6	30	250				
10		6.2	30	250				
11		7.0	26	240				
12		7.2	30	240				
13		7.6	28	230				
14		7.1	27	240				
15		7.9	29	250				
16		7.1	29	250				
17		7.1	29	260				
18		6.7	30	260				
19		7.1	29	260				
20		6.4	28	270				
21		7.2	30	250				
22		6.9	31	260				
23		7.0	29	260				

Time: 75.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 67

Svalbard, Norway (70.2° N, 15.7° E)

January 1950

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.0	14	265				1.4	(2.40)
01	(5.0)	19	275		---	---	2.6	(2.50)
02	(4.8)	19	280		---	1.45	1.8	(2.40)
03	(4.5)	16	305		---	---	2.0	(2.40)
04	(4.3)	22	310		---	1.40	2.2	(2.30)
05	(4.4)	14	320		---	1.00	2.2	---
06	(4.2)	12	260		---	1.40	3.0	(2.35)
07	(4.4)	16	310	130	---	1.80	2.9	(2.40)
08	(5.3)	11	300		---	1.60	3.2	---
09	(6.2)	12	300		---	1.00	3.2	---
10	(6.6)	12	280	135	---	1.50	3.3	---
11	(5.4)	15	205	125	---	1.60	3.2	(2.70)
12	(5.1)	15	260	120	---	1.70	3.3	---
13	(5.2)	13	260	135	---	1.40	3.2	(2.65)
14	5.2	12	200	140	---	1.90	3.2	(2.70)
15	(5.4)	13	260	140	---	2.00	>3.2	---
16	(5.6)	13	260	145	---	1.35	3.3	---
17	(5.0)	10	265		---	---	3.2	---
18	(5.0)	13	200		---	---	3.2	---
19	(6.3)	16	270		---	E	3.4	---
20	6.6	11	250		---	---	1.0	(2.40)
21	(6.4)	7	250		---	---	1.4	---
22	(6.8)	14	255		---	E	2.1	(2.40)
23	(6.4)	13	260		---	---	---	---

Time: 15.0°E.

Sweep: 0.68 Mc to 24.6 Mc in 5 minutes, automatic operation.

Table 69

Paramaribo, Surinam (5.0° N, 55.2° W)

January 1950

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	>16.5	31	300				3.1	(2.45)
01	>17.0	31	270				3.0	(2.50)
02	>17.0	31	250				2.9	2.60
03	16.5	31	240				2.0	2.70
04	>13.5	30	220				3.0	2.75
05	11.2	31	230				2.7	2.90
06	8.9	31	230				3.0	2.90
07	7.2	29	250				3.2	2.80
08	6.2	31	260				3.1	2.80
09	6.4	30	260				3.1	2.75
10	9.6	31	270		---	1.8	3.2	2.90
11	13.2	31	250	100	---	2.9	4.2	3.00
12	14.4	31	230	---	100	3.5	4.7	2.90
13	(350)	13.6	31	220	---	100	3.9	2.65
14	405	13.7	31	215	(0.0)	100	4.2	4.3
15	435	13.6	31	220	7.5	100	4.4	4.7
16	450	14.0	31	230	7.2	100	4.4	4.4
17	460	14.2	31	230	(7.2)	100	4.3	4.3
18	460	14.0	31	230	(7.0)	100	4.1	4.6
19	460	13.9	31	250	(7.0)	100	3.8	4.4
20	450	14.0	31	250	(6.5)	100	3.4	4.4
21	---	14.0	31	270	---	100	2.7	4.7
22	---	14.8	30	300	---	E	4.4	2.50
23	>15.0	30	310				4.2	2.40

Time: 0.0°.

Sweep: 1.4 Mc to 20.0 Mc in 40 seconds.

Table 71

Lairo, Belgian Congo (2.3° S, 28.8° E)

January 1957

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	>10.0	28	250				(1.6)	(2.76)
01	>10.0	25	270					(2.82)
02	>10.0	29	260				(1.6)	2.98
03	10.0	25	240				(1.6)	2.84
04	8.1	27	235				(1.6)	2.96
05	6.9	23	230				(1.6)	3.19
06	6.5	24	250		---	E	(1.8)	3.02
07	---	8.8	28	245	---	121	2.75	3.02
08	---	10.0	28	246	---	111	3.50	2.93
09	---	>10.0	30	230	---	111	3.80	2.64
10	---	>10.0	27	220	---	109	4.05	(2.44)
11	---	>10.0	23	210	---	109	4.20	---
12	470	>10.0	30	210	---	109	4.30	---
13	435	>10.0	30	210	---	---	4.25	---
14	450	>10.0	30	220	---	111	4.10	---
15	490	>10.0	30	225	---	111	3.90	---
16	465	>10.0	31	240	---	111	3.60	---
17	---	>10.0	31	255	---	115	3.05	3.1
18	---	>10.0	25	290	---	---	2.10	>2.4
19	>10.0	31	360					(2.4)
20	>10.0	30	370					(2.0)
21	>10.0	29	310					(1.8)
22	>10.0	30	260					(2.0)
23	>10.0	23	220					(1.9)

Time: Local.

Sweep: 1.25 Mc to 25.0 Mc in 10 minutes.

Table 68

Freiburg, Germany (40.1° N, 7.6° E)

January 1950

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	5.5	30	305					2.40
01	5.4	29	305					2.40
02	>5.0	30	305					2.45
03	4.6	31	295					2.50
04	4.3	31	275					2.60
05	3.9	29	265					2.50
06	4.0	31	270					2.60
07	6.9	31	235		---	1.30		2.70
08	11.2	31	230		121	2.30	2.6	2.95
09	(13.9)	29	230		115	2.85	3.0	(2.90)
10	(14.0)	30	225		113	3.15	3.3	(2.05)
11	---	14.2	30	230		113	3.20	3.4
12	---	(14.0)	30	225		113	3.30	3.4
13	---	(13.8)	31	230		115	3.20	3.3
14	---	(13.2)	31	230	---	117	2.95	2.9
15	12.7	31	230		117	2.50	2.6	2.70
16	12.3	31	235		---	1.70	1.9	2.75
17	11.2	31	220					2.75
18	8.9	31	225					2.80
19	7.2	31	240					2.65
20	6.4	31	250					2.60
21	5.8	29	275					2.55
22	5.6	30	275					2.45
23	5.4	30	290					2.40

Time: 0.0°.

Sweep: 1.25 Mc to 20.0 Mc in 3 minutes.

Table 70

Luleå, Sweden (65.6° N, 22.1° E)

November 1957

Time	h'F2	foF2—Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00	6.2	18	<350				3.4	(2.2)
01	(6.4)	21	345		---	---	2.7	(2.3)
02	(6.0)	23	335		---	---	3.1	(2.3)
03	(6.0)	23	330		---	---	2.5	(2.3)
04	6.5	21	300		---	---	<1.6	2.35
05	(5.8)	22	280		---	---	---	2.35
06	5.0	25	270		---	---	---	2.5
07	5.8	25	260		---	---	---	2.6
08	0.0	28	260		<100	1.0	---	2.6
09	10.2	26	250		<145	2.2	---	2.8
10	12.6	28	245		135	2.4	---	2.7
11	>13.0	28	240		140	2.5	---	2.7
12	>14.0	26	240		130	2.4	---	2.6
13	(14.2)	28	240		145	2.3	---	2.65
14	>14.4	20	235		155	2.2	---	2.7
15	13.3	23	235		---	1.8	---	2.8
16	10.8	23	230		---	---	---	2.0
17	8.4	24	240		---	---	<1.7	2.05
18	6.0	22	260		---	---	<2.0	2.7
19	5.9	22	260		---	---	3.1	2.5
20	6.0	20	300		---	---	3.2	2.6
21	---	(5.8)	17	300	---	---	3.3	(2.3)
22	---	(5.8)	19	300	---	---	4.0	2.3
23	>5.9	15	350		---	---	3.6	(2.3)

Time: 15.0°E.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 72

Luleå, Sweden (65.6° N, 22.1° E)

January 1953

Time	h'F2	foF2—Count	h'F1	foF1	h'E	foE	foEs	(M3000)F2
00	290	(2.2)	7				2.6	
01								
02	290	(2.3)	8				2.3	
03								
04	295	(2.9)	9					
05								
06	---	2.0	10					
07								
08	250	2.7	22	---	---	---		
09								
10	225	5.0	27	---	1.7	---		
11								
12	220	5.7	27	---	1.6	---		
13								
14	215	4.6	19	---	---	---		
15								
16	225	2.9	18					
17								
18	---	(2.0)	9					
19								
20	---	(2.0)	2				3.5	
21								
22	(290)	(2.2)	3					

Time: 15.0°E.

Sweep: 1.5 Mc to 1.5 Mc in 6 minutes, automatic operation.

ISCOMM-NIS-BL

Fig. 1. ADAK, ALASKA
51.9°N, 176.6°W

MARCH 1960

Fig. 2. ADAK, ALASKA

MARCH 1960

Fig. 3. BOULDER, COLORADO
40.0°N, 105.3°W

MARCH 1960

Fig. 4. BOULDER, COLORADO

MARCH 1960

Fig 5. MAUI, HAWAII
208°N, 156 5°W

MARCH 1960

— LIMITING FREQUENCY = 3 Mc.
— LIMITING FREQUENCY = 5 Mc
— LIMITING FREQUENCY = 7 Mc.

Fig 6. MAUI, HAWAII

MARCH 1960

Fig 7. RESOLUTE BAY, CANADA
74.7°N, 94.9°W

JANUARY 1960

— LIMITING FREQUENCY = 3 Mc.
— LIMITING FREQUENCY = 5 Mc
— LIMITING FREQUENCY = 7 Mc.

Fig 8. RESOLUTE BAY, CANADA

JANUARY 1960

Fig. 13. CHURCHILL, CANADA
58.8°N, 94.2°W

JANUARY 1960

NBS 505

Fig. 14. CHURCHILL, CANADA JANUARY 1960

NBS 490

Fig. 15. INVERNESS, SCOTLAND
57.4°N, 4.2°W

JANUARY 1960

NBS 505

Fig. 16. INVERNESS, SCOTLAND JANUARY 1960

NBS 490

Fig. 25. OTTAWA, CANADA
45.4°N, 75.9°W

JANUARY 1960

Fig. 26. OTTAWA, CANADA

JANUARY 1960

Fig. 27. BUNIA, BELGIAN CONGO
1.5°N, 30.2°E

JANUARY 1960

Fig. 28. BUNIA, BELGIAN CONGO

JANUARY 1960

Fig. 29. LWIRO, BELGIAN CONGO
2.3°S, 28.8°E

JANUARY 1960

NBS 503

Fig. 30. LWIRO, BELGIAN CONGO JANUARY 1960

NBS 490

Fig. 31. LEOPOLDVILLE, BELGIAN CONGO
4.4°S, 15.2°E

JANUARY 1960

NBS 503

Fig. 32. LEOPOLDVILLE, BELGIAN CONGO

JANUARY 1960

NBS 490

Fig. 33. ELISABETHVILLE, BELGIAN CONGO
11.6°S, 27.5°E
JANUARY 1960

Fig. 34. ELISABETHVILLE, BELGIAN CONGO

Fig. 35. MUNDARING, W. AUSTRALIA
32.0°S, 116.2°E
JANUARY 1960

Fig. 36. MUNDARING, W. AUSTRALIA

Fig. 37. SODANKYLÄ, FINLAND
67.4°N, 26.6°E

DECEMBER 1959

Fig. 38. SODANKYLÄ, FINLAND

DECEMBER 1959

Fig. 39. BYRD STATION
80.0°S, 120.0°W

OCTOBER 1959

Fig. 40. BYRD STATION

OCTOBER 1959

Fig. 41. TROMSØ, NORWAY

69.7°N, 19.0°E

SEPTEMBER 1959

Fig. 42. TROMSØ, NORWAY

SEPTEMBER 1959

Fig. 43. LULEÅ, SWEDEN

65.6°N, 22.1°E

SEPTEMBER 1959

Fig. 44. LULEÅ, SWEDEN

SEPTEMBER 1959

Fig. 45. ROME, ITALY
41.8°N, 12.5°E

SEPTEMBER 1959

NBS 503

Fig. 46. ROME, ITALY

SEPTEMBER 1959

NBS 490

Fig. 47. BOGOTA, COLOMBIA
4 5°N, 74 2°W

SEPTEMBER 1959

NBS 503

Fig. 48. BOGOTA, COLOMBIA

SEPTEMBER 1959

NBS 490

Fig. 49. TOWNSVILLE, AUSTRALIA
19.3°S, 146.7°E SEPTEMBER 1959

Fig. 50. TOWNSVILLE, AUSTRALIA SEPTEMBER 1959

Fig. 51. BRISBANE, AUSTRALIA
27.5°S, 152.9°E SEPTEMBER 1959

Fig. 52. BRISBANE, AUSTRALIA SEPTEMBER 1959

Fig. 53. NURMIJARVI, FINLAND
60.5°N, 24.6°E AUGUST 1959

NBS 503

Fig. 54. NURMIJARVI, FINLAND AUGUST 1959

NBS 490

Fig. 55. SODANKYLA, FINLAND
67.4°N, 26.6°E JULY 1959

NBS 503

Fig. 56. SODANKYLA, FINLAND JULY 1959

NBS 490

Fig. 57. LYCKSELE, SWEDEN
64.6°N, 18.8°E

JULY 1959

Fig. 58. LYCKSELE, SWEDEN

JULY 1959

Fig. 59. CANBERRA, AUSTRALIA
35.3°S, 149.0°E

JULY 1959

Fig. 60. CANBERRA, AUSTRALIA

JULY 1959

Fig. 65. SVALBARD, NORWAY
782° N, 157° E

JANUARY 1959

Fig. 66. SVALBARD, NORWAY

JANUARY 1959

Fig. 67. FROBISHER, CANADA
63.8° N, 68.6° W

JANUARY 1959

Fig. 68. FROBISHER, CANADA

JANUARY 1959

Fig. 69. YELLOWKNIFE, CANADA
62.4°N, 114.4°W JANUARY 1959

NBS 503

Fig. 70. YELLOWKNIFE, CANADA

NBS 490

Fig. 71. JULIUSRUH/RÜGEN, GERMANY
54.6°N, 13.4°E JANUARY 1959

NBS 503

Fig. 72. JULIUSRUH/RÜGEN, GERMANY

NBS 490

Fig 73. MEENOOK, CANADA
54.6° N, 113.3° W

JANUARY 1959

Fig 74. MEENOOK, CANADA

JANUARY 1959

Fig 75. LINDAU/HARZ, GERMANY
51.6° N, 10.1° E

JANUARY 1959

Fig 76. LINDAU/HARZ, GERMANY

JANUARY 1959

Fig. 85. DJIBOUTI, FRENCH, SOMALILAND
11.6°N, 43.2°E
JANUARY 1959

NBS 503

Fig. 86. DJIBOUTI, FRENCH, SOMALILAND

NBS 490

Fig. 87. TANANARIVE, MADAGASCAR
18.8°S, 47.5°E
JANUARY 1959

NBS 503

Fig. 88. TANANARIVE, MADAGASCAR

NBS 490

Fig. 93. BUENOS AIRES, ARGENTINA
34.5°S, 58.5°W JANUARY 1959

Fig. 94. BUENOS AIRES, ARGENTINA

Fig. 95. CANBERRA, AUSTRALIA
35.3°S, 149.0°E JANUARY 1959

Fig. 96. CANBERRA, AUSTRALIA

Fig. 97. USHUAIA, ARGENTINA
54.8°S, 68.3°W JANUARY 1959

Fig. 98. USHUAIA, ARGENTINA JANUARY 1959

Fig. 99. PORT LOCKROY
64.8°S, 63.5°W JANUARY 1959

Fig. 100. PORT LOCKROY JANUARY 1959

Fig 101. YELLOWKNIFE, CANADA
62.4° N, 114.4° W NOVEMBER 1958

Fig 102. YELLOWKNIFE, CANADA

Fig 103. LA QUIACA, ARGENTINA
22° S, 65.6° W SEPTEMBER 1958

Fig 104. LA QUIACA, ARGENTINA

Fig 109. TUCUMAN, ARGENTINA
26.9° S, 65 4° W

AUGUST 1958

Fig 110. TUCUMAN, ARGENTINA

AUGUST 1958

Fig. III. GRAHAMSTOWN, UNION OF S. AFRICA
33.3° S, 26.5° E

AUGUST 1958

Fig. II2. GRAHAMSTOWN, UNION OF S. AFRICA

AUGUST 1958

Fig. II3. LA QUIACA, ARGENTINA
22.1°S, 65.6°W

JULY 1958

Fig. II4. LA QUIACA, ARGENTINA JULY 1958

Fig. II5. SAO PAULO, BRAZIL
23.5°S, 46.5°W

JULY 1958

Fig. II6. SAO PAULO, BRAZIL

JULY 1958

Fig. 121. USHUAIA, ARGENTINA
54.8°S, 68.3°W

JULY 1958

Fig. 122. USHUAIA, ARGENTINA

JULY 1958

Fig. 123. SAO PAULO, BRAZIL
23.5°S, 46.5°W

JUNE 1958

Fig. 124. SAO PAULO, BRAZIL

JUNE 1958

Fig. 125. HOBART, TASMANIA
42.9°S, 147.2°E

MAY 1958

Fig. 126. HOBART, TASMANIA

MAY 1958

Fig. 127. SVALBARD, NORWAY
78.2°N, 15.7°E

FEBRUARY 1958

Fig. 128. SVALBARD, NORWAY

FEBRUARY 1958

Fig. 129. JULIUSRUH/RÜGEN, GERMANY
54.6°N, 13.4°E FEBRUARY 1958

Fig. 130. JULIUSRUH/RÜGEN, GERMANY
FEBRUARY 1958

Fig. 131. EUREKA, CANADA
800° N, 859° W JANUARY 1958

Fig. 132. EUREKA, CANADA
JANUARY 1958

Fig. 137. PARAMARIBO, SURINAM
5.8° N, 55.2° W JANUARY 1958

Fig. 138. PARAMARIBO, SURINAM JANUARY 1958

Fig. 139. LULEA, SWEDEN
65.6° N, 22.1° E NOVEMBER 1957

Fig. 140. LULEA, SWEDEN NOVEMBER 1957

Fig 141. LWIRO, BELGIAN CONGO
2.3°S, 28.8°E
JANUARY 1957

NBS 503

Fig 142. LWIRO, BELGIAN CONGO

JANUARY 1957

NBS 490

Fig 143. LULEA, SWEDEN
65.6°N, 22.1°E
JANUARY 1953

NBS 503

Fig 144. LULEA, SWEDEN

JANUARY 1953

NBS 490

Index of Tables and Graphs of Ionospheric Data
in CRPL-F192 (Part A)

	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
March 1960	1	13
Bogota, Colombia		
September 1959	4	24
Boulder, Colorado		
March 1960	1	13
Brisbane, Australia		
September 1959	5	25
Buenos Aires, Argentina		
January 1959	8	36
Bunia, Belgian Congo		
January 1960	3	19
Byrd Station		
October 1959	4	22
Canberra, Australia		
July 1959	5	27
January 1959	8	36
Churchill, Canada		
January 1960	2	16
Djibouti, French Somaliland		
January 1959	8	34
Dourbes, Belgium		
January 1959	7	32
Elisabethville, Belgian Congo		
January 1960	3	21
Eureka, Canada		
January 1959	6	28
January 1958	11	45
Freiburg, Germany		
February 1959	6	28
January 1959	7	33
January 1958	12	46
Frobisher, Canada		
January 1959	6	29
Genoa (Monte Capellino), Italy		
January 1959	7	33
Grahamstown, Union of S. Africa		
January 1959	8	35
August 1958	10	40
Hobart, Tasmania		
May 1958	11	44
Inverness, Scotland		
January 1960	2	16

Index (CRPL-F192 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Juliusruh/Rugen, Germany		
January 1959	6	30
February 1958	11	45
La Quiaca, Argentina		
September 1958	9	38
July 1958	10	41
Leopoldville, Belgian Congo		
January 1960	3	20
Lindau/Harz, Germany		
January 1959	7	31
Lulea, Sweden		
January 1960	1	15
September 1959	4	23
November 1957	12	47
January 1953	12	48
Lwiro, Belgian Congo		
January 1960	3	20
January 1957	12	48
Lycksele, Sweden		
July 1959.	5	27
Maui, Hawaii		
March 1960	1	14
Meanook, Canada		
January 1959	7	31
Mundaring, W. Australia		
January 1960	3	21
Narsarssuak, Greenland		
January 1960	1	15
Nurmijarvi, Finland		
August 1959	5	26
Ottawa, Canada		
January 1960	3	19
Paramaribo, Surinam		
January 1958	12	47
Port Lockroy		
January 1959	9	37
Resolute Bay, Canada		
January 1960	1	14
Rome, Italy		
September 1959	4	24
St. John's, Newfoundland		
January 1960	2	18

Index (CRPL-F192 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Sao Paulo, Brazil		
January 1959	8	35
July 1958	10	41
June 1958	11	43
Slough, England		
January 1960	2	17
Sodankyla, Finland		
December 1959	4	22
July 1959	5	26
Sottens, Switzerland		
January 1960	2	18
Svalbard, Norway		
January 1959	6	29
February 1958	11	44
January 1958	12	46
Tananarive, Madagascar		
January 1959	8	34
Townsville, Australia		
September 1959	5	25
Trelew, Argentina		
July 1958	10	42
Tromso, Norway		
September 1959	4	23
Tucuman, Argentina		
September 1958	9	39
August 1958	10	40
July 1958	10	42
Ushuaia, Argentina		
January 1959	9	37
September 1958	9	39
July 1958	11	43
Victoria, Canada		
January 1959	7	32
Winnipeg, Canada		
January 1960	2	17
Yellowknife, Canada		
January 1959	6	30
November 1958	9	38

CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.

Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Semiweekly:

CRPL—J. North Atlantic Radio Propagation Forecast (of days most likely to be disturbed during following month).

CRPL—Jp. North Pacific Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11—499—, monthly supplements to TM 11—499; Dept. of the Air Force, TO 31—3—28 series). On sale by Superintendent of Documents.* Members of the Armed Forces should address cognizant military office.

CRPL—F. (Part A). Ionospheric Data.
(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic, or other radio propagation data.

Catalog of Data:

A catalog of records and data on file at the U. S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, National Bureau of Standards, Boulder Laboratories, Boulder, Colorado, unless otherwise indicated. Please note that the F series is not generally available.

Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:

NBS Circular 462. Ionospheric Radio Propagation. \$1.25.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions. 30 cents.

NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 Megacycles. 30 cents.

NBS Circular 582. Worldwide Occurrence of Sporadic E. \$3.25.

These Circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

* For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D. C. Price 15 cents (single copy). Subscription price: \$1.50 a year; 50 cents additional for foreign mailing.