DEC 8 1963

Copy

CRPL-F 231 PART A

FOR OFFICIAL USE

Reference book not to be
taken from the library.

PART A
IONOSPHERIC DATA

ISSUED
NOVEMBER 1963

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Ionospheric Data (revised text)	ii
Table of Smoothed Observed Zurich Sunspot Numbers . .	iii
World-Wide Sources of Ionospheric Data	iv
Erratum	iv
Tables of Ionospheric Data	1
Graphs of Ionospheric Data	26
Index of Tables and Graphs of Ionospheric Data in CRPL-F231 (Part A)	51

IONOSPHERIC DATA

The CRPL-F series bulletins are issued as part of the responsibility of the Central Radio Propagation Laboratory for the exchange and distribution of ionospheric and related geophysical data. Part A, "Ionospheric Data," and Part B, "Solar-Geophysical Data," of the CRPL-F series present a variety of data in convenient form for use in research in radio propagation and the ionosphere and in other geophysical problems.

The current form of the tables of ionospheric data provides the monthly medians and, in addition, the number of values entering into the median determination (count) for all ionospheric characteristics listed. Also, when available, the upper and lower quartile values indicated by UQ and LQ in the tables, are listed for f_oF_2 , $h'F_2$, $h'F$, and $M(3000)F_2$. Quartile values are not listed for the other characteristics because of space limitations. The tables are prepared by IBM machine methods.

Beginning with CRPL-F221, Part A, "Ionospheric Data," the hourly median values for the graphs of critical frequencies and $M(3000)F_2$ were plotted by machine methods instead of manually, as in earlier issues. Graphs of critical frequencies and $M(3000)F_2$ will continue to appear. Graphs of percentage of time of occurrence for fEs and virtual heights of the regular ionospheric layers are no longer included. Data on percentage of time of occurrence of fEs above 3, 5, and 7 Mc are available from the CRPL and the IGY World Data Center for Airglow and Ionosphere.

For many years, the tables of ionospheric data appearing in the F series, Part A, listed values of medians recomputed at CRPL. While this practice enforced a certain uniformity, it was subject to some valid criticism for tampering with the original data. The tables and graphs now show the ionospheric data as they are provided by the originating laboratory. Responsibility for the accuracy and reliability of the data rests entirely with the originator.

Medians of data for the U.S. stations are computed in accordance with the recommendations of the World-Wide Soundings Committee. Data will appear in the F series, Part A, only when the complete daily-hourly tabulations have been received by the CRPL or the IGY World Data Center A for Airglow and Ionosphere.

Information on symbols, terminology, and conventions may be found in the "URSI Handbook of Ionogram Interpretation and Reduction, of the World-Wide Soundings Committee," edited by W. R. Piggott and K. Rawer (Elsevier, 1961), which supersedes previous documents. A list of symbols is available from CRPL on request.

The following table contains the latest available information on smoothed observed Zurich sunspot numbers, beginning with the minimum of April 1954. Final numbers are listed through June 1962, the succeeding values being based on provisional data.

Smoothed Observed Zurich Sunspot Number

Month	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
1954				3	4	4	5	7	8	8	10	12
1955	14	16	19	23	29	35	40	46	55	64	73	81
1956	89	98	109	119	127	137	146	150	151	156	160	164
1957	170	172	174	181	186	188	191	194	197	200	201	200
1958	199	201	201	197	191	187	185	185	184	182	181	180
1959	179	177	174	169	165	161	156	151	146	141	137	132
1960	129	125	122	120	117	114	109	102	98	93	88	84
1961	80	75	69	64	60	56	53	52	52	51	50	49
1962	45	42	40	39	39	38	36	34	32	31	30	30
1963	29	30	30	29								

Units of Ionospheric Data Tables

foF2, foEs - - - Tenths of a megacycle
 foF1, foE - - - Hundredths of a megacycle
 h'F2, h'F, h'E - Kilometers
 (M3000)F2 - - - Hundredths

NOTE: Occasionally, when the median falls between two of the observed values, the median is carried an extra decimal place beyond these units. Those cases are easily identifiable by the extra digit appearing to the right of the number, in a column usually left blank.

MED - Median
 CNT - Count
 UQ - Upper Quartile
 LQ - Lower Quartile

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

THE IONOSPHERIC DATA GIVEN IN TABLES 1 TO 100 AND FIGURES 1 TO 100 WERE ASSEMBLED BY THE CENTRAL RADIO PROPAGATION LABORATORY FOR ANALYSIS, CORRELATION AND DISTRIBUTION. THE FOLLOWING ARE THE SOURCES OF THE DATA IN THIS ISSUE.

COMMONWEALTH OF AUSTRALIA, IONOSPHERIC PREDICTION SERVICE OF
THE COMMONWEALTH OBSERVATORY,
HOBART, TASMANIA
TOWNSVILLE, AUSTRALIA

DANISH NATIONAL COMMITTEE OF URSI.
GODHAVN, GREENLAND
NARSSARSSUAQ, GREENLAND

ICELANDIC POST AND TELEGRAPH ADMINISTRATION.
REYKJAVIK, ICELAND

INDIAN COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH,
RADIO RESEARCH COMMITTEE, NEW DELHI, INDIA.
AHMEDABAD, INDIA (PHYSICAL RESEARCH LABORATORY)
KODAIKANAL, INDIA (INDIA METEOROLOGICAL DEPARTMENT)

THE ROYAL NETHERLANDS METEOROLOGICAL INSTITUTE,
PARAMARIBO, SURINAM

MANILA OBSERVATORY, PHILIPPINES.
BAGUIO, LUZON

RESEARCH INSTITUTE OF NATIONAL DEFENCE, STOCKHOLM, SWEDEN.
KIRUNA, SWEDEN
UPPSALA, SWEDEN

UNITED STATES ARMY SIGNAL CORPS., UNITED STATES OF AMERICA.
ADAK, ALASKA
FT. MONMOUTH, NEW JERSEY
GRAND BAHAMA I.
OKINAWA I.
THULE, GREENLAND
WHITE SANDS, NEW MEXICO

NATIONAL BUREAU OF STANDARDS, UNITED STATES OF AMERICA.
(CENTRAL RADIO PROPAGATION LABORATORY).
BARROW, ALASKA
BYRD STATION, ANTARCTICA
COLLEGE (FAIRBANKS), ALASKA (GEOPHY INST OF UNIV OF ALASKA)
HUANCAYO, PERU (INSTITUTO GEOFISICO DEL PERU)
MAUI, HAWAII
POLE STATION, ANTARCTICA
TALARA, PERU (INSTITUTO GEOFISICO DEL PERU)
WASHINGTON, D.C.

ERRATUM

CRPL-F229, P. 5, TABLE 17: THE CORRECT VALUES OF HEIGHTS FOR
WHITE SANDS, NOVEMBER 1961, ARE 10 PERCENT LOWER THAN WERE REPORTED.

TABLES OF IONOSPHERIC DATA

August 1963 - April 1964

TABLE 1
(16-40°N, 12-46E)
RAGUIO, LUZON

HOUR	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f _o F2	5.6	5.3	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	
h'F2	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0	0
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	
h'F1	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0	0
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	
h'F	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0	0
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	
M3000F2	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	
f _o F1	5.6	5.3	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	
f _o E	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	
h'E	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0	0
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	
f _o E _s	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	U _o	
	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	

JULY, 1963

SHEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

TABLE 2
(16-40°N, 12-46E)
RAGUIO, LUZON

		RAOULI, LUZON												TUBURAN, IZOR												
HOUR		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
foF2	MED	3.68	4.0	4.5	4.6	3.7	4.0	4.8	6.3	7.2	8.4	7.7	7.7	7.0	5.9	5.0	5.0	4.4	3.1	1.14	1.05	2.6	9.1	8.8	8.0	6.6
	QUT	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
	LO	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	U	1																								
h'F2	MED	255	270	330	350	370	360	340	345	320	285	265														
	QUT	1																								
	LO																									
	U																									
h'F	MED	305	280	220	235	240	240	265	240	235	210	205	210	200	200	200	220	230	240	245	250	240	270	290	300	
	QUT	25	28	24	15	9	6	28	28	16	18	17	20	21	16	13	13	19	15	29	30	29	30	28	25	
	LO																									
	U																									
M3000F2	MED	3.05	3.0	3.55	3.50	3.15	3.65	3.65	3.35	3.05	2.72	2.50	2.30	2.34	2.60	2.55	2.85	3.04	3.15	3.15	3.10	3.00	3.00	2.95	2.85	
	QUT	1.8	2.0	1.4	1.4	1.3	2.4	2.8	2.6	2.2	2.0	1.8	1.8	2.0	2.8	2.8	3.0	3.0	3.0	2.8	2.4	2.6	2.4	1.6	1.3	
	LO	3.05	3.04	3.65	3.60	3.30	3.67	3.50	3.47	3.14	2.82	2.70	2.45	2.46	2.60	2.75	2.84	3.25	3.30	3.35	3.10	3.04	3.10	2.95		
	U	2.05	3.15	3.65	3.60	3.10	3.65	3.50	3.25	2.90	2.65	2.47	2.25	2.25	2.54	2.70	2.70	2.84	3.09	3.09	3.00	2.90	2.90	2.80		
foF1	MED									4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50									
	QUT									1	1	1	1	1	1	1	1									
	LO																									
	U																									
foE	MED									U																
	QUT									3.95																
	LO																									
	U																									
h'E	MED									123																
	QUT									1																
	LO																									
	U																									
foEs	MED	28	28	29	27	12	1	2		34	38	31	34	30	29	30	30	10	30	25	25	30	30	30	30	
	QUT									28	28	28	28	28	28	28	28									
	LO																									
	U																									

APRIL, 1963

SHEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

TABLE 3
(16-40°N, 12-46E)
RAGUIO, LUZON

BAGDAD, KUWAIT																								
HOUR	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f _o F ₂	MED	5.6	4.8	4.6	4.3	4.0	4.3	4.0	3.7	3.5	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6
	U	5.6	4.8	4.6	4.3	4.0	4.3	4.0	3.7	3.5	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6
	LO	5.6	4.8	4.6	4.3	4.0	4.3	4.0	3.7	3.5	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6
h'F ₂	MED	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0
	U	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0
	LO	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0
h'F	MED	330	310	260	270	250	230	260	210	200	180	180	180	180	170	170	160	150	140	130	120	110	100	90
	U	330	310	260	270	250	230	260	210	200	180	180	180	180	170	170	160	150	140	130	120	110	100	90
	LO	330	310	260	270	250	230	260	210	200	180	180	180	180	170	170	160	150	140	130	120	110	100	90
M3000F ₂	MED	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	U	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	LO	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
f _o F ₁	MED	5.6	4.8	4.6	4.3	4.0	4.3	4.0	3.7	3.5	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6
	U	5.6	4.8	4.6	4.3	4.0	4.3	4.0	3.7	3.5	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6
	LO	5.6	4.8	4.6	4.3	4.0	4.3	4.0	3.7	3.5	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6
f _o E	MED	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	U	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
	LO	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
h'E	MED	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0
	U	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0
	LO	110	100	90	80	70	60	50	40	30	20	10	0	0	0	0	0	0	0	0	0	0	0	0
f _o E _s	MED	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	U	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	LO	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

AUGUST, 1963

SHEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

TABLE 4
(16-40°N, 12-46E)
RAGUIO, LUZON

HOUR		(16:45h, 13°E)																			TIME 12:00				
		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18					19
f _o F2	MED	U	11																						
	LOW	5.7	6.1	5.3	4.5	3.5	3.2	5.2	6.5	7.4	8.0	8.0	9.1	9.4	9.0	10.2	10.2	10.4	10.7	10.8	10.5	9.0	7.3	4.6	5.4
	h'F2	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
	h'F1	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
h'F	MED	U	11																						
	LOW	5.5	5.8	4.8	3.6	3.3	2.8	4.0	6.3	7.0	7.5	6.4	8.7	7.6	5.2	1.9	1.0	1.0	1.4	1.0	1.0	8.3	4.8	5.4	5.6
	h'F2	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
	h'F1	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
h'F	MED	U	11																						
	LOW	3.0	3.0	2.8	2.6	2.6	2.3	2.1	2.1	2.1	1.9	2.1	2.0	2.0	2.1	2.1	2.1	2.3	2.4	2.6	2.4	2.6	2.0	1.1	1.6
	h'F2	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
	h'F1	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
M3000F2	MED	U	11																						
	LOW	2.0	3.1	3.5	3.5	3.4	3.3	3.3	3.1	2.9	2.6	2.6	2.6	2.6	2.5	2.4	2.4	2.5	2.6	2.7	2.6	2.9	2.6	2.7	2.0
	h'F2	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
	h'F1	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
f _o F1	MED	U	11																						
	LOW	2.9	3.2	3.4	3.6	3.6	3.0	3.3	3.4	3.7	3.2	3.1	2.8	2.8	2.9	2.9	2.9	3.0	3.2	3.3	3.1	2.9	2.8	2.7	2.0
	h'F2	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
	h'F1	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
f _o E	MED	U	11																						
	LOW	2.4	2.4	2.3	1.8	1.1	1.7	2.6	2.7	2.5	2.2	2.6	2.7	2.7	2.6	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.0
	h'F2	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
	h'F1	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
h'E _s	MED	U	11																						
	LOW	2.4	2.4	2.3	1.8	1.1	1.7	2.6	2.7	2.5	2.2	2.6	2.7	2.7	2.6	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.0
	h'F2	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11
	h'F1	110	112	9	11	11	5	27	77	73	24	25	25	26	17	7	24	27	26	27	26	18	9	6	11

MAY, 1963

SHEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

TABLE 6

[illegible]

SWEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

MARCH, 1963

TABLE 8

OORTOVA 1 ₁		(26.34°, 127.6E)												TIME 1354 ^h											
HOUR		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
16F2	MED	27	28	27	30	32	26	32	36	56	68	76	81	87	91	85	78	60	55	43	38	26			
	QUT	28	28	27	30	32	26	32	36	56	70	80	80	81	81	81	71	55	40	33	31	29	28		
	LO	26	26	27	31	33	40	27	24	45	55	77	83	88	84	104	106	65	91	79	59	47	50	48	32
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	U																								
16F2	MED	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	QUT	23	25	25	27	25	23	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	LO	23	25	2																					

SWEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

DECEMBER, 1962

TABLE
77.5E[illegible]

SWEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

APRIL, 1963

TABLE
21.9W)[illegible]

EEP 1.0 MC TO 25.0 MC IN 16.2 SECONDS.

2961 • J. Neurosci., September 24, 2008 • 28(39):2955–2961

ET. : MONTH.

7484011[illegible]

SWEEP 1.0 MC TO 24.0 MC IN 27 SECONDS.

OCTOBER, 1942

TABLE 24

WHITE SANDS, NEW MEXICO (22.3N, 106.5W)

[illegible]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	52
--	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----

100

1000

1-574-6000

Model		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6F2	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	LO	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
h F2	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	LO	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
h F	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	LO	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
M3000F2	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	LO	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
f6F1	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	LO	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
f6E	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	LO	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
h E	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	LO	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
f6E1	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	LO	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

NEW YORK: JOHN MC MILLAN & CO., INC.

OCTOBER • 1962

TABLE 2?

WASHINGTON, D.C. (38.7N, 77.1W)

HOUR	138.75s 77.1s												TIME 75s											
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6F2	MEQ	36	34	33	30	27	23	20	56	68	71	75	84	87	86	84	83	76	65	56	45	28	16	
	CNT	27	28	27	30	28	27	20	30	35	30	30	30	31	31	31	31	30	30	31	30	28	30	40
	LD	33	33	33	30	27	24	20	59	70	78	83	88	91	92	93	94	86	73	61	46	42	30	40
h'F2	MEQ	24	25	24	23	20	17	14	21	27	30	32	37	37	35	32	29	22	12	4	-1	53	51	
	CNT	24	25	24	23	20	17	14	21	27	30	32	37	37	35	32	29	22	12	4	-1	53	51	
	LD	24	25	24	23	20	17	14	21	27	30	32	37	37	35	32	29	22	12	4	-1	53	51	
h'F	MEQ	28	27	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9		
	CNT	28	27	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9		
	LD	28	27	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9		
M3000IF2	MEQ	205	300	300	310	318	330	335	342	340	330	325	320	320	329	330	330	330	330	325	318	300	300	290
	CNT	223	326	334	336	342	345	345	345	345	345	345	345	345	345	345	345	345	345	345	345	345	345	
	LD	200	300	310	320	330	340	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	
f6F1	MEQ	280	290	290	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
	CNT	280	290	290	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
	LD	280	290	290	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
f6E	MEQ	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	
	CNT	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	
	LD	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	
h'E	MEQ	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	
	CNT	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	
	LD	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	

SWEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

 

GRAND BAHAMA I.

[illegible]

● ● ● ● ●

2961 • 1962

TABLE 27

[illegible]

ALUMINUM OXIDE - A SPECIAL ADVANTAGE

100

TALAPA, PERU

TABLE 26
(continued)

	hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6 F2	MED	74	51	53	41	35	32	26	27	116	178	111	116	176	178	108	130	135	134	111	116	134	116	116	112
	ENT	24	24	24	23	22	22	22	27	116	178	111	116	176	178	108	130	135	134	111	116	134	116	116	112
	QNT	158	56	54	58	51	46	56	102	114	117	116	118	118	118	118	118	118	118	117	117	118	122	117	
	LQ	30	68	54	41	27	27	72	97	97	97	97	97	97	97	90	102	106	108	109	108	108	110	107	
f6 F2	MED	300	305	320	320	310	310	310	300	305	320	320	320	310	310	310	310	310	310	310	310	310	310	310	310
	ENT	300	305	320	320	310	310	310	300	305	320	320	320	310	310	310	310	310	310	310	310	310	310	310	310
	QNT	300	305	320	320	310	310	310	300	305	320	320	320	310	310	310	310	310	310	310	310	310	310	310	310
	LQ	300	305	320	320	310	310	310	300	305	320	320	320	310	310	310	310	310	310	310	310	310	310	310	310
f6 F	MED	230	220	230	230	240	265	370	240	230	215	210	200	200	195	200	200	200	200	200	200	200	200	200	215
	ENT	230	220	230	230	240	265	370	240	230	215	210	200	200	195	200	200	200	200	200	200	200	200	200	215
	QNT	230	220	230	230	240	265	370	240	230	215	210	200	200	195	200	200	200	200	200	200	200	200	200	215
	LQ	230	220	230	230	240	265	370	240	230	215	210	200	200	195	200	200	200	200	200	200	200	200	200	215
f6 M3000F2	MED	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330
	ENT	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330
	QNT	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330
	LQ	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330
f6 FI	MED	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480
	ENT	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480
	QNT	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480	480
f6 E	MED	220	280	320	340	355	335	290	260	355	335	290	260	355	335	290	260	355	335	290	260	355	335	290	260
	ENT	22	7	34	25	25	23	22	26	71	18	18	10	27	26	27	26	27	26	27	26	27	26	27	26
	QNT	220	280	320	340	355	335	290	260	355	335	290	260	355	335	290	260	355	335	290	260	355	335	290	260
	LQ	220	280	320	340	355	335	290	260	355	335	290	260	355	335	290	260	355	335	290	260	355	335	290	260
f6 E	MED	115	113	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111
	ENT	27	26	27	26	27	26	27	26	27	26	27	26	27	26	27	26	27	26	27	26	27	26	27	26
	QNT	115	113	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111
	LQ	115	113	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111
f6 Ea	MED	30	36	35	37	27	26	24	27	33	37	35	35	36	39	38	40	39	38	40	39	38	40	39	38
	ENT	26	24	21	21	23	25	24	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
	QNT	30	36	35	37	27	26	24	27	33	37	35	35	36	39	38	40	39	38	40	39	38	40	39	38
	LQ	30	36	35	37	27	26	24	27	33	37	35	35	36	39	38	40	39	38	40	39	38	40	39	38

SWEEP 1.0 MC TO 25.0 MC IN 57 SECONDS.

OCTOBER, 1962

THULE & GREENLAND

[illegible]

• *Journal of the American Statistical Association*

PTENGER, 1962

SEPTEMBER, 1962SEPTEMBER, 1962SEPTEMBER, 1962SEPTEMBER, 1962

TABLE 33

50AK • ALASKA

—

hour		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6F2	MED	3.8	3.4	3.7	3.7	2.7	2.9	4.0	4.7	5.0	5.1	5.1	5.4	5.4	5.5	5.3	5.7	5.3	5.1	5.0	4.5	4.4	4.0	3.5	3.0
	CNT	2.4	2.5	2.6	2.4	2.3	2.5	2.8	2.6	2.9	3.0	3.0	3.8	3.9	3.8	3.8	3.9	3.9	3.0	3.0	3.0	2.8	2.7	2.5	2.4
	U	2.4	2.5	2.6	2.4	2.3	2.5	2.8	2.6	2.9	3.0	3.0	3.8	3.9	3.8	3.8	3.9	3.9	3.0	3.0	3.0	2.8	2.7	2.5	2.4
	LO	3.2	3.2	3.2	3.2	2.1	2.1	4.4	5.5	5.6	5.6	6.0	6.0	6.0	6.0	5.9	5.6	6.0	4.6	4.5	5.2	5.2	4.4	3.8	3.4
f6F2	MED	2.4	2.4	2.4	2.4	2.1	2.8	3.1	3.8	4.2	4.1	4.1	4.3	4.4	4.6	4.6	4.6	4.6	4.7	4.4	4.0	3.5	3.0	2.5	2.0
	CNT	2.2	2.2	2.2	2.2	1.9	2.4	2.7	3.0	3.2	3.2	3.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
	U	2.2	2.2	2.2	2.2	1.9	2.4	2.7	3.0	3.2	3.2	3.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
	LO	2.2	2.2	2.2	2.2	1.9	2.4	2.7	3.0	3.2	3.2	3.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
f6F2	MED	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	CNT	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	U	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	LO	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
f6F2	MED	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	CNT	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	U	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	LO	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
M3000F2	MED	3.05	3.06	3.06	3.06	3.06	1.74	3.15	3.14	3.13	3.20	3.30	3.35	3.55	3.30	3.30	3.31	3.34	3.35	3.30	3.15	3.15	3.10	3.10	3.00
	CNT	2.0	2.1	2.3	2.0	1.8	2.2	2.7	2.5	2.7	2.8	3.0	3.0	3.0	3.0	3.8	3.58	3.58	3.58	3.30	3.28	3.25	3.24	3.24	3.24
	U	3.05	3.06	3.06	3.06	3.06	1.74	3.15	3.14	3.13	3.20	3.30	3.35	3.55	3.30	3.30	3.31	3.34	3.35	3.30	3.15	3.15	3.10	3.10	3.00
	LO	2.05	2.05	2.05	2.05	2.05	1.70	2.70	2.60	2.55	2.60	2.70	2.80	2.90	2.90	3.00	3.00	3.10	3.20	3.00	3.00	3.00	3.00	3.00	3.00
 
f6E	MED	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	CNT	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	U	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	LO	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
f6E	MED	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	CNT	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	U	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	LO	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
f6E	MED	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	CNT	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	U	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	LO	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
f6E	MED	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	CNT	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	U	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.						

TABLE 35

GRAND BAHAMA (1)

HOUR		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6f2	MED CNT	30	30	30	37	33	30	40	60	65	63	46	32	30	91	77	81	33	27	76	43	58	43	43	40
	MED CNT	26	26	26	27	28	28	30	33	30	33	30	30	30	30	27	23	30	20	28	26	20	28	26	28
	LO	41	46	40	40	35	34	42	51	50	58	40	76	84	88	50	50	46	80	98	53	46	40	37	26
f6f2	MED CNT	36	36	36	36	34	30	26	52	48	48	60	70	70	70	73	77	34	31	70	44	40	40	37	26
	MED CNT	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232
	LO	21	26	20	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310	310
f6f2	MED CNT	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	MED CNT	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	LO	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
f6f2	MED CNT	552	287	260	264	560	468	246	232	216	216	138	700	233	514	28	236	513	377	374	270	236	246	461	300
	MED CNT	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278	278
	LO	287	274	242	232	246	246	246	278	230	230	183	160	160	160	160	160	160	160	160	160	160	160	160	160
f6f2	MED CNT	280	236	310	313	313	313	330	365	385	328	313	300	300	314	310	310	330	330	336	320	310	300	300	300
	MED CNT	26	27	26	25	28	28	28	28	30	30	30	30	30	30	30	30	30	30	30	28	26	26	27	27
	LO	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
f6f2	MED CNT	280	236	310	313	313	313	330	365	385	328	313	300	300	314	310	310	330	330	336	320	310	300	300	300
	MED CNT	26	27	26	25	28	28	28	28	30	30	30	30	30	30	30	30	30	30	30	28	26	26	27	27
	LO	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
f6f2	MED CNT	280	236	310	313	313	313	330	365	385	328	313	300	300	314	310	310	330	330	336	320	310	300	300	300

TABLE 36

OKIMAWA I.

2

[illegible]

TABLE 34

WASHINGTON • D.C. •

—

[illegible]

135.0E

135.0E

[illegible]

T1-4 150.0W

	hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6F2	MED	4.6	4.4	3.6	3.4	3.1	2.8	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
	CNT	4.6	4.4	3.6	3.4	3.1	2.8	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
	LO	4.6	4.4	3.6	3.4	3.1	2.8	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
	UO	4.6	4.4	3.6	3.4	3.1	2.8	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
f6F2	MED	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	CNT	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	LO	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	UO	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
f6F	MED	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	CNT	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	LO	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
	UO	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
M3000F2	MED	3.0	3.1	3.3	3.5	3.7	4.0	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1
	CNT	3.0	3.1	3.3	3.5	3.7	4.0	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1
	LO	3.0	3.1	3.3	3.5	3.7	4.0	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1
	UO	3.0	3.1	3.3	3.5	3.7	4.0	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1
f6F1	MED	3.8	4.0	4.4	4.7	4.7	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9
	CNT	3.8	4.0	4.4	4.7	4.7	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9
	LO																								
f6E	MED	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6
	CNT	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6
	LO	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6
f6E	MED	1.29	1.4	1.4	1.27	1.4	1.39	1.13	1.67	1.14	1.38	1.12	1.36	1.35	1.4	1.34	1.36	1.4	1.39	1.12	1.21	1.33	1.1	1.1	1.1
	CNT	1	1	1	4	3	3.7	2.3	2.6	3.6	3.2	4.6	3.6	3.2	4.6	3.1	4.6	3.1	4.6	2	1	1	1	1	1
	LO																								
f6Ea	MED	2.8	2.3	2.2	2.3	2.2	2.2	2.3	3.1	3.5	3.8	3.6	3.7	4.2	4.3	3.8	3.8	3.6	3.6	3.8	3.7	3.6	3.6	3.4	2.4
	CNT	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.4	3.6	3.6	3.6	3.7	4.1	4.1	3.7	3.6	3.6	3.6	3.8	3.7	3.6	3.6	3.4	2.4
	LO																								

Примечание. 1962

MEER 0.2% MC TO 50.0 MC IN 27 STEPS.

[illegible]

TEMPERATURE, 1.42

• WEED 1.5 MC TO 3.0 MC IN 1 MINUTE GA 'FOND'.

TABLE 1. Continued

[illegible]

RECEIVED OCT 10 1964

RECEIVED OCT 10 1964

[illegible]

SWEEP 1.0 MC TO 5.0 MC IN 27 SECONDS.

SWEEP 1.0 MC TO 5.0 MC IN 27 SECONDS.

TABLE 41

BARROW, ALASKA

171°N x 156°W

TIME 1500Z

HOUR	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
f _o F2	MED	31	34	35	38	36	40	41	41	42	43	43	44	44	44	46	47	46	45	45	42	41	38	36	
	CNT	0	11	13	14	10	48	19	18	18	18	23	20	20	22	30	48	38	27	25	22	22	16	17	
	UD	36	37	37	39	35	35	40	40	41	40	38	40	41	42	42	43	44	43	43	37	38	34	30	
	LG	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
h'F2	MED	350	305	305	380	443	430	420	420	436	430	420	400	390	420	400	390	360	325	360	366	366			
	CNT	3	3	3	12	17	10	16	49	70	50	45	50	50	45	45	40	30	24	14	11	66	1		
	UD	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48		
	LG	330	300	300	360	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370		
h'F	MED	500	270	505	285	500	365	240	225	230	235	230	235	235	215	220	225	230	225	245	270	284	310	305	
	CNT	21	18	18	22	25	23	20	15	15	15	16	16	16	16	16	16	16	16	16	16	16	16	16	
	UD	225	260	265	265	265	225	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	220	
	LG	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	
M3000F2	MED	315	315	305	315	300	300	290	260	265	245	230	235	230	230	230	230	205	193	111	705	30	110	110	106
	CNT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	UD	300	320	320	320	300	300	280	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
	LG	250	250	280	280	300	280	270	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	
f _o F1	MED																								
	CNT																								
	UD																								
	LG																								
f _o E	MED																								
	CNT																								
	UD																								
	LG																								
h'E	MED																								
	CNT																								
	UD																								
	LG																								
f _o E _h	MED	66	62	49	42	44	40	42	38	42	42	42	42	42	42	42	42	42	42	42	39	46	41	64	
	CNT	30	30	27	28	28	27	30	28	30	280	95	32	10	21	23	37	24	26	39	31	31	29	31	
	UD																								
	LG																								

SWEEP 1.0 MC TO 25.0 MC IN 27 SECONDS*

AUGUST, 1962

TABLE 43

COLLEGE PARK, ALASKA

164°00'N x 147°00'W

TIME 1500Z

HOUR	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f _o F2	MED	32	34	30	36	32	37	40	41	43	42	43	44	45	46	46	46	46	46	46	46	46	46	46
	h'F2	32	34	30	36	32	37	40	41	43	42	43	44	45	46	46	46	46	46	46	46	46	46	46
	h'F	32	34	30	36	32	37	40	41	43	42	43	44	45	46	46	46	46	46	46	46	46	46	46
	M3000F2	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	UO	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
f _o F1	MED	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	h'F1	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	h'E	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	MED	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	UO	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
f _o E	MED	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	h'E	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	MED	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	h'E	300	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285	285
	UO	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
f _o E _h	MED	45	42	44	42	44	34	40	39	30	28	29	28	27	26	25	24	23	22	21	20	19	18	17
	h'E _h	45	42	44	42	44	34	40	39	30	28	29	28	27	26	25	24	23	22	21	20	19	18	17
	MED	27	24	26	27	28	22	26	21	19	14	16	15	14	13	12	11	10	9	8	7	6	5	4
	h'E	27	24	26	27	28	22	26	21	19	14	16	15	14	13	12	11	10	9	8	7	6	5	4
	UO	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U

SWEEP 1.0 MC TO 25.0 MC IN 27 SECONDS*

AUGUST, 1962

TABLE 42

GOVERN, GREENLAND

69°23'N x 53°54'W

TIME 0500Z

HOUR	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f _o F2	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
h' F2	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
h' F	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
M3000F2	300	270	285	285	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
f _o F1	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
f _o E	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
h' E	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
f _o E _h	66	62	60	62	66	60	62	68	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62

SWEEP 1.6 MC TO 25.0 MC IN 15 SECONDS*

AUGUST, 1962

TABLE 44

REYKJAVIK, ICELAND

64°23'N x 21°40'W

TIME 1500Z

HOUR	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f _o F2	U	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
	h'F2	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
	h'F	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
	M3000F2	300	270	285	285	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
f _o F1	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	h'E	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	h'E	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	h'Ea	66	62	62	66	60	62	68	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62

SWEEP 1.6 MC TO 25.0 MC IN 15 SECONDS*

AUGUST, 1962

[illegible][illegible][illegible][illegible]

TABLE 49

(WE 16)

TALARA, PERU

HUANCAYO, PERU

75.3W)

05 318V

[illegible]

SWEEP 1, MC TO 25. MC IN 1 MINUTE 48 SECONDS.

AUGUST, 1962

62.0%

THULE, GREENLAND

RAPPOW, ALAN

56.8%

TIME 150.0W

	hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6F2	MED	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	QNT	2.4	2.3	2.3	2.3	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.3
	LO	58	58	58	57	57	57	57	56	48	46	46	46	47	47	46	44	40	40	40	47	46	44	43	43
f6F2	MED	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	QNT	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
	LO	58	58	58	57	57	57	57	56	48	46	46	46	47	47	46	44	40	40	40	47	46	44	43	43
f6F2	MED	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	QNT	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
	LO	58	58	58	57	57	57	57	56	48	46	46	46	47	47	46	44	40	40	40	47	46	44	43	43
f6F2	MED	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	QNT	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
	LO	58	58	58	57	57	57	57	56	48	46	46	46	47	47	46	44	40	40	40	47	46	44	43	43
f6F2	MED	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	QNT	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
	LO	58	58	58	57	57	57	57	56	48	46	46	46	47	47	46	44	40	40	40	47	46	44	43	43
f6F2	MED	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	QNT	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
	LO	58	58	58	57	57	57	57	56	48	46	46	46	47	47	46	44	40	40	40	47	46	44	43	43
f6F2	MED	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
	QNT	2.5	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
	LO	58	58	58	57	57																			

SWEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

JULY, 1962

[illegible]

JULY, 1967

WQR	AOMs, ALA/2										TIME 100.0%														
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
f6F2	44	..	..	33	34	42	46	48	45	50	50	50	52	50	50	48	48	47	40	41	54	58	57	48	48
	MEQ	28	24	27	28	30	30	29	30	30	30	30	30	30	30	28	27	26	20	20	30	36	27	27	27
	CNT	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	LO	36	24	30	30	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
N'F2	102	74	56	376	600	420	500	420	308	368	380	350	376	336	370	310	376	336	370	310	376	336	370	310	376
	MEQ	28	24	27	28	30	30	29	30	30	30	30	30	30	30	28	27	26	20	20	30	36	27	27	27
	CNT	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	LO	36	24	30	30	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
N'F	750	285	204	504	600	420	500	420	308	368	380	350	376	336	370	310	376	336	370	310	376	336	370	310	376
	MEQ	28	24	27	28	30	30	29	30	30	30	30	30	30	30	28	27	26	20	20	30	36	27	27	27
	CNT	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	LO	36	24	30	30	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
M3000F2	311	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314	314
	MEQ	28	24	27	28	30	30	29	30	30	30	30	30	30	30	28	27	26	20	20	30	36	27	27	27
	CNT	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
	LO	36	24	30	30	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
f6F1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	MEQ	28																							
f6E	360	311	311	307	311	308	308	308	311	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315
	CNT	11	11	11	12	12	12	12	12	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
N'E	135	112	105	102	105	100	100	100	100	100	100	100	100	100	100	100	101	104	108	114	120				
	CNT	13	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	9			
f6Ex	28	12	13	14	14	15	15	15	15	15	15	15	15	15	15	15	16	16	16	16	16	16	16	16	16
	CNT	28	26	26	27	27	27	27	27	27	27	27	27	27	27	27	28	28	28	28	28	28	28	28	28

JULY • 1962

[illegible]

JULY 1967

WGR	DEVELOPMENTAL STAGE										AGE										TIME	
	00	01	02	03	04	05	06	09	10	11	12	13	14	15	16	17	18	19	20	21		22
f62	MEQ	0	12	17	35	34	38	41	42	54	56	58	62	55	60	66	67	7	46	42	37	43
	CNT	0	3	6	7	11	17	18	17	24	27	28	27	28	28	28	28	28	21	18	6	4
	LO	12	31	36	53	33	32	41	61	51	62	44	45	47	46	57	65	64	61	78	75	41
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36	35	44	54	44	46	46	46	48	37	50	37	36	2			
f62	MEQ	0	16	17	40	35	36	40	40	46	46	46	48	37	50	37	36	2				
	CNT	3	7	7	16	28	27	26	28	28	28	28	28	28	28	28	28	28	21	18	6	4
	LO	16	37	40	55	36																

JULY 1917

TABLE 56

		TIME 13:00E																							
HOUR		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6F2	MED	46	50	46	44	41	38	46	56	57	56	58	62	72	80	85	86	88	90	82	82	68	52	48	48
	CNT	16	19	16	18	20	19	26	28	28	27	26	25	26	26	26	26	26	26	26	26	26	26	26	26
	UD	38	42	41	41	37	31	43	52	52	52	53	58	66	73	76	80	81	79	78	69	59	44	40	42
	LQ	51	50	50	50	47	40	50	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59
f6F	MED	242	279	320	350	412	370	360	348	361	322	290	290	256											
	CNT	3	13	19	26	22	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	UD	240	263	307	335	378	346	330	324	320	290	282	265	251											
	LQ	511	500	500	500	479	400	500	500	500	500	500	500	500	500	500	500	500	500	500	500	500	500	500	500
f6F	MED	321	294	240	290	273	262	243	229	220	216	210	209	205	200	200	200	200	200	200	200	200	200	200	200
	CNT	36	32	31	35	39	36	32	28	25	23	22	23	22	25	24	26	25	24	26	27	28	27	28	27
	UD	366	350	310	355	395	362	325	287	257	238	227	238	228	245	246	250	244	260	272	265	273	283	247	240
	LQ	286	271	270	280	258	245	239	226	210	210	195	182	160	135	113	91	69	47	25	0	0	0	0	0
f6F	MED	300	315	325	335	345	355	365	375	385	395	405	415	425	435	445	455	465	475	485	495	505	515	525	535
	CNT	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
	UD	300	320	310	320	330	340	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520
	LQ	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50
f6F	MED	420	440	460	480	500	520	540	560	580	600	620	640	660	680	700	720	740	760	780	800	820	840	860	880
	CNT	6	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
	UD	420	440	460	480	500	520	540	560	580	600	620	640	660	680	700	720	740	760	780	800	820	840	860	880
	LQ	400	390	380	370	360	350	340	330	320	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170
f6E	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT																								
	UD																								
	LQ																								
f6E	MED	118	112	110	110	111	111	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
	CNT	10	24	26	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
	UD	118	112	110	110	111	111	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
	LQ	110	108	106	104	102	100	98	96	94	92	90	88	86	84	82	80	78	76	74	72	70	68	66	64
f6Ea	MED	40	38	34	40	38	30	36	37	54	51	57	54	56	60	56	57	62	48	56	54	49	33	32	43
	CNT	28	27	26	30	30	28	26	29	30	31	30	30	28	28	28	26	28	28	28	28	28	28	27	30
	UD	40	38	34	40	38	30	36	37	54	51	57	54	56	60	56	57	62	48	56	54	49	33	32	43
	LQ	28	27	26	30	30	28	26	29	30	31	30	30	28	28	28	26	28	28	28	28	28	28	27	30

SHEEP 1.0 MC TO 25.0 MC IN 27 SECONDS.

JULY, 1962

TABLE 57

TALARA - DEPH		TIME 75%																							
HOUR		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6F2	MED	58	50	47	46	37	13	32	44	57	41	66	70	72	74	76	78	82	83	81	79	73	68	68	67
	CNT	22	23	24	25	21	2	20	26	24	28	24	28	30	30	30	30	23	23	23	20	25	24	22	21
	UD	62	51	52	50	46	43	47	54	61	68	75	82	89	96	103	110	117	124	131	138	145	152	159	166
	LQ	48	40	37	36	31	10	31	43	56	69	82	95	108	121	134	147	160	173	186	199	212	225	238	251
f6F2	MED	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	CNT																								
	UD																								
	LQ																								
f6F	MED	250	230	250	260	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
	CNT	23	23	24	25	21	2	20	26	24	28	24	28	30	30	30	30	23	23	23	20	25	24	22	21
	UD	338	356	364	372	380	388	396	404	412	420	428	436	444	452	460	468	476	484	492	500	508	516	524	532
	LQ	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210
f6F000F2	MED	330	324	315	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110
	CNT	34	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12
	UD	344	337	330	324	317	310	304	297	290	284	277	270	264	257	250	244	237	230	224	217	210	204	197	190
	LQ	315	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90
f6F1	MED	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440
	CNT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	UD																								
	LQ																								
f6E	MED	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180	180
	CNT	23	23	24	25	21	2	20	26	24	28	24	28	30	30	30	30	23	23	23	20	25	24	22	21
	UD	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250
	LQ	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210
f6E	MED	118	112	110	110	111	111	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
	CNT	10	24	26	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
	UD	118	112	110	110	111	111	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
	LQ	110	108	106	104	102	100	98	96	94	92	90	88	86	84	82	80	78	76	74	72	70	68	66	64
f6E8	MED	21	18	17	16	22	12	15	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
	CNT	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	UD	21	18	17	16	22	12	15	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
	LQ	16	14	13	12	18	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

[illegible]JUNE, 1965[illegible]JUNE, 1962[illegible]JULY 1962[illegible]MAY - 1965

TABLE 66

7A.3W)

[illegible]

JUNE, 1962

γ A G	$A_1 C$
--------------	---------

ABSTRACT

[illegible]

JULY, 1942

TABLE 2

 $\{A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z\}$

TOTAL AREA: 200000

[illegible]

JUNE, 1962

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

.....

HOUR	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
f6F2	MEO	7.0	6.8	6.5	6.8	6.1	6.6	6.6	6.2	7.2	7.8	8.5	9.2	9.9	10.4	10.6	10.5	10.4	10.6	10.5	10.3	9.9	9.8	9.8
	CNT	7.6	7.3	6.8	7.0	6.7	7.0	6.8	6.7	7.2	7.8	8.5	9.2	9.9	10.4	10.6	10.5	10.4	10.6	10.5	10.3	9.9	9.8	9.8
	LO	6.1	6.3	6.7	6.2	6.8	6.0	6.7	6.1	5.6	5.2	6.0	7.4	8.3	9.1	9.8	10.0	9.1	9.4	9.5	9.2	7.9	6.7	6.0
f6F2	MEO								36.0	30.0	40.0	43.5	41.5	38	36.0	33.5	31.0	30.0	37.5	27.0				
	CNT								36.0	30.0	40.0	43.5	41.5	38	36.0	33.5	31.0	30.0	37.5	27.0				
	LO								36.0	30.0	40.0	43.5	41.5	38	36.0	33.5	31.0	30.0	37.5	27.0				
f6F	MEO	6.74	28.6	28.6	6.3	28.6	46.7	6.0	7.0	7.5	17	21	21	18	14	14	0	7.5	13.3	3.5	3.4	4.6	5.0	
	CNT	2.29	2.7	2.6	2.1	2.4	2.1	2.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	
	LO	2.29	2.7	2.6	2.1	2.4	2.1	2.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	
M3000/F2	MEO	U	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	
	CNT	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	
	LO	2.00	3.00	3.00	2.0	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
f6F1	MEO								6.74	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	
	CNT								6.74	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	
	LO								6.74	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	
f6E	MEO								U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	
	CNT								U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	
	LO								U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	
f6E	MEO								11.6	11.6	10.6	11.5	10.2	10.3	11.2	10.3	11.5	10.3	11.2	10.3	11.5	10.3	11.2	
	CNT								11.6	11.6	10.6	11.5	10.2	10.3	11.2	10.3	11.5	10.3	11.2	10.3	11.5	10.3	11.2	
	LO								11.6	11.6	10.6	11.5	10.2	10.3	11.2	10.3	11.5	10.3	11.2	10.3	11.5	10.3	11.2	
f6Ea	MEO	7.0	6	2.8	5.6	2.3	2.6	3.1	3.6	3.6	4.6	6.3	6.1	4.2	4.1	6	6.0	6.0	3.6	3.5	3.7	3.3	3.6	2.8
	CNT	7.0	6	2.8	5.6	2.3	2.6	3.1	3.6	3.6	4.6	6.3	6.1	4.2	4.1	6	6.0	6.0	3.6	3.5	3.7	3.3	3.6	2.8
	LO	6.1	6.3	6.7	6.2	6.8	6.0	6.7	6.1	5.6	5.2	6.0	7.4	8.3	9.1	9.8	10.0	9.1	9.4	9.5	9.2	7.9	6.7	6.0

$$\mu_{\text{eff}} = 10^{-4}$$

 

TABLE 91

COBALT, TACSMANIAN (42.0, 147.2)

TIME 150.0E

[illegible]

SEB • T • M • C • A • S • I • N • E

APRIL 1962

REYK JAVIÐ • ICELAND

(MS)

[illegible]

• SWEEP 1.6 M TO 20.0 M IN 15 SECONDS.

MARCH, 1962

TABLE 84

TIME 15.04

[illegible]

SWEEP 1.0 MS TO 25.0 NS IN 16.2 SECONDS.

1961. 1962.

TABLE 84

TIME 15.0E

[illegible][illegible]

MARCH, 1963

TABLE 98
BYRD STATION, ANTARCTICA
(80.05, 120.0W)

Fig 5 KODAIKANAL, INDIA
10.2°N, 77.5°E

APRIL 1963

Fig 6 BAGUIO, LUZON
16.4°N, 120.6°E

MARCH 1963

Fig 7 REYKJAVIK, ICELAND
64.1°N, 21.8°W

DECEMBER 1962

Fig 8 OKINAWA I.
26.3°N, 127.8°E

DECEMBER 1962

Fig 9 THULE, GREENLAND
76°N, 68°W

NOVEMBER 1962

Fig 10 COLLEGE (FAIRBANKS), ALASKA
64°N, 147°W

NOVEMBER 1962

Fig 11 REYKJAVIK, ICELAND
64°N, 21°W

NOVEMBER 1962

Fig 12 NARSSARSSUAQ, GREENLAND
61°N, 45°W

NOVEMBER 1962

Fig 17 HUANCAYO, PERU
12 0°S, 75 3°W

NOVEMBER 1962

Fig 18 GODHAVN, GREENLAND
69 3°N, 53 5°W

OCTOBER 1962

Fig 19 COLLEGE (FAIRBANKS), ALASKA
64 9°N, 147 8°W

OCTOBER 1962

Fig 20 REYKJAVIK, ICELAND
64 1°N, 21 8°W

OCTOBER 1962

AUGUST 1962

AUGUST 1962

JULY 1962

JULY 1962

Fig 53. GODHAVN, GREENLAND
69.3°N, 53.5°W

JULY 1962

Fig 54 COLLEGE (FAIRBANKS), ALASKA
64.9°N, 147.8°W

JULY 1962

Fig 55. REYKJAVIK, ICELAND
64.1°N, 21.8°W

JULY 1962

Fig 56 ADAK, ALASKA
51.9°N, 176.6°W

JULY 1962

Fig 57. WHITE SANDS, NEW MEXICO
32.3°N, 106.5°W

JULY 1962

Fig 58 OKINAWA I
26.3°N, 127.8°E

JULY 1962

Fig 59 MAUI, HAWAII
20.8°N, 156.5°W

JULY 1962

Fig 60. TALARA, PERU
4.6°S, 81.3°W

JULY 1962

Fig 69 HUANCAYO, PERU
12.0°S, 75.3°W

JUNE 1962

Fig 70. THULE, GREENLAND
76 0°N, 68 0°W

MAY 1962

Fig 71 GODHAVN, GREENLAND
69.3°N, 53 5°W

MAY 1962

Fig 72. COLLEGE (FAIRBANKS), ALASKA
64 9°N, 147 8°W

MAY 1962

Fig 85. WHITE SANDS, NEW MEXICO
32.3°N, 106 5°W

MARCH 1962

Fig 86 GODHAVN, GREENLAND
69.3°N, 53 5°W

FEBRUARY 1962

Fig. 87. BYRD STATION, ANTARCTICA
80.0°S, 120.0°W

DECEMBER 1961

Fig. 88 POLE STATION, ANTARCTICA
90.0°S

DECEMBER 1961

INDEX OF IONOSPHERIC DATA IN CRPL F231

			PAGE	
			TABLE	FIGURE
ADAK, ALASKA	1962	JULY	14	39
	1962	SEPT.	9	34
	1962	OCT.	6	31
AHMEDABAD, INDIA	1962	APR.	20	45
BAGUIO, LUZON	1963	MAR.	2	27
	1963	APR.	1	26
	1963	MAY	1	26
	1963	JULY	1	26
	1963	AUG.	1	26
BARROW, ALASKA	1962	JUNE	16	41
	1962	JULY	13	38
	1962	AUG.	11	36
	1962	SEPT.	8	33
BYRD STATION, ANTARCTICA	1961	APR.	25	50
	1961	MAY	25	50
	1961	JUNE	25	50
	1961	JULY	24	49
	1961	AUG.	24	49
	1961	SEPT.	23	48
	1961	OCT.	23	48
	1961	NOV.	23	48
	1961	DEC.	22	47
COLLEGE (FAIRBANKS), ALASKA	1962	MAY	18	43
	1962	JUNE	16	41
	1962	JULY	14	39
	1962	AUG.	11	36
	1962	SEPT.	8	33
	1962	OCT.	5	30
	1962	NOV.	3	28
FT. MONMOUTH, NEW JERSEY	1962	OCT.	6	31
	1962	AUG.	12	37
GODHAVN, GREENLAND	1962	FEB.	22	47
	1962	MAR.	21	46
	1962	APR.	19	44
	1962	MAY	18	43

INDEX OF IONOSPHERIC DATA IN CRPL F231

		PAGE	
TABLE	FIGURE		

GODHAVN, GREENLAND	1962	JUNE	16	41
	1962	JULY	14	39
	1962	AUG.	11	36
	1962	SEPT.	8	33
	1962	OCT.	5	30
GRAND BAHAMA I.	1962	APR.	20	45
	1962	JUNE	17	42
	1962	AUG.	12	37
	1962	SEPT.	9	34
	1962	OCT.	7	32
HOBART, TASMANIA	1962	APR.	21	46
HUANCAYO, PERU	1962	JUNE	18	43
	1962	JULY	16	41
	1962	AUG.	13	38
	1962	SEPT.	10	35
	1962	OCT.	7	32
	1962	NOV.	5	30
KIRUNA, SWEDEN	1962	APR.	19	44
KODAIKANAL, INDIA	1963	APR.	2	27
MAUI, HAWAII	1962	JUNE	17	42
	1962	JULY	15	40
	1962	SEPT.	10	35
	1962	NOV.	4	29
NARSSARSSUAQ, GREENLAND	1962	MAY	19	44
	1962	JUNE	17	42
	1962	NOV.	3	28
OKINAWA I.	1962	APR.	20	45
	1962	JULY	15	40
	1962	AUG.	12	37
	1962	SEPT.	9	34
	1962	NOV.	4	29
	1962	DEC.	2	27

INDEX OF IONOSPHERIC DATA IN CRPL F231

			PAGE	
			TABLE	FIGURE
PARAMARIBO, SURINAM	1961	APR.	25	50
POLE STATION, ANTARCTICA	1961	JULY	24	49
	1961	AUG.	24	49
	1961	OCT.	23	48
	1961	DEC.	22	47
REYKJAVIK, ICELAND	1962	MAR.	21	46
	1962	JULY	14	39
	1962	AUG.	11	36
	1962	SEPT.	8	33
	1962	OCT.	5	30
	1962	NOV.	3	28
	1962	DEC.	2	27
TALARA, PERU	1962	JUNE	17	42
	1962	JULY	15	40
	1962	AUG.	13	38
	1962	SEPT.	10	35
	1962	OCT.	7	32
	1962	NOV.	4	29
THULE, GREENLAND	1962	APR.	19	44
	1962	MAY	18	43
	1962	JULY	13	38
	1962	AUG.	10	35
	1962	SEPT.	7	32
	1962	NOV.	3	28
TOWNSVILLE, AUSTRALIA	1962	APR.	20	45
UPPSALA, SWEDEN	1962	MAR.	21	46
WASHINGTON, D.C.	1962	AUG.	12	37
	1962	SEPT.	9	34
	1962	OCT.	6	31
	1962	NOV.	4	29
WHITE SANDS, NEW MEXICO	1962	MAR.	22	47
	1962	JULY	15	40
	1962	OCT.	6	31

CRPL REPORTS

(A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory on request.)

Catalog of Data.

A catalog of records and data on file at the U.S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, Boulder, Colorado, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

CRPL-F (Part A), "Ionospheric Data."

CRPL-F (Part B), "Solar Geophysical Data."

These monthly bulletins have limited distribution and are sent, in general, only to those individuals and scientific organizations that collaborate in the exchange of ionospheric, solar, geomagnetic, or other radio propagation data of interest to the CRPL. Others may purchase copies of the same data from the U.S. IGY World Data Center A for Airglow and Ionosphere, National Bureau of Standards, Boulder, Colorado.

"Ionospheric Predictions."

This series of publications is issued monthly, three months in advance, as an aid in determining the best sky-wave frequencies for high frequency communications over any transmission path, at any time of day for average conditions for the month.

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Price 15 cents. Annual subscription (12 issues) \$1.50 (50 cents additional for foreign mailing).

(NOTE: Tested sets of punched cards of the predicted numerical coefficients of numerical maps of the Ionospheric Predictions, for use with electronic computers, may be purchased by arrangement with the Prediction Services Section, CRPL, Boulder Laboratories, Boulder, Colorado.)

National Bureau of Standards Handbook 90, "Handbook for CRPL Ionospheric Predictions Based on Numerical Methods of Mapping." Price 40 cents.

National Bureau of Standards Circular 462, "Ionospheric Radio Propagation." Price \$1.25.

NBS Handbook 90 and NBS Circular 462 for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D. C.