CRPL-F 254 PART B

FOR OFFICIAL DISTRIBUTION

National Bureau of Standards
Library, N.W. Bldg
DEC 17 1965

Reference book not to be
taken from the library.

NATIONAL BUREAU
OF STANDARDS
LIBRARY

JUN 29 1973

12333

Ref

QC503

.451

PART B

SOLAR - GEOPHYSICAL DATA

ISSUED

OCTOBER 1965

U. S. DEPARTMENT OF COMMERCE

ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION

INSTITUTE FOR TELECOMMUNICATION SCIENCES AND AERONOMY

(FORMERLY CENTRAL RADIO PROPAGATION LABORATORY)

BOULDER, COLORADO

ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION
INSTITUTE FOR TELECOMMUNICATION SCIENCES AND AERONOMY
(FORMERLY CENTRAL RADIO PROPAGATION LABORATORY)
BOULDER, COLORADO

SOLAR - GEOPHYSICAL DATA

CONTENTS

- (i) Revisions to Descriptive Text

I DAILY SOLAR INDICES

- (a) Relative Sunspot Numbers and 2800 Mc/s Solar Flux - August, September 1965
(b) Graph of Sunspot Cycle

II SOLAR CENTERS OF ACTIVITY

- (a) Calcium Plage and Sunspot Regions - September 1965
(b) Magnetic Classifications of Sunspots (Mt. Wilson) - September 1965
(c) Provisional Coronal Line Emission Indices - September 1965

III SOLAR FLARES

- (a-e) Optical Observations - September 1965
(f) Flare Patrol Observations - September 1965
(g) Ionospheric Effects (SWF-SEA-SCNA-SPA-SES-SFD-Bursts) - August 1965
(h) 30 Mc/s - Riometer Events (Great Whale River) - August 1965

IV SOLAR RADIO WAVES

- (a) 2800 Mc/s Outstanding Occurrences (ARO-Ottawa; DRAO-Penticton) - September 1965
(b) 223 Mc/s Interferometric Occurrences (Boeing-Seattle) - September 1965
(c) 169 Mc/s Interferometric Occurrences (Nangay) - September 1965
(d) 108 Mc/s Outstanding Occurrences (NBS-Boulder) - September 1965
(e) 107 Mc/s Outstanding Occurrences (Haleakala, Hawaii) - September 1965
(f-g) 7.6-41 Mc/s Spectral Observations (HAO-Boulder) - September 1965
(h-l) 9.1 cm Spectroheliograms (Stanford) - September 1965
(m-q) 21 cm Spectroheliograms (Fleurs) - March, April 1965

V COSMIC RAY INDICES

- (a) Neutron Monitors (Churchill - Climax - Dallas) - August 1965
(b) Neutron Monitor (Deep River) - August 1965

VI GEOMAGNETIC ACTIVITY INDICES

- (a) C, Kp, Ap and Selected Quiet and Disturbed Days - August 1965
(b) Chart of Kp by Solar Rotations - 1965

VII RADIO PROPAGATION QUALITY INDICES

- (a) CRPL Quality Figures and Forecasts - North Atlantic and North Pacific - August 1965
(b) Graphs Comparing Forecasts and Observed Quality - High Latitude - August 1965
(c-d) Graphs of Useful Frequency Ranges - August 1965

VIII ALERT PERIODS AND SPECIAL WORLD INTERVALS

- (a) IQSY Alert Periods - September 1965

The descriptive text was republished in November 1964. Addenda have been given in the introduction to each of the CRPL-F Part B reports, December 1964 through September 1965.

Solar Flares:

The more complete listing of solar flares for June 1965 which would normally appear in this issue will be published in the next issue. Data from several observatories were not received in time for publication.

Ionospheric Effects -- SFD:

In order to better explain the SFD portion of the Ionospheric Effect of Solar Flares Table the following two sentences should be added to the first paragraph on page 14 of the November 1964 Descriptive Text:

The SFD column gives the largest frequency deviation observed, for the various paths and frequencies used, during a given event in tenths of a cycle per second (i.e. 014 = 1.4 cycles per second).

The transmitter locations are: WWV = Beltsville, Maryland; WWVH = Maui, Hawaii; KKE = Sunset, Colorado; MN = Monrovia, Liberia.

DAILY SOLAR INDICES

August 1965	American Relative Sunspot Numbers R_A'
1	0
2	0
3	7
4	2
5	0
6	0
7	7
8	6
9	9
10	10
11	10
12	14
13	1
14	1
15	0
16	0
17	0
18	3
19	1
20	2
21	0
22	0
23	0
24	0
25	0
26	3
27	16
28	12
29	3
30	12
31	19
Mean:	4.5

Sept. 1965	Zürich Provisional Relative Sunspot Numbers R_Z	Daily Values Solar Flux at 2800 Mc, Ottawa, Canada Flux	
		S	S_A
1	17	75.4	76.8
2	20	75.9	77.3
3	21	76.6	77.9
4	22	76.7	78.0
5	22	78.7	80.0
6	19	77.1	78.3
7	23	77.7	78.9
8	22	78.6	79.8
9	18	76.1	77.2
10	15	75.6	76.7
11	19	75.7	76.7
12	17	75.3	76.3
13	17	75.0	75.9
14	8	75.2	76.1
15	8	74.9	75.7
16	10	73.7	74.5
17	8	73.8	74.5
18	9	73.0	73.7
19	7	72.8	73.4
20	0	72.8	73.4
21	0	72.5	73.1
22	0	71.2	71.7
23	11	71.8	72.3
24	17	76.1	76.6
25	13	75.8	76.2
26	17	77.0	77.4
27	18	78.4	78.7
28	23	80.5	80.8
29	37	87.3	87.6
30	52	89.0*	89.3*
Mean:	16.3	76.3	77.2

* Corrected for burst

PREDICTED AND OBSERVED SUNSPOT NUMBERS

CALCIUM PLAGE AND SUNSPOT REGIONS

SEPTEMBER 1965

SEPT. 1965	LAT.	MCMATH PLAGE NUMBER	RETURN OF REGION	CALCIUM PLAGE DATA						SUNSPOT DATA		
				CMP VALUES		HISTORY	AGE (ROTA- TIONS)	DATE FIRST SEEN	DURA- TION (DAYS)	CMP VALUES		HISTORY
				AREA	INT.					AREA	COUNT	
1.2	N39	7964	New	(100)	(1.5)	b \ d	1	8/27	4			
1.7	S36	7970 (1)	New	200	1.0	b - d	1	9/1	1			
5.4	N36	7974	New	(100)	(1.5)	b - d	1	9/3	2			
5.7	S29	7969	7931	500	1.0	ℓ ∧ d	2	8/30	9			
6.2	N25	7975 (3)	7932	400	1.5	ℓ - d	2	<9/5	> 2			
7.1	S32	7979 (1)	New	(200)	(1.5)	b - d	1	9/9	1			
7.1	N27	7980 (1)	New	(200)	(1.5)	b - d	1	9/9	1			
8.2	N28	7971 (2)	New	1400	3.0	ℓ ∧ ℓ	1	9/1	14	100	26	ℓ ∧ ℓ
8.4	S04	7973 (1)	New	(200)	(1.5)	b - d	1	9/3	1			
9.2	N36	7976	New	(500)	(2.0)	b - d	1	9/5	9	10	6	b - d
9.2	N27	7978 (1)	New	(100)	(2.0)	b - d	1	9/7	1			
9.7	N24	7977 (1)	New	(100)	(2.0)	b - d	1	9/5	1			
12.0	S20	7987 (1)	New	(100)	(1.5)	b - d	1	9/14	1			
12.2	S41	7988 (1)	New	(300)	(1.5)	b - d	1	9/14	1			
13.3	N22	7981	New	100	1.0	b \ d	1	9/10	4			
14.7	S06	7984 (1)	New	(100)	(1.5)	b - d	1	9/12	1			
15.0	N26	7990	New	(700)	(1.0)	b \ ℓ	1	9/18	3			
15.7	N25	7982 (1)	New	(200)	(1.5)	b - d	1	9/11	1			
15.8	N28	7986 (1)	New	(100)	(1.5)	b - d	1	9/13	1			
16.4	N16	7985 (1)	New	(100)	(1.5)	b - d	1	9/12	1			
18.1	N25	7983	7962	1800	3.0	ℓ ∧ ℓ	2	9/11	14	10	6	ℓ - d
21.1	N36	7994	New	(100)	(2.0)	b - d	1	9/23	2			
21.5	N26	7995	New	(500)	(3.5)	b / ℓ	1	9/23	5	(20)	(10)	b / ℓ
21.9	N05	7996 (1)	New	(100)	(1.5)	b - d	1	9/23	1			
22.0	N29	7989 (4)	7956	1600	1.5	ℓ \ ℓ	2	<9/17	>12			
22.3	N12	7993 (1)	New	100	2.0	b - d	1	9/22	1			
22.3	N12	8001 (1)	New	(200)	(2.0)	b - d	1	9/25	1			
23.8	N41	7997 (1)	New	100	2.0	b - d	1	9/23	1			
24.3	N22	7991	New	(100)	(1.0)	b - d	1	9/19	3			
25.2	N26	8007 (1)	New	(100)	(1.0)	b - d	1	9/27	1			
26.0	N06	7992	7968	(400)	(2.0)	ℓ - d	2	9/19	12			
29.2	N31	8003	New	200	1.5	b \ d	1	9/27	4	(10)	(2)	b - d
29.4	N34	7998 (1)	New	(200)	(1.5)	b - d	1	9/24	1			
29.5	N05	7999	New	(100)	(1.5)	b - d	1	9/24	2			
30.1	N18	8000	New	(200)	(1.0)	ℓ - d	1	9/24	2			
30.2	N11	8011	New	(100)	(1.5)	b - d	1	10/3	1			

(1) These small and ephemeral plages were seen on the disk for only one day.

(2) Region 7971 is a new plage which has developed near the position of plage 7932 of the previous rotation.

(3) Region 7975 contains the remnants of region 7932.

(4) Region 7989 is primarily a return of plage 7956 of the previous rotation although part of 7989 also contains weak remnants of old plage 7958.

No calcium plage observations were secured at the McMath-Hulbert Observatory on September 8, 16 and 26, 1965.

MT. WILSON MAGNETIC CLASSIFICATIONS OF SUNSPOTS

11b

SEPTEMBER 1965

SEPT. 1965	TIME MEAS. UT	LAT.	MER. DIST	TYPE	No.	SEPT. 1965	TIME MEAS. UT	LAT.	MER. DIST.	TYPE	No.
1	2200	N25 N02	W32 W35	αp βp^*	15951 15952	15	1435	N23	E29	αp	15955
2	2345	N02 N26	W50 E66	βp^* αp	15952 15953	16	1430	N23	E16	αp	15955
3	No Obs.					17-19	No Obs.				
4	0040	N03 N25	W65 E56	βp^* βf	15952 15953	20	2345	N24	W38	αp	15955
5-7	No Obs.					21-22	No Spots				
8	1620	N26	W08	βp	15953	23	2000	N25	W31	βp	15956
9	1700	N26 N33	W21 W09	βp αf	15953 15954	24	1435	N25	W42	βp	15956
10	2205	N26	W37	βp	15953	25	No Obs.				
11	No Obs.					26	1645	N26 N19	W74 E79	αp αp	15956 15957
12	0040	N26 N24	W55 E76	αp αf	15953 15955	27	1615	N18 N32 S28	E70 E19 E79	βp βp αf	15957 15958 15959
13	0025	N25 N24	W68 E64	αp αf	15953 15955	28	No Obs.				
14	0000	N26 N24	W80 E50	αp αp^{**}	15953 15955	29	1615	N21	E44	$\beta \gamma$	15957
14	2355	N23	E37	αp	15955	30	No Obs.				

* Old cycle (19)

** Two previous observations affected by limb proximity

PROVISIONAL CORONAL LINE EMISSION INDICES

SEPTEMBER 1965

The Coronal Indices will be published at a later date because the microdensitometer is undergoing repairs.

SOLAR FLARES

SEPTEMBER 1965

OBSERVATORY	DATE SEPT 1965	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS COND	MEASUREMENTS				REMARKS	
		START	END	APPROX LAT.	MER DIST	MC-MATH PLACE REGION				TIME U T	MEAS AREA Sq Deg	CORR AREA Sq Deg	MAX WIDTH Ha		MAX INT %
KAND	01	0912	0922	N27 E90		7971		1-							
KAND	01	1053	1112	N30 E90		7971		1-							
KAND	01	1054	1107	N03 W24		7968		1-							
HALE	01	2202 E	2232 D	N32 W90		7958		1-	2 P	2206	.20				
OTTA	02	1239	1254 D	N04 W42		7968		1-	1 C	1245	.35	.40			H
OTTA	02	1343 E	1355 D	N05 W42		7968		1-	1 C	1347	.70	.80			H
OTTA	02	1511	1523	N23 W44		7961		1-	2 C	1513	.35	.41			D
MCMA	02	1628 E	1653	N02 W48		7968		1-	2 P	1630	.30	.40			D
HUAN	02	1715 E	1725	N01 W46		7968		1-	S						D
LOCK	03	1647	1706	N26 E56		7971		1-	C	1652	.30	.50		20	F
OTTA	03	1649 E	1654 D	N27 E62		7971		1-	2 C	1653	.47	.72			E
MCMA	03	1651	1710	N27 E63		7971		1-	2 C	1656	.50	1.10			D
MCMA	03	2100	2112 D	N27 E61		7971		1-	1 P	2100	.30	.60			D
WEND	04	0552 E	0723 D	N29 W63		7961	91 D	1+	2 C	1800	.30	.50			E
MCMA	04	1759 E	1814	N27 E49		7971		1-							
MANI	05	0030 E	0055	N26 E40		7971		1-	2	0048	.40	.50			
MANI	05	0210	0312	N26 E39		7971		1-	2	0225	.80	.96			
MANI	05	0403 E	0425	N26 E39		7971		1-	2	0407	.40	.50			
MANI	05	0433	0443	N26 E38		7971		1-	2	0436	.30	.36			
MANI	05	0455 E	0515	N35 E03		7975		1-	2	0456	.25	.26			
MANI	05	0509	0528	N26 E38		7971		1-	2	0515	.50	.60			
CAPS	05	0609 E	0616	N26 E06		7975		1-	3	0609	.60	.60		190	CGH
WEND	05	0742 E	0756 D	N26 E39		7971		1-							
KANZ	05	0745 E		N26 E38		7971		1-							D
CAPS	05	0812	0825	N28 E43		7971	22	1		0815	.90	1.30		190	D
WEND	05	0815	0834	N26 E42		7971	35 D	1+							D
KANZ	05	0815 E	0850	N26 E40		7971	15 D	1							A
WEND	05	0836	0851 D	N26 E38		7971	32 D	1							D
KANZ	05	0856 E	0918 D	N03 W87		7968	24	1							D
WEND	05	0941	1013 D	N26 E39		7971	40 D	1+							F
KANZ	05	0946 E	1010	N26 E37		7971		1-	1 C	1213	1.06	1.18			CE
WEND	05	1202	1242 D	N26 E38		7971		1-	3	1214	.90	1.20		180	D
OTTA	05	1210	1246	N27 E36		7971		1-	1 C	1350	.46	1.12			DH
CAPS	05	1211 E	1222	N26 E37		7971		1-	2 C	1758	.20	.30			D
OTTA	05	1345	1359	N23 W80		7961		1-	2 C	2034	.30	.40			
MCMA	05	1755	1850	N27 E32		7971		1-	2 C	1345	.16	.16			E
MCMA	05	2033	2043	N27 E31		7971		1-	2 C	1354	.12	.12			D
OTTA	06	1338	1401	N22 E03		7975		1-	3 C	1344	.10	.10			D
OTTA	06	1350	1406	N22 E01		7975		1-	3 C	1359	.10	.10			D
KANZ	06	1341 E		N28 E21		7971		1-	3 C	1610	.40	.40			E
MCMA	06	1343	1354	N27 E22		7971		1-	3 C	2112	.10	.10			H
MCMA	06	1358	1405	N27 E18		7971		1-	3 C	2156	.10	.10			
MCMA	06	1605	1620	N27 E16		7971		1-	3 C	2321	.10	.10			
HALE	06	2107	2119	N25 E12		7971		1-	3 C						
HALE	06	2155	2200	N25 E12		7971		1-	3 C						
HALE	06	2318	2323	N25 E10		7971		1-	3 C						

SOLAR FLARES

SEPTEMBER 1965

OBSERVATORY	DATE SEPT 1965	OBSERVED UNIVERSAL TIME		LOCATION		DUR- TION — MINUTES	IM- POR- TANCE	OBS. COND.	TIME U T	MEASUREMENTS			MAX INT °s	REMARKS
		START	END	APPROX LAT.	MER DIST	MC-MATH PLACE REGION				MEAS AREA Sq Deg	CORR AREA Sq Deg	MAX WIDTH H _g		
HALE	06	2326	2341	N26	E10	7971	1-	3 C	2331	.10	.10			H
HALE	07	0107	0116	N26	E09	7971	1-	3 C	0109	.10	.10			L
KANZ	07	0955	E	N26	E08	7971	1-							DH
—	07	1255	1314	N25	E05	7971	1-	1 C	1312	.59	.59			H
OTTA	07	1611	E	N25	E03	7971	1-	1 C	1614	.53	.53			
SACP	07	1611	1621	N26	E03	7971	1-	1 C		.47	.47		18	
OTTA	07	1640	1644	N24	E03	7971	1-	1 C	1643	.47	.47			F
SACP	07	1705	1713	N26	E03	7971	1-	1 C		.30	.30		17	
—	07	1940	2003	N24	E03	7971	1-	1 C	1950	.20	.20		20	
—	07	1942	1957	N26	W03	7971	1-	1 C		.17	.17		20	
WEND	08	1525	E	N25	W09	7971	1-							
SACP	08	1528	1532	N26	W12	7971	1-	1 C		.51	.51		20	
SACP	08	1611	1621	N29	W04	7971	1-	1 C		.78	.78		19	
SACP	08	1942	1957	N26	W10	7971	1-	1 C		.52	.52		20	
—	08	2034	2137	N25	W09	7971	63	1 C		2.66	2.66		21	
—	08	2035	2129	N25	W10	7971	1-	1 C	2101	1.60	1.60		20	L
—	08	2036	E	N24	W09	7971	1-	1 P	2057	.80	.80		20	F
HALE	08	2036	2133	N24	W08	7971	1-	1 C	2109	.60	.60		20	F
—	08	2055	2145	N22	W08	7971	1-	1 C	2328	.20	.20		20	
—	08	2324	2344	N22	W19	7971	1-	1 C		.43	.43		20	
—	08	2325	2351	N23	W20	7971	1-	1 C		.20	.20		20	
—	08	2326	2355	N22	W19	7971	1-	2 C	2329	.20	.20		20	
HALE	09	0034	0046	N24	W15	7971	1-	1 C	0035	.40	.40			F
HALE	09	0308	0317	N25	W18	7971	1-	1 C	0312	.20	.20			
HALE	09	0407	0411	N25	W18	7971	1-	1 C	0409	.20	.20			
HALE	09	0411	0415	N23	W22	7971	1-	1 P	0414	.20	.20			
MANI	09	0556	0615	N27	W14	7971	1-	2	0603	.40	.40			
WEND	09	0808	0822	N26	W16	7971	14	1						
—	09	0815	E	N26	W17	7971	30	D	1					
KANZ	09	0912	E	N26	W18	7971	11	D	1					
KANZ	09	0930	0935	N24	W18	7971	1-	1-						EH
—	09	1333	1443	N25	W22	7971	1-	2 C	1406	.58	.59			DH
OTTA	09													FH
OTTA	09													
SACP	09	1404	E	N26	W22	7971	1-	1 C		.69	.70		18	DH
—	09	1409	E	N24	W22	7971	1+	1 C						
—	09													
SACP	09	1418	1439	N25	W20	7971	1-	1 C		.60	.61		16	
OTTA	09	1626	1644	N27	W27	7971	1-	1 C	1629	.23	.24			E
SACP	09	1626	1645	N25	W28	7971	1-	1 C		.43	.45		19	
—	09	1627	1642	N24	W27	7971	1-	1 C	1632	.40	.40		30	HL
LOCK	09	1627	1642	N25	W28	7971	1-	1 C	1631	.29	.31			
OTTA	09	1628	1655	N25	W28	7971	1-	2 P	1817	.40	.40			
HALE	09	1817	E	N25	W23	7971	1-	2 C	1847	.80	.80		18	L
—	09	1838	1921	N25	W24	7971	1-	1 C		1.38	1.43		18	
HALE	09	1837	1857	N26	W25	7971	1-	1 C		.25	.26		18	
SACP	09	1934	1945	N27	W22	7971	1-	1 C	2026	.10	.10		10	
—	09	2021	2032	N17	W05		1-	1 C	2115	.20	.20		20	
LOCK	09	2021	2032	N17	W05		1-	1 C		.86	.90		17	
—	09	2109	2121	N36	E78		1-	2 C	2137	.20	.20			D
—	09	2112	2148	N26	W26	7971	1-	1 C		.20	.20			
SACP	09	2112	2148	N26	W26	7971	1-	1 C		.20	.20			
—	09	2132	2146	N25	W22	7971	1-	2 P		.20	.20			

SOLAR FLARES

SEPTEMBER 1965

OBSERVATORY	DATE SEPT 1965	OBSERVED UNIVERSAL TIME		LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS. COND.	MEASUREMENTS				REMARKS	
		START	END	APPROX LAT.	MER DIST.	MCNATH PLACE REGION				TIME U T	MEAS AREA Sq Deg.	CORR AREA Sq Deg.	MAX WIDTH H _g		MAX. INT %
SACP — — LOCK	09	2219	2233	N27 W27	7971			1-	C		.17	.18		18	
	09	2322	2346	N25 W29	7971			1-	C	2330	1.21	1.28		18	
	09	2324	2341	N25 W30	7971			1-	C		.40	.40		20	H
SACP MANI ISTA KAND CAPS — SACP — MCMA — LOCK	10	0000	E 0111 D	N26 W27	7971		71 D	1	C		2.62	2.75		17	
	10	0215	0231	N25 W26	7971			1-	2	0220	.20	.22			
	10	0810	E 0820	N27 W30	7971			1-							
	10	0825	0850	N26 W25	7971			1-							
	10	1058	1114	N25 W30	7971		16	1+	3	1100	2.80	3.30		320	F
	10	1342	1409	N26 W38	7971			1-	C		1.21	1.37		19	
	10	1352	1354 D	N25 W40	7971			1-	1 P	1353	.50	.70			S
— — SACP	10	2349	2355	N29 W33	7971			1-	C	2351	.40	.40		10	
	11	0028	E 0039 D	N23 W38	7971			1-	1 P	0034	.60	.70			
	11	0031	0040 D	N25 W39	7971		9 D	1	C		2.17	2.47		17	
LOCK — MCMA	11	0045	0103	N40 E75	7983			1-	C	0055	.20	.40		10	
	11	1451	E 1505 D	N26 W50	7971			1-	1 C	1453	.20	.30			D
SACP	12	1937	1948	N21 E06	7981			1-	C		.43	.42		19	
HALE	13	2220	2245	N25 W80	7971			1-	1 P	2225	.20				
SACP HALE KANZ SACP	14	0020	0031	N28 W81	7971			1-	C		.34			17	H
	14	0201	0208	N28 W85	7971			1-	1 C	0202	.20				A
	14	0955	E 1002 D	N29 W88	7971		7 D	1	C		.25	.61		17	
SACP — — SACP — SACP	14	1408	1432	S22 E73				1-							
	15	1939	1948	N28 E80	7989			1-	C		.19	.46		16	
	15	2002	2011	N31 E77	7989			1-	C		.18	.40		17	
	15	2003	2012	N31 E80	7989			1-	2 C	2008	.20	.50			
	15	2257	2310 D	N28 E78	7989			1-	C		.19	.45		16	
HALE HALE — SACP	16	0153	0201	N25 E23	7983			1-	2 C	0155	.10	.10			H
	16	0347	0351	N25 E23	7983			1-	1 C	0349	.10	.10		19	
	16	2056	E 2127	N24 E16	7983			1-	P		.08	.08			
MCMA SACP — — MCMA	19	1340	1400 D	N25 W62	7990			1-	1 C	1345	.50	1.00			S
	19	2141	2148	N26 W24	7983			1-	C		.94	.97		17	
	19	2141	2156	N25 W24	7983			1-	2 C	2143	.40	.40			F
KANZ MCMA — HALE	19	2144	E 2150 D	N26 W25	7983			1-	2 P	2145	.60	.70			S
	20	1347	E	N06 E75	7992			1-							
	20	2117	2140	N04 E72	7992			1-	2 P	2120	.20	.60			D
MCMA — — MCMA	20	2119	2143	N05 E70	7992			1-	2 C	2121	.20	.40			
	21	0026	0040	N35 E56	7991			1-	C		.35	.50		16	BFG
	21	1207	E 1215	N27 W42	7983		8 D	1	1	1209	2.00	2.80		160	BS
CAPS — MCMA KANZ — MCMA — SACP	21	1207	E 1248 D	N26 W43	7983		41 D	1+	2 P	1208	2.00	2.80			EGH
	21	1325	E 1410	N26 W44	7983		45 D	1							
	21	1419	1453	N26 W43	7983			1-	1 P	1421	.80	1.10			S
SACP	21	1436	1451	N26 W44	7983			1-	C	1421	1.20	1.44		21	

SOLAR FLARES

SEPTEMBER 1965

OBSERVATORY	DATE SEPT 1965	OBSERVED UNIVERSAL TIME		LOCATION		DURA- TION — MINUTES	IM- POR- TANCE	OBS COND.	MEASUREMENTS			REMARKS		
		START	END	APPROX. LAT	MER DIST				MATH PLACE REGION	TIME — U T	MEAS AREA Sq Deg		CORR. AREA Sq Deg	MAX WIDTH Ha
— KANZ	21	1442 E	1502 D	N26 W44		7983	1							EGH
LOCK	22	1937	2007	S30 W35			1-	C	1947	.20	.30		10	L
MANI	23	0335	0351	N28 W15		7995	1-							
MANI	23	0355	0405	N28 W15		7995	1-	2	0339	.40	.40			
WEND	23	0540 E	0637	N27 W21		7995	1-	2	0356	.10	.10			
— ISTA	23	0610 E	0635	N28 W22		7995	1+							
MCMA	23	1302 E	1335	N26 W28		7995	1-	2 P	1306	.80	1.00			SL
MCMA	23	1540	1620	N26 W28		7995	1-	2 C	1550	.30	.40			DT
— HUAN	23	1550 E	1602 D	N25 W21		7995	1-	S						D
— KANZ	23	1553 E	1602	N25 W28		7995	1-							DH
MCMA	23	1830	1910	N26 W28		7995	1-	2 C	1845	.50	.70			EH
LOCK	23	2345	2412	N25 W29		7995	1-	C	2354	.30	.30		10	L
MANI	24	0344 E	0358 D	N29 W28		7995	1-	2	0347	.20	.22			
WEND	24	0858 E	0909 D	N27 W36		7995	1-							
WROC	24	0900 E	0915 D	N25 W38		7995	1-	2				2.80		HJ
KAND	24	0900	0926	N24 W39		7995	1							
WEND	24	0924 E	0942 D	N27 W32		7995	1							
KAND	24	0926	0936	N25 W36		7995	10							
WROC	24	0927	0937	N25 W32		7995	1+	2				3.10		J
KAND	24	0937	1002	N24 W40		7995	1+							
KAND	24	0937 E	1003 D	N24 W37		7995	1							EH
KANZ	24	1040 E	1110 D	N24 W38		7995	30 D	1				4.00		EH
WROC	24	1040 E	1110	N25 W38		7995	30 D	1				1.60		HJ
HUAN	24	1443 E	1451	N28 W39		7995	1-	2 S						D
SACP	26	1409	1421	N21 E85		8005	1-	C		1.03			25	
SACP	26	1457	1511	N21 E84		8005	1-	C		.47			22	
HUAN	26	1637 E	1649	N19 E85		8005	1-	S				1.40		
HUAN	26	1654	1658	N19 E85		8005	1-	V						D
— SACP	26	1655	1701	N21 E82		8005	1-			.09			18	
HALE	26	1713	1725	N19 E87		8005	1-	2 C	1716	.20				
— SACP	26	1714	1719 D	N20 E82		8005	1-	C		.28			19	
HALE	26	1841	1847 D	N19 E87		8005	1-	1 P	1842	.10				
LOCK	26	2106	2115	N20 E85		8005	1-	C	2110	.20	.60		20	F
HALE	26	2143	2151 D	N33 W53		7989	1-	2 P	2147	.70	1.00			
— LOCK	27	0005	0021	N17 E85		8005	1-	C	0012	.20	.60		20	
HALE	27	0009	0018	N20 E87		8005	1-	1 C	0012	.30				
HALE	27	0053	0059	N20 E87		8005	1-	1 C	0055	.30				
SACP	28	1358	1414	N23 E58		8005	1-	C		.25	.36		17	E
MCMA	28	1858 E	1906 D	N21 E57		8005	1-	1 P	1906	.40	.80			EH
MCMA	28	2016 E	2030 D	N21 E57		8005	1-	1 P	2019	.40	.80			E
MCMA	28	2058	2114 D	N21 E58		8005	1-	1 P	2105	.30	.60			
HALE	29	0210	0236	N21 E53		8005	1-	1 C	0213	.70	.90			
HALE	29	0331	0403 D	N21 E53		8005	1-	1 P	0334	.80	1.00			
— MANI	29	0344	0354	N19 E49		8005	1-	2	0347	.30	.33			

SOLAR FLARES

SEPTEMBER 1965

OBSERVATORY	DATE SPT 1965	OBSERVED UNIVERSAL TIME				LOCATION			DURA- TION — MINUTES	IM- POR- TANCE	OBS COND.	MEASUREMENTS				REMARKS
		START	END	MAX PHASE	APPROX LAT.	MER DIST	MONTH PLACE REGION	TIME UT				MEAS AREA Sq Deg	CORR AREA Sq Deg	MAX WIDTH H _g	MAX INT H _g	
WEND	29	1250 E	1256 D		S29	E46	8004	1-								
WEND	29	1325 E	1331 D		N17	E50	8005	1-								
MCMA	29	1500	1545	1517	N22	E47	8005	1-					1.20	1.80		E
SACP	29	1507	1541	1516	N20	E46	8005	1-					1.53	1.83		
SACP	29	1922	1929	1923	N20	E43	8005	1-					1.11	1.30		
HALE	29	1923	1935	1924	N20	E43	8005	1-					1.20	1.40		
MANI	29	2309 E	2343	2318	N18	E36	8005	1-					.20	.22		
LOCK	29	2316	2344	2327	N20	E39	8005	1-					.50	.50		
HALE	29	2316	2347	2325	N21	E39	8005	1-					1.60	1.80		EJ
SACP	29	2317	2340	2324	N22	E39	8005	1-					1.20	1.35		F
SACP	29	2346	2351 D	2350	N20	E39	8005	1-					.52	.58		
HALE	29	2350	0016 D		N19	E39	8005	1 P					.60	.70		
MANI	29	2350	0013	2357	N18	E35	8005	1-					.20	.22		
SACP	30	0000	0040 D	0010	N21	E40	8005	1-					1.03	1.16		17
MANI	30	0025	0102	0031	N18	E35	8005	1-					.40	.44		
HALE	30	0033 E	0048 D	0038	N21	E40	8005	1-					1.20	1.30		F
HALE	30	0341	0402 D	0353	N20	E33	8005	1 P					.50	.50		
MANI	30	0342	0349 D	0348	N20	E37	8005	1-					.50	.56		
MANI	30	0525	0613 D	0540	N19	E36	8005	1-					1.10	1.20		
WROC	30	1010	1100 D		N20	E38	8005	1-								J
WROC	30	1020	1050		N20	E32	8005	1-								J
CAPS	30	1240	1252		N21	E38	8005	1-					.20	.30		D
SACP	30	1313 E	1504	1351	N21	E32	8005	2					5.26	5.60		175
OTTA	30	1319	1359		N21	E33	8005	1 C					2.33	2.52		25
KANZ	30	1320 E	1420		N20	E32	8005	2								F
CAPS	30	1330	1353		N22	E38	8005	1					2.60	3.40		F
MCMA	30	1353 E	1403 D		N22	E36	8005	1 P					2.20	2.60		180
KANZ	30	1425 E	1440 D		N21	E34	8005	1								BF
OTTA	30	1446	1452	1447	N22	E36	8005	1-					.70	.75		F
CAPS	30	1446	1504		N22	E38	8005	1-					1.00	1.30		F
SACP	30	1513	1653	1547	N20	E30	8005	3 C					5.11	5.38		182
KANZ	30	1520 E	1545 D		N20	E29	8005	2								25
CAPS	30	1525	1610		N19	E34	8005	1					2.50	3.10		E
LOCK	30	1525 U	1705	1553	N19	E27	8005	1-					1.00	1.00		180
KANZ	30	1545 E	1615 D		N21	E29	8005	3 C					1.00	1.00		FK
LOCK	30	1920	2018	1937	N19	E29	8005	2					2.10	2.10		20
SACP	30	1921	2203	1939	N21	E30	8005	1					5.80	6.09		I
HUAN	30	1924	2007	1936	N21	E31	8005	2					3.20	3.47		30
HALE	30	1927 E	2023	1940	N20	E29	8005	1+					3.20	3.20		25
SACP	30	2256	2330	2304	N20	E28	8005	1+					1.19	1.24		EFI
MANI	30	2257	2311	2307	N18	E26	8005	1-					.50	.50		21
LOCK	30	2257	2328	2305	N19	E27	8005	1-					.70	.70		
HALE	30	2301 E	2327		N20	E28	8005	1 P					.80	.80		20

INTERVALS OF NO FLARE PATROL OBSERVATIONS
PROVISIONAL

SEPTEMBER 1965

HOUR-UT

Observatories included:

Capri-S (Sweden)	Huancayo	Kanzelhöhe	Meudon	Sacramento Peak	Wendelstein
Catania	Istanbul	Lockheed	Manila	Salonique	Wroclaw
Haleakala	Kandilli	McMath-Hulbert	Ottawa	Tortosa	

IONOSPHERIC EFFECTS OF SOLAR FLARES

111g

SHORT WAVE RADIO FADEOUTS
SUDDEN COSMIC NOISE ABSORPTION
SUDDEN ENHANCEMENTS OF ATMOSPHERICS
SOLAR NOISE BURSTS AT 18 Mc/s

SUDDEN PHASE ANOMALIES
SUDDEN ENHANCEMENTS OF SIGNAL
SUDDEN FREQUENCY DEVIATIONS

AUGUST 1965

AUG. 1965	UNIVERSAL TIME			TYPE SWF IMP	IMPORTANCE						BUR	WIDE SPREAD INDEX	STATIONS	KNOWN FLARE
	START	END	MAX		ABS	SCNA	SEA	SPA	SES	SFD				
01	1605	1610									1	4	BO MC	
01	1613	1617									1	4	BO MC	
02	1408	1411									1	4	MC BO	
03	1626	1628									1	4	MC BO	
03	2021	2023									1	5	BO MC HA	1930
03	2021	2034	2023							004	1	5	BO (WWV10-0.4, WWV 15-0.1)	1930
03	2023	2025									1	5	BO MC HA	1930
04	1534	1536									1	4	MC BO	
04	2103	2105									1	5	BO MC HA	2102
08	1529	1625	1530				1					1	AR	
09	1416	1448									1	4	BO MC (SERIES OF BURSTS)	
09	1509	1513									1	4	BO MC	
09	1514	1517									1	4	BO MC	
09	1525	1532									1	4	BO MC	
10	1430	1540									1	4	MC BO (NOISE STORM)	
14	0346	0348									1	1	MA	*
14	1735	1737									1	4	MC BO	
15	0824	0832									1	1	RO	
18	1415	1602									1	5	MC BO RO (NOISE STORM)	
25	1501	1526									1	4	MC BO (SERIES OF BURSTS)	
31	2313	2320	2314							008		2	BO (KKE5-0.8, KKE4-0.7, WWV10-0.4, WWV15-0.3)	2310

AR = Arcetri, Italy

RIOMETER EVENTS

AUGUST 1965

GREAT WHALE RIVER

30 Mc/s

AUG. 1965	START UT	END UT	MAX UT	MAX. ABSORP. db, (tenths)	NO. OF PEAKS	AUG. 1965	START UT	END UT	MAX. UT	MAX. ABSORP. db, (tenths)	NO. OF PEAKS
1	2240	2326	2252	25	1	16	2204	-	-	} 22	6
2	0622	2144	1138	12	6	17	-	-	1136		
3	<0410*	2238	1249	14	1	18	-	0043	-		
4	0110	1125	0715	9	1	18	0450	2330	1446	7	6
4	1626	2310	1905	13	2	19	0240	1110	0608	71	6
5	0302	0400	0313	6	1	19	1428	-	-	} 42	26
5	1032	1620	1254	4	1	21	-	-	0348		
5	2210	2344	2227	5	1	22	-	0040	-		
6	0332	0916	0706	6	2	22	1156	-	1300	} 10	1
7	0228	0924	0232	5	2	23	-	0130	-		
7	1826	-	-	} 14	4	23	1900	-	2058	} 33	14
8	-	0644	0330			24	-	1114	-		
8	2104	-	2328	} 8	2	24	2028	-	-	} 32	10
9	-	0033	-			25	-	1048	0453		
9	1454	2240	1817	12	1	25	1526	-	-	} 32	12
						26	-	2048	0347		
10	0432	1623	1448	7	3						
11	0034	1020	0211	40	6	27	0047	0120	0056	3	1
12	0118	1024	0646	14	2	27	0348	1740	1127	13	4
12	2304	-	-	} 11	1	27	2156	-	2208	} 7	1
13	-	0140	0027			28	-	1157	-		
						29	0252	1344	0620	9	4
13	0906	1500	1114	12	1						
14	0056	2206	0336	18	7	29	2043	-	2105	} 18	6
15	0556	1234	1111	8	1	30	-	1340	-		
15	2018	-	2054	} 8	2	30	2000	-	-	} 43	5
16	-	0234	-			31	-	2056	0423		

* Equipment Failure - Event was in progress when trace was resumed at 0410.

SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

IVa

SEPTEMBER 1965

ARO-OTTAWA
DRAO-PENTICTON

2800 Mc/s
2700 Mc/s

SEP. 1965	U R A N E	DESCRIPTIVE TYPE	START UT	DURATION HRS MIN	MEAN FLUX	MAXIMUM		REMARKS
						TIME	FLUX	
5	3	Simple 3	1208	1 23	1.8	Indet.	2.4	
6	5	Absorption	1905	0 23	0.6	1915	1.2	
7	3	Simple 3	1540	0 27	0.6	1554	1.2	
7	3	Simple 3	1820	2 10	0.8	1910	1.6	
8	3	Simple 3	2035	1 35	1.5	2105	3.0	
9	3	Simple 3	1425	0 25	0.3	Indet.	0.6	
9	3	Simple 3	1835	0 50	0.6	1843	1.2	
9	3	Simple 3	2353	0 42	0.8	Indet.	1.2	
26	1	Simple 1	1714	0 02	1.2	1715	2.4	
	4	Post B.I.	1716	1 00	0.5	--	1.0	
26	3	Simple 3	1900	2 00	0.4	2012	0.8	
29	3	Simple 3A	1508	0 47	1.0	1521	2.0	
	1	Simple 1	1513.5	0 03	1.5	1515	3.0	
29	3	Simple 3	2120	0 40	1.0	2150	2.0	
30	3	Simple 3A	1210	5 20	4.0	1352	8.0	
	3	Simple 3	1520	2 10	5.0	1602	9.0	
30	9	Precursor	1830	0 55	1.3		2.6	
	3	Simple 3	1925	4 35	6.0	1942	12.0	

HOURS OF OBSERVATION, JULY, AUGUST, SEPTEMBER 1965

OBSERVING PERIOD:

July 1055 - 0140 UT
August 1100 - 0140 UT
September 1130 - 0130 UT

With the following exceptions:

- (1) Observations commenced: July 18 at 1210 UT
 22 at 1210
 23 at 1210
 24 at 1210
 25 at 1230
- August 3 at 1210
 10 at 1210
 14 at 1240
 21 at 1220
 25 at 1220
- September 6 at 1235
 9 at 1330
 12 at 1225
 13 at 1250
 16 at 1210
 19 at 1210
 20 at 1210

- (2) Interruption of observations, approximately 20 minutes in duration, for calibration purposes in the period 1400 to 1500 UT, September 1 to 31.

SOLAR RADIO EMISSION
INTERFEROMETRIC OBSERVATIONS

SEPTEMBER 1965

BOEING - SEATTLE

223 Mc/s

SEPT. 1965	Type of Event	Start UT	End UT	Max UT	Flux Density at Time of Maximum $10^{-22} W_{m-2} (cps)^{-1}$
2	Noise storm	2155*			
3		1630*	1815		
3	Noise storm	2235	0030*		
5	Noise storm	1630*	1715		
6	Noise storm	0000	0030*		
7	Noise storm	2200			
8				2110	
[8	High continuum	2111			
9			1950		
9	Noise storm	1951	0030*		
10	Noise storm	1630*	0030*		
11	Noise storm	1630*	1830		
11	Series of bursts	2010	2150	2114.5	110
13	Minor burst	2336.8	2338.4	2337.5	15

* Noise storm in progress

The equipment was down from September 15, 1940 UT to September 16, 1730 UT and on September 29, 1910 UT - 1915 UT.

Normal observing hours were from 1630 UT to 0030 UT.

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATIONS

SEPTEMBER 1965

NANÇAY

169 Mc/s

SEPTEMBER 1965

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1965

NBS BOULDER

108 Mc s

SEPT. 1965	TYPE	START UT	TIME OF MAXIMUM UT	DURATION MINUTES	INTENSITY
6	3	2057.8	2057.9	1.6	3
8	6	1410	2150	655D	1
9	6	1240E	1813	744D	1
10	6	1241E	1350	134D	1
11	6	1315	1453	274	2

NOMINAL TIMES OF OBSERVATION

SEPTEMBER 1965

NBS BOULDER

108 Mc s

SEPT. 1965	HOURS OF OBSERVATION U.T.	HOURS OF INTERFERENCE U.T.	SEPT. 1965	HOURS OF OBSERVATION U.T.	HOURS OF INTERFERENCE U.T.
1	1232-0116		13	1244-0058	
2	1233-0114		14	1245-0056	
3	1234-0112	1820-1847; 1923-2015	15	1246-0054	
			16	1247-0053	
			17	1247-0051	
4	1235-0110	1854-2135; 2340-0036	18	1248-0049	
			19	1249-0048	
5	1236-0110	2145-2320	20	1250-0046	
6	1237-0108		21	1251-0044	
7	1238-0106	2053-2121; 2210-0054	22	1252-0043	
8	1239-0105		23	1253-1710	
			24	2143-0039	
9	1240-1455; 1615-0104		25	1255-0038	2315-0038
10	1241-1815; 2315-0103		26	1256-0036	
			27	1257-0034	
11	1242-0101	2253-2313; 0002-0101	28	1258-0033	1850-0033
			29	1259-0031	
			30	1300-0030	
12	1243-0059				

Most of the interference was due to atmospherics.

SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

IVc

SEPTEMBER 1965

HALEAKALA

107 Mc/s

SEPT. 1965	TYPE	START UT	TIME OF MAXIMUM UT	DURATION MINUTES	INTENSITY
4	6	0230	0240	118D	1
6	3	2058	2058.5	2.0	2
8	6	1610E	2155	745D	1
9	6	1611E	1813	743D	1
11	6	1611E	1713	96D	2
12	6	0027	0145	241D	2

Normal observing hours are from sunrise to sunset which for September is on the average from 1612UT to 0428UT.

No observations were made on September 13, 1730 - 1940 UT
30, 1715 - 1930 UT

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

SEPTEMBER 1965

High Altitude Observatory
Boulder

7.6-41 Mc/s

Date Sep 1965	Bursts			Frequency Range (Mc/s)	Date Sep 1965	Bursts			Frequency Range (Mc/s)
	Type	Time (U.T.)	Inten- sity			Type	Time (U T)	Inten- sity	
2 Sep 6	no observ.	1400-1457			9 Sep	III	0027-0027:15	1	27-38
	III	1542:30-1543:15	1	21-41		III	1418:30-1418:45	1-	21-38
	III	1752:15-1752:30	2	11-41		III	1427:15-1427:30	1-	25-36
	III	1752:45-1753	2	8-41		III	1428-1428:15	1	21-40
	III	1850:45-1851	1-	23-41		III	1431:45-1432	1-	23-36
	III	1935-1935:45	1	21-41		III	1432:45-1433	1-	27-35
	III	1936:15-1937	2	8-41		III	1438-1438:30	1	23-39
	III	1938-1938:30	2	8-41		III	1439:45-1440	1-	28-41
	III	1939:15-1940	2	8-41		III	1443:30-1443:45	1	23-36
	III	2001:15-2001:45	1+	8-41		III	1444:15-1444:45	1	23-36
	III	2030:30-2031	2	15-41		III	1447-1447:15	1	25-38
	III	2056:30-2057	2	15-41		III	1447:45-1448	1	24-38
	III	2058-2058:30	2	8-41		III	1450-1450:30	1	26-37
	III	2059-2059:30	2	8-41		III	1452:30-1453:15	1	25-36
	III	2320:30-2321:15	2+	15-41		III	1454:30-1454:45	1-	26-38
	III	2321:30-2322:15	2+	15-41		III	1510:30-1510:45	1-	24-33
	III	2333:15-2334	2+	11-41		III	1512:15-1512:30	1-	23-38
	III	0019:30-0020	2	11-41		III	1515:15-1516	1-	23-33
	III	1311-1311:45	1	17-41		III	1517:15-1517:30	1-	24-38
	III	1537:45-1538	1-	18-35		III	1519-1519:15	1-	21-37
	III	1731:45-1732:15	1	19-41		III	1521:45-1522	1	19-41
	III	1957:30-1958:30	1-	22-41		III	1526:45-1527:15	1	21-35
8	no observ.	1400-1800				III	1534:15-1534:45	1	22-41
	III	1822:15-1822:30	1-	26-29		III	1536:15-1536:45	1	24-34
	III	1823-1823:15	1-	27-30		III	1554:15-1554:30	1-	26-41
	III	1841:30-1841:45	1-	24-35		III	1559:30-1559:45	1-	26-41
	III	1843:15-1843:45	1-	25-36		III	1600:30-1600:45	1-	26-36
	III	1847:45-1848	1-	26-37		III	1603:30-1603:45	1-	30-37
	III	1848:45-1849	1-	26-30		III	1606:30-1607:30	1+	10-41
	III	1900:45-1901:15	1	8-33		III	1614-1614:15	1-	19-22
	III	1902:45-1903	1-	33-39		III	1616-1616:15	1	22-36
	III	1917-1917:30	1	17-36		III	1619-1619:30	1-	19-41
	III	1959-1959:15	1-	25-35		III	1626-1626:15	1-	24-36
	III	2022-2022:30	1+	16-41		III	1626:45-1627	2	19-41
	III	2023:45-2024:15	1+	16-41		III	1627-1628:45	2	12-41
	III	2024:30-2025	1+	24-39		III	1629:30-1629:45	1+	22-36
	III	2059-2059:30	1	16-41		III	1702:30-1703	1	25-37
	III	2104-2104:30	1-	16-35		III	1707:45-1708:15	1	16-38
	III	2108-2108:30	1	16-34		III	1723:30-1723:45	1-	26-34
	III	2132:30-2133	1-	25-38		III	1724:15-1724:30	1-	26-35
	III	2135:15-2135:45	1	22-38		III	1725:30-1726	1-	26-33
	III	2138:45-2139:15	1-	22-38		III	1729:15-1729:45	1-	26-40
	III	2140:30-2141	1-	16-35		no observ.	1730-2100		
	III	2142:45-2143:15	1	17-41		III	2103-2103:30	1	24-38
	III	2145:15-2145:45	1	22-41		III	2103:45-2104	1-	21-41
	III	2233:15-2233:45	1	17-36		III	2104:15-2104:45	1+	16-41
	III	2243:15-2243:45	1+	16-41		III	2110:30-2110:45	1-	23-41
	III	2320:30-2321	1+	16-41		III	2206:45-2207	1-	26-35
	III	2329:45-2330	1	26-41		III	2241-2241:15	1	17-38
	III	2330:30-2330:45	1-	26-36		III	2252:15-2252:45	1	24-41

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

IVg

SEPTEMBER 1965

**High Altitude Observatory
Boulder**

7.6-41 Mc/s

Date Sep 1965	Bursts			Frequency Range (Mc/s)	Date Sep 1965	Bursts			Frequency Range (Mc/s)
	Type	Time (U.T.)	Inten- sity			Type	Time (U.T.)	Inten- sity	
cont. 9 Sep	III	2253-2253:15	1	16-41	cont. 10 Sep	III	2345:15-2345:30	1-	23-41
	III	2316-2316:15	1-	24-41		III	2349:15-2351:15	2	13-41
	III	2316:30-2317:15	2	18-41	11	III	0004:15-0004:45	1	13-41
	III	2345-2345:30	1+	18-41		no observ.	1400-1948		
	III	2345:45-2346:15	1	18-41		III	2242:30-2243	1-	26-36
10	III	2354:15-2354:30	1-	20-38	12	III	1640:30-1640:45	1-	27-33
	III	0000:30-0000:45	1-	25-41		III	1719:45-1720	1-	1 ^c -41
	III	0005-0005:15	1-	22-41		III	1720:15-1724:30	3	7.6-41
	III	0006-0006:15	1-	32-39		III	1725-1725:45	2	15-41
	III	0006:30-0006:45	1-	29-41		III	1732:30-1732:45	1	25-41
	III	1417:15-1417:30	1-	24-41		III	1929:30-1929:45	1-	22-36
	III	1417:45-1418:15	1-	18-41		III	2005:30-2006	1-	11-32
	III	1435:15-1436:30	1-	17-41		III	2008:45-2009:45	1	10-41
	III	1513:30-1513:45	1-	21-41		III	2121:45-2122	1-	23-37
	III	1516:45-1517	1-	31-36		III	2157:15-2157:30	1-	26-37
	III	1524:45-1525:15	1-	19-35	13	III	2325-2325:30	1-	26-41
	III	1544:30-1545	1-	12-41		no observ.	1434-1618		
	III	1545:30-1546	2	12-41		III	2222-2222:30	1-	18-41
	III	1559:30-1600:45	3	10-41		III	2224:15-2224:30	1-	15-41
	III	1605:15-1605:45	1+	18-41		III	2308-2308:30	1	16-41
	III	1632:30-1633	1	18-41	14	III	2309:30-2309:45	1-	24-41
	III	1636:15-1636:30	1-	24-41		III	2336:30-2337:30	1	13-41
	III	1708:45-1709:30	1-	23-41		III	2337:45-2339	2	11-41
	III	1737:30-1737:45	1-	25-41		III	2340:30-2340:45	1-	24-41
	III	1740-1741	1+	8-41		III	0020-0020:45	2	16-41
	III	1745:45-1746	1-	26-41		III	0022-0022:30	1+	16-41
	III	1926-1926:45	2	12-41		III	0022:45-0023	1+	16-41
	III	2005:30-2006:15	1-	26-41		III	1431:15-1431:30	1-	22-36
	III	2033-2033:15	1-	26-41		no observ.	1536-1643		
	III	2034:30-2034:45	1-	25-41		III	2054:30-2055	1	19-41
	III	2056:30-2056:45	1-	27-37	15	no observ.	1630-2000		
	III	2059-2101:45	1	22-41	16	III	1737:30-1738:15	1-	16-41
	III	2110-2110:45	2	19-41		no observ.	1755-2207		
	III	2113:15-2113:30	1-	19-35	17	no observ.	2023-2135		
	III	2115:15-2115:45	1	19-41	20	no observ.	1609-1632		
	III	2238:15-2238:30	1	18-37	24	III	1632:30-1633:30	2	17-41
	III	2239:15-2239:45	1+	16-41	25	III	2230:15-2231	1	27-41
	III	2240-2242	2	11-41		III	2240:45-2242	1+	22-41
	III	2322:45-2323	1-	28-41	30	III	1906:45-1907:15	1	18-41
	III	2324:30-2324:45	1-	24-41					

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

SEPTEMBER 1963

STANFORD

9.1 cm

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

STANFORD

SEPTEMBER 1965

9.1 cm

STANFORD, 07 SEP 1965 20-21 HOURS UT, 5.7 Hz, 9.1 cm SPECTROHELIOGRAM
STATION: 12 SEP 1965 20-21 HOURS UT, 5.7 Hz, 9.1 cm SPECTROHELIOGRAM
STATION: 12 SEP 1965 20-21 HOURS UT, 5.7 Hz, 9.1 cm SPECTROHELIOGRAM

STANFORD, 07 SEP 1965 20-21 HOURS UT, 5.7 Hz, 9.1 cm SPECTROHELIOGRAM
STATION: 12 SEP 1965 20-21 HOURS UT, 5.7 Hz, 9.1 cm SPECTROHELIOGRAM
STATION: 12 SEP 1965 20-21 HOURS UT, 5.7 Hz, 9.1 cm SPECTROHELIOGRAM

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

STANFORD

SEPTEMBER 1965

9.1 cm

STANFORD, 15 SEP 1965 20-21 HOURS UT. S = 75. BRIGHTNESS UNIT = 1000 K.

STANFORD, 15 SEP 1965 20-21 HOURS UT. S = 75. BRIGHTNESS UNIT = 1000 K.

STANFORD, 15 SEP 1965 20-21 HOURS UT. S = 75. BRIGHTNESS UNIT = 1000 K.

STANFORD, 15 SEP 1965 20-21 HOURS UT. S = 75. BRIGHTNESS UNIT = 1000 K.

STANFORD, 15 SEP 1965 20-21 HOURS UT. S = 75. BRIGHTNESS UNIT = 1000 K.

STANFORD, 15 SEP 1965 20-21 HOURS UT. S = 75. BRIGHTNESS UNIT = 1000 K.

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

STANFORD

SEPTEMBER 1965

9.1 cm

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

FLEURS, AUSTRALIA

MARCH 1965

21 cm

Resolution: about 3 minutes of arc.
Unit of Brightness temperature: 1700°K

1965 MARCH 1 0230 UT

1965 MARCH 3 0230 UT

1965 MARCH 5 0230 UT

1965 MARCH 8 0230 UT

1965 MARCH 12 0230 UT

1965 MARCH 15 0230 UT

IVm

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

1Vn

FLEURS, AUSTRALIA

MARCH 1965

21 cm

Resolution about 3 minutes of arc.
Unit of Brightness temperature: 1700°K

1965 MARCH 17 0230 UT

1965 MARCH 19 0230 UT

1965 MARCH 22 0230 UT

1965 MARCH 24 0230 UT

1965 MARCH 26 0230 UT

1965 MARCH 29 0230 UT

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

FLEURS, AUSTRALIA

APRIL 1965

21 cm

Resolution: about 3 minutes of arc.

Unit of Brightness temperature: 1700°K

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

IVp

FLEURS, AUSTRALIA

APRIL 1965

21cm

Resolution: about 3 minutes of arc.
Unit of Brightness temperature: 1700°K

1965 APRIL 21 0230 UT

1965 APRIL 23 0230 UT

1965 APRIL 26 0230 UT

SOLAR RADIO EMISSION SPECTROHELIOGRAMS

FLEURS, AUSTRALIA

APRIL 1965

21cm
Resolution about 3 minutes of arc.
Unit of Brightness temperature: 1700°K

COSMIC RAY INDICES

(Neutron Monitors)

AUGUST 1965

AUG. 1965	CHURCHILL	CLIMAX	DALLAS
	DAILY AVERAGE COUNTS PER HOUR	DAILY AVERAGE COUNTS PER HOUR	DAILY AVERAGE COUNTS PER HOUR
1	6488.8 (20)	3312.2	6427.6
2	6493.3	3317.2	6443.1
3	6508.5	3325.1	6468.5
4	6518.6	3330.8	6455.8
5	6515.9 (22)	3331.5	6442.4
6	6531.3 (20)	3340.5	6450.7
7	6535.2	3331.7	6429.1
8	6518.2	3324.7	6428.8
9	6518.5	3327.9	6436.8
10	6522.8	3327.1	6441.6
11	6529.6	3330.8	6456.0
12	6523.4	3329.0	6463.0
13	6538.7	3338.0	6457.6
14	6559.6	3342.8	6455.6
15	6541.5	3333.5	6436.7
16	6460.9	3281.1	6352.8
17	6480.2	3303.0	6393.3
18	6496.1	3308.1	6408.4
19	6474.5	3307.5	6402.1
20	6481.3	3311.4	6409.6
21	6476.4	3321.6	6424.9
22	6464.5	3301.8	6392.0
23	6492.3	3305.3	6381.5
24	6466.4	3302.4	6363.2
25	6470.2	3303.9	6370.9
26	6474.0	3300.8	6377.8
27	6465.2	3301.9	6378.8
28	6469.0	3308.6	6390.9
29	6500.0	3317.6	6392.3
30	6505.3	3322.9 (30)	6401.1 (20)
31	6503.9	3315.5	6395.8 (23)

() Number of hours for which data are available if less than 24 (or number of section hours if less than 40 for Climax).

Churchill Super Neutron Monitor, Scaling Factor 120.

Climax IGC Station B305, Scaling Factor 128.

Dallas Super Neutron Monitor, Scaling Factor 120.

COSMIC RAY INDICES (Pressure Corrected Hourly Totals)

GEOMAGNETIC ACTIVITY INDICES

AUGUST 1965

August 1965	C	Values Kp								Sum	Ap	Final Selected Days
		Three hour Gr. interval										
		1	2	3	4	5	6	7	8			
1	0.3	0+	1o	0+	0+	0+	1+	3-	2+	9-	5	Five Quiet
2	0.8	1o	2o	2+	3-	3+	3o	3-	2+	19+	11	
3	0.5	2o	2o	2-	1+	2o	2+	2-	1-	14-	6	
4	0.6	2-	1o	1+	1-	2o	3-	1+	3-	13+	7	
5	0.1	1-	0+	0+	1o	1+	1+	2-	2-	8+	4	
6	0.1	1o	1-	1o	0+	1o	1-	1-	1-	6o	3	10
7	0.4	1-	1-	2-	2o	2-	2o	2-	2+	13-	6	13
8	0.5	2+	2o	1o	1-	2-	1+	2o	1o	12o	6	28
9	0.5	1-	1+	0+	1+	2+	2+	2+	3-	13+	7	
10	0.2	1-	1+	1o	2-	2-	1o	1-	1o	9o	4	
11	0.5	2+	3o	1o	1-	1-	1o	1+	2+	12+	6	Five Disturbed
12	0.4	2o	2o	2o	1o	1-	2-	1+	2o	13-	6	
13	0.0	0o	0+	0+	0+	0+	1-	1+	1+	5-	3	
14	0.6	2o	2o	2o	2o	3-	1+	2-	2+	16o	8	
15	0.4	1o	1o	1+	1o	1-	1-	3-	3-	11o	6	
16	0.4	3-	1-	2-	1-	0+	1o	3o	3-	13-	7	24
17	0.7	2+	3o	2+	3+	3o	1o	3-	2-	19+	11	25
18	1.0	2-	0o	0o	1o	2o	3+	6+	5-	19o	21	
19	1.4	4-	5o	5+	2o	4o	3+	3+	4-	30+	27	
20	1.2	2+	2o	3+	3o	3o	3-	3-	5o	24o	17	
21	0.8	4o	4-	3o	3o	2+	1o	1-	0+	18o	12	Ten Quiet
22	0.3	0+	1-	1o	2o	2-	1+	1+	2+	11-	5	
23	0.5	2o	0o	0+	0+	1-	3+	3o	4o	14-	9	
24	0.9	4o	3o	4o	3-	1o	1-	1-	3+	19+	14	
25	0.8	4o	3o	3o	2-	2-	3-	3-	2+	21o	13	
26	0.5	3+	2-	2o	2-	2-	1+	0+	2-	14-	7	6
27	0.4	1+	1-	2-	1+	2-	1o	2o	2+	12o	6	10
28	0.0	2o	1o	1o	0+	1-	0+	1-	0+	6+	3	13
29	0.3	1o	2o	1+	0+	1-	1-	3o	1+	10+	6	15
30	0.6	4-	2o	2o	1+	1o	1+	2+	1+	15o	8	22
31	0.7	3-	3o	3+	3+	2+	1+	1+	2o	19+	11	27
												28
												29
Mean:	0.53									Mean:	9

CRPL RADIO PROPAGATION QUALITY FIGURES AND FORECASTS

NORTH ATLANTIC, NORTH PACIFIC

AUGUST 1965

AUG. 1965	WHOLE DAY			ADVANCE FORECASTS (Jc- REPORTS) FOR WHOLE DAY	NORTH ATLANTIC								NORTH PACIFIC				GEOMAGNETIC INDICES								
	INDICES				6-HOURLY QUALITY FIGURES				SHORT-TERM FORECASTS ISSUED ABOUT ONE HOUR IN ADVANCE DF				6-HOURLY QUALITY FIGURES				K _{FR}		A _{FR}		K _{SI}		A _{SI}		
	NORTH ATLANTIC	NORTH PACIFIC	AVERAGE HIGH LATITUDE		00 TO 06	06 TO 12	12 TO 18	18 TO 24	00 TO 06	06 TO 12	12 TO 18	18 TO 24	00 TO 06	06 TO 12	12 TO 18	18 TO 24	HALF DAY (1) (2)		DB- SERVED	PRE- DICTED	HALF DAY (1) (2)				
01	7-	5	6	7	7-	6+	6+	7-	7	6	7	7	5	5	6	6	1	2	5	3	0	1		2	
02	7-	5	6	6	7-	6+	7-	7-	6	6	7	6	5	5	5	6	3	3	13	11	2	2	11		
03	6+	6	6	6	7-	50	6+	7-	6	6	7	7	5	5	6	6	2	1	5	15	2	1	7		
04	6+	6	6	6	60	6-	7-	7-	7	6	7	7	5	5	6	6	2	2	6	13	1	1	4		
05	6+	6	6	6	6+	60	7-	7-	7	6	7	7	5	5	6	7	1	1	5	12	1	1	2		
06	6+	6	6	6	6+	6+	6+	7-	7	6	7	7	6	5	6	6	1	1	3	10	1	1	2		
07	7-	6	6	6	6+	6-	7-	70	7	6	7	7	6	5	6	6	2	2	7	6	1	2	5		
08	7-	6	6	7	7-	7-	70	70	7	6	7	7	6	5	6	6	2	1	6	5	1	1	4		
09	7-	6	6	7	7-	6+	7-	70	7	6	7	7	5	5	6	6	2	2	7	3	1	1	3		
10	60	6	6	7	6+	5+	6+	7-	6	6	7	7	6	5	6	6	2	2	6	3	1	1	3		
11	7-	6	6	7	6+	6+	7-	7-	6	6	7	7	5	5	6	6	2	2	8	7	2	1	5		
12	6+	6	6	7	6+	5-	70	7-	6	6	7	7	6	5	6	6	2	2	8	3	2	1	6		
13	7-	6	6	7	7-	60	7-	70	6	6	7	7	6	6	6	6	0	1	3	3	0	1	2		
14	6+	6	6	7	6+	6-	7-	7-	7	6	7	7	6	5	6	6	2	2	8	5	2	2	7		
15	6+	6	6	6	6+	5+	70	70	7	6	7	7	6	5	6	6	1	2	6	7	2	2	6		
16	6+	6	6	6	60	6-	7-	70	6	6	7	7	6	5	6	6	2	2	7	7	1	1	3		
17	6+	6	6	7	6+	60	7-	7-	6	6	7	7	6	5	6	6	3	2	8	5	3	2	13		
18	6+	6	6	7	6+	60	7-	6+	6	6	7	7	6	6	6	6	0	(4)	13	5	1	3	9		
19	60	6	6	6	6-	50	7-	7-	5	4	6	6	6	5	6	6	(4)	3	22	9	(4)	3	23		
20	60	6	6	6	60	50	6+	7-	6	5	7	7	6	6	6	6	3	3	17	7	3	3	16		
21	6-	6	6	6	6-	4-	6+	7-	6	5	7	7	7	5	6	6	(4)	1	13	5	(4)	2	17		
22	6+	6	6	7	60	60	7-	7-	6	5	7	7	7	6	6	6	1	2	5	5	1	1	4		
23	7-	6	6	7	6+	60	7-	7-	6	6	7	7	6	5	6	6	1	3	9	7	1	2	6		
24	6-	6	6	6	6-	4+	6+	6+	6	5	6	7	6	5	6	6	(4)	2	16	13	(4)	1	13		
25	6-	6	6	6	6-	4+	7-	70	6	4	6	7	7	5	6	6	3	2	12	11	2	1	8		
26	6+	6	6	6	60	5+	70	70	6	5	7	7	7	5	6	6	3	1	8	7	2	1	7		
27	6-	6	6	6	60	4+	6+	6+	6	6	7	7	6	5	6	6	1	2	5	3	2	1	5		
28	6+	6	6	6	60	6-	7-	70	6	6	7	7	6	6	6	6	1	1	2	4	0	0	0		
29	7-	6	6	6	7-	60	7-	7-	6	6	7	7	6	6	6	6	2	2	8	13	1	1	4		
30	6+	6	6	6	7-	50	7-	7-	6	5	7	7	6	6	6	6	3	1	9	9	2	1	5		
31	6+	6	6	6	6-	6-	7-	7-	6	5	7	7	7	5	6	6	3	1	8	7	3	2	12		
QUIET				P	19									19 19 22 26											
				S	12									12 8 9 5											
				U	0									0 0 0 0											
				F	0									0 0 0 0											
DISTURBED				P	0									0 1 0 0											
				S	0									0 2 0 0											
				U	0									0 0 0 0											
				F	0									0 1 0 0											

1) THE ADVANCE Jc-FORECASTS ARE SCORED AGAINST THE AVERAGE HIGH LATITUDE WHOLE-DAY INDICES.

2) THE OBSERVED INDICES FOR THE NORTH PACIFIC ARE LOW WEIGHT BECAUSE OF INSUFFICIENT DATA AVAILABLE FOR THEIR PREPARATION.

3) THE PREDICTED A_{FR} INDICES ARE ISSUED EACH WEDNESDAY FOR THE COMING SEVEN DAYS. THE VALUE FOR THE FIRST DAY OF EACH PREDICTION PERIOD IS UNDERScoreD.

NORTH ATLANTIC

AUGUST 1965

— Short-term forecast

| Range of reports

o Quality figure

HIGH LATITUDE

AUGUST 1965

AUGUST 1965

Adapted from Observations by Deutsches Bundespost

IQSY ALERT PERIODS

INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

SEPTEMBER 1965

SEPT 1965	TIME OF ISSUE UT	ADVANCE GEOPHYSICAL ALERT	WORLDWIDE GEOPHYSICAL ALERT			
			NO.	TYPE	TIMING	ELABORATION
1	0400		224	Solar Activity	Exists	Flares
5	1830	Ottawa, Solar Flare 05/1209				
10	1505	Anacapri, Solar Flare 10/1058				
27	0400		225	Solar Activity	Exists	East Limb
28	0150	AGIWARN, Magnetic Storm 27/1655				
	0400		226	Solar Activity	Exists	
29	0400		227	Solar Activity	Exists	Beta Gamma Spot
30	0400		228	Solar Activity	Exists	
	1613	Sac Peak, Solar Flare 30/1549				