copy 1

Central Radio Propagation Laboratory

TK6570

B7447

ALL102 155089

IONOSPHERIC PREDICTIONS

*for
October
1965*

IMPORTANT
NOTICE

SEE
INTRODUCTION PAGE

TB 11-499-31/TO 31-3-28

U.S. DEPARTMENT of COMMERCE
National Bureau of Standards
Number 31/Issued July 1965

U.S. DEPARTMENT OF COMMERCE

John T. Connor, Secretary

NATIONAL BUREAU OF STANDARDS

A. V. Astin, Director

Central Radio Propagation Laboratory

Ionospheric Predictions

for October 1965

Number 31

Issued

July 1965

The CRPL Ionospheric Predictions are issued monthly as an aid in determining the best sky-wave frequencies over any transmission path, at any time of day, for average conditions for the month. Issued three months in advance, each issue provides tables

of numerical coefficients that define the functions describing the predicted worldwide distribution of f_oF_2 and $M(3000)F_2$ and maps for each even hour of universal time of $MUF(Zero)F_2$ and $MUF(4000)F_2$.

NOTE: Department of Defense personnel see back cover.

Use of funds for printing this publication approved by the Director of the Bureau of the Budget (June 19, 1961).

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402. Price 25 cents.

Annual subscription (12 issues) \$2.50 (75 cents additional for foreign mailing).

National Bureau of Standards

The National Bureau of Standards serves as a principal focal point within the Federal Government for assuring maximum application of the physical and engineering sciences to the advancement of technology in industry and commerce. The Bureau is organized into four institutes as follows: The Institute for Basic Standards provides the central basis within the United States for a complete and consistent system of physical measurement; its responsibilities include administration of the National Standard Reference Data System. The Institute for Materials Research conducts a broad range of programs to provide a better understanding of the

basic properties and behavior of materials and to make available reliable quantitative data on their performance; it distributes a wide variety of carefully characterized reference materials to science and industry. The Institute for Applied Technology develops criteria for the evaluation of the performance of technological products and services, provides specialized information services to meet the needs of industry, and studies problems of technological innovation. The fourth institute, the Central Radio Propagation Laboratory, is described below.

The Central Radio Propagation Laboratory

The Central Radio Propagation Laboratory is the central agency of the Federal Government for obtaining and disseminating information on the propagation of electromagnetic waves, on the electromagnetic properties of man's environment, on the nature of electromagnetic noise and interference, and on methods for the more efficient use of the electromagnetic spectrum for telecommunication purposes. In carrying out these responsibilities, the Central Radio Propagation Laboratory:

1. Acts as the primary agency of the Federal Government for the conduct of *basic and applied research* in these fields;

2. Acts as the *central repository* for data, reports, and information in these fields;

3. Furnishes *advisory and consultative services* in these fields to industry and to other government and non-government organizations;

4. Performs *scientific liaison* with other countries to advance knowledge in these fields, including that liaison required by international responsibilities and agreements;

5. Prepares and issues *predictions* of electromagnetic wave propagation conditions, and warnings of disturbances in those conditions.

NOTICE

TRIAL PERIOD FOR POLAR MAPS EXTENDED

The trial period for the polar prediction maps has been extended six months in order to permit more time to evaluate their utility. Some favorable comments have been received, but the response has been insufficient to justify the expense and effort required to publish them. Therefore, please send your comments as soon as possible if you wish these to continue.

ANNOUNCEMENT OF PUBLICATION OF NBS MONOGRAPH 80

IONOSPHERIC RADIO PROPAGATION

By Kenneth Davies of the Central Radio Propagation Laboratory, Boulder, Colorado.

This new textbook provides an authoritative and comprehensive digest of current information on the ionosphere. Emphasis is placed on the physics of the ionosphere and theoretical developments required for an understanding of ionospheric radio propagation.

Orders, accompanied by \$2.75 remittance, should be sent to: Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402.

INTRODUCTION

Tables 1 and 2, presenting predicted coefficients defining the numerical map functions for the worldwide variation of f_oF_2 and $M(3000)F_2$, provide the basic prediction or F2-layer propagation. With additional auxiliary information, these coefficients may be used as input data for electronic computer programs solving specific high-frequency propagation problems. The graphical maps, which are derived from the basic predictions, are provided for those unable to make use of an electronic computer. Instructions for use of these maps, figures 1 through 24, may be found in National Bureau of Standards Handbook 90, "Handbook for CRPL Ionospheric Predictions Based on Numerical Methods of Mapping," which also includes required additional data, nomographs and graphical aids, and may be purchased from the Superintendent of Documents, U.S. Government Printing Office, Washington D.C., 20402, price 40 cents. The predicted sunspot number used for this month is shown in table A, which also lists previous observed and predicted Zurich smoothed relative sunspot numbers. Figure A shows the recent trend of solar activity, with both predicted and observed Zurich smoothed relative sunspot numbers.

The basic numerical mapping equations, their interpretation, and methods of using numerical maps are described in papers by W. B. Jones and R. M. Gallet, "The Representation of Diurnal and Geographic Variations of Ionospheric Data by Numerical Mapping," vol. 66D, No. 4, July-Aug. 1962, pages 419-438, and "Methods for Applying Numerical Maps of Ionospheric Characteristics," vol. 66D, No. 6, Nov.-Dec. 1962, pages 649-662, both in the Journal of Research of the National Bureau of Standards, Section D, Radio Propagation. The predicted numerical map coefficients of tables 1 and 2 may be purchased in the form of a tested set of punched cards. Write to the Prediction Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado, 80301, to arrange for

purchase of the punched cards, and for information and advice on the application of computer methods and numerical prediction maps to specific propagation problems.

Members of the U.S. Army, Navy, or Air Force desiring Handbook 90 and the monthly issues of Ionospheric Predictions should send requests to the proper service address; for Navy: The Director, Naval Communications, Department of the Navy, Washington, D.C., 20350; for Air Force: Directorate of Command Control and Communications, Headquarters, United States Air Force, Washington, D.C., 20330. ATTN: AFOCCAA. Army personnel should requisition these through normal publication channels, and should refer to Handbook 90 as TM 11-499 and to the monthly ionospheric predictions as TB 11-499-(), with the serial number of the desired monthly predictions booklet inserted in the parenthesis. (For example, for Ionospheric Predictions Number 31, issued July 1965 and containing predictions for October 1965, the Army number would be TB 11-499-(31).)

Information on the physics of the ionosphere and the theory of radio wave propagation, including such problems as absorption, field intensity, etc., may be found in National Bureau of Standards Monograph 80, "Ionospheric Radio Propagation," by Kenneth Davies, which may be purchased from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402, price \$2.75. Additional information on radio noise may be found in C.C.I.R. Report Number 322, "Revision of Atmospheric Noise Data," International Telecommunications Union, Geneva, 1964.

Reports to this Laboratory of experience with these predictions would be appreciated. Correspondence should be addressed to the Prediction Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado, 80301.

Table A

Observed and Predicted Zurich Smoothed Relative
Sunspot Numbers

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1954	6 (14)	6 (12)	4 (11)	3 (10)	4 (10)	4 (9)	5 (8)	7 (8)	8 (8)	8 (10)	10 (10)	12 (11)
1955	14 (12)	16 (14)	20 (14)	23 (13)	29 (16)	35 (18)	40 (22)	46 (27)	55 (30)	64 (31)	73 (35)	81 (42)
1956	89 (48)	98 (53)	109 (60)	119 (68)	127 (77)	137 (89)	146 (95)	150 (105)	151 (119)	156 (135)	160 (147)	164 (150)
1957	170 (150)	172 (150)	174 (150)	181 (150)	186 (150)	188 (150)	191 (150)	194 (150)	197 (150)	200 (150)	201 (150)	200 (150)
1958	199 (150)	201 (150)	201 (150)	197 (150)	191 (150)	187 (150)	185 (150)	185 (150)	184 (150)	182 (150)	181 (150)	180 (150)
1959	179 (150)	177 (150)	174 (150)	169 (150)	165 (146)	161 (143)	156 (141)	151 (142)	146 (141)	141 (139)	137 (137)	132 (137)
1960	129 (136)	125 (135)	122 (133)	120 (130)	117 (125)	114 (120)	109 (118)	102 (115)	98 (110)	93 (108)	88 (105)	84 (100)
1961	80 (100)	75 (90)	69 (90)	64 (90)	60 (85)	56 (85)	53 (80)	52 (75)	52 (70)	51 (70)	50 (65)	49 (60)
1962	45 (60)	42 (50)	40 (48)	39 (45)	39 (42)	38 (37)	37 (34)	35 (31)	33 (29)	31 (28)	30 (27)	30 (34)
1963	29 (31)	30 (28)	30 (26)	29 (25)	29 (25)	28 (25)	28 (23)	27 (21)	27 (20)	26 (18)	24 (18)	21 (17)
1964	20 (17)	18 (17)	15 (17)	13 (17)	11 (17)	10 (17)	10 (17)	10 (17)	10 (17.5)	10 (17.3)	10 (17.0)	10 (17.0)
1965	(15.0)	(16.0)	(16.0)	(16.0)	(15.0)	(17.0)	(21.0)	(28.9)	(22.0)	(22.0)*		
1966												

Note: Final numbers are listed through June 1964, the succeeding values being based on provisional data. The predicted numbers are in parentheses.

* Number used for predictions in this issue.

FIG. A PREDICTED AND OBSERVED SUNSPOT NUMBERS

TABLE I

TIME VARIATION

Harmonic	0		1		2		3		4		5		6		7		8		
	K	S	K	S	K	S	K	S	K	S	K	S	K	S	K	S	K	S	
I	0	7.9912603+000	2.5081575+000	1.7766116+000	7.5485704+001	2.1824083+001	1.1356816+001	-6.8304925+001	-1.2433977+000	2.5123568+001	-1.4383742+001								
	1	1.1286769+001	-2.8255006+001	-1.4704514+001	6.3778010+001	4.8158866+002	-9.1290146+001	-3.5255036+000	-3.1253977+000	5.3805838+001	-2.1575522+001								
	2	4.4745755+000	6.1470451+000	6.2855122+000	1.6711732+000	4.6151732+000	-3.4554808+000	1.4255653+000	8.1800111+001	5.1800111+001	-1.4075522+001								
	3	5.1771146+000	3.7880596+001	1.6559233+001	3.8384926+000	3.8384926+000	1.3881814+001	1.0122983+000	-6.4400651+000	-6.4400651+000	-3.9710043+000								
	4	4.8277932+001	-1.8454544+001	-7.3895062+001	-4.7802071+001	-4.7802071+001	3.5582714+001	-8.9406433+000	2.12747671+001	2.12747671+001	7.9270002+000								
	5	3.06070711+001	-2.1981144+000	1.9923947+001	1.4675468+002	1.4675468+002	-6.8767083+001	-4.2284024+000	2.1141314+001	2.1141314+001	2.4057002+001								
	6	7.3353536+002	6.1825469+002	1.3310330+002	3.9056467+001	3.9056467+001	1.34242051+002	4.8613816+001	1.8212117+001	1.8212117+001	1.6256505+001								
	7	7.3353536+002	6.1825469+002	1.3310330+002	3.9056467+001	3.9056467+001	1.34242051+002	4.8613816+001	1.8212117+001	1.8212117+001	1.6256505+001								
	8	4.9541078+001	4.5821155+002	1.4475175+002	2.6200434+002	2.6200434+002	1.2424333+002	8.7625117+001	1.0354595+002	1.0354595+002	-1.5897144+001								
	9	7.3353536+002	6.1825469+002	1.3310330+002	3.9056467+001	3.9056467+001	1.34242051+002	4.8613816+001	1.8212117+001	1.8212117+001	1.6256505+001								
	10	9.0294945+001	1.5551129+001	4.4582155+002	2.6200434+002	2.6200434+002	-2.1256313+002	1.0668944+002	1.0668944+002	1.0668944+002	-1.5897144+001								
	11	3.748511+001	9.6663190+001	1.5844246+002	5.5005722+002	5.5005722+002	1.1256758+001	3.0378086+001	3.0378086+001	3.0378086+001	-1.9535430+001								
12	-1.0920820+002	-2.5999701+001	5.7312122+000	4.86643216+001	4.86643216+001	6.8555127+001	-3.5379511+001	-3.5379511+001	-3.5379511+001	2.6214966+001									
II	13	3.8013736+002	1.4154325+001	6.7833254+002	1.4122268+002	1.4122268+002	1.1632268+002	2.0413173+001	2.0413173+001	2.0413173+001	1.4974002+002								
	14	-1.2882243+001	-4.2845006+002	-1.6754203+001	8.4151213+002	8.4151213+002	2.1580912+001	1.9533035+001	1.9533035+001	1.9533035+001	-1.011451+001								
	15	2.3545643+001	-4.7358176+001	-4.0721073+001	2.4585733+001	2.4585733+001	1.0694201+001	1.001607+001	1.001607+001	1.001607+001	3.9149350+001								
	16	1.5125553+000	-7.2459870+000	7.2459870+000	1.4434708+000	1.4434708+000	9.3342075+000	-8.0115650+000	7.6592477+000	7.6592477+000	-2.6251445+001								
	17	1.5255031+000	-7.2459870+000	7.2459870+000	1.4434708+000	1.4434708+000	9.3342075+000	-8.0115650+000	7.6592477+000	7.6592477+000	-2.6251445+001								
	18	7.4856031+000	5.4695113+000	5.4695113+000	-4.2255949+000	-4.2255949+000	1.8826539+000	-3.4423889+000	4.1931006+000	4.1931006+000	4.6303261+000								
	19	6.6660533+001	5.8274407+000	2.4573593+000	1.6625278+001	1.6625278+001	8.8487778+000	3.3337138+000	-3.4423889+000	-3.4423889+000	-5.4388870+001								
	20	8.4660533+001	7.3049140+001	1.0793188+002	5.0505514+001	5.0505514+001	1.2558688+001	4.3368110+000	3.2305101+001	3.2305101+001	1.2773354+001								
	21	3.4067053+001	6.1848230+001	4.5343283+001	1.8576644+001	1.8576644+001	2.0504161+001	8.9353718+000	5.7209576+001	5.7209576+001	-5.3504591+000								
	22	1.8343702+002	-6.145942+001	1.0903934+002	3.0372786+001	3.0372786+001	-2.8774161+001	-2.008041+001	4.8761481+001	4.8761481+001	-1.0017876+001								
	23	4.6359716+001	-1.0765240+001	-2.1922492+001	8.5055550+001	8.5055550+001	2.6681944+001	-2.008041+001	4.8761481+001	4.8761481+001	-1.0017876+001								
	24	-2.0354528+002	4.1847788+002	2.0833708+002	-2.1153567+002	-2.1153567+002	4.2111985+001	1.0567151+001	2.2008041+001	2.2008041+001	2.8936811+001								
	25	2.4810458+002	3.4344228+002	2.0833708+002	-2.1153567+002	-2.1153567+002	4.2111985+001	1.0567151+001	2.2008041+001	2.2008041+001	2.8936811+001								
	26	2.4810458+002	3.4344228+002	2.0833708+002	-2.1153567+002	-2.1153567+002	4.2111985+001	1.0567151+001	2.2008041+001	2.2008041+001	2.8936811+001								
	27	2.4810458+002	3.4344228+002	2.0833708+002	-2.1153567+002	-2.1153567+002	4.2111985+001	1.0567151+001	2.2008041+001	2.2008041+001	2.8936811+001								
	28	2.4810458+002	3.4344228+002	2.0833708+002	-2.1153567+002	-2.1153567+002	4.2111985+001	1.0567151+001	2.2008041+001	2.2008041+001	2.8936811+001								
III	29	5.0043386+002	8.1342849+002	3.2520303+002	6.9444444+002	6.9444444+002	3.7399444+001	-1.6032233+002	4.2516944+002	4.2516944+002	4.7841096+001								
	30	1.7745152+002	-1.0454460+002	1.0926092+003	9.3517493+001	9.3517493+001	2.6999933+002	4.8661172+002	3.7637527+002	3.7637527+002	-2.6144043+002								
	31	2.9792544+002	-6.9998151+001	-1.0792062+003	1.8815644+002	1.8815644+002	5.6999933+002	4.8661172+002	3.7637527+002	3.7637527+002	-2.6144043+002								
	32	9.6177468+002	-7.2131467+002	-5.0468377+002	3.9444240+002	3.9444240+002	6.8143304+001	-5.7994409+001	4.8661172+002	4.8661172+002	-2.6144043+002								
	33	5.31353545+002	-2.5043254+002	-2.5043254+002	3.9444240+002	3.9444240+002	6.8143304+001	-5.7994409+001	4.8661172+002	4.8661172+002	-2.6144043+002								
	34	1.7065084+003	6.9077691+002	4.6611976+002	-2.5043254+002	-2.5043254+002	3.9444240+002	6.8143304+001	-5.7994409+001	-5.7994409+001	4.8661172+002								
	35	1.2802885+003	3.2356167+001	5.1095651+001	-2.5043254+002	-2.5043254+002	3.9444240+002	6.8143304+001	-5.7994409+001	-5.7994409+001	4.8661172+002								
	36	3.3314437+002	2.3743560+002	7.9939208+001	2.1574401+000	2.1574401+000	2.7788738+001	-2.5551152+002	1.3068815+002	1.3068815+002	-1.2604988+001								
	37	2.0555467+002	-2.5985645+002	3.1120578+002	-1.2448790+000	-1.2448790+000	-8.5799951+001	1.4464512+002	1.1900450+002	1.1900450+002	-7.1264859+001								
	38																		
IV	39	3.1570287+001	6.8025114+002	-3.4372800+001	9.6068406+002	9.6068406+002	1.8018078+002	2.8461530+002	2.8461530+002	2.8461530+002	-1.4230438+003								
	40	1.3264522+002	3.9470551+002	-1.5580269+001	-4.5687737+002	-4.5687737+002	2.1317444+002	-2.6023231+002	2.6023231+002	2.6023231+002	1.2883112+003								
	41	2.6584766+000	5.6477489+001	-1.5721272+000	1.6353038+002	1.6353038+002	4.7443344+002	-5.5925924+002	3.1551627+003	3.1551627+003	-5.92188+002								
	42	9.9160855+001	-1.7837742+001	3.4601372+001	2.6923626+000	2.6923626+000	1.1661789+002	-3.2445501+002	7.2424676+002	7.2424676+002	1.7554591+002								
	43	-6.9487120+001	-4.0222600+001	6.5037195+000	-3.1445938+001	-3.1445938+001	4.1024431+002	-4.5780964+002	-3.4517151+001	-3.4517151+001	5.2488471+002								
	44	-2.2827345+002	-1.0215703+000	7.1778982+000	4.2561484+000	4.2561484+000	-3.0328838+001	-8.8950511+002	1.0390616+000	1.0390616+000	-8.1654162+003								
	45	1.2441983+002	-1.0149592+001	-2.1466219+001	1.3007377+000	1.3007377+000	1.0122263+002	-8.8950511+002	1.0390616+000	1.0390616+000	-8.1654162+003								
	46	1.0634935+003	5.3324045+001	-1.1525395+001	8.9844919+000	8.9844919+000	-6.7716015+003	2.3066708+001	5.3445844+003	5.3445844+003	-1.1523952+003								
	47	7.3519497+003	-1.4301897+002	-2.2938310+001	1.0519653+001	1.0519653+001	1.5424201+001	-1.5424201+001	1.5424201+001	1.5424201+001	-7.6474338+001								
	48	4.1443431+002	1.9504630+001	-2.2747262+000	-8.2645276+000	-8.2645276+000	4.7694398+002	-3.7694398+002	3.7694398+002	3.7694398+002	-2.8702491+003								
	49	-6.011568+001	9.6484822+002	-3.9271767+000	8.1040033+001	8.1040033+001	-1.7493232+001	-1.7493232+001	-1.7493232+001	-1.7493232+001	-2.4250097+003								
	50																		
	51																		
	52																		

I - Main latitudinal variation. Mixed latitudinal and longitudinal variation. II - First order in longitude, III - Second order in longitude. For each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last three digits and sign.

PREDICTED COEFFICIENTS D_{SK} DEFINING THE FUNCTION $I(\lambda, \theta, t)$ FOR MONTHLY MEDIAN $f_0 F_2$ (Mc/s)

OCTOBER 1965

TABLE 2

TIME VARIATION

Harmonic	O	I	2	3	4	5	6
K	S	I	2	3	4	5	6
I	0	-1.7679459-001	-2.4609383-001	4.5083632-002	-9.4455175-002	6.6360364-002	-6.0192788-002
1	1.7396250-002	1.3220850-000	2.5038286-000	-3.1261579-001	-3.2557450-001	-1.1883504-001	-1.7929916-002
2	1.8160389-000	9.1127164-002	1.7775926-000	-1.2780241-000	-1.1884551-001	1.0967852-000	-1.0967852-000
3	2.2697086-001	3.4407155-000	-5.8185036-000	4.7891274-001	1.2152427-000	3.8681460-000	9.0963160-003
4	-5.3957314-000	3.4472699-001	-2.8874313-000	2.2029488-000	5.1617247-000	-2.6643025-001	9.0302372-001
5	-8.8850198-001	4.0373814-000	5.7421485-000	-3.0666782-001	-1.4033334-000	-4.9392304-000	-7.0599509-003
6	5.8434107-000	-2.5491745-001	1.3933608-000	7.9747121-001	-3.3657403-001	7.0492182-002	-1.2383430-000
7	5.5919273-001	-1.7347780-000	-2.1122245-000	7.9954873-002	5.9887233-001	2.1237467-000	7.4144929-003
8	-2.1687896-000						5.6844445-001
9	-1.5559545-003	-8.7567186-003	3.1310313-002	-3.2709930-002	-6.9467881-003	1.6283119-002	3.29646221-003
10	-6.9818197-002	-2.0384668-002	3.8336619-003	-1.3014943-002	-1.3540920-002	4.6211813-002	-1.6415506-003
11	1.1536218-001	-1.4329506-001	3.7904480-002	-2.0946117-002	4.5722845-002	2.7995313-002	-1.4068792-002
12	-4.6108494-001	-4.7848944-001	-9.3191285-001	2.7950708-001	-8.6496777-002	2.8520300-001	4.8166724-002
13	1.3285071-001	-3.1525656-001	-5.2189851-001	3.4840141-001	-2.6628692-002	-1.5425329-001	6.1681587-002
14	1.0755560-000	4.3768345-001	-6.9366046-002	1.8060448-001	6.3315155-002	4.7779829-001	9.0047967-002
15	-4.2177448-001	7.8045394-001	3.6766642-001	2.4619742-002	-1.8625332-002	-1.2212555-001	6.4112261-002
16	3.2680199-000	2.6168518-000	5.7278025-000	-1.8810589-000	1.8800696-001	-1.9197814-000	-2.431202-001
17	-2.7542075-001	2.3810117-000	1.6674643-000	-1.3415950-000	9.3708496-002	3.7154445-001	-6.5713862-002
18	-4.9837296-000	-1.5263668-000	5.4443174-001	-9.5899331-001	-1.3190446-001	1.9130757-000	-1.2685699-001
19	-1.7997612-002	-1.3235660-000	1.2604391-001	1.8404246-000	-5.5777822-002	1.0057366-001	-1.4198165-002
20	-6.2407142-000	-4.6256326-000	-9.8937380-000	3.7709912-000	-1.9977083-001	3.6439341-000	2.6514300-001
21	-4.0967760-002	-5.0544757-000	-1.4508995-000	1.7096478-000	-1.6325677-001	-2.8904878-001	2.67130662-002
22	8.2687684-000	2.0019803-000	1.5250412-000	1.8415837-000	2.1415692-001	-2.9615654-000	1.0658290-001
23	3.5413846-001	5.7864957-001	8.7070995-001	-2.1958727-001	3.9094765-002	2.5336501-002	2.6225621-002
24	3.6177955-000	2.6459983-000	5.5329026-000	-2.3141141-000	1.2225082-001	-2.0878164-000	-5.3463364-002
25	3.6205223-001	3.2690118-000	3.3684644-001	-6.6870598-001	8.5142037-002	1.3592327-002	6.2736925-002
26	-4.5394881-000	-8.5764122-001	1.0112880-000	-1.0939563-000	-1.2343089-001	1.5109570-000	-6.8704115-002
27	-3.5129099-002	-2.1404522-002	5.6097176-003	2.5685671-003	-6.7110327-006	8.7343242-003	-5.1287948-005
28	-2.3648073-002	-1.0270880-002	1.3649681-003	-1.2013360-002	-1.0832469-003	6.3308753-004	1.2469963-003
29	-2.198152-001	-1.0862666-001	-1.5837608-001	2.7160151-002		-8.2231071-004	
30	-9.9908893-003	-5.6726695-003	-8.3672216-002	2.6664237-002		-1.2751843-003	
31	1.6430857-001	3.6608657-002	-1.4292829-001	-6.0444770-003			
32	2.8207693-002	1.1871905-001	-3.5546865-002	-6.5558426-003			
33	3.2856994-001	2.1833711-001	3.1389043-001	-1.1251046-002			
34		1.9171179-002	4.8970809-001				
35							
36							

GEOGRAPHICAL VARIATION

Harmonic	4	7	8	9	10	11	12
K	S	I	2	3	4	5	6
0	3.3601097-002	1.9636390-002	-5.9383790-005	3.2248767-002	-1.9370506-002	-7.8164164-003	
1	2.4151877-003	-2.9189313-002	2.5831179-002	1.9363209-002	-1.9358192-002	2.0343445-002	
2	-2.2409325-002	-2.1995256-002	-2.3432053-003	-3.2656576-002	2.2115451-002	7.9829871-003	
3	-1.7938559-003	1.9232171-002	-2.1644351-002	-1.7202601-002	1.5393467-002	-1.2031319-002	

GEOGRAPHICAL VARIATION

I - Main latitudinal variation. Mixed latitudinal and longitudinal variation: II - First order in longitude, III - Second order in longitude.
 Notation : For each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last three digits and sign.

PREDICTED COEFFICIENTS D_{SK} DEFINING THE FUNCTION $I(\lambda, \theta, t)$ FOR MONTHLY MEDIAN $M(3000)F2$

OCTOBER 1965

OCTOBER 1965 UT=00

LONGITUDE

FIG. 1 A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

FIG. 1 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=02

LONGITUDE

FIG. 2 A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

FIG. 2 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=04

LONGITUDE

FIG. 3A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

FIG. 3B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=06

LONGITUDE

FIG. 4 A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

FIG. 4 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=08
LONGITUDE

FIG. 5A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

FIG. 5B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=10
LONGITUDE

FIG. 6A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

FIG 6B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT= 12

LONGITUDE

FIG. 7 A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

FIG. 7 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=14

LONGITUDE

FIG. 8A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

FIG. 8B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=16

LONGITUDE

FIG. 9 A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

FIG. 9 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=18

LONGITUDE

FIG.10A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

LONGITUDE

FIG.10B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT=20

LONGITUDE

FIG. II A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

LONGITUDE

FIG. II B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT= 22

LONGITUDE

FIG.12 A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

FIG.12 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 00

FIG. 13A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

FIG. 13B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 02

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 14 A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 14 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT= 04

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 15 A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 15 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 06

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 16A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 16B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 08

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 17A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 17 B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)

OCTOBER 1965 UT=10

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 18A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 18 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 12

FIG. 19 A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

FIG. 19 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 14

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 20A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 20B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 16

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 21 A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG. 21 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 18

NORTH POLAR AREA

SOUTH POLAR AREA

FIG.22A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG.22 B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)

OCTOBER 1965 UT = 20

NORTH POLAR AREA

SOUTH POLAR AREA

FIG.23A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG.23 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

OCTOBER 1965 UT = 22

NORTH POLAR AREA

SOUTH POLAR AREA

FIG.24A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

NORTH POLAR AREA

SOUTH POLAR AREA

FIG.24 B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

UNITED STATES
GOVERNMENT PRINTING OFFICE
DIVISION OF PUBLIC DOCUMENTS
WASHINGTON, D. C., 20402

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
U.S. GOVERNMENT PRINTING OFFICE

DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
WASHINGTON, D. C., 20301, 1 July 1965

TB 11-499-31/TO 31-3-28, Central Radio Propagation Laboratory Ionospheric Predictions for October 1965, is published for the use of all concerned.

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

OFFICIAL:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

OFFICIAL:

R. J. PUGH,
Colonel, United States Air Force,
Director of Administrative Services.

J. P. McCONNELL
Chief of Staff, United States Air Force.

DISTRIBUTION:

Active Army:

USASA (4); USA Elct Comd (5); USA MI Comd (2); USA Test & Eval Comd (1); OCC-E (1); US CONARC (3); ARADCOM (2); OS Maj Comd (5); Log Comd (2); MDW (1); Armies (5); Corps (2); Div (2); USAEPG (2); USA Elct RD Agcy, W (4); Svc Colleges (4); Br Svc Sch (4) except USASCS (20); USAADCEN (4); ARADCOM Rgn (2); WSMR (5); USA Elct RD Agcy A (4); JBUSMC (12); USA Corps (1); USA Mbl Equip Cen (2); USAMC (1); USACDCA (1); USA Msl Spt Comd (1); Units org under fol TOE: 11-18 (1); 11-95 (1); 11-500 (AC) (1); ATAD (1).

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 320-50.