GRAPH VARIETIES AXIOMATIZED BY SEMIMEDIAL, MEDIAL, AND SOME OTHER GROUPOID IDENTITIES

ERKKO LEHTONEN

*Technische Universität Dresden
Institut für Algebra
01062 Dresden, Germany*

e-mail: Erkko.Lehtonen@tu-dresden.de

AND

CHAOWAT MANYUEN

*Department of Mathematics, Faculty of Science
Khon Kaen University
Khon Kaen 40002, Thailand*

e-mail: schauwat.manyuen@gmail.com

Abstract

Directed graphs without multiple edges can be represented as algebras of type $(2, 0)$, so-called graph algebras. A graph is said to satisfy an identity if the corresponding graph algebra does, and the set of all graphs satisfying a set of identities is called a graph variety. We describe the graph varieties axiomatized by certain groupoid identities (medial, semimedial, autodistributive, commutative, idempotent, unipotent, zeropotent, alternative).

Keywords: graph algebra, groupoid, identities, semimediality, mediality.

2010 Mathematics Subject Classification: 05C25, 03C05.

REFERENCES

- [1] B.A. Davey, P.M. Idziak, W.A. Lampe and G.F. McNulty, *Dualizability and graph algebras*, Discrete Math. **214** (2000) 145–172.
doi:10.1016/S0012-365X(99)00225-3
- [2] K. Denecke, M. Ern and S.L. Wismath (eds.), *Galois connections and applications*, Math. Appl., vol. 565 (Kluwer Academic Publishers, Dordrecht, 2004).
doi:10.1007/978-1-4020-1898-5

- [3] E.W. Kiss, R. Pöschel and P. Pröhle, *Subvarieties of varieties generated by graph algebras*, Acta Sci. Math. (Szeged) **54** (1990) 57–75.
- [4] T. Poomsa-ard, *Hyperidentities in associative graph algebras*, Discuss. Math. Gen. Algebra Appl. **20** (2000) 169–182. doi:10.7151/dmgaa.1014
- [5] T. Poomsa-ard and W. Hemvong, *Hyperidentities in left self-distributive graph algebras*, Thai J. Math. **4** (2006) 197–208.
- [6] T. Poomsa-ard and W. Hemvong, *Hyperidentities in right self-distributive graph algebras of type $(2, 0)$* , Southeast Asian Bull. Math. **32** (2008) 1125–1136.
- [7] R. Pöschel, *The equational logic for graph algebras*, Z. Math. Logik Grundlag. Math. **35** (1989) 273–282. doi:10.1002/malq.19890350311
- [8] R. Pöschel, *Graph algebras and graph varieties*, Algebra Universalis **27** (1990) 559–577. doi:10.1007/BF01189000
- [9] R. Pöschel and W. Wessel, *Classes of graphs definable by graph algebra identities or quasi-identities*, Comment. Math. Univ. Carolin. **28** (1987) 581–592. <http://dml.cz/handle/10338.dmlcz/106570>
- [10] C.R. Shallon, *Non-finitely based binary algebras derived from lattices*, Ph.D. thesis, (University of California, Los Angeles, 1979).

Submitted 10 October 2018

First Revised 6 December 2018

Second Revised 6 June 2019

Accepted 6 December 2019