EXTENDING THE MAX ALGORITHM FOR MAXIMUM INDEPENDENT SET

NGOC C. LÊ^{1,2}, CHRISTOPH BRAUSE²

AND

INGO SCHIERMEYER²

¹ *School of Applied Mathematics and Informatics
Hanoi University of Science and Technology*

² *Faculty of Mathematics and Computer Science
Technische Universität Bergakademie Freiberg*

e-mail: lechingoc@yahoo.com
brause@math.tu-freiberg.de
ingo.schiermeyer@tu-freiberg.de

Abstract

The maximum independent set problem is an NP-hard problem. In this paper, we consider Algorithm MAX, which is a polynomial time algorithm for finding a maximal independent set in a graph G . We present a set of forbidden induced subgraphs such that Algorithm MAX always results in finding a maximum independent set of G . We also describe two modifications of Algorithm MAX and sets of forbidden induced subgraphs for the new algorithms.

Keywords: maximum independent set, stable set, stability number, independence number, reduction, graph transformation, MAX Algorithm, MIN Algorithm, Vertex Order Algorithm.

2010 Mathematics Subject Classification: 05C69, 05C85.

REFERENCES

- [1] V.E. Alekseev, *On the local restrictions effect on the complexity of finding the graph independence number*, in: Combinatorial-Algebraic Methods in Applied Mathematics, A. Markov (Ed(s)), (Gorkiy University, 1983) 3–13, in Russian.
- [2] V.E. Alekseev, *A polynomial algorithm for finding maximum independent sets in fork-free graphs*, Discrete Anal. Operation Research Serie 1 **6(4)** (1999) 3–19, in Russian.

- [3] V.E. Alekseev, *Augmenting graphs for independent sets*, Discrete Appl. Math. **145** (2004) 3–10.
doi:10.1016/j.dam.2003.09.003
- [4] A. Billionnet, *Reductions and optimality conditions in the problem of a maximum weighted stable set*, RAIRO Recherche Opérationnelle **15(3)** (1999) 213–231, in French.
- [5] A. Brandstädt and V.V. Lozin, *A note on α -redundant vertices in graphs*, Discrete Appl. Math. **108** (2001) 301–308.
doi:10.1016/S0166-218X(00)00239-0
- [6] A. Brandstädt, H.O. Le, V.B. Le, *On α -redundant vertices in P_5 -free graphs*, Inform. Process. Lett. **82** (2002) 119–122.
doi:10.1016/S0020-0190(01)00265-4
- [7] L. Butz, P.L. Hammer and D. Haussmann, *Reduction methods for the vertex packing problem*, in: Proceedings of the 17th Conference on Probability Theory, Brasov, Romania, 1982, M. Iosifescu, T. Postelnicu, S. Grigorescu (Ed(s)), (Utrecht, VNU Science Press, 1985) 73–79.
- [8] J. Chen, I.A. Kanji and W. Jia, *Vertex cover: further observations and further improvement*, J. Algorithms **41** (2001) 280–301.
doi:10.1006/jagm.2001.1186
- [9] D.G. Corneil, H. Lerchs and L.S. Burlingham, *Complement reducible graphs*, Discrete Appl. Math. **3** (1981) 163–174.
doi:10.1016/0166-218X(81)90013-5
- [10] D.G. Corneil, Y. Perl and L.K. Stewart, *A linear recognition algorithm for cographs*, SIAM J. Comput. **14** (1985) 926–934.
doi:10.1137/0214065
- [11] C. Ebenegger, P.L. Hammer and D. Werra, *Pseudo-Boolean functions and stability of graphs*, Ann. Discrete Math. **19** (1984) 83–98.
- [12] M.U. Gerber and V.V. Lozin, *Robust algorithms for the stable set problem*, Graphs Combin. **19** (2003) 347–356.
doi:10.1007/s00373-002-0517-5
- [13] M.U. Gerber and V.V. Lozin, *On the stable set problem in special P_5 -free graphs*, Discrete Appl. Math. **125** (2003) 215–224.
doi:10.1016/S0166-218X(01)00321-3
- [14] M.C. Golumbic and P.L. Hammer, *Stability in circular arc graphs*, J. Algorithms **9** (1988) 314–320.
doi:10.1016/0196-6774(88)90023-5
- [15] J.R. Griggs, *Lower bounds on the independence number in terms of the degree*, J. Combin. Theory (B) **34** (1983) 22–39.
doi:10.1016/0095-8956(83)90003-5
- [16] P.L. Hammer and A. Hertz, *On a transformation which preserves the stability number*(RUTCOR Research report, Rutgers University1991) 69–91.

- [17] J. Harant, Z. Ryjáček and I. Schiermeyer, *Forbidden subgraphs implying the MIN-algorithm gives a maximum independent set*, Discrete Math. **256** (2002) 193–201.
doi:10.1016/S0012-365X(02)00571-X
- [18] A. Hertz, *On the use Boolean methods for the computation of the stability number*, Discrete Appl. Math. **76** (1997) 183–203.
doi:10.1016/S0166-218X(96)00124-2
- [19] A. Hertz and V.V. Lozin, *The maximum independent set problem and augmenting graphs*, in: Graph Theory Combin. Optim., D. Avis, A. Hertz, O. Marcotte (Ed(s)), (Springer, 2005) 69–99.
- [20] N.C. Lê, C. Brause and I. Schiermeyer, *New sufficient conditions for α -redundant vertices*, Discrete Math. (2014) in press.
doi:10.1016/j.disc.2014.07.002
- [21] D. Lokshtanov, M. Vatshelle and Y. Villanger, *Independent set in P_5 -free graphs in polynomial time*, Technical Report (2013).
www.iu.uib.no/~martinv/Papers/ISinP5free.pdf
- [22] V.V. Lozin and D. Rautenbach, *Some results on graphs without long induced paths*, Inform. Process. Lett. **88** (2004) 167–171.
doi:10.1016/j.ipl.2003.07.004
- [23] V.V. Lozin and M. Milanič, *Maximum independent sets in graphs of low degree*, in: Eighteenth Annual ACM-SIAM Symposium on Discrete Algorithms SoDA' 07, H. Gabow (Ed(s)), (Society for Industrial and Applied Mathematics, 2007) 874–880.
- [24] V.V. Lozin and M. Milanič, *On finding augmenting graphs*, Discrete Appl. Math. **156** (2008) 2517–2529.
doi:10.1016/j.dam.2008.03.008
- [25] V.V. Lozin and R. Mosca, *Maximum independent sets in subclasses of P_5 -free graphs*, Inform. Process. Lett. **109** (2009) 319–324.
doi:10.1016/j.ipl.2008.11.005
- [26] V.V. Lozin, J. Monnot and B. Ries, *On the maximum independent set problem in subclasses of subcubic graphs*, in: International Workshop on Combinatorial Algorithms IWOCOA 2013, T. Lecroq, L. Mouchard (Ed(s)), (Springer, 2013) 314–326.
- [27] N.V.R. Mahadev and B.A. Reed, *A note on vertex orders for stability number*, J. Graph Theory **30** (1999) 113–120.
doi:10.1002/(SICI)1097-0118(199902)30:2<113::AID-JGT5>3.0.CO;2-#
- [28] G.J. Minty, *On maximal independent sets of vertices in claw-free graphs*, J. Combin. Theory (B) **28** (1980) 284–304.
doi:10.1016/0095-8956(80)90074-X
- [29] R. Mosca, *Independent sets in $(P_6, \text{diamond})$ -free graphs*, Discrete Math. Theor. Comput. Sci. **11** (2009) 125–140.
- [30] R. Mosca, *Stable sets for $(P_6, K_{2,3})$ -free graphs*, Discuss. Math. Graph Theory **32** (2012) 387–401.
doi:10.7151/dmgt.1598

- [31] O.J. Murphy, *Lower bounds on the stability number of graphs computed in terms of degrees*, Discrete Math. **90** (1991) 207–211.
doi:10.1016/0012-365X(91)90357-8
- [32] O.J. Murphy, *Computing independent sets in graphs with large girth*, Discrete Appl. Math. **35** (1992) 167–170.
doi:10.1016/0166-218X(92)90041-8
- [33] D.J. Rose, R.E. Tarjan and G.S. Lueker, *Algorithmic aspects of vertex elimination of graphs*, SIAM J. Comput. **5** (1976) 266–283.
doi:10.1137/0205021
- [34] N. Sbihi, *Algorithme de recherche d'un stable de cardinalité maximum dans un graphe sans Étoile*, Discrete Math. **29** (1980) 53–76.
- [35] I.E. Zverovich, *Minimum degree algorithms for stability number*, Discrete Appl. Math. **132** (2004) 211–216.
doi:10.1016/0012-365X(90)90287-R
- [36] I.E. Zverovich and O.I. Zverovich, *Stability number in subclasses of P_5 -free graphs*, Appl. Math. J. Chinese Univ. Ser. B **19** (2004) 125–132.
doi:10.1007/s11766-004-0045-6

Received 31 January 2014

Revised 7 January 2015

Accepted 7 January 2015