BOUNDS ON THE NUMBER OF EDGES OF EDGE-MINIMAL, EDGE-MAXIMAL AND l -HYPERTREES

PÉTER G.N. SZABÓ

*Department of Computer Science and Information Theory
Budapest University of Technology and Economics
3-9., Műgyetem rkp., H-1111 Budapest, Hungary*

e-mail: szape@cs.bme.hu

Abstract

In their paper, *Bounds on the number of edges in hypertrees*, G.Y. Katona and P.G.N. Szabó introduced a new, natural definition of hypertrees in k -uniform hypergraphs and gave lower and upper bounds on the number of edges. They also defined edge-minimal, edge-maximal and l -hypertrees and proved an upper bound on the edge number of l -hypertrees.

In the present paper, we verify the asymptotic sharpness of the $\binom{n}{k-1}$ upper bound on the number of edges of k -uniform hypertrees given in the above mentioned paper. We also make an improvement on the upper bound of the edge number of 2-hypertrees and give a general extension construction with its consequences.

We give lower and upper bounds on the maximal number of edges of k -uniform edge-minimal hypertrees and a lower bound on the number of edges of k -uniform edge-maximal hypertrees. In the former case, the sharp upper bound is conjectured to be asymptotically $\frac{1}{k-1}\binom{n}{2}$.

Keywords: hypertree, chain in hypergraph, edge-minimal hypertree, edge-maximal hypertree, 2-hypertree, Steiner system.

2010 Mathematics Subject Classification: 05C65, 05D99.

REFERENCES

- [1] Z. Baranyai, *On the factorization of the complete uniform hypergraph*, in: A. Hajnal, R. Rado and V.T. Sós (Eds.), *Proceedings of a Colloquium held at Keszthely, June 25–July 1, 1973, Infinite and Finite Sets* **1** (North-Holland, Amsterdam, 1975) 91–108.
- [2] C. Berge, *Hypergraphs* (North-Holland, Amsterdam, 1989).

- [3] D. de Caen, *Extension of a theorem of Moon and Moser on complete subgraphs*, Ars Combin. **16** (1983) 5–10.
- [4] H. Hanani, *On quadruple systems*, Canad. J. Math. **12** (1960) 145–157.
doi:10.4153/CJM-1960-013-3
- [5] G.Y. Katona and H. Kierstead, *Hamiltonian chains in hypergraphs*, J. Graph Theory **30** (1999) 205–212.
doi:10.1002/(SICI)1097-0118(199903)30:3<205::AID-JGT5>3.0.CO;2-O
- [6] G.Y. Katona and P.G.N. Szabó, *Bounds on the number of edges in hypertrees*.
arXiv:1404.6430 [math.CO] (2014).
- [7] P. Keevash, *The existence of designs*.
arXiv:1401.3665 [math.CO] (2014).
- [8] J.X. Lu, *An existence theory for resolvable balanced incomplete block designs*, Acta Math. Sinica **27** (1984) 458–468.
- [9] D.K. Ray-Chaudhuri and R.M. Wilson, *The existence of resolvable block designs*, in: J.N. Srivastava (Ed.), A Survey of Combinatorial Theory (North-Holland, Amsterdam, 1973) 361–375.
doi:10.1016/b978-0-7204-2262-7.50035-1

Received 4 September 2014

Revised 5 May 2015

Accepted 13 June 2015