HEAVY SUBGRAPH CONDITIONS FOR LONGEST CYCLES TO BE HEAVY IN GRAPHS

BINLONG LI^{a,b,1} AND SHENGGUI ZHANG^{a,2}

^a*Department of Applied Mathematics
Northwestern Polytechnical University
Xi'an, Shaanxi 710072, P.R. China*

^b*European Centre of Excellence NTIS
306 14 Plzeň, Czech Republic*

e-mail: libinlong@mail.nwpu.edu.cn
sgzhang@nwpu.edu.cn

Abstract

Let G be a graph on n vertices. A vertex of G with degree at least $n/2$ is called a heavy vertex, and a cycle of G which contains all the heavy vertices of G is called a heavy cycle. In this note, we characterize graphs which contain no heavy cycles. For a given graph H , we say that G is H -heavy if every induced subgraph of G isomorphic to H contains two nonadjacent vertices with degree sum at least n . We find all the connected graphs S such that a 2-connected graph G being S -heavy implies any longest cycle of G is a heavy cycle.

Keywords: heavy cycles, heavy subgraphs.

2010 Mathematics Subject Classification: 05C45, 05C07, 05C38.

REFERENCES

- [1] B. Bollobás and G. Brightwell, *Cycles through specified vertices*, *Combinatorica* **13** (1993) 147–155.
doi:10.1007/BF01303200
- [2] J.A. Bondy and U.S.R. Murty, *Graph Theory with Applications* (Macmillan, London and Elsevier, New York, 1976).
doi:10.1007/978-1-349-03521-2

¹Supported by the project NEXLIZ – CZ.1.07/2.3.00/30.0038.

²Supported by the NSFC (11271300). Corresponding author.

- [3] G. Fan, *New sufficient conditions for cycles in graphs*, J. Combin. Theory Ser. B **37** (1984) 221–227.
doi:10.1016/0095-8956(84)90054-6
- [4] R. Shi, *2-neighborhoods and hamiltonian conditions*, J. Graph Theory **16** (1992) 267–271.
doi:10.1002/jgt.3190160310

Received 18 February 2015

Revised 13 July 2015

Accepted 13 July 2015