AN EXTENSION OF KOTZIG'S THEOREM

VALERII A. AKSENOV¹

Novosibirsk State University, Novosibirsk 630090, Russia

e-mail: akc@belka.sm.nsc.ru

OLEG V. BORODIN²

*Institute of Mathematics Siberian Branch
Russian Academy of Sciences, Novosibirsk, 630090, Russia*

e-mail: brdnoleg@math.nsc.ru

AND

ANNA O. IVANOVA³

Ammosov North-Eastern Federal University Yakutsk, 677000, Russia

e-mail: shmgnanna@mail.ru

Abstract

In 1955, Kotzig proved that every 3-connected planar graph has an edge with the degree sum of its end vertices at most 13, which is tight. An edge uv is of type (i, j) if $d(u) \leq i$ and $d(v) \leq j$. Borodin (1991) proved that every normal plane map contains an edge of one of the types $(3, 10)$, $(4, 7)$, or $(5, 6)$, which is tight. Cole, Kowalik, and Škrekovski (2007) deduced from this result by Borodin that Kotzig's bound of 13 is valid for all planar graphs with minimum degree δ at least 2 in which every d -vertex, $d \geq 12$, has at most $d - 11$ neighbors of degree 2.

We give a common extension of the three above results by proving for any integer $t \geq 1$ that every plane graph with $\delta \geq 2$ and no d -vertex, $d \geq 11 + t$, having more than $d - 11$ neighbors of degree 2 has an edge of one of the following types: $(2, 10 + t)$, $(3, 10)$, $(4, 7)$, or $(5, 6)$, where all parameters are tight.

Keywords: plane graph, normal plane map, structural property, weight.

2010 Mathematics Subject Classification: 05C15.

¹The author was supported by grant 15-01-05867 of the Russian Foundation for Basic Research.

²The author was supported by grant 16-01-00499 of the Russian Foundation for Basic Research.

³The author's work was performed as a part of government work "Organizing research".

REFERENCES

- [1] V.A. Aksenov, O.V. Borodin, L.S. Mel'nikov, G. Sabidussi, M. Stiebitz and B. Toft, *Deeply asymmetric planar graphs*, J. Combin. Theory Ser. B **95** (2005) 68–78.
doi:10.1016/j.jctb.2005.03.002
- [2] S.V. Avgustinovich and O.V. Borodin, *Neighborhoods of edges in normal maps*, Diskretn. Anal. Issled. Oper. **2** (1995) 3–9, in Russian.
- [3] O.V. Borodin, *On the total coloring of planar graphs*, J. Reine Angew. Math. **394** (1989) 180–185.
- [4] O.V. Borodin, *Joint generalization of the theorems of Lebesgue and Kotzig on the combinatorics of planar maps*, Diskret. Mat. **3** (1991) 24–27, in Russian.
- [5] O.V. Borodin, *Joint extension of two theorems of Kotzig on 3-polytopes*, Combinatorica **13** (1993) 121–125.
doi:10.1007/BF01202794
- [6] O.V. Borodin, *The structure of neighborhoods of an edge in planar graphs and the simultaneous coloring of vertices, edges and faces*, Mat. Zametki **53** (1993) 35–47, in Russian.
- [7] O.V. Borodin and D. Sanders, *On light edges and triangles in planar graphs of minimum degree five*, Math. Nachr. **170** (1994) 19–24.
doi:10.1002/mana.19941700103
- [8] O.V. Borodin, *Simultaneous coloring of edges and faces of plane graphs*, Discrete Math. **128** (1994) 21–33.
doi:10.1016/0012-365X(94)90101-5
- [9] O.V. Borodin, *Structural theorem on plane graphs with application to the entire coloring*, J. Graph Theory **23** (1996) 233–239.
doi:10.1002/(SICI)1097-0118(199611)23:3<233::AID-JGT3>3.0.CO;2-T
- [10] O.V. Borodin, *More about the weight of edges in planar graphs*, Tatra Mt. Math. Publ. **9** (1996) 11–14.
- [11] O.V. Borodin, A.V. Kostochka and D.R. Woodall, *List edge and list total colourings of multigraphs*, J. Combin. Theory Ser. B **71** (1997) 184–204.
doi:10.1006/jctb.1997.1780
- [12] O.V. Borodin, A.O. Ivanova, A.V. Kostochka and N.N. Sheikh, *Minimax degrees of quasiplanar graphs with no short cycles other than triangles*, Taiwanese J. Math. **12** (2008) 873–886.
- [13] O.V. Borodin, A.V. Kostochka, N.N. Sheikh and G. Yu, *M-degrees of quadrangle-free planar graphs*, J. Graph Theory **60** (2009) 80–85.
doi:10.1002/jgt.20346
- [14] O.V. Borodin, *Colorings of plane graphs: A survey*, Discrete Math. **313** (2013) 517–539.
doi:10.1016/j.disc.2012.11.011

- [15] O.V. Borodin and A.O. Ivanova, *Low edges in 3-polytopes*, Discrete Math. **338** (2015) 2234–2241.
doi:10.1016/j.disc.2015.05.018
- [16] O.V. Borodin and A.O. Ivanova, *The vertex-face weight of edges in 3-polytopes*, Sibirsk. Mat. Zh. **56** (2015) 338–350, in Russian.
- [17] R. Cole, L. Kowalik and R. Škrekovski, *A generalization of Kotzig’s theorem and its application*, SIAM J. Discrete Math. **21** (2007) 93–106.
doi:10.1137/050646196
- [18] Z. Dvořák and R. Škrekovski, *A theorem about contractible and light edge*, SIAM J. Discrete Math. **20** (2006) 55–61.
doi:10.1137/05062189X
- [19] B. Ferencová and T. Madaras, *Light graphs in families of polyhedral graphs with prescribed minimum degree, face size, edge and dual edge weight*, Discrete Math. **310** (2010) 1661–1675.
doi:10.1016/j.disc.2009.11.027
- [20] Ph. Franklin, *The four color problem*, Amer. J. Math. **44** (1922) 225–236.
doi:10.2307/2370527
- [21] B. Grünbaum, *New views on some old questions of combinatorial geometry*, in: Proc. Colloq. Int. sulle Theorie Combinatorie, Rome, 1973, Vol. 1 (Accad. Naz. dei Lincei, 1976) 451–468.
- [22] P. Hudák and T. Madaras, *On doubly light triangles in plane graphs*, Discrete Math. **313** (2013) 1978–1988.
doi:10.1016/j.disc.2012.11.018
- [23] S. Jendrol’ and T. Madaras, *On light subgraphs in plane graphs of minimum degree five*, Discuss. Math. Graph Theory **16** (1996) 207–217.
doi:10.7151/dmgt.1035
- [24] S. Jendrol’ and M. Maceková, *Describing short paths in plane graphs of girth at least 5*, Discrete Math. **338** (2015) 149–158.
doi:10.1016/j.disc.2014.09.014
- [25] S. Jendrol’, M. Maceková and R. Soták, *Note on 3-paths in plane graphs of girth 4*, Discrete Math. **338** (2015) 1643–1648.
doi:10.1016/j.disc.2015.04.011
- [26] S. Jendrol’ and H.-J. Voss, *Light subgraphs of graphs embedded in the plane — A survey*, Discrete Math. **313** (2013) 406–421.
doi:10.1016/j.disc.2012.11.007
- [27] A. Kotzig, *Contribution to the theory of Eulerian polyhedra*, Mat.-Fyz. Čas. (Math. Slovaca) **5** (1955) 101–113, in Slovak.
- [28] A. Kotzig, *From the theory of Eulerian polyhedrons*, Mat.-Fyz. Čas. (Math. Slovaca) **13** (1963) 20–31, in Russian.

- [29] H. Lebesgue, *Quelques conséquences simples de la formule d'Euler*, J. Math. Pures Appl. (9) **19** (1940) 27–43.
- [30] T. Madaras and R. Škrekovski, *Heavy paths, light stars, and big melons*, Discrete Math. **286** (2004) 115–131.
doi:10.1016/j.disc.2003.11.052
- [31] J. Nešetřil, A. Raspaud and E. Sopena, *Colorings and girth of oriented planar graphs*, Discrete Math. **165/166** (1997) 519–530.
doi:10.1016/S0012-365X(96)00198-7
- [32] P. Wernicke, *Über den kartographischen Vierfarbensatz*, Math. Ann. **58** (1904) 413–426.
doi:10.1007/BF01444968

Received 9 October 2015

Revised 6 January 2016

Accepted 6 January 2016