A SUFFICIENT CONDITION FOR GRAPHS TO BE SUPER k -RESTRICTED EDGE CONNECTED¹

SHIYING WANG

*College of Mathematics and Information Science
Engineering Laboratory for Big Data Statistical Analysis and Optimal Control
Henan Normal University, Xinxiang, Henan 453007, P.R. China*

e-mail: wangshiyi@htu.edu.cn

MEIYU WANG

*School of Mathematical Sciences
Shanxi University, Taiyuan, Shanxi 030006, P.R. China*

e-mail: wangmeiyu6539@126.com

AND

LEI ZHANG

*School of Mathematics
Jinzhong University, Jinzhong, Shanxi 030600, P.R. China*

e-mail: zhanglei84052501@163.com

Abstract

For a subset S of edges in a connected graph G , S is a k -restricted edge cut if $G - S$ is disconnected and every component of $G - S$ has at least k vertices. The k -restricted edge connectivity of G , denoted by $\lambda_k(G)$, is defined as the cardinality of a minimum k -restricted edge cut. Let $\xi_k(G) = \min\{|[X, \bar{X}]| : |X| = k, G[X] \text{ is connected}\}$, where $\bar{X} = V(G) \setminus X$. A graph G is super k -restricted edge connected if every minimum k -restricted edge cut of G isolates a component of order exactly k . Let k be a positive integer and let G be a graph of order $\nu \geq 2k$. In this paper, we show that if $|N(u) \cap N(v)| \geq k + 1$ for all pairs u, v of nonadjacent vertices and $\xi_k(G) \leq \lfloor \frac{\nu}{2} \rfloor + k$, then G is super k -restricted edge connected.

Keywords: graph, neighborhood, k -restricted edge connectivity, super k -restricted edge connected graph.

2010 Mathematics Subject Classification: 05C40.

¹This work is supported by the National Science Foundation of China (61370001).

REFERENCES

- [1] J.A. Bondy and U.S.R. Murty, *Graph Theory* (New York, Springer, 2008).
- [2] C. Balbuena, P. García-Vázquez and X. Marcote, *Sufficient conditions for λ' -optimality in graphs with girth g* , *J. Graph Theory* **52** (2006) 73–86.
doi:10.1002/jgt.20150
- [3] N.-W. Chang, C.-Y. Tsai and S.-Y. Hsieh, *On 3-extra connectivity and 3-extra edge connectivity of folded hypercubes*, *IEEE Trans. Comput.* **63** (2014) 1594–1600.
doi:10.1109/TC.2013.10
- [4] A.-H. Esfahanian and S.L. Hakimi, *On computing a conditional edge-connectivity of a graph*, *Inform. Process. Lett.* **27** (1988) 195–199.
doi:10.1016/0020-0190(88)90025-7
- [5] J. Fàbrega and M.A. Fiol, *Extraconnectivity of graphs with large girth*, *Discrete Math.* **127** (1994) 163–170.
doi:10.1016/0012-365X(92)00475-7
- [6] Q. Liu, X. Huang and Z. Zhang, *Optimally restricted edge connected elementary Harary graphs*, *Theoret. Comput. Sci.* **497** (2013) 131–138.
doi:10.1016/j.tcs.2011.12.015
- [7] J. Meng, *Optimally super-edge-connected transitive graphs*, *Discrete Math.* **260** (2003) 239–248.
doi:10.1016/S0012-365X(02)00675-1
- [8] J. Meng and Y. Ji, *On a kind of restricted edge connectivity of graphs*, *Discrete Appl. Math.* **117** (2002) 183–193.
doi:10.1016/S0166-218X(00)00337-1
- [9] L. Shang and H. Zhang, *Super restricted edge-connectivity of graphs with diameter 2*, *Discrete Appl. Math.* **161** (2013) 445–451.
doi:10.1016/j.dam.2012.08.030
- [10] M. Wang and Q. Li, *Conditional edge connectivity properties, reliability comparisons and transitivity of graphs*, *Discrete Math.* **258** (2002) 205–214.
doi:10.1016/S0012-365X(02)00299-6
- [11] S. Wang, L. Zhang and S. Lin, *A neighborhood condition for graphs to be maximally k -restricted edge connected*, *Inform. Process. Lett.* **112** (2012) 95–97.
doi:10.1016/j.ipl.2011.10.012
- [12] S. Wang, J. Li, L. Wu and S. Lin, *Neighborhood conditions for graphs to be super restricted edge connected*, *Networks* **56** (2010) 11–19.
doi:10.1002/net.20343
- [13] S. Wang and L. Zhang, *Sufficient conditions for k -restricted edge connected graphs*, *Theoret. Comput. Sci.* **557** (2014) 66–75.
doi:10.1016/j.tcs.2014.08.018
- [14] S. Wang, S. Lin and C. Li, *Sufficient conditions for super k -restricted edge connectivity in graphs of diameter 2*, *Discrete Math.* **309** (2009) 908–919.
doi:10.1016/j.disc.2008.01.037

- [15] M. Zhang, J. Meng, W. Yang and Y. Tian, *Reliability analysis of bijective connection networks in terms of the extra edge-connectivity*, Inform. Sci. **279** (2014) 374–382.
doi:10.1016/j.ins.2014.03.125

Received 13 August 2015

Revised 11 May 2016

Accepted 11 May 2016