CONSTRUCTION OF COSPECTRAL INTEGRAL REGULAR GRAPHS

RAVINDRA B. BAPAT¹

*Indian Statistical Institute
Delhi Centre, 7 S.J.S.S. Marg
New Delhi 110 016, India*

e-mail: rbb@isid.ac.in

AND

MASOUD KARIMI²

*School of Mathematical Sciences
Anhui University, Hefei, China
and
Department of Mathematics, Bojnourd Branch
Islamic Azad University, Bojnourd, Iran
P.O. Box 94176-94686*

e-mail: karimimth@yahoo.com

Abstract

Graphs G and H are called cospectral if they have the same characteristic polynomial. If eigenvalues are integral, then corresponding graphs are called integral graph. In this article we introduce a construction to produce pairs of cospectral integral regular graphs. Generalizing the construction of $G_4(a, b)$ and $G_5(a, b)$ due to Wang and Sun, we define graphs $\mathcal{G}_4(G, H)$ and $\mathcal{G}_5(G, H)$ and show that they are cospectral integral regular when G is an integral q -regular graph of order m and H is an integral q -regular graph of order $(b - 2)m$ for some integer $b \geq 3$.

Keywords: eigenvalue, cospectral graphs, adjacency matrix, integral graphs.

2010 Mathematics Subject Classification: 05C50.

REFERENCES

¹This author acknowledges support from JC Bose Fellowship awarded by the Department of Science and Technology, Government of India.

²Corresponding author.

- [1] K.T. Balińska, M. Kupczyk, S.K. Simić and K.T. Zwierzyński, On generating all integral graphs on 11 vertices, Computer Science Center Report No. 469, Technical University of Poznań (1999/2000) 1–53.
- [2] K.T. Balińska, M. Kupczyk, S.K. Simić and K.T. Zwierzyński, On generating all integral graphs on 12 vertices, Computer Science Center Report No. 482, Technical University of Poznań (2001) 1–36.
- [3] R.B. Bapat, *Graphs and Matrices* (Springer, 2014).
doi:10.1007/978-1-4471-6569-9
- [4] A.E. Brouwer and W. Haemers, *Spectra of Graphs* (Springer, 2012).
doi:10.1007/978-1-4614-1939-6
- [5] F.C. Bussemaker and D.M. Cvetković, *There are exactly 13 connected, cubic, integral graphs*, Univ. Beograd. Publ. Elektrotehn. **552** (1976) 43–48.
- [6] D.M. Cvetković, M. Doob and H. Sachs, *Spectra of Graphs* (Academic Press, New York, 1980).
- [7] C.D. Godsil and B.D. McKay, *Constructing cospectral graphs*, Aequationes Math. **25** (1982) 257–268.
doi:10.1007/BF02189621
- [8] A.J. Schwenk, *Exactly thirteen connected cubic graphs have integral spectra*, in: Theory and Applications of Graphs, Y. Alavi and D.R. Lick (Ed(s)), (Springer, 1978) Lecture Notes in Math. **642** 516–533.
doi:10.1007/bfb0070407
- [9] E.R. van Dam, *Graphs with few eigenvalues; an interplay between combinatorics and algebra* (Ph.D. Thesis, Tilburg University, Center for Economic Research Dissertation Series, No. 20, 1996).
- [10] L. Wang and H. Sun, *Infinitely many pairs of cospectral integral regular graphs*, Appl. Math. J. Chinese Univ. **26** (2011) 280–286.
doi:10.1007/s11766-011-2180-1
- [11] L. Wang, X. Li and C. Hoede, *Two classes of integral regular graphs*, Ars Combin. **76** (2005) 303–319.
- [12] D.B. West, *Introduction to Graph Theory* (Prentice Hall, Inc., Upper Saddle River, NJ, 1996).

Received 28 December 2015

Revised 27 May 2016

Accepted 27 May 2016