CORES, JOINS AND THE FANO-FLOW CONJECTURES

LIGANG JIN, ECKHARD STEFFEN

Paderborn University
Institute of Mathematics and Paderborn Center for Advanced Studies
Warburger Str. 100, 33098 Paderborn, Germany

e-mail: ligang@mail.upb.de
es@upb.de

AND

GIUSEPPE MAZZUOCCOLO

Università di Verona
Dipartimento di Informatica
Strada Le Grazie 15, Verona, Italy

e-mail: mazzuoccolo.giuseppe@univr.it

Abstract

The Fan-Raspaud Conjecture states that every bridgeless cubic graph has three 1-factors with empty intersection. A weaker one than this conjecture is that every bridgeless cubic graph has two 1-factors and one join with empty intersection. Both of these two conjectures can be related to conjectures on Fano-flows. In this paper, we show that these two conjectures are equivalent to some statements on cores and weak cores of a bridgeless cubic graph. In particular, we prove that the Fan-Raspaud Conjecture is equivalent to a conjecture proposed in [E. Steffen, *1-factor and cycle covers of cubic graphs*, J. Graph Theory **78** (2015) 195–206]. Furthermore, we disprove a conjecture proposed in [G. Mazzuoccolo, *New conjectures on perfect matchings in cubic graphs*, Electron. Notes Discrete Math. **40** (2013) 235–238] and we propose a new version of it under a stronger connectivity assumption. The weak oddness of a cubic graph G is the minimum number of odd components (i.e., with an odd number of vertices) in the complement of a join of G . We obtain an upper bound of weak oddness in terms of weak cores, and thus an upper bound of oddness in terms of cores as a by-product.

Keywords: cubic graphs, Fan-Raspaud Conjecture, cores, weak-cores.

2010 Mathematics Subject Classification: 05C70.

REFERENCES

- [1] G.H. Fan and A. Raspaud, *Fulkerson's conjecture and circuit covers*, J. Combin. Theory Ser. B **61** (1994) 133–138.
doi:10.1006/jctb.1994.1039
- [2] D.R. Fulkerson, *Blocking and anti-blocking pairs of polyhedra*, Math. Program. **1** (1971) 168–194.
doi:10.1007/BF01584085
- [3] F. Jaeger, *Flows and generalized coloring theorems in graphs*, J. Combin. Theory Ser. B **26** (1979) 205–216.
doi:10.1016/0095-8956(79)90057-1
- [4] L. Jin and E. Steffen, *Petersen cores and the oddness of cubic graphs*, J. Graph Theory **84** (2017) 109–120.
doi:10.1002/jgt.22014
- [5] T. Kaiser and A. Raspaud, *Perfect matchings with restricted intersection in cubic graphs*, European J. Combin. **31** (2010) 1307–1315.
doi:10.1016/j.ejc.2009.11.007
- [6] D. Král', E. Máčajová, O. Pangrác, A. Raspaud, J.-S. Sereni and M. Škoviera, *Projective, affine, and abelian colorings of cubic graphs*, European J. Combin. **30** (2009) 53–69.
doi:10.1016/j.ejc.2007.11.029
- [7] R. Lukot'ka and J. Mazák, *Weak oddness as an approximation of oddness and resistance in cubic graphs*, arXiv:1602.02949v1 [math.CO] (2016).
- [8] E. Máčajová and M. Škoviera, *Fano colourings of cubic graphs and the Fulkerson Conjecture*, Theoret. Comput. Sci. **349** (2005) 112–120.
doi:10.1016/j.tcs.2005.09.034
- [9] E. Máčajová and M. Škoviera, *Sparsely intersecting perfect matchings in cubic graphs*, Combinatorica **34** (2014) 61–94.
doi:10.1007/s00493-014-2550-4
- [10] G. Mazzuoccolo, *New conjectures on perfect matchings in cubic graphs*, Electron. Notes Discrete Math. **40** (2013) 235–238.
doi:10.1016/j.endm.2013.05.042
- [11] E. Steffen, *1-factor and cycle covers of cubic graphs*, J. Graph Theory **78** (2015) 195–206.
doi:10.1002/jgt.21798

Received 20 January 2016

Revised 24 October 2016

Accepted 26 October 2016