A NOTE ON THE THUE CHROMATIC NUMBER OF LEXICOGRAPHIC PRODUCTS OF GRAPHS

IZTOK PETERIN

*Institute of Mathematics and Physics
Faculty of Electrical Engineering and Computer Science
University of Maribor, Maribor, Slovenia*

e-mail: iztok.peterin@um.si

JENS SCHREYER

*Institute of Mathematics
Faculty of Mathematics and Natural Sciences
Technical University Ilmenau, Ilmenau, Germany*

e-mail: jens.schreyer@tu-ilmenau.de

ERIKA FECKOVÁ ŠKRABULÁKOVÁ

*Institute of Control and Informatization of Production Processes
Faculty of Mining, Ecology, Process Control and Geotechnology
Technical University of Košice, Košice, Slovakia*

e-mail: erika.skrabulakova@tuke.sk

AND

ANDREJ TARANENKO

*Department of Mathematics and Computer Science
Faculty of Natural Sciences and Mathematics
University of Maribor, Maribor, Slovenia*

e-mail: andrej.taranenko@um.si

Abstract

A sequence is called *non-repetitive* if none of its subsequences forms a repetition (a sequence $r_1 r_2 \cdots r_{2n}$ such that $r_i = r_{n+i}$ for all $1 \leq i \leq n$). Let G be a graph whose vertices are coloured. A colouring φ of the graph G is *non-repetitive* if the sequence of colours on every path in G is non-repetitive. The *Thue chromatic number*, denoted by $\pi(G)$, is the minimum number of colours of a non-repetitive colouring of G .

In this short note we present two general upper bounds for the Thue chromatic number for the lexicographic product $G \circ H$ of graphs G and H with respect to some properties of the factors. One upper bound is then used to derive the exact values for $\pi(G \circ H)$ when G is a complete multipartite graph and H an arbitrary graph.

Keywords: non-repetitive colouring, Thue chromatic number, lexicographic product of graphs.

2010 Mathematics Subject Classification: 05C15, 05C76.

REFERENCES

- [1] N. Alon, J. Grytczuk, M. Hałuszczak and O. Riordan, *Nonrepetitive colorings of graphs*, Random Structures Algorithms **21** (2002) 336–346.
doi:10.1002/rsa.10057
- [2] J. Barát and D.R. Wood, *Notes on nonrepetitive graph colouring*, Electron. J. Combin. **15** (2008) #R99.
- [3] B. Brešar, J. Grytczuk, S. Klavžar, S. Niwczyk and I. Peterin, *Nonrepetitive colorings of trees*, Discrete Math. **307** (2007) 163–172.
doi:10.1016/j.disc.2006.06.017
- [4] S. Czerwiński and J. Grytczuk, *Nonrepetitive colorings of graphs*, Electron. Notes Discrete Math. **28** (2007) 453–459.
doi:10.1016/j.endm.2007.01.063
- [5] F. Fiorenzi, P. Ochem, P. Ossona de Mendez and X. Zhu, *Thue choosability of trees*, Discrete Appl. Math. **159** (2011) 2045–2049.
doi:10.1016/j.dam.2011.07.017
- [6] D. Geller and S. Stahl, *The chromatic number and other functions of the lexicographic product*, J. Combin. Theory Ser. B **19** (1975) 87–95.
doi:10.1016/0095-8956(75)90076-3
- [7] J. Grytczuk, *Thue type problems of graphs, points and numbers*, Discrete Math. **308** (2008) 4419–4429.
doi:10.1016/j.disc.2007.08.039
- [8] J. Grytczuk, J. Przybyło and X. Zhu, *Nonrepetitive list colourings of paths*, Random Structures Algorithms **38** (2011) 162–173.
doi:10.1002/rsa.20347
- [9] F. Havet, S. Jendroľ, R. Soták and E. Škrabuláková, *Facial non-repetitive edge coloring of plane graphs*, J. Graph Theory **66** (2011) 38–48.
doi:10.1002/jgt.20488
- [10] B. Keszegh, B. Patkós and X. Zhu, *Nonrepetitive colorings of lexicographic product of paths and other graphs*, Discrete Math. Theor. Comput. Sci. **16** (2014) 97–110.
- [11] A. Thue, *Über unendliche Zeichenreihen*, Norske Vid. Selsk. Skr., I Mat. Nat. Kl., Christiana **7** (1906) 1–22.

Received 17 September 2015

Revised 18 January 2017

Accepted 18 January 2017