THE BIPARTITE-SPLITTANCE OF A BIPARTITE GRAPH¹

JIAN-HUA YIN AND JING-XIN GUAN

*Department of Mathematics
College of Information Science and Technology
Hainan University, Haikou 570228, P.R. China*

e-mail: yinjh@hainu.edu.cn

Abstract

A *bipartite-split graph* is a bipartite graph whose vertex set can be partitioned into a complete bipartite set and an independent set. The *bipartite-splittance* of an arbitrary bipartite graph is the minimum number of edges to be added or removed in order to produce a bipartite-split graph. In this paper, we show that the bipartite-splittance of a bipartite graph depends only on the degree sequence pair of the bipartite graph, and an easily computable formula for it is derived. As a corollary, a simple characterization of the degree sequence pair of bipartite-split graphs is also given.

Keywords: degree sequence pair, bipartite-split graph, bipartite-splittance.

2010 Mathematics Subject Classification: 05C07.

REFERENCES

- [1] S. Földes and P.L. Hammer, *Split graphs*, in: Proc. 8th Sout-Eastern Conf. on Combinatorics, Graph Theory and Computing, F. Hoffman *et al.* (Ed(s)), (Baton Rouge, Lousiana State University, 1977) 311–315.
- [2] D. Gale, *A theorem on flows in networks*, Pac. J. Math. **7** (1957) 1073–1082.
doi:10.2140/pjm.1957.7.1073
- [3] P.L. Hammer and B. Simeone, *The splittance of a graph*, Combinatorica **1** (1981) 275–284.
doi:10.1007/BF02579333

¹Supported by National Natural Science Foundation of China (No. 11561017) and Natural Science Foundation of Hainan Province (No. 2016CXTD004).

- [4] H.J. Ryser, *Combinatorial properties of matrices of zeros and ones*, Canad. J. Math. **9** (1957) 371–377.
doi:10.4153/CJM-1957-044-3

Received 12 May 2016
Revised 18 April 2017
Accepted 18 April 2017