PAIR $L(2, 1)$ -LABELINGS OF INFINITE GRAPHS

ROGER K. YEH

Department of Applied Mathematics
Feng Chia University
Taichung 40724
Taiwan

e-mail: rkyeh@math.fcu.edu.tw

Abstract

An $L(2, 1)$ -labeling of a graph $G = (V, E)$ is an assignment of non-negative integers to V such that two adjacent vertices must receive numbers (labels) at least two apart and further, if two vertices are in distance 2 then they receive distinct labels. This article studies a generalization of the $L(2, 1)$ -labeling. We assign sets with at least one element to vertices of G under some conditions.

Keywords: $L(2, 1)$ -labeling.

2010 Mathematics Subject Classification: 05C15, 05C78, 05C63.

REFERENCES

- [1] T. Calamoneri, *The $L(h, k)$ -labeling problem: A updated survey and annotated bibliography*, Comput. J. **54** (2011) 1344–1371.
doi:10.1093/comjnl/bxr037
- [2] P.C. Fishburn and F.S. Roberts, *No-hole $L(2, 1)$ -colorings*, Discrete Appl. Math. **130** (2003) 513–519.
doi:10.1016/S0166-218X(03)00329-9
- [3] Z. Füredi, J.R. Griggs and D. Kleitman, *Pair labelings with given distance*, SIAM J. Discrete Math. **2** (1989) 491–499.
doi:10.1137/0402044
- [4] J.R. Griggs and X.T. Jin, *Real number labellings for paths and cycles*, Internet Math. **4** (2007) 65–86.
doi:10.1080/15427951.2007.10129140
- [5] J.R. Griggs and X.T. Jin, *Real number channel assignments for lattices*, SIAM J. Discrete Math. **22** (2008) 996–1021.
doi:10.1137/060650982
- [6] J.R. Griggs and R.K. Yeh, *Labelling graphs with a condition at distance 2*, SIAM J. Discrete Math. **5** (1992) 586–595.
doi:10.1137/0405048
- [7] F.S. Roberts, Workshop group agenda, DIMACS/DIMATIA/Renyi working group on graph colorings and their generalizations, posted at <http://dimacs.rutgers.edu/Workshops/GraphColor/main.html>, 2003.
- [8] R.K. Yeh, *A survey on labeling graphs with a condition at distance two*, Discrete Math. **306** (2006) 1217–1231.
doi:10.1016/j.disc.2005.11.029

Received 14 November 2016

Revised 24 July 2017

Accepted 24 July 2017