ABOUT (k, l) -KERNELS, SEMIKERNELS AND GRUNDY FUNCTIONS IN PARTIAL LINE DIGRAPHS¹

C. BALBUENA

*Departament d'Enginyeria Civil i Ambiental
Universitat Politècnica de Catalunya
Campus Nord, Edifici C2, C/ Jordi Girona 1 i 3
E-08034 Barcelona, Spain*

e-mail: m.camino.balbuena@upc.edu

H. GALEANA-SÁNCHEZ

*Instituto de Matemáticas
Universidad Nacional Autónoma de México
Ciudad Universitaria, Circuito Exterior
04510 México D.F., México*

e-mail: hgaleana@matem.unam.mx

AND

M. GUEVARA

*Facultad de Ciencias, Universidad Nacional Autónoma de México
Circuito Exterior S/N, Cd. Universitaria, Delegación Coyoacán
04510 México D.F., México*

e-mail: mucuy-kak.guevara@ciencias.unam.mx

Abstract

Let D be a digraph of minimum in-degree at least 1. We prove that for any two natural numbers k, l such that $1 \leq l \leq k$, the number of (k, l) -kernels of D is less than or equal to the number of (k, l) -kernels of any partial line digraph $\mathcal{L}D$. Moreover, if $l < k$ and the girth of D is at least $l + 1$, then these two numbers are equal. We also prove that the number of semikernels of D is equal to the number of semikernels of $\mathcal{L}D$. Furthermore, we introduce the concept of (k, l) -Grundy function as a generalization of the concept of

¹This research was supported by the Ministerio de Educación y Ciencia, Spain, the European Regional Development Fund (ERDF) under project MTM2014-60127-P, by CONACyT-México under project 219840 and by UNAM-DGAPA-PAPIIT IN104717 and IN115816.

Grundy function and we prove that the number of (k, l) -Grundy functions of D is equal to the number of (k, l) -Grundy functions of any partial line digraph $\mathcal{L}D$.

Keywords: digraphs, in-domination, kernel, Grundy function.

2010 Mathematics Subject Classification: 05C20, 05C69, 05C76.

REFERENCES

- [1] M. Aigner, *On the linegraph of a directed graph*, Math. Z. **102** (1967) 56–61.
doi:10.1007/BF01110285
- [2] C. Balbuena and M. Guevara, *Kernels and partial line digraphs*, Appl. Math. Lett. **23** (2010) 1218–1220.
doi:10.1016/j.aml.2010.06.001
- [3] C. Berge, *Graphs*, (North Holland, 1985) Chapter 14.
- [4] E. Boros and V. Gurvich, *Perfect Graphs, Kernels and Cores of Cooperative Games* (RUTCOR Research Report 12, Rutgers University, 2003).
- [5] M.A. Fiol, J.L.A. Yebra and I. Alegre, *Line digraph iterations and the (d, k) problem*, IEEE Trans. Comput. **33** (1984) 400–403.
doi:10.1109/TC.1984.1676455
- [6] M.A. Fiol and A.S. Lladó, *The partial line digraph technique in the design of large interconnection networks*, IEEE Trans. Comput. **41** (1992) 848–857.
doi:10.1109/12.256453
- [7] A.S. Fraenkel, *Combinatorial games: selected bibliography with a succinct gourmet introduction*, Electron. J. Combin. (2012) #DS2.
- [8] H. Galeana-Sánchez and C. Hernández-Cruz, *On the existence of (k, l) -kernels in infinite digraphs: a survey*, Discuss. Math. Graph Theory **34** (2014) 431–466.
doi:10.7151/dmgt.1747
- [9] H. Galeana-Sánchez and X. Li, *Semikernels and (k, l) -kernels in digraphs*, SIAM J. Discrete Math. **11** (1998) 340–346.
doi:10.1137/S0895480195291370
- [10] H. Galeana-Sánchez, L. Pastrana-Ramírez and H.A. Rincón-Mejía, *Semikernels, quasi kernels, and Grundy function in the line digraph*, SIAM J. Discrete Math. **4** (1991) 80–83.
doi:10.1137/0404008
- [11] M. Harminc, *Solutions and kernels of a directed graph*, Math. Slovaca **32** (1982) 263–267.
- [12] T.W. Haynes, S.T. Hedetniemi and P.J. Slater, *Domination in Graphs: Advanced topics* (Marcel Dekker, New York, 1998).
- [13] J. von Neumann and O. Morgenstern, *Theory of Games and Economic Behavior* (Princeton University Press, Princeton, 1944).

- [14] V. Neumann-Lara, *Seminúcleos de una digráfica*, Anales del Instituto de Matemáticas de la Universidad Nacional Autónoma de México **II** (1971) 55–62.
- [15] H. Prodinger and R.F. Tichy, *Fibonacci numbers of graphs*, Fibonacci Quart. **20** (1982) 16–21.
- [16] L. Qin, S. Er-fang and Z. Min, *(k, l) -kernels in line digraphs*, J. Shanghai Univ. **10** (2006) 484–486.
doi:10.1007/s11741-006-0042-5
- [17] S.M. Reddy, J.G. Kuhl, S.H. Hosseini and H. Lee, *On digraphs with minimum diameter and maximum connectivity*, in: Proc. 20th Annual Allerton Conference (1982) 1018–1026.
- [18] W. Szummy, A. Włoch and I. Włoch, *On (k, l) -kernels in D -join of digraphs*, Discuss. Math. Graph Theory. **27** (2007) 457–470.
doi:10.7151/dmgt.1373
- [19] W. Szummy, A. Włoch and I. Włoch, *On the existence and on the number of (k, l) -kernels in the lexicographic product of graphs*, Discrete Math. **308** (2008) 4616–4624.
doi:10.1016/j.disc.2007.08.078
- [20] A. Włoch and I. Włoch, *On (k, l) -kernels in the corona of digraphs*, Int. J. Pure Appl. Math. **53** (2009) 571–581.

Received 28 June 2016

Revised 9 December 2017

Accepted 11 December 2017