ON SOME PROPERTIES OF ANTIPODAL PARTIAL CUBES

NORBERT POLAT

*I.A.E., Université Jean Moulin (Lyon 3)
6 cours Albert Thomas
69355 Lyon Cedex 08, France*

e-mail: norbert.polat@univ-lyon3.fr

Abstract

We prove that an antipodal bipartite graph is a partial cube if and only if it is interval monotone. Several characterizations of the principal cycles of an antipodal partial cube are given. We also prove that an antipodal partial cube G is a prism over an even cycle if and only if its order is equal to $4(\text{diam}(G) - 1)$, and that the girth of an antipodal partial cube is less than its diameter whenever it is not a cycle and its diameter is at least equal to 6.

Keywords: antipodal graph, partial cube, interval monotony, girth, diameter.

2010 Mathematics Subject Classification: 05C12, 05C75.

REFERENCES

- [1] A. Berman, A. Kotzig and G. Sabidussi, *Antipodal graphs of diameter 4 and extremal girth*, in: Contemporary Methods in Graph Theory, R. Bodendiek (Ed(s)), (B.I. Wissenschaftsverlag, Mannheim, 1990) 137–150.
- [2] B. Brešar and S. Klavžar, *On partial cubes and graphs with convex intervals*, Comment. Math. Univ. Carolin. **43** (2002) 537–545.
- [3] V. Chepoi, *Isometric subgraphs of Hamming graphs and d -convexity*, Cybernetics **24** (1988) 6–11.
doi:10.1007/BF01069520
- [4] V. Chepoi, K. Knauer and T. Marc, *Partial cubes without Q_3^- minors*, CoRR abs/1606.02154 (2016) (submitted).
- [5] J. Desharnais, *Maille et plongements de graphes antipodaux*, Mémoire de maîtrise (Université de Montréal, 1993).

- [6] D. Djoković, *Distance-preserving subgraphs of hypercubes*, J. Combin. Theory Ser. B **14** (1973) 263–267.
doi:10.1016/0095-8956(73)90010-5
- [7] V.V. Firsov, *Isometric embedding of a graph in a Boolean cube*, Cybernet. Systems Anal. **1** (1965) 112–113.
doi:10.1007/BF01074705
- [8] K. Fukuda and K. Handa, *Antipodal graphs and oriented matroids*, Discrete Math. **111** (1993) 245–256.
doi:10.1016/0012-365X(93)90159-Q
- [9] F. Glivjak, A. Kotzig and J. Plesník, *Remarks on the graphs with a central symmetry*, Monatsh.Math. **74** (1970) 302–307.
doi:10.1007/BF01302697
- [10] F. Göbel and H.J. Veldman, *Even graphs*, J. Graph Theory **10** (1986) 225–239.
doi:10.1002/jgt.3190100212
- [11] R. Hammack, W. Imrich and S. Klavžar, *Handbook of Product Graphs*, Second Edition (CRC Press, 2011).
- [12] S. Klavžar and M. Kovše, *On even and harmonic-even partial cubes*, Ars Combin. **93** (2009) 77–86.
- [13] K. Knauer and T. Marc, *On tope graphs of complexes of oriented matroids*, arXiv preprint, (2017).
arXiv:1701.05525
- [14] A. Kotzig, *Centrally symmetric graphs*, Czechoslovak Math. J. **18** (1968) 606–615.
- [15] A. Kotzig and P. Laufer, *Generalized S -graphs*, Research Report CRM-779 (Centre de recherches mathématiques, Université de Montréal, 1978).
- [16] T. Marc, *There are no finite partial cubes of girth more than 6 and minimum degree at least 3*, European J. Combin. **55** (2016) 62–72.
doi:10.1016/j.ejc.2016.01.005
- [17] H.M. Mulder, *The structure of median graphs*, Discrete Math. **24** (1978) 197–204.
doi:10.1016/0012-365X(78)90199-1
- [18] S. Ovchinnikov, *Partial cubes: structures, characterizations, and constructions*, Discrete Math. **308** (2008) 5597–5621.
doi:10.1016/j.disc.2007.10.025
- [19] N. Polat, *Netlike partial cubes I. General properties*, Discrete Math. **307** (2007) 2704–2722.
doi:10.1016/j.disc.2007.01.018
- [20] N. Polat, *On some characterizations of antipodal partial cubes*, Discuss. Math. Graph Theory, to appear.
doi:10.7151/dmgt.2083
- [21] G. Sabidussi, *Graphs without dead ends*, European J. Combin. **17** (1996) 69–87.
doi:10.1006/eujc.1996.0006

- [22] C. Tardif, *Planar antipodal bipartite graphs*, manuscript (1991).
- [23] P. Winkler, *Isometric embedding in products of complete graphs*, Discrete Appl. Math. **7** (1984) 221–225.
doi:10.1016/0166-218X(84)90069-6

Received 13 October 2017

Revised 21 February 2018

Accepted 9 April 2018