LIGHT MINOR 5-STARS IN 3-POLYTOPES WITH MINIMUM DEGREE 5 AND NO 6-VERTICES¹

OLEG V. BORODIN, ANNA O. IVANOVA

AND

EKATERINA I. VASIL'EVA

*Institute of Mathematics Siberian Branch
Russian Academy of Sciences
Novosibirsk, 630090, Russia*

e-mail: brdnoleg@math.nsc.ru
shmgnanna@mail.ru
ekaterinavasilyeva93@gmail.com

Abstract

In 1940, Lebesgue gave an approximate description of the neighborhoods of 5-vertices in the class $\mathbf{P}_5$ of 3-polytopes with minimum degree 5.

Given a 3-polytope P , by $w(P)$ denote the minimum of the degree-sum (weight) of the neighborhoods of 5-vertices (minor 5-stars) in P .

In 1996, Jendrol' and Madaras showed that if a polytope P in $\mathbf{P}_5$ is allowed to have a 5-vertex adjacent to four 5-vertices, then $w(P)$ can be arbitrarily large.

For each P in $\mathbf{P}_5$ without vertices of degree 6 and 5-vertices adjacent to four 5-vertices, it follows from Lebesgue's Theorem that $w(P) \leq 68$. Recently, this bound was lowered to $w(P) \leq 55$ by Borodin, Ivanova, and Jensen and then to $w(P) \leq 51$ by Borodin and Ivanova.

In this note, we prove that every such polytope P satisfies $w(P) \leq 44$, which bound is sharp.

Keywords: planar map, planar graph, 3-polytope, structural properties, 5-star, weight, height.

2010 Mathematics Subject Classification: 05C15.

REFERENCES

¹The work was funded by the Russian Science Foundation, grant 16-11-10054.

- [1] O.V. Borodin and A.O. Ivanova, *Describing 4-stars at 5-vertices in normal plane maps with minimum degree 5*, Discrete Math. **313** (2013) 1710–1714.
doi:10.1016/j.disc.2013.04.025
- [2] O.V. Borodin and A.O. Ivanova, *Light and low 5-stars in normal plane maps with minimum degree 5*, Sib. Math. J. **57** (2016) 470–475.
doi:10.1134/S0037446616030071
- [3] O.V. Borodin and A.O. Ivanova, *Light neighborhoods of 5-vertices in 3-polytopes with minimum degree 5*, Sib. Elektron. Mat. Izv. **13** (2016) 584–591.
doi:10.17377/semi.2016.13.045
- [4] O.V. Borodin, A.O. Ivanova and T.R. Jensen, *5-stars of low weight in normal plane maps with minimum degree 5*, Discuss. Math. Graph Theory **34** (2014) 539–546.
doi:10.7151/dmgt.1748
- [5] O.V. Borodin, A.O. Ivanova, O.N. Kazak and E.I. Vasil’eva, *Heights of minor 5-stars in 3-polytopes with minimum degree 5 and no vertices of degree 6 and 7*, Discrete Math. **341** (2018) 825–829.
doi:10.1016/j.disc.2017.11.021
- [6] O.V. Borodin, A.O. Ivanova and D.V. Nikiforov, *Low minor 5-stars in 3-polytopes with minimum degree 5 and no 6-vertices*, Discrete Math. **340** (2017) 1612–1616.
doi:10.1016/j.disc.2017.03.002
- [7] O.V. Borodin, A.O. Ivanova and D.V. Nikiforov, *Low and light minor 5-stars in 3-polytopes with minimum degree 5 and restrictions on the degrees of major vertices*, Sib. Math. J. **58** (2017) 600–605.
doi:10.1134/S003744661704005X
- [8] O.V. Borodin and D.R. Woodall, *Short cycles of low weight in normal plane maps with minimum degree 5*, Discuss. Math. Graph Theory **18** (1998) 159–164.
doi:10.7151/dmgt.1071
- [9] P. Franklin, *The four colour problem*, Amer. J. Math. **44** (1922) 225–236.
doi:10.2307/2370527
- [10] S. Jendrol’ and T. Madaras, *On light subgraphs in plane graphs of minimum degree five*, Discuss. Math. Graph Theory **16** (1996) 207–217.
doi:10.7151/dmgt.1035
- [11] S. Jendrol’ and H.-J. Voss, *Light subgraphs of graphs embedded in the plane—A survey*, Discrete Math. **313** (2013) 406–421.
doi:10.1016/j.disc.2012.11.007
- [12] H. Lebesgue, *Quelques conséquences simples de la formule d’Euler*, J. Math. Pures Appl. **19** (1940) 27–43.
- [13] P. Wernicke, *Über den kartographischen Vierfarbensatz*, Math. Ann. **58** (1904) 413–426.
doi:10.1007/BF01444968

Received 30 November 2017

Revised 11 June 2018

Accepted 12 June 2018