GENERALIZED HYPERGRAPH COLORING

THOMAS SCHWESER¹

*Technische Universität Ilmenau
Institut für Mathematik
PF 100565*

e-mail: thomas.schweser@tu-ilmenau.de

Abstract

A smooth hypergraph property $\mathcal{P}$ is a class of hypergraphs that is hereditary and non-trivial, i.e., closed under induced subhypergraphs and it contains a non-empty hypergraph but not all hypergraphs. In this paper we examine $\mathcal{P}$ -colorings of hypergraphs with smooth hypergraph properties $\mathcal{P}$. A $\mathcal{P}$ -coloring of a hypergraph H with color set C is a function $\varphi : V(H) \rightarrow C$ such that $H[\varphi^{-1}(c)]$ belongs to $\mathcal{P}$ for all $c \in C$. Let $L : V(H) \rightarrow 2^C$ be a so called list-assignment of the hypergraph H . Then, a $(\mathcal{P}, L)$ -coloring of H is a $\mathcal{P}$ -coloring φ of H such that $\varphi(v) \in L(v)$ for all $v \in V(H)$. The aim of this paper is a characterization of $(\mathcal{P}, L)$ -critical hypergraphs. Those are hypergraphs H such that $H - v$ is $(\mathcal{P}, L)$ -colorable for all $v \in V(H)$ but H itself is not. Our main theorem is a Gallai-type result for critical hypergraphs, which implies a Brooks-type result for $(\mathcal{P}, L)$ -colorable hypergraphs. In the last section, we prove a Gallai-type bound for the degree sum of $(\mathcal{P}, L)$ -critical locally simple hypergraphs.

Keywords: hypergraph decomposition, vertex partition, degeneracy, coloring of hypergraphs, hypergraph properties.

2010 Mathematics Subject Classification: 05C15.

REFERENCES

- [1] M. Borowiecki, I. Broere, M. Frick, P. Mihók and G. Semanišin, *A survey of hereditary properties of graphs*, Discuss. Math. Graph Theory **17** (1997) 5–50.
doi:10.7151/dmgt.1037
- [2] M. Borowiecki, I. Broere and P. Mihók, *On generalized list colourings of graphs*, Discuss. Math. Graph Theory **17** (1995) 127–132.
doi:10.7151/dmgt.1045

¹Partially supported by DAAD, Germany (as part of BMBF) and by the Ministry of Education Science, Research and Sport of the Slovak Republic within the project 57320575.

- [3] M. Borowiecki, E. Drgas-Burchardt and P. Mihók, *Generalized list colouring of graphs*, Discuss. Math. Graph Theory **15** (1995) 185–193.
doi:10.7151/dmgt.1016
- [4] R.L. Brooks, *On colouring the nodes of a network*, Proc. Cambridge Philos. Soc., Math. Phys. Sci. **37** (1941) 194–197.
- [5] E.J. Cockayne, *Colour classes for r -graphs*, Canad. Math. Bull. **15** (1972) 349–354.
doi:10.4153/CMB-1972-063-2
- [6] G.A. Dirac, *A property of 4-chromatic graphs and some remarks on critical graphs*, J. Lond. Math. Soc. **27** (1952) 85–92.
doi:10.1112/jlms/s1-27.1.85
- [7] G.A. Dirac, *The structure of k -chromatic graphs*, Fund. Math. **40** (1953) 42–55.
doi:10.4064/fm-40-1-42-55
- [8] P. Erdős and A. Hajnal, *On the chromatic number of graphs and set-systems*, Acta Math. Acad. Sci. Hungar. **17** (1966) 61–99.
doi:10.1007/BF02020444
- [9] P. Erdős, A.L. Rubin and H. Taylor, *Choosability in graphs*, Congr. Numer. **XXVI** (1979) 125–157.
- [10] T. Gallai, *Kritische Graphen II*, Publ. Math. Inst. Hungar. Acad. Sci. **8** (1963) 373–395.
- [11] R.P. Jones, *Brooks’ theorem for hypergraphs*, in: Proc. 5th British Combinatorial Conf. (1975) 379–384.
- [12] A.V. Kostochka and M. Stiebitz, *A new lower bound on the number of edges in colour-critical graphs and hypergraphs*, J. Combin. Theory Ser. B **87** (2003) 374–402.
doi:10.1016/S0095-8956(02)00035-7
- [13] A.V. Kostochka, M. Stiebitz and B. Wirth, *The colour theorems of Brooks and Gallai extended*, Discrete Math. **191** (1996) 125–137.
doi:10.1016/S0012-365X(98)00100-9
- [14] L. Lovász, *On chromatic number of finite set-systems*, Acta Math. Acad. Sci. Hungar. **19** (1968) 59–67.
doi:10.1007/BF01894680
- [15] P. Mihók and R. Škrekovski, *Gallai’s inequality for critical graphs of reducible hereditary properties*, Discuss. Math. Graph Theory **21** (2001) 167–177.
doi:10.7151/dmgt.1141
- [16] T. Schweser and M. Stiebitz, *Hypergraph partitions and variable degeneracy*, (2017) preprint.
arXiv:1804.04894
- [17] V.G. Vizing, *Vertex coloring with given colors*, Diskret. Analiz. **29** (1976) 3–10, in Russian.

Received 18 April 2018
Revised 23 August 2018
Accepted 23 August 2018