A CONSTRUCTIVE CHARACTERIZATION OF VERTEX COVER ROMAN TREES

ABEL CABRERA MARTÍNEZ

Universitat Rovira i Virgili
Departament d'Enginyeria Informàtica i Matemàtiques
Av. Països Catalans 26, 43007 Tarragona, Spain

e-mail: abel.cabrera@urv.cat

DOROTA KUZIAK

Universidad de Cádiz
Departamento de Estadística e Investigación Operativa
Escuela Politécnica Superior de Algeciras
Av. Ramón Puyol s/n, 11202 Algeciras, Spain

e-mail: dorota.kuziak@uca.es

AND

ISMAEL G. YERO

Universidad de Cádiz
Departamento de Matemáticas
Escuela Politécnica Superior de Algeciras
Av. Ramón Puyol s/n, 11202 Algeciras, Spain

e-mail: ismael.gonzalez@uca.es

Abstract

A Roman dominating function on a graph $G = (V(G), E(G))$ is a function $f : V(G) \rightarrow \{0, 1, 2\}$ satisfying the condition that every vertex u for which $f(u) = 0$ is adjacent to at least one vertex v for which $f(v) = 2$. The Roman dominating function f is an outer-independent Roman dominating function on G if the set of vertices labeled with zero under f is an independent set. The outer-independent Roman domination number $\gamma_{oiR}(G)$ is the minimum weight $w(f) = \sum_{v \in V(G)} f(v)$ of any outer-independent Roman dominating function f of G . A vertex cover of a graph G is a set of vertices that covers all the edges of G . The minimum cardinality of a vertex cover is denoted by $\alpha(G)$. A graph G is a vertex cover Roman graph

if $\gamma_{oiR}(G) = 2\alpha(G)$. A constructive characterization of the vertex cover Roman trees is given in this article.

Keywords: Roman domination, outer-independent Roman domination, vertex cover, vertex independence, trees.

2010 Mathematics Subject Classification: 05C69, 05C05, 05C75.

REFERENCES

- [1] H. Abdollahzadeh Ahangar, M. Chellali and V. Samodivkin, *Outer independent Roman dominating functions in graphs*, Int. J. Comput. Math. **94** (2017) 2547–2557.
doi:10.1080/00207160.2017.1301437
- [2] E.J. Cockayne, P.A. Dreyer, S.M. Hedetniemi and S.T. Hedetniemi, *Roman domination in graphs*, Discrete Math. **278** (2004) 11–22.
doi:10.1016/j.disc.2003.06.004
- [3] T. Gallai, *Über extreme Punkt-und Kantenmengen*, Ann. Univ. Sci. Budapest. Eötvös Sect. Math. **2** (1959) 133–138.
- [4] T.W. Haynes, S.T. Hedetniemi and P.J. Slater, *Fundamentals of Domination in Graphs* (Marcel Dekker, New York, 1998).
- [5] T.W. Haynes, S.T. Hedetniemi and P.J. Slater, *Domination in Graphs: Advanced Topics* (Marcel Dekker, New York, 1998).
- [6] M.A. Henning, *A characterization of Roman trees*, Discuss. Math. Graph Theory **22** (2002) 325–334.
doi:10.7151/dmgt.1178
- [7] M.A. Henning and W.F. Klostermeyer, *Italian domination in trees*, Discrete Appl. Math. **217** (2017) 557–564.
doi:10.1016/j.dam.2016.09.035
- [8] B. Randerath and L. Volkmann, *Characterization of graphs with equal domination and covering number*, Discrete Math. **191** (1998) 159–169.
doi:10.1016/S0012-365X(98)00103-4
- [9] I. Stewart, *Defend the Roman Empire!*, Sci. Amer. **281** (1999) 136–138.
doi:10.1038/scientificamerican1299-136

Received 22 June 2017

Revised 5 October 2018

Accepted 5 October 2018