STAR-CRITICAL RAMSEY NUMBERS FOR CYCLES VERSUS K_4

CHULA J. JAYAWARDENE

Department of Mathematics
University of Colombo, Colombo, Sri Lanka

e-mail: c.jayawardene@yahoo.com

DAVID NARVÁEZ

Golisano College of Computing and Information Sciences
Rochester Institute of Technology, Rochester, NY 14623, USA

e-mail: den9562@rit.edu

AND

STANISŁAW P. RADZISZOWSKI

Department of Computer Science
Rochester Institute of Technology, Rochester, NY 14623, USA

e-mail: spr@cs.rit.edu

Abstract

Given three graphs G , H and K we write $K \rightarrow (G, H)$, if in any red/blue coloring of the edges of K there exists a red copy of G or a blue copy of H . The Ramsey number $r(G, H)$ is defined as the smallest natural number n such that $K_n \rightarrow (G, H)$ and the star-critical Ramsey number $r_*(G, H)$ is defined as the smallest positive integer k such that $K_{n-1} \sqcup K_{1,k} \rightarrow (G, H)$, where n is the Ramsey number $r(G, H)$. When $n \geq 3$, we show that $r_*(C_n, K_4) = 2n$ except for $r_*(C_3, K_4) = 8$ and $r_*(C_4, K_4) = 9$. We also characterize all Ramsey critical $r(C_n, K_4)$ graphs.

Keywords: Ramsey theory, star-critical Ramsey numbers.

2010 Mathematics Subject Classification: 05C55, 05D10, 05C38.

REFERENCES

- [1] J.A. Bondy and P. Erdős, *Ramsey number for cycles in graphs*, J. Combin. Theory Ser. B **14** (1973) 46–54.
doi:10.1016/S0095-8956(73)80005-X
- [2] B. Bollobás, C. Jayawardene, J. Yang, Y. Huang, C. Rousseau and K. Zhang, *On a conjecture involving cycle-complete graph Ramsey numbers*, Australas. J. Combin. **22** (2000) 63–71.
- [3] S.A. Burr, P. Erdős, R.J. Faudree, R.J. Gould, M.S. Jacobson, C.C. Rousseau and R.H. Schelp, *Goodness of trees for generalized books*, Graphs Combin. **3** (1987) 1–6.
doi:10.1007/BF01788524
- [4] M. Hansson, *Generalised Ramsey numbers for two sets of cycles*, preprint, 2016.
arXiv:1605.04301 [math.CO]
- [5] S. Haghi, H.R. Maimani and A. Seify, *Star-critical Ramsey number of F_n vs K_4* , Discrete Appl. Math. **217** (2017) 203–209.
doi:10.1016/j.dam.2016.09.012
- [6] J. Hook, *The Classification of Critical Graphs and Star-Critical Ramsey Numbers*, Ph.D. Thesis (Lehigh University, 2010).
- [7] J. Hook and G. Isaak, *Star-critical Ramsey numbers*, Discrete Appl. Math. **159** (2011) 328–334.
doi:10.1016/j.dam.2010.11.007
- [8] C.J. Jayawardene and C.C. Rousseau, *The Ramsey number for a cycle of length five vs. a complete graph of order six*, J. Graph Theory **35** (2000) 99–108.
doi:10.1002/1097-0118(200010)35:2<99::AID-JGT4>3.0.CO;2-6
- [9] B.D. McKay and A. Piperno, *Practical graph isomorphism*, II, J. Symbolic Comput. **60** (2013) 94–112.
doi:10.1016/j.jsc.2013.09.003
- [10] S.P. Radziszowski, *Small Ramsey numbers*, Electron. J. Combin., DS1, (2017) #15.
- [11] C.C. Rousseau and C.J. Jayawardene, *The Ramsey number for a quadrilateral vs. a complete graph on six vertices*, Congr. Numer. **123** (1997) 97–108.
- [12] J. Yang, Y. Yiru and K. Zhang, *The value of the Ramsey number $R(C_n, K_4)$ is $3(n-1)+1$ ($n \geq 4$)*, Australas. J. Combin. **20** (1999) 205–206.
- [13] Y. Wu, Y. Sun and S.P. Radziszowski, *Wheel and star-critical Ramsey numbers for quadrilaterals*, Discrete Appl. Math. **185** (2015) 260–271.
doi:10.1016/j.dam.2015.01.003

Received 25 September 2017

Revised 5 November 2018

Accepted 5 November 2018