ON THE ISOMETRIC PATH PARTITION PROBLEM

PAUL MANUEL

*Department of Information Science
College of Computing Science and Engineering
Kuwait University, Kuwait*

e-mail: pauldmanuel@gmail.com

Abstract

The isometric path cover (partition) problem of a graph consists of finding a minimum set of isometric paths which cover (partition) the vertex set of the graph. The isometric path cover (partition) number of a graph is the cardinality of a minimum isometric path cover (partition). We prove that the isometric path partition problem and the isometric k -path partition problem for $k \geq 3$ are NP-complete on general graphs. Fisher and Fitzpatrick in [*The isometric number of a graph*, J. Combin. Math. Combin. Comput. 38 (2001) 97–110] have shown that the isometric path cover number of the $(r \times r)$ -dimensional grid is $\lceil 2r/3 \rceil$. We show that the isometric path cover (partition) number of the $(r \times s)$ -dimensional grid is s when $r \geq s(s-1)$. We establish that the isometric path cover (partition) number of the $(r \times r)$ -dimensional torus is r when r is even and is either r or $r+1$ when r is odd. Then, we demonstrate that the isometric path cover (partition) number of an r -dimensional Benes network is 2^r . In addition, we provide partial solutions for the isometric path cover (partition) problems for cylinder and multi-dimensional grids. We apply two different techniques to achieve these results.

Keywords: path cover problem, isometric path partition problem, isometric path cover problem, multi-dimensional grids, cylinder, torus.

2010 Mathematics Subject Classification: 05C12, 05C70, 68Q17.

REFERENCES

- [1] A. Aggarwal, J.M. Kleinberg and D.P. Williamson, *Node-disjoint paths on the mesh and a new trade-off in VLSI layout*, SIAM J. Comput. **29** (2000) 1321–1333.
<https://doi.org/10.1137/S0097539796312733>

- [2] T. Akiba, Y. Iwata and Y. Yoshida, *Fast exact shortest-path distance queries on large networks by pruned landmark labeling*, in: Proceedings of the 2013 ACM SIGMOD International Conference on Management of Data, New York, USA, ACM Digital Library (2013) 349–360.
<https://doi.org/10.1145/2463676.2465315>
- [3] J.S. Baras and G. Theodorakopoulos, *Path problems in networks*, Synth. Lect. Commun. Netw. **3** (2010) 1–77.
<https://doi.org/10.2200/S00245ED1V01Y201001CNT003>
- [4] G. Chartrand, J. McCanna, N. Sherwani, M. Hossain and J. Hashmi, *The induced path number of bipartite graphs*, Ars Combin. **37** (1994) 191–208.
- [5] J.C.N. Clímaco, J.M.F. Craveirinha and M.M.B. Pascoal, *A bicriterion approach for routing problems in multimedia networks*, Networks **41** (2003) 206–220.
<https://doi.org/10.1002/net.10073>
- [6] J. Cota-Ruiz, P. Rivas-Perea, E. Sifuentes and R. Gonzalez-Landaeta, *A recursive shortest path routing algorithm with application for wireless sensor network localization*, IEEE Sensors J. **16** (2016) 4631–4637.
<https://doi.org/10.1109/JSEN.2016.2543680>
- [7] D.C. Fisher and S.L. Fitzpatrick, *The isometric number of a graph*, J. Combin. Math. Combin. Comput. **38** (2001) 97–110.
- [8] S.L. Fitzpatrick, Aspects of Domination and Dynamic Domination (PhD Thesis, Department of Mathematics, Dalhousie University, Nova Scotia, Canada, 1997).
- [9] S.L. Fitzpatrick, *The isometric path number of the Cartesian product of paths*, Congr. Numer. **137** (1999) 109–119.
- [10] S.L. Fitzpatrick, R.J. Nowakowski, D.A. Holton and I. Caines, *Covering hypercubes by isometric paths*, Discrete Math. **240** (2001) 253–260.
[https://doi.org/10.1016/S0012-365X\(01\)00197-2](https://doi.org/10.1016/S0012-365X(01)00197-2)
- [11] M. Garey and D.S. Johnson, Computers and Intractability: A Guide to the Theory of NP-Completeness (Freeman, New York, 1979).
- [12] M. Gong, G. Li, Z. Wang, L. Ma and D. Tian, *An efficient shortest path approach for social networks based on community structure*, CAAI Trans. Intelligence Technology **1** (2016) 114–123.
<https://doi.org/10.1016/j.trit.2016.03.011>
- [13] W. Imrich, S. Klavžar and D.F. Rall, Topics in Graph Theory: Graphs and Their Cartesian Product (A K Peters, Ltd., Wellesley, MA, 2008).
<https://doi.org/10.1201/b10613>
- [14] M.L. Lamali, N. Fergani, J. Cohen and H. Pouyllau, *Path computation in multi-layer networks: Complexity and algorithms*, IEEE INFOCOM, San Francisco, CA, USA, IEEE Computer Society **26** (2016) 1–9.
<https://doi.org/10.1109/INFOCOM.2016.7524550>

- [15] F.T. Leighton, Introduction to Parallel Algorithms and Architectures: Arrays Trees, Hypercubes (Morgan Kaufmann Publishers, 1992).
<https://doi.org/10.1016/B978-1-4832-0772-8.50005-4>
- [16] P. Manuel, *Revisiting path-type covering and partitioning problems*, manuscript (2018).
- [17] P. Manuel, S. Klavžar, A. Xavier, A. Arokiaraj and E. Thomas, *Strong edge geodetic problem in networks*, Open Math. **15** (2017) 1225–1235.
<https://doi.org/10.1515/math-2017-0101>
- [18] P.D. Manuel, M.I. Abd-El-Barr, I. Rajasingh and B. Rajan, *An efficient representation of Benes networks and its applications*, J. Discrete Algorithms **6** (2008) 11–19.
<https://doi.org/10.1016/j.jda.2006.08.003>
- [19] J. Monnot and S. Toulouse, *The path partition problem and related problems in bipartite graphs*, Oper. Res. Lett. **35** (2007) 677–684.
<https://doi.org/10.1016/j.orl.2006.12.004>
- [20] H. Ortega-Arranz, D.R. Llanos and A. Gonzalez-Escribano, *The shortest-path problem: Analysis and comparison of methods*, Synth. Lect. Theor. Comput. Sci. **1** (2014) 1–87.
<https://doi.org/10.2200/S00618ED1V01Y201412TCS001>
- [21] J.-J. Pan and G.J. Chang, *Isometric-path numbers of block graphs*, Inform. Process. Lett. **93** (2005) 99–102.
<https://doi.org/10.1016/j.ipl.2004.09.021>
- [22] J.-J. Pan and G.J. Chang, *Isometric path numbers of graphs*, Discrete Math. **306** (2006) 2091–2096.
<https://doi.org/10.1016/j.disc.2006.04.003>
- [23] S.K. Peer and D.K. Sharma, *Finding the shortest path in stochastic networks*, Comput. Math. Appl. **53** (2007) 729–740.
<https://doi.org/10.1016/j.camwa.2007.01.012>
- [24] M. Pióro and D. Medhi, Routing, Flow, and Capacity Design in Communication and Computer Networks (Morgan Kaufmann Publishers, 2004).
<https://doi.org/10.1016/B978-0-12-557189-0.X5000-8>
- [25] J. Xu, Topological Structure and Analysis of Interconnection Networks (Springer-Verlag, 2001).
<https://doi.org/10.1007/978-1-4757-3387-7>
- [26] J. Zhang, W. Luo, L. Yuan and W. Mei, *Shortest path algorithm in GIS network analysis based on Clifford algebra*, in: Proc. 2nd International Conference on Future Computer and Communication **1** (2010) 432–436.
<https://doi.org/10.1109/ICFCC.2010.5497752>

Received 29 January 2019

Revised 14 May 2019

Accepted 14 May 2019